NAME-TARUN GOWDA P SRN-PES1UG24AM303 SECTION-F

STEP 1 PYTEST

```
PS C:\Users\pradeep tr\Downloads\L6_L7_03_coffee_shop_order-main\L6_L7_03_coffee_shop_order-main\Lab 7> python -m pip in
stall hypothesis pytest
Requirement already satisfied: hypothesis in c:\users\pradeep tr\appdata\local\packages\pythonsoftwarefoundation.python.
3.11_qbz5n2kfra8p0\localcache\local-packages\python311\site-packages (6.170.15)
Requirement already satisfied: pytest in c:\users\pradeep tr\appdata\local\packages\pythonsoftwarefoundation.python.3.11
_qbz5n2kfra8p0\localcache\local-packages\python311\site-packages (8.3.4)
Requirement already satisfied: sortedcontainers<3.0.0,>=2.1.0 in c:\users\pradeep tr\appdata\local\packages\pythonsoftwa
refoundation.python.3.11_qbz5n2kfra8p0\localcache\local-packages\python311\site-packages (from hypothesis) (2.4.0)
Requirement already satisfied: colorama in c:\users\pradeep tr\appdata\local\packages\pythonsoftwarefoundation.python.3.
11_qbz5n2kfra8p0\localcache\local-packages\python311\site-packages (from pytest) (0.4.6)
Requirement already satisfied: iniconfig in c:\users\pradeep tr\appdata\local\packages\pythonsoftwarefoundation.python.3
.11_qbz5n2kfra8p0\localcache\local-packages\python311\site-packages (from pytest) (2.0.0)
Requirement already satisfied: packaging in c:\users\pradeep tr\appdata\local\packages\pythonsoftwarefoundation.python.3
.11_qbz5n2kfra8p0\localcache\local-packages\python311\site-packages (from pytest) (24.2)
Requirement already satisfied: pluggy<2,>=1.5 in c:\users\pradeep tr\appdata\local\packages\pythonsoftwarefoundation.pyt
hon.3.11_qbz5n2kfra8p0\localcache\local-packages\python311\site-packages (from pytest) (1.5.0)

[notice] A new release of pip is available: 24.3.1 -> 26.3
[notice] To update, run: C:\Users\pradeep tr\AppData\Local\Microsoft\WindowsApps\PythonSoftwareFoundation.Python.3.11_qb
z5n2kfra8p0\python.exe -m pip install --upgrade pip
PS C:\Users\pradeep tr\Downloads\L6_L7_03_coffee_shop_order-main\L6_L7_03_coffee_shop_order-main\Lab 7>
```

STEP2:

```
PS C:\Users\pradeep tr\Downloads\L6_L7_03_coffee_shop_order-main\L6_L7_03_coffee_shop_order-main\Lab 7> python processor
.py
==== Running lookup_drink_code ====
Enter drink code prefix (e.g. LAT, CAP, ESP): LAT
Base Price: $ 4.5

==== Running calculate_average_shot_cost ====
Enter CSV of shot prices (e.g. 1.0, 1.5, 2.0): YYY
Traceback (most recent call last):
  File "C:\Users\pradeep tr\Downloads\L6_L7_03_coffee_shop_order-main\L6_L7_03_coffee_shop_order-main\Lab 7\processor.py
", line 41, in <module>
    main()
  File "C:\Users\pradeep tr\Downloads\L6_L7_03_coffee_shop_order-main\L6_L7_03_coffee_shop_order-main\Lab 7\processor.py
", line 32, in main
    avg_price = calculate_average_shot_cost(shots_input)
                ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "C:\Users\pradeep tr\Downloads\L6_L7_03_coffee_shop_order-main\L6_L7_03_coffee_shop_order-main\Lab 7\processor.py
", line 13, in calculate_average_shot_cost
    prices = [float(p) for p in pricing_csv.split(',')]
             ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "C:\Users\pradeep tr\Downloads\L6_L7_03_coffee_shop_order-main\L6_L7_03_coffee_shop_order-main\Lab 7\processor.py
", line 13, in <listcomp>
    prices = [float(p) for p in pricing_csv.split(',')]
              ^^^^^^^^
ValueError: could not convert string to float: 'YYY'
```

STEP3:

```
============================================================ FAILURES ============================================================
_____________________________________________ test_lookup_drink_code_no_crash _____________________________________________
  + Exception Group Traceback (most recent call last):
  |   File "C:\Users\pradeep tr\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\P
ython311\site-packages\_pytest\runner.py", line 341, in from_call
  |     result: TResult | None = func()
  |                              ^^^^^^
  |   File "C:\Users\pradeep tr\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\P
ython311\site-packages\_pytest\runner.py", line 242, in <lambda>
  |     lambda: runtest_hook(item=item, **kwds), when=when, reraise=reraise
  |             ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  |   File "C:\Users\pradeep tr\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\P
ython311\site-packages\pluggy\_hooks.py", line 513, in __call__
  |     return self._hookexec(self.name, self._hookimpls.copy(), kwargs, firstresult)
  |            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  |   File "C:\Users\pradeep tr\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\P
ython311\site-packages\pluggy\_manager.py", line 120, in _hookexec
  |     return self._inner_hookexec(hook_name, methods, kwargs, firstresult)
  |            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  |   File "C:\Users\pradeep tr\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\P
ython311\site-packages\pluggy\_callers.py", line 182, in _multicall
  |     return outcome.get_result()
  |            ^^^^^^^^^^^^^^^^^^^
  |   File "C:\Users\pradeep tr\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\P
ython311\site-packages\pluggy\_result.py", line 100, in get_result
  |     raise exc.with_traceback(exc.__traceback__)
  |   File "C:\Users\pradeep tr\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\P
ython311\site-packages\pluggy\_callers.py", line 167, in _multicall
  |     teardown.throw(outcome._exception)
  |   File "C:\Users\pradeep tr\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\P
ython311\site-packages\_pytest\threadexception.py", line 92, in pytest_runtest_call
  |     yield from thread_exception_runtest_hook()
```

```
 |     yield from unraisable_exception_runtest_hook()
 |   File "C:\Users\pradeep tr\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\P
ython311\site-packages\_pytest\unraisableexception.py", line 70, in unraisable_exception_runtest_hook
 |     yield
 |   File "C:\Users\pradeep tr\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\P
ython311\site-packages\pluggy\_callers.py", line 167, in _multicall
 |     teardown.throw(outcome._exception)
 |   File "C:\Users\pradeep tr\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\P
ython311\site-packages\_pytest\logging.py", line 846, in pytest_runtest_call
 |     yield from self._runtest_for(item, "call")
 |   File "C:\Users\pradeep tr\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\P
ython311\site-packages\_pytest\logging.py", line 829, in _runtest_for
 |     yield
 |   File "C:\Users\pradeep tr\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\P
ython311\site-packages\pluggy\_callers.py", line 167, in _multicall
 |     teardown.throw(outcome._exception)
 |   File "C:\Users\pradeep tr\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\P
ython311\site-packages\_pytest\capture.py", line 880, in pytest_runtest_call
 |     return (yield)
 |             ^^^^^
 |   File "C:\Users\pradeep tr\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\P
ython311\site-packages\pluggy\_callers.py", line 167, in _multicall
 |     teardown.throw(outcome._exception)
 |   File "C:\Users\pradeep tr\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\P
ython311\site-packages\_pytest\skipping.py", line 257, in pytest_runtest_call
 |     return (yield)
 |             ^^^^^
 |   File "C:\Users\pradeep tr\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\P
ython311\site-packages\pluggy\_callers.py", line 103, in _multicall
 |     res = hook_impl.function(*args)
 |           ^^^^^^^^^^^^^^^^^^^^^^^^
 |   File "C:\Users\pradeep tr\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\P
ython311\site-packages\_pytest\runner.py", line 174, in pytest_runtest_call
```

```
    |
    | Traceback (most recent call last):
    |   File "C:\Users\pradeep tr\Downloads\L6_L7_03_coffee_shop_order-main\L6_L7_03_coffee_shop_order-main\Lab 7\test_processor.py",
 line 10, in test_lookup_drink_code_no_crash
    |     assert False, f"lookup_drink_code crashed with: {e!r}"
    | AssertionError: lookup_drink_code crashed with: KeyError('')
    | assert False
    | Failing test case: test_lookup_drink_code_no_crash(
    |     s='',  # or any other generated value
    | )
    +---------------- 2 ----------------
    | Traceback (most recent call last):
    |   File "C:\Users\pradeep tr\Downloads\L6_L7_03_coffee_shop_order-main\L6_L7_03_coffee_shop_order-main\Lab 7\test_processor.py",
 line 8, in test_lookup_drink_code_no_crash
    |     lookup_drink_code(s)
    |   File "C:\Users\pradeep tr\Downloads\L6_L7_03_coffee_shop_order-main\L6_L7_03_coffee_shop_order-main\Lab 7\processor.py", line
 2, in lookup_drink_code
    |     code_prefix = code_string.upper()[:3]
    |                   ^^^^^^^^^^^^^^^^^^
    | AttributeError: 'NoneType' object has no attribute 'upper'
    |
    | During handling of the above exception, another exception occurred:
    |
    | Traceback (most recent call last):
    |   File "C:\Users\pradeep tr\Downloads\L6_L7_03_coffee_shop_order-main\L6_L7_03_coffee_shop_order-main\Lab 7\test_processor.py",
 line 10, in test_lookup_drink_code_no_crash
    |     assert False, f"lookup_drink_code crashed with: {e!r}"
    | AssertionError: lookup_drink_code crashed with: AttributeError("'NoneType' object has no attribute 'upper'")
    | assert False
    | Failing test case: test_lookup_drink_code_no_crash(
    |     s=None,  # or any other generated value
    | )
    +-----------------------------------
```

```
_____________________________________________ test_calculate_average_shot_cost_safe _____________________________________________
  + Exception Group Traceback (most recent call last):
  |   File "C:\Users\pradeep tr\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\P
ython311\site-packages\_pytest\runner.py", line 341, in from_call
  |     result: TResult | None = func()
  |                              ^^^^^^
  |   File "C:\Users\pradeep tr\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\P
ython311\site-packages\_pytest\runner.py", line 242, in <lambda>
  |     lambda: runtest_hook(item=item, **kwds), when=when, reraise=reraise
  |             ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  |   File "C:\Users\pradeep tr\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\P
ython311\site-packages\pluggy\_hooks.py", line 513, in __call__
  |     return self._hookexec(self.name, self._hookimpls.copy(), kwargs, firstresult)
  |            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  |   File "C:\Users\pradeep tr\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\P
ython311\site-packages\pluggy\_manager.py", line 120, in _hookexec
  |     return self._inner_hookexec(hook_name, methods, kwargs, firstresult)
  |            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  |   File "C:\Users\pradeep tr\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\P
ython311\site-packages\pluggy\_callers.py", line 182, in _multicall
  |     return outcome.get_result()
  |            ^^^^^^^^^^^^^^^^^^^
  |   File "C:\Users\pradeep tr\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\P
ython311\site-packages\pluggy\_result.py", line 100, in get_result
  |     raise exc.with_traceback(exc.__traceback__)
  |   File "C:\Users\pradeep tr\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\P
ython311\site-packages\pluggy\_callers.py", line 167, in _multicall
  |     teardown.throw(outcome._exception)
  |   File "C:\Users\pradeep tr\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\P
ython311\site-packages\_pytest\threadexception.py", line 92, in pytest_runtest_call
  |     yield from thread_exception_runtest_hook()
  |   File "C:\Users\pradeep tr\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\P
ython311\site-packages\_pytest\threadexception.py", line 68, in thread_exception_runtest_hook
```

```
  |     yield
  |   File "C:\Users\pradeep tr\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\P
ython311\site-packages\pluggy\_callers.py", line 167, in _multicall
  |     teardown.throw(outcome._exception)
  |   File "C:\Users\pradeep tr\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\P
ython311\site-packages\_pytest\logging.py", line 846, in pytest_runtest_call
  |     yield from self._runtest_for(item, "call")
  |   File "C:\Users\pradeep tr\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\P
ython311\site-packages\_pytest\logging.py", line 829, in _runtest_for
  |     yield
  |   File "C:\Users\pradeep tr\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\P
ython311\site-packages\pluggy\_callers.py", line 167, in _multicall
  |     teardown.throw(outcome._exception)
  |   File "C:\Users\pradeep tr\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\P
ython311\site-packages\_pytest\capture.py", line 880, in pytest_runtest_call
  |     return (yield)
  |             ^^^^^
  |   File "C:\Users\pradeep tr\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\P
ython311\site-packages\pluggy\_callers.py", line 167, in _multicall
  |     teardown.throw(outcome._exception)
  |   File "C:\Users\pradeep tr\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\P
ython311\site-packages\_pytest\skipping.py", line 257, in pytest_runtest_call
  |     return (yield)
  |             ^^^^^
  |   File "C:\Users\pradeep tr\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\P
ython311\site-packages\pluggy\_callers.py", line 103, in _multicall
  |     res = hook_impl.function(*args)
  |           ^^^^^^^^^^^^^^^^^^^^^^^^
  |   File "C:\Users\pradeep tr\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\P
ython311\site-packages\_pytest\runner.py", line 174, in pytest_runtest_call
  |     item.runtest()
  |   File "C:\Users\pradeep tr\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\P
ython311\site-packages\_pytest\python.py", line 1627, in runtest
```

```
    |
    | Traceback (most recent call last):
    |   File "C:\Users\pradeep tr\Downloads\L6_L7_03_coffee_shop_order-main\L6_L7_03_coffee_shop_order-main\Lab 7\test_processor.py",
 line 18, in test_calculate_average_shot_cost_safe
    |     assert False, f"calculate_average_shot_cost crashed with: {e!r}"
    | AssertionError: calculate_average_shot_cost crashed with: ValueError("could not convert string to float: ''")
    | assert False
    | Failing test case: test_calculate_average_shot_cost_safe(
    |     s='',  # or any other generated value
    | )
    +---------------- 2 ----------------
    | Traceback (most recent call last):
    |   File "C:\Users\pradeep tr\Downloads\L6_L7_03_coffee_shop_order-main\L6_L7_03_coffee_shop_order-main\Lab 7\test_processor.py",
 line 16, in test_calculate_average_shot_cost_safe
    |     calculate_average_shot_cost(s)
    |   File "C:\Users\pradeep tr\Downloads\L6_L7_03_coffee_shop_order-main\L6_L7_03_coffee_shop_order-main\Lab 7\processor.py", line
 13, in calculate_average_shot_cost
    |     prices = [float(p) for p in pricing_csv.split(',')]
    |                                ^^^^^^^^^^^^^^^^^
    | AttributeError: 'NoneType' object has no attribute 'split'
    |
    | During handling of the above exception, another exception occurred:
    |
    | Traceback (most recent call last):
    |   File "C:\Users\pradeep tr\Downloads\L6_L7_03_coffee_shop_order-main\L6_L7_03_coffee_shop_order-main\Lab 7\test_processor.py",
 line 18, in test_calculate_average_shot_cost_safe
    |     assert False, f"calculate_average_shot_cost crashed with: {e!r}"
    | AssertionError: calculate_average_shot_cost crashed with: AttributeError("'NoneType' object has no attribute 'split'")
    | assert False
    | Failing test case: test_calculate_average_shot_cost_safe(
    |     s=None,  # or any other generated value
    | )
```

```
_____________________________________________ test_parse_order_modifiers_safe _____________________________________________
  + Exception Group Traceback (most recent call last):
  |   File "C:\Users\pradeep tr\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\P
ython311\site-packages\_pytest\runner.py", line 341, in from_call
  |     result: TResult | None = func()
  |                              ^^^^^^
  |   File "C:\Users\pradeep tr\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\P
ython311\site-packages\_pytest\runner.py", line 242, in <lambda>
  |     lambda: runtest_hook(item=item, **kwds), when=when, reraise=reraise
  |             ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  |   File "C:\Users\pradeep tr\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\P
ython311\site-packages\pluggy\_hooks.py", line 513, in __call__
  |     return self._hookexec(self.name, self._hookimpls.copy(), kwargs, firstresult)
  |            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  |   File "C:\Users\pradeep tr\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\P
ython311\site-packages\pluggy\_manager.py", line 120, in _hookexec
  |     return self._inner_hookexec(hook_name, methods, kwargs, firstresult)
  |            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  |   File "C:\Users\pradeep tr\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\P
ython311\site-packages\pluggy\_callers.py", line 182, in _multicall
  |     return outcome.get_result()
  |            ^^^^^^^^^^^^^^^^^^^^
  |   File "C:\Users\pradeep tr\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\P
ython311\site-packages\pluggy\_result.py", line 100, in get_result
  |     raise exc.with_traceback(exc.__traceback__)
  |   File "C:\Users\pradeep tr\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\P
ython311\site-packages\pluggy\_callers.py", line 167, in _multicall
  |     teardown.throw(outcome._exception)
  |   File "C:\Users\pradeep tr\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\P
ython311\site-packages\_pytest\threadexception.py", line 92, in pytest_runtest_call
  |     yield from thread_exception_runtest_hook()
  |   File "C:\Users\pradeep tr\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\P
ython311\site-packages\_pytest\threadexception.py", line 68, in thread_exception_runtest_hook
```

```
 |     self.ihook.pytest_pyfunc_call(pyfuncitem=self)
 |   File "C:\Users\pradeep tr\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\P
thon311\site-packages\pluggy\_hooks.py", line 513, in __call__
 |     return self._hookexec(self.name, self._hookimpls.copy(), kwargs, firstresult)
 |            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
 |   File "C:\Users\pradeep tr\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\P
thon311\site-packages\pluggy\_manager.py", line 120, in _hookexec
 |     return self._inner_hookexec(hook_name, methods, kwargs, firstresult)
 |            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
 |   File "C:\Users\pradeep tr\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\P
thon311\site-packages\pluggy\_callers.py", line 139, in _multicall
 |     raise exception.with_traceback(exception.__traceback__)
 |   File "C:\Users\pradeep tr\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\P
thon311\site-packages\pluggy\_callers.py", line 103, in _multicall
 |     res = hook_impl.function(*args)
 |           ^^^^^^^^^^^^^^^^^^^^^^^^
 |   File "C:\Users\pradeep tr\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\P
thon311\site-packages\_pytest\python.py", line 159, in pytest_pyfunc_call
 |     result = testfunction(**testargs)
 |              ^^^^^^^^^^^^^^^^^^^^^^^^
 |   File "C:\Users\pradeep tr\Downloads\L6_L7_03_coffee_shop_order-main\L6_L7_03_coffee_shop_order-main\Lab 7\test_processor.py", l
ne 22, in test_parse_order_modifiers_safe
 |     def test_parse_order_modifiers_safe(s):
 |                ^^^
 |   File "C:\Users\pradeep tr\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\P
thon311\site-packages\hypothesis\core.py", line 2334, in wrapped_test
 |     raise the_error_hypothesis_found
 | ExceptionGroup: Hypothesis found 2 distinct failures. (2 sub-exceptions)
 +-+---------------- 1 ----------------
   | Traceback (most recent call last):
   |   File "C:\Users\pradeep tr\Downloads\L6_L7_03_coffee_shop_order-main\L6_L7_03_coffee_shop_order-main\Lab 7\test_processor.py",
line 24, in test_parse_order_modifiers_safe
   |     parse_order_modifiers(s)
```

```
    | Failing test case: test_parse_order_modifiers_safe(
    |     s='',
    | )
    | Explanation:
    |     These lines were always and only run by failing test cases:
    |         C:\Users\pradeep tr\Downloads\L6_L7_03_coffee_shop_order-main\L6_L7_03_coffee_shop_order-main\Lab 7\test_processor.py:2
5
    +---------------- 2 ----------------
    | Traceback (most recent call last):
    |   File "C:\Users\pradeep tr\Downloads\L6_L7_03_coffee_shop_order-main\L6_L7_03_coffee_shop_order-main\Lab 7\test_processor.py",
 line 24, in test_parse_order_modifiers_safe
    |     parse_order_modifiers(s)
    |   File "C:\Users\pradeep tr\Downloads\L6_L7_03_coffee_shop_order-main\L6_L7_03_coffee_shop_order-main\Lab 7\processor.py", line
 18, in parse_order_modifiers
    |     items = order_spec.split(';')
    |             ^^^^^^^^^^^^^^^^
    | AttributeError: 'NoneType' object has no attribute 'split'
    |
    | During handling of the above exception, another exception occurred:
    |
    | Traceback (most recent call last):
    |   File "C:\Users\pradeep tr\Downloads\L6_L7_03_coffee_shop_order-main\L6_L7_03_coffee_shop_order-main\Lab 7\test_processor.py",
 line 26, in test_parse_order_modifiers_safe
    |     assert False, f"parse_order_modifiers crashed with: {e!r}"
    | AssertionError: parse_order_modifiers crashed with: AttributeError("'NoneType' object has no attribute 'split'")
    | assert False
    | Failing test case: test_parse_order_modifiers_safe(
    |     s=None,
    | )
    | Explanation:
    |     These lines were always and only run by failing test cases:
    |         C:\Users\pradeep tr\Downloads\L6_L7_03_coffee_shop_order-main\L6_L7_03_coffee_shop_order-main\Lab 7\test_processor.py:2
5
```

STEP 4:

```
PS C:\Users\pradeep tr\Downloads\L6_L7_03_coffee_shop_order-main\L6_L7_03_coffee_shop_order-main\Lab 7> python processor
.py
==== Running lookup_drink_code ====
Enter drink code prefix (e.g. LAT, CAP, ESP): xxx
Invalid or unknown drink code.

==== Running calculate_average_shot_cost ====
Enter CSV of shot prices (e.g. 1.0, 1.5, 2.0): yyy
Invalid shot prices.

==== Running parse_order_modifiers ====
Enter modifiers (e.g. milk:oat;syrup:vanilla): zzz
Invalid modifiers. Use key:value pairs separated by ; (e.g. milk:oat;syrup:vanilla).
PS C:\Users\pradeep tr\Downloads\L6_L7_03_coffee_shop_order-main\L6_L7_03_coffee_shop_order-main\Lab 7> python processor
.py
==== Running lookup_drink_code ====
Enter drink code prefix (e.g. LAT, CAP, ESP): LAT
Base Price: $ 4.5

==== Running calculate_average_shot_cost ====
Enter CSV of shot prices (e.g. 1.0, 1.5, 2.0): 4.0
Average Shot Price: $ 4.0

==== Running parse_order_modifiers ====
Enter modifiers (e.g. milk:oat;syrup:vanilla): milk:oat
Parsed Modifiers: {'milk': 'oat'}
PS C:\Users\pradeep tr\Downloads\L6_L7_03_coffee_shop_order-main\L6_L7_03_coffee_shop_order-main\Lab 7>
```

```
PS C:\Users\pradeep tr\Downloads\L6_L7_03_coffee_shop_order-main\L6_L7_03_coffee_shop_order-main\Lab 7>    python -m pyt
est test_processor.py
============================================= test session starts =============================================
platform win32 -- Python 3.11.9, pytest-8.3.4, pluggy-1.5.0
rootdir: C:\Users\pradeep tr\Downloads
configfile: pyproject.toml
plugins: anyio-4.16.0, hypothesis-6.170.15
collected 3 items

test_processor.py ...                                                                                [100%]

============================================== 3 passed in 2.10s ==============================================
PS C:\Users\pradeep tr\Downloads\L6_L7_03_coffee_shop_order-main\L6_L7_03_coffee_shop_order-main\Lab 7>
```