

HandsMen Threads: Elevating the Art of Sophistication in Men's Fashion

Submitted By:

Name: Tummala Taruni

Roll No.: 238W1A0560

College Email: 238w1a0560@vrsec.ac.in

PROJECT OVERVIEW

HandsMen Threads is a dynamic organization in the fashion industry that specializes in premium men's bespoke tailoring and personalized styling. The objective of this Salesforce project is to develop a centralized platform for managing business data and improving customer relationships.

The Salesforce application is designed to maintain customer, product, order, inventory, and marketing campaign information in a structured manner. The system also provides a foundation for implementing automation such as automated order confirmations, dynamic loyalty management, proactive stock alerts, and scheduled bulk order processing.

The project focuses on maintaining data integrity through the Salesforce user interface and improving overall business efficiency through Salesforce automation and development features.

PROJECT OBJECTIVES

The main objectives of the HandsMen Threads Salesforce project are as follows:

Centralized Data Management

The project aims to provide a centralized platform for storing and managing business information. Instead of maintaining information across separate systems, customer, product, order, inventory, and marketing data can be organized within Salesforce.

Data Integrity

Maintaining accurate and consistent data is an important requirement of the project. Salesforce configuration features are used to ensure that users enter valid and appropriate information through the user interface.

Customer Management

The system provides a structured approach to maintaining customer information. Customer data can subsequently be used for order processing, customer communication, and loyalty management.

Order Management

The project provides a dedicated object for maintaining order information. Unique order numbers are automatically generated using Salesforce Auto Number functionality.

Inventory Management

The Inventory object provides a dedicated structure for storing stock-related information. This information can subsequently be used to monitor stock levels and trigger alerts when inventory falls below the required threshold.

Marketing Management

The Marketing Campaign object provides a structured way of maintaining campaign-related information.

Business Process Automation

The project aims to automate repetitive business activities such as order confirmation emails, loyalty updates, stock alerts, and bulk order processing.

These objectives establish the foundation for the Salesforce implementation described in the subsequent sections.


Data Model Design

The data model for the HandsMen Threads Salesforce project was designed to organize the core business information of the organization. It includes custom objects for managing customers, products, orders, inventory, and marketing activities. The model provides the foundation for maintaining data consistency and supporting the required business processes.

The standard Salesforce objects do not provide all the business-specific structures required by HandsMen Threads. Therefore, custom objects were created to represent the organization's specific business entities.

Five custom objects were identified for the project:

1. HandsMen Customer
2. HandsMen Product
3. HandsMen Order
4. Inventory
5. Marketing Campaign



Object – HandsMen Customer

Description


The HandsMen Customer object is designed to maintain customer information in a structured manner. It acts as the main customer record used by order management and customer-related processes, including the loyalty program.

Object Creation Procedure

1. Open **Setup** using the **Gear icon**.

2. Select **Object Manager**.
3. Click **Create → Custom Object**.
4. Enter the required object details.
5. Enable **Allow Reports** and **Allow Search**.
6. Click **Save**.

Property	Configuration
Label	HandsMen Customer
Plural Label	HandsMen Customer
Record Name	HandsMen Customer Name
Data Type	Text
Allow Reports	Enabled
Allow Search	Enabled



Object – HandsMen Product

The **HandsMen Product** object represents the products maintained by the organization. It provides the product information required for order and inventory-related operations.

Configuration

The object was configured with:

- **Object Label:** HandsMen Product
- **Record Name:** HandsMen Product Name
- **Record Name Type:** Text
- **Reports:** Enabled
- **Search:** Enabled

Purpose

The **HandsMen Product** custom object was created to maintain information about products offered by HandsMen Threads.

Product information is important for the organization's order and inventory processes. The object provides a dedicated location for maintaining product records.

Developer Edition

Search Setup

Setup Home Object Manager

SETUP > OBJECT MANAGER

HandsMen Product

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Restriction Rules

Scoping Rules

Object Access

Details

Description

API Name
HandsMen_Product__c

Custom
✓

Singular Label
HandsMen Product

Plural Label
HandsMen Products

Enable Reports
✓

Track Activities

Track Field History

Deployment Status
Deployed

Help Settings
Standard salesforce.com Help Window

Edit Delete

Developer Edition

Search Setup

Setup Home Object Manager

SETUP > OBJECT MANAGER

HandsMen Product

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Restriction Rules

Scoping Rules

Fields & Relationships

8 Items, Sorted by Field Label

Quick Find

New Deleted Fields Field Dependencies Set History Tracking

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Created By	CreatedById	Lookup(User)		
HandsMen Product Name	Name	Text(80)		✓
Last Modified By	LastModifiedById	Lookup(User)		
Order	Order__c	Lookup(HandsMen Order)		✓
Owner	OwnerId	Lookup(User,Group)		✓
Price	Price__c	Currency(18, 0)		
SKU	SKU__c	Text(60)		
Stock Quantity	Stock_Quantity__c	Number(18, 0)		

Object – HandsMen Order

The **HandsMen Order** object was introduced to manage customer orders. Since every order requires a unique identifier, an **Auto Number** field was selected for the record name.

The numbering format was configured as **O-{0000}**, beginning from **001**.

Configuration

- **Object Label:** HandsMen Order
- **Record Name:** HandsMen OrderNumber
- **Record Name Type:** Auto Number
- **Number Format:** O-{0000}
- **Starting Number:** 001
- **Reports:** Enabled
- **Search:** Enabled

This object forms an important part of the **automated order confirmation** and order-related inventory processes.

Developer Edition

Search Setup

Setup Home Object Manager

SETUP > OBJECT MANAGER
HandsMen Order

Details

Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Search Layouts
List View Button Layout
Restriction Rules
Scoping Rules

Details

Description

API Name
HandsMen_Order_c

Custom

Singular Label
HandsMen Order

Plural Label
HandsMen Orders

Enable Reports
✓

Track Activities

Track Field History

Deployment Status
Deployed

Help Settings
Standard salesforce.com Help Window

Edit Delete

Developer Edition

Search Setup

Setup Home Object Manager

SETUP > OBJECT MANAGER
HandsMen Order

Details

Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Search Layouts
List View Button Layout
Restriction Rules
Scoping Rules

Fields & Relationships

10 Items, Sorted by Field Label

Quick Find

New Deleted Fields Field Dependencies Set History Tracking

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Created By	CreatedById	Lookup(User)		
Customer	Customer_c	Lookup(HandsMen Customer)		✓
Customer Email	Customer_Email_c	Email		
HandsMen OrderNumber	Name	Auto Number		✓
HandsMen Product	HandsMen_Product_c	Lookup(HandsMen Product)		✓
Last Modified By	LastModifiedById	Lookup(User)		
Owner	OwnerId	Lookup(User,Group)		✓
Quantity	Quantity_c	Number(18, 0)		
Status	Status_c	Picklist		
Total Amount	Total_Amount_c	Number(18, 0)		

Object – Inventory

The **Inventory** object was created to maintain stock-related records. It supports the project's **proactive stock alert** requirement by providing a dedicated location for inventory information.

The record identifier was configured using Auto Number with the format **I-{0000}**, starting from **001**.

Configuration

- **Object Label:** Inventory
- **Record Name:** Inventory Number
- **Record Name Type:** Auto Number
- **Number Format:** I-{0000}
- **Starting Number:** 001
- **Reports:** Enabled
- **Search:** Enabled

Developer Edition

Search Setup

SetupHomeObject Manager

SETUP > OBJECT MANAGERInventory

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Restriction Rules

Scoping Rules

Details

Description

API NameInventory_c

Custom

Singular LabelInventory

Plural LabelInventories

Enable Reports

Track Activities

Track Field History

Deployment StatusDeployed

Help SettingsStandard salesforce.com Help Window

EditDelete

SETUP > OBJECT MANAGERInventory

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Restriction Rules

Scoping Rules

Details

Description

API NameInventory_c

Custom

Singular LabelInventory

Plural LabelInventories

Enable Reports

Track Activities

Track Field History

Deployment StatusDeployed

Help SettingsStandard salesforce.com Help Window

EditDelete

Object – Marketing Campaign

The **Marketing Campaign** object was created to organize campaign-related information within Salesforce. It supports the marketing activities included in the HandsMen Threads system.

The campaign records use an automatically generated identifier with the format **MC-{0000}**, starting from **001**.

Configuration

- **Object Label:** Marketing Campaign
- **Record Name:** Marketing Campaign Number
- **Record Name Type:** Auto Number
- **Number Format:** MC-{0000}
- **Starting Number:** 001
- **Reports:** Enabled
- **Search:** Enabled

The screenshot shows the Salesforce Setup interface for the Marketing Campaign object. The top navigation bar includes the Developer Edition label, a search bar, and various utility icons. The left sidebar shows the Setup menu with the Object Manager sub-menu selected. The main content area is titled 'Marketing Campaign' and displays the 'Details' tab. The details section includes fields for Description, API Name (Marketing_Campaign__c), Custom (checked), Singular Label (Marketing Campaign), Plural Label (Marketing Campaigns), Enable Reports (checked), Track Activities, Track Field History, Deployment Status (Deployed), and Help Settings (Standard salesforce.com Help Window). Edit and Delete buttons are visible in the top right corner.


The screenshot shows the Salesforce Setup interface for the Marketing Campaign object, specifically the 'Fields & Relationships' tab. The left sidebar shows the Setup menu with the Object Manager sub-menu selected. The main content area is titled 'Marketing Campaign' and displays the 'Fields & Relationships' tab. The fields are listed in a table with columns for Field Label, Field Name, Data Type, Controlling Field, and Indexed. The table contains 7 items, sorted by Field Label. The fields are: Created By (CreatedBy, Lookup(User)), End Date (End_Date__c, Date), HandsMen Customer (HandsMen_Customer__c, Lookup(HandsMen Customer)), Last Modified By (LastModifiedById, Lookup(User)), Marketing Campaign Number (Name, Auto Number), Owner (OwnerId, Lookup(User,Group)), and Start Date (Start_Date__c, Date). The table also includes buttons for New, Deleted Fields, Field Dependencies, and Set History Tracking.

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Created By	CreatedBy	Lookup(User)		
End Date	End_Date__c	Date		
HandsMen Customer	HandsMen_Customer__c	Lookup(HandsMen Customer)		✓
Last Modified By	LastModifiedById	Lookup(User)		
Marketing Campaign Number	Name	Auto Number		✓
Owner	OwnerId	Lookup(User,Group)		✓
Start Date	Start_Date__c	Date		

Data Management – Tabs


After creating the required custom objects, custom tabs were created to make these objects accessible from the Salesforce interface. The **HandsMen Customer** tab was created first, followed by tabs for the remaining custom objects.

Creating a Custom Tabs



Tab—HandsMen Customer

1. Navigate to **Setup**.
2. Enter **Tabs** in the **Quick Find** search bar.
3. Select **Tabs** under **User Interface**.
4. In the **Custom Object Tabs** section, click **New**.
5. Select **HandsMen Customer** as the object.
6. Choose a suitable **Tab Style**.
7. Click **Next**.
8. Keep the **Add to Profiles** settings as default and click **Next**.
9. Keep the **Add to Custom Apps** settings as default.
10. Click **Save**.




Creating Tabs for the Remaining Objects


The same procedure was followed to create custom tabs for the other objects created in the HandsMen Threads application:

- HandsMen Product
- HandsMen Order
- Inventory
- Marketing Campaign


Tab – HandsMen Product




Tab – HandsMen Order



Tab – Inventory



Tab – Marketing Campaign



Data Management – App Manager

HandsMen Threads Lightning App

To bring the different components of the HandsMen Threads Salesforce project into one working interface, a dedicated **Lightning Application** named **HandsMen Threads** was configured. The application provides access to the custom objects and standard Salesforce features required for managing the organization's data.


Application Setup

The **HandsMen Threads** Lightning App was created using **Setup → App Manager → New Lightning App**.

The application details were configured as follows:

- **App Name:** HandsMen Threads
- **Developer Name:** Automatically populated
- **Description:** Give a meaningful description
- **Image:** Optional


- **Primary Color: Default**



Navigation Items

The required custom objects and Salesforce features were added to the application's navigation menu:

- HandsMen Customers
- HandsMen Orders
- HandsMen Products
- Inventorys
- Marketing Campaigns
- Accounts
- Contacts
- Reports
- Dashboards



Add User Profiles

1. Search for **System Administrator** in the profile search bar.
2. Select the **System Administrator** profile.
3. Use the **arrow button** to add the profile.
4. Click **Save & Finish**.

Data Management – Fields

1. HandsMen Customer

Field – Email

The Email field is created in the **HandsMen Customer** object to store customer email information.

Steps:

1. Go to **Setup → Object Manager**.
2. Search for and open **HandsMen Customer**.
3. Select **Fields & Relationships → New**.
4. Select **Email** as the data type and click **Next**.
5. Enter **Email** as the Field Label.
6. The Field Name is automatically generated.
7. Click **Next → Next → Save and New**.

The screenshot shows the Salesforce Setup interface. The left sidebar contains a navigation menu with options like Details, Fields & Relationships, Page Layouts, Lightning Record Pages, Buttons, Links, and Actions, Compact Layouts, Field Sets, Object Limits, Record Types, Related Lookup Filters, Search Layouts, List View Button Layout, Restriction Rules, Scoping Rules, and Object Access. The main content area is titled 'HandsMen Customer' and shows the 'Fields & Relationships' section. The 'Email' field is being defined with a data type of 'Email'. The field label is 'Email', and the field name is 'Email__c'. The object name is 'HandsMen Customer' and the data type is 'Email'. The field is created by 'Jatuni Tummalala' on '9/10/2026, 2:39 AM'. The field is not required, not unique, and has no external ID or default value. There are no validation rules defined for this field.

Field – Phone

The Phone field is created to maintain the customer's contact number.

Steps:

1. Open **HandsMen Customer → Fields & Relationships → New**.
2. Select **Phone** as the data type.
3. Enter **Phone** as the Field Label.
4. Click **Next → Next → Save and New**.

Developer Edition

Search Setup

Setup Home Object Manager

SETUP > OBJECT MANAGER
HandsMen Customer

Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Search Layouts
List View Button Layout
Restriction Rules
Scoping Rules
Object Access

HandsMen Customer Custom Field
Phone
Back to HandsMen Customer

Validation Rules (0)

Custom Field Definition Detail Edit Set Field-Level Security View Field Accessibility Where is this used?

Field Information

Field Label	Phone	Object Name	HandsMen Customer
Field Name	Phone	Data Type	Phone
API Name	Phone__c		
Description			
Help Text			
Data Owner			
Field Usage			
Data Sensitivity Level			
Compliance Categorization			
Created By	Taruni Tummala 9/10/2026, 2:40 AM	Modified By	Taruni Tummala 9/10/2026, 2:40 AM

General Options

Required ☐
Default Value

Validation Rules New Validation Rules Help

No validation rules defined.

Back To Top Always show me more records per related list

Field – Loyalty Status

The Loyalty Status field is created as a **Picklist** to maintain the loyalty category of customers.

Values:

- Gold
- Silver
- Bronze

Steps:

1. Open **HandsMen Customer** → **Fields & Relationships** → **New**.
2. Select **Picklist** as the data type.
3. Enter **Loyalty Status** as the Field Label.
4. Select **Enter values, with each value separated by a new line**.
5. Enter the three loyalty values.
6. Click **Next** → **Next** → **Next** → **Save and New**.

SETUP > OBJECT MANAGER
HandsMen Customer

Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Search Layouts
List View Button Layout
Restriction Rules
Scoping Rules

HandsMen Customer Custom Field
Loyalty Status
Back to HandsMen Customer

Validation Rules (0)

Custom Field Definition Detail Edit Set Field-Level Security View Field Accessibility Where is this used?

Field Information

Field Label	Loyalty Status	Object Name	HandsMen Customer
Field Name	Loyalty_Status	Data Type	Picklist
API Name	Loyalty_Status__c		
Description			
Help Text			
Data Owner			
Field Usage			
Data Sensitivity Level			
Compliance Categorization			
Created By	Taruni Tummala 9/10/2026, 2:42 AM	Modified By	Taruni Tummala 9/10/2026, 2:42 AM

General Options

Required ☐
Default Value

Picklist Options

Restrict picklist to the values defined in the value set ☒
Controlling Field [Next]

SETUP > OBJECT MANAGER

HandsMen Customer

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Restriction Rules

Scoping Rules

Object Access

PICKLIST OPTIONS

Restrict picklist to the values defined in the value set ☒

Controlling Field [\[New\]](#)

Picklist Values Used

Active and inactive picklist values 3 (1,000 max)

Field Dependencies

[New](#)

No dependencies defined.

Field Dependencies Help

Validation Rules

[New](#)

No validation rules defined.

Validation Rules Help

Values

[New](#) [Reorder](#) [Replace](#) [Printable View](#) [Chart Colors](#)

[Delete Selected](#) [Deactivate Selected](#) [Replace Selected](#)

Values Help

Action	Values	API Name	Default	Chart Colors	Modified By
☐ Edit Del Deactivate	Gold	Gold	☐	Assigned dynamically	Taruvi Tummalala , 9/10/2026, 2:42 AM
☐ Edit Del Deactivate	Silver	Silver	☐	Assigned dynamically	Taruvi Tummalala , 9/10/2026, 2:42 AM
☐ Edit Del Deactivate	Bronze	Bronze	☐	Assigned dynamically	Taruvi Tummalala , 9/10/2026, 2:42 AM

Inactive Values

[Delete Unused Values](#)

Inactive Values Help

No Inactive Values values defined.

[Back To Top](#)

Always show me [more](#) records per related list

Field – Total Purchases

Setup

Home

Object Manager

SETUP > OBJECT MANAGER

HandsMen Customer

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Restriction Rules

Scoping Rules

Object Access

HandsMen Customer Custom Field

Total Purchases

[Back to HandsMen Customer](#)

[Validation Rules \(0\)](#)

[Edit](#) [Set Field-Level Security](#) [View Field Accessibility](#) [Where is this used?](#)

Field Information

Field Label	Total Purchases	Object Name	HandsMen_Customer
Field Name	Total_Purchases	Date Type	Number
API Name	Total_Purchases__c		
Description			
Help Text			
Data Owner			
Field Usage			
Data Sensitivity Level			
Compliance Categorization			
Created By	Taruvi Tummalala , 9/12/2026, 12:10 AM	Modified By	Taruvi Tummalala , 9/12/2026, 12:10 AM

General Options

Required	☐
Unique	☐
External ID	☐
AI Prediction	☐
Default Value	

Number Options

Length	18
--------	----

2. HandsMen Product

Field	Type
Name	Record Name
SKU	Text
Price	Currency
Stock Quantity	Number

Field – SKU

Setup Home Object Manager

SETUP > OBJECT MANAGER
HandsMen Product

Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Search Layouts
List View Button Layout
Restriction Rules
Scoping Rules
Object Access

HandsMen Product Custom Field
SKU
Back to HandsMen Product

Validation Rules (0)

Custom Field Definition Detail Edit Set Field-Level Security View Field Accessibility Where is this used?

Field Information

Field Label	SKU	Object Name	HandsMen Product
Field Name	SKU	Data Type	Text
API Name	SKU__c		
Description			
Help Text			
Data Owner			
Field Usage			
Data Sensitivity Level			
Compliance Categorization			
Created By	Taruni Tummala, 9/12/2026, 12:15 AM	Modified By	Taruni Tummala, 9/12/2026, 12:15 AM

General Options

Required ☐
 Unique ☐
 Case Sensitive ☐
 External ID ☐
 Default Value

Text Options

Length 60

Field – Price

SETUP > OBJECT MANAGER
HandsMen Product

Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Search Layouts
List View Button Layout
Restriction Rules
Scoping Rules
Object Access

HandsMen Product Custom Field
Price
Back to HandsMen Product

Validation Rules (0)

Custom Field Definition Detail Edit Set Field-Level Security View Field Accessibility Where is this used?

Field Information

Field Label	Price	Object Name	HandsMen Product
Field Name	PRICE	Data Type	Currency
API Name	PRICE__c		
Description			
Help Text			
Data Owner			
Field Usage			
Data Sensitivity Level			
Compliance Categorization			
Created By	Taruni Tummala, 9/12/2026, 12:15 AM	Modified By	Taruni Tummala, 9/12/2026, 12:15 AM

General Options

Required ☐
 Default Value

Currency Options

Length 18
 Decimal Places 0

Validation Rules New Validation Rules Help

Field – Stock Quantity

Setup Home Object Manager

SETUP > OBJECT MANAGER
HandsMen Product

Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Search Layouts
List View Button Layout
Restriction Rules
Scoping Rules
Object Access

HandsMen Product Custom Field
Stock Quantity
Back to HandsMen Product

Validation Rules (0)

Custom Field Definition Detail Edit Set Field-Level Security View Field Accessibility Where is this used?

Field Information

Field Label	Stock Quantity	Object Name	HandsMen Product
Field Name	Stock_Quantity	Data Type	Number
API Name	Stock_Quantity__c		
Description			
Help Text			
Data Owner			
Field Usage			
Data Sensitivity Level			
Compliance Categorization			
Created By	Taruni Tummala, 9/12/2026, 12:17 AM	Modified By	Taruni Tummala, 9/12/2026, 12:17 AM

General Options

Required ☐
 Unique ☐
 External ID ☐
 AI Prediction ☐
 Default Value

Number Options

Length 18

3. HandsMen Order

The **HandsMen Order** object was configured to capture information required for managing customer orders.

The fields created include:

- **Status** – maintains the current order state.
- **Quantity** – records the ordered quantity.
- **Total Amount** – stores the order amount

Field – Status

SetupHomeObject Manager

SETUP > OBJECT MANAGER
HandsMen Order

DetailsFields & RelationshipsPage LayoutsLightning Record PagesButtons, Links, and ActionsCompact LayoutsField SetsObject LimitsRecord TypesRelated Lookup FiltersSearch LayoutsList View Button LayoutRestriction RulesScoping RulesObject Access

HandsMen Order Custom Field
Status

Back to HandsMen Order

Validation Rules (0)

Custom Field Definition Detail

EditSet Field-Level SecurityView Field AccessibilityWhere is this used?

Field Information

Field Label	Status	Object Name	HandsMen Order
Field Name	Status	Data Type	Picklist
API Name	Status__c		
Description			
Help Text			
Data Owner			
Field Usage			
Data Sensitivity Level			
Compliance Categorization			
Created By	Taruni Tummala	Modified By	Taruni Tummala
	9/12/2026, 12:21 AM		9/12/2026, 12:21 AM

General Options

Required	☐
Default Value	()

Picklist Options

Restrict picklist to the values defined in the value set	☒
Controlling Field	[New]

Picklist Values Used

Field – Quantity

SetupHomeObject Manager

SETUP > OBJECT MANAGER
HandsMen Order

DetailsFields & RelationshipsPage LayoutsLightning Record PagesButtons, Links, and ActionsCompact LayoutsField SetsObject LimitsRecord TypesRelated Lookup FiltersSearch LayoutsList View Button LayoutRestriction RulesScoping RulesObject Access

HandsMen Order Custom Field
Quantity

Back to HandsMen Order

Validation Rules (0)

Custom Field Definition Detail

EditSet Field-Level SecurityView Field AccessibilityWhere is this used?

Field Information

Field Label	Quantity	Object Name	HandsMen Order
Field Name	Quantity	Data Type	Number
API Name	Quantity__c		
Description			
Help Text			
Data Owner			
Field Usage			
Data Sensitivity Level			
Compliance Categorization			
Created By	Taruni Tummala	Modified By	Taruni Tummala
	9/12/2026, 12:27 AM		9/12/2026, 12:27 AM

General Options

Required	☐
Unique	☐
External ID	☐
AI Prediction	☐
Default Value	

Number Options

Length	18
Decimal Places	0

Field – Total Amount

Setup Home Object Manager

SETUP > OBJECT MANAGER

HandsMen Order

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Restriction Rules

Scoping Rules

Object Access

HandsMen Order Custom Field

Total Amount

Back to HandsMen Order

Validation Rules (1)

[Edit](#) [Set Field-Level Security](#) [View Field Accessibility](#) [Where is this used?](#)

Custom Field Definition Detail

Field Information

Field Label	Total Amount	Object Name	HandsMen_Order
Field Name	Total_Amount	Data Type	Number
API Name	Total_Amount__c		
Description			
Help Text			
Data Owner			
Field Usage			
Data Sensitivity Level			
Compliance Categorization			
Created By	Taruni Tummalala 9/12/2026, 12:29 AM	Modified By	Taruni Tummalala 9/12/2026, 12:29 AM

General Options

Required	☐
Unique	☐
External ID	☐
AI Prediction	☐
Default Value	

Number Options

Length	18
--------	----

4. Inventory

The **Inventory** object was configured to maintain stock-related information.

The fields include:

- **Warehouse** – identifies the warehouse information.
- **Stock Quantity** – records the available stock.
- **Stock Status** – determines the current stock condition through a formula.

Field – Warehouse

Developer Edition

Setup Home Object Manager

SETUP > OBJECT MANAGER

Inventory

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Restriction Rules

Scoping Rules

Object Access

Inventory Custom Field

Warehouse

Back to Inventory

Validation Rules (0)

[Edit](#) [Set Field-Level Security](#) [View Field Accessibility](#) [Where is this used?](#)

Custom Field Definition Detail

Field Information

Field Label	Warehouse	Object Name	Inventory
Field Name	Warehouse	Data Type	Text
API Name	Warehouse__c		
Description			
Help Text			
Data Owner			
Field Usage			
Data Sensitivity Level			
Compliance Categorization			
Created By	Taruni Tummalala 9/12/2026, 12:33 AM	Modified By	Taruni Tummalala 9/12/2026, 12:33 AM

General Options

Required	☐
Unique	☐
Case Sensitive	☐
External ID	☐
Default Value	

Text Options

Length	60
--------	----

Field – Stock Quantity

Inventory Custom Field: Stock Quantity

Back to Inventory

Validation Rules (0)

Custom Field Definition Detail

Field Information

Field Label	Stock Quantity	Object Name	Inventory
Field Name	Stock_Quantity	Data Type	Number
API Name	Stock_Quantity__c		
Description			
Help Text			
Data Owner			
Field Usage			
Data Sensitivity Level			
Compliance Categorization			
Created By	Taruvi Tummala	Modified By	Taruvi Tummala
	9/11/2026, 11:55 PM		9/11/2026, 11:56 PM

General Options

Required ☐

Unique ☐

External ID ☐

AI Prediction ☐

Default Value

Number Options

Length 18

Decimal Places 0

5. Marketing Campaign

The **Marketing Campaign** object was configured with fields required to maintain campaign details.

The campaign information includes:

- **Start Date**
- **End Date**

Field – Start Date

Marketing Campaign Custom Field: Start Date

Back to Marketing Campaign

Validation Rules (0)

Custom Field Definition Detail

Field Information

Field Label	Start Date	Object Name	Marketing Campaign
Field Name	Start Date	Data Type	Date
API Name	Start_Date__c		
Description			
Help Text			
Data Owner			
Field Usage			
Data Sensitivity Level			
Compliance Categorization			
Created By	Taruvi Tummala	Modified By	Taruvi Tummala
	9/12/2026, 12:39 AM		9/12/2026, 12:39 AM

General Options

Required ☐

Default Value

Validation Rules

No validation rules defined.

Always show me more records per related list

Field – End Date

Marketing Campaign Custom Field: End Date

Back to Marketing Campaign

Validation Rules (0)

Custom Field Definition Detail

Field Information

Field Label	End Date	Object Name	Marketing Campaign
Field Name	End Date	Data Type	Date
API Name	End_Date__c		
Description			
Help Text			
Data Owner			
Field Usage			
Data Sensitivity Level			
Compliance Categorization			
Created By	Taruvi Tummala	Modified By	Taruvi Tummala
	9/12/2026, 12:40 AM		9/12/2026, 12:40 AM

General Options

Required ☐

Default Value

Validation Rules

No validation rules defined.

Always show me more records per related list

Data Management – Relationships

Relationships were created between the custom objects to connect the related records in the HandsMen Threads Salesforce application.

1. Lookup Relationship – Marketing Campaign and HandsMen Customer

A **Lookup Relationship** was created between the **Marketing Campaign** and **HandsMen Customer** objects to associate marketing campaign records with customer records.

Steps

1. Go to **Setup** → **Object Manager**.
2. Open **Marketing Campaign**.
3. Select **Fields & Relationships** → **New**.
4. Select **Lookup Relationship** as the data type and click **Next**.
5. For **Related To**, select **HandsMen Customer**.
6. Set the **Field Label** as **HandsMen Customer**.
7. Click **Next** → **Next** → **Save**.

The screenshot displays the Salesforce Setup interface for configuring a new custom field. The breadcrumb trail is 'Setup > OBJECT MANAGER > Marketing Campaign'. The left sidebar shows the 'Fields & Relationships' menu item selected. The main content area is titled 'Marketing Campaign Custom Field' and 'HandsMen Customer'. Below this, there are tabs for 'Details', 'Field Information', 'Validation Rules', and 'Where is this used?'. The 'Field Information' tab is active, showing the following details:

- Field Label:** HandsMen Customer
- Field Name:** HandsMen_Customer
- API Name:** HandsMen_Customer__c
- Description:**
- Help Text:**
- Data Owner:**
- Field Usage:**
- Data Sensitivity Level:**
- Compliance Categorization:**
- Created By:** Taruni Tummala, 9/10/2026, 2:58 AM
- Modified By:** Taruni Tummala, 9/10/2026, 2:58 AM

Below the field information, the 'Lookup Options' section is visible, showing:

- Related To:** HandsMen Customer
- Related List Label:** Marketing Campaigns
- Required:** ☐
- What to do if the lookup record is deleted?:** Clear the value of this field.

At the bottom, the 'Lookup Filter' section indicates 'No lookup filters defined.'

2. Lookup Relationship – HandsMen Product and HandsMen Order

A **Lookup Relationship** was created between the **HandsMen Product** and **HandsMen Order** objects to associate products with their corresponding orders.

Steps

1. Go to **Setup** → **Object Manager**.
2. Open **HandsMen Product**.
3. Select **Fields & Relationships** → **New**.
4. Select **Lookup Relationship** and click **Next**.
5. For **Related To**, select **HandsMen Order**.
6. Set the **Field Label** as **Order**.
7. Click **Next** → **Next** → **Save**.

HandsMen Product

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Restriction Rules

Scoping Rules

Object Access

HandsMen Product Custom Field

Order

Back to HandsMen Product

Validation Rules (0)

Custom Field Definition Detail

Edit | Set Field-Level Security | View Field Accessibility | Where is this used?

Field Information

Field Label	Order	Object Name	HandsMen Product
Field Name	Order	Data Type	Lookup
API Name	Order__c		
Description			
Help Text			
Data Owner			
Field Usage			
Data Sensitivity Level			
Compliance Categorization			
Created By	Taruni Tummala, 9/10/2026, 3:00 AM	Modified By	Taruni Tummala, 9/10/2026, 3:00 AM

Lookup Options

Related To	HandsMen Order	Child Relationship Name	HandsMen_Products
Related List Label	HandsMen Products		
Required	☐		

What to do if the lookup record is deleted? ☐ Clear the value of this field.

Lookup Filter

No lookup filters defined.

3. Lookup Relationship – HandsMen Order and HandsMen Customer

HandsMen Order

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Restriction Rules

Scoping Rules

Object Access

HandsMen Order Custom Field

Customer

Back to HandsMen Order

Validation Rules (0)

Custom Field Definition Detail

Edit | Set Field-Level Security | View Field Accessibility | Where is this used?

Field Information

Field Label	Customer	Object Name	HandsMen Order
Field Name	Customer	Data Type	Lookup
API Name	Customer__c		
Description			
Help Text			
Data Owner			
Field Usage			
Data Sensitivity Level			
Compliance Categorization			
Created By	Taruni Tummala, 9/10/2026, 3:03 AM	Modified By	Taruni Tummala, 9/10/2026, 3:03 AM

Lookup Options

Related To	HandsMen Customer	Child Relationship Name	HandsMen_Orders
Related List Label	HandsMen Orders		
Required	☐		

What to do if the lookup record is deleted? ☐ Clear the value of this field.

Lookup Filter


No lookup filters defined.

4. Master-Detail Relationship – Inventory and HandsMen Product


A **Master-Detail Relationship** was created between the **Inventory** and **HandsMen Product** objects to establish a dependent relationship between inventory records and products.

Steps

1. Go to **Setup** → **Object Manager**.
2. Open **Inventory**.
3. Select **Fields & Relationships** → **New**.
4. Select **Master-Detail Relationship** and click **Next**.
5. For **Related To**, select **HandsMen Product**.
6. Set the **Field Label** as **Product**.
7. Click **Next** → **Next** → **Save**.



HandsMen Customerr



HandsMen Order

Developer Edition

HandsMen ThreadsHandsMen CustomersHandsMen OrdersHandsMen ProductsInventorysMarketing CampaignsReportsDashboardsMore

HandsMen Order
O-0001

New ContactEditNew Oppor

RelatedDetails

HandsMen OrderNumber
O-0001

Owner
Taruni Tummala

Customer
Chitti

Status
Confirmed

Quantity
600

Total Amount
10

Customer Email
tarunittummala25@gmail.com

HandsMen Product
Rayon

Created By
Taruni Tummala, 9/15/2026, 3:25 AM

Last Modified By
Taruni Tummala, 9/19/2026, 8:03 AM

HandsMen Product

Developer Edition

HandsMen ThreadsHandsMen CustomersHandsMen OrdersHandsMen ProductsInventorysMarketing CampaignsReportsDashboardsMore

HandsMen Product
Rayon

New ContactEditNew Opportunity

RelatedDetails

HandsMen Product Name
Rayon

Order
O-0001

SKU
HMS-002

Price
\$300

Stock Quantity
10

Created By
Taruni Tummala, 9/18/2026, 3:11 AM

Owner
Taruni Tummala

Last Modified By
Taruni Tummala, 9/19/2026, 8:05 AM

Inventory

Developer Edition

HandsMen ThreadsHandsMen CustomersHandsMen OrdersHandsMen ProductsInventorysMarketing Campaigns

Inventory
I -0004

RelatedDetails

Inventory Number
I -0004

Product
Kadhi cloth

Stock Quantity
12

Stock Status
Available

Warehouse
HYD

Created By
Taruni Tummala, 9/17/2026, 6:58 AM

Last Modified By
Taruni Tummala, 9/18/2026, 3:50 AM

Marketing Campaign

The screenshot shows the Salesforce interface for a Marketing Campaign record. The top navigation bar includes the Salesforce logo, a search bar, and various utility icons. The main navigation menu is open, showing options like HandsMen Threads, HandsMen Customers, HandsMen Orders, HandsMen Products, Inventories, Marketing Campaigns (selected), Reports, Dashboards, and More. The record details for Marketing Campaign MC -0001 are displayed. The 'Details' tab is active, showing fields for Marketing Campaign Number (MC -0001), HandsMen Customer (Laasya), Start Date (9/19/2026), End Date (10/30/2026), Created By (Taruni Tummala), and Last Modified By (Taruni Tummala). The Owner is also listed as Taruni Tummala. There are buttons for 'New Contact', 'New Opportunity', and 'New Case' in the top right corner.

Formula Fields


Formula fields were created in Salesforce to automatically calculate or derive values from existing field information. These fields reduce the need for manual updates and support the business requirements of the HandsMen Threads application.

1. Full Name Formula Field

The **Full Name** formula field was created in the **HandsMen Customer** object to combine the customer's first name and last name into a single value.

Steps:

1. Go to **Setup** → **Object Manager**.
2. Open **HandsMen Customer**.
3. Select **Fields & Relationships** → **New**.
4. Select **Formula** as the field type.
5. Click **Next**.
6. Enter **Full Name** as the Field Label.
7. Select **Text** as the Formula Return Type.
8. Enter the required formula to combine the first and last name.
9. Click **Next** → **Next** → **Save**.




2. Stock Status Formula Field

The **Stock Status** formula field was created in the **Inventory** object to automatically determine the stock condition based on the available stock quantity.

Steps

1. Go to **Setup** → **Object Manager**.
2. Open **Inventory**.
3. Select **Fields & Relationships** → **New**.
4. Select **Formula** as the field type.
5. Click **Next**.
6. Enter **Stock Status** as the Field Label.
7. Select **Text** as the Formula Return Type.
8. Enter the required stock-status formula.
9. Click **Next** → **Next** → **Save**.



Data Configuration – Validation Rules

Validation rules were created to ensure that incorrect or invalid data is not entered into the HandsMen Threads Salesforce objects. The rules validate important field values before a record can be saved.

Creating Validation Rules


1. Validation Rule – Total Amount

The validation rule was created for the **Total Amount** field in the **HandsMen Order** object to prevent an invalid or zero order amount from being entered.

Steps:

1. Go to **Setup** → **Object Manager**.
2. Search for and open **HandsMen Order**.
3. Select **Validation Rules** → **New**.
4. Enter the Rule Name as **Total Amount**.
5. Enter the Error Condition Formula:

`Total_Amount__c <= 0`
6. Enter the Error Message as: **Please Enter Correct Amount**
7. Select **Field** as the Error Location.
8. Select **Total Amount** as the field.
9. Click **Save**.



HandsMen Order
O-0001

Owner: Taruni Tummala

HandsMen OrderNumber: O-0001

Customer: Taruni

Status: Confirmed

Quantity: 600

Total Amount: 0
Please Enter Correct Amount

* Customer Email: tarunitummala25@gmail.com

HandsMen Product: T-shirt cloth

Created By: Taruni Tummala, 9/15/2026, 3:25 AM

Modified By: Taruni Tummala, 9/15/2026, 3:25 AM

Validation Error: We hit a snag. Review the following fields: Total Amount

Buttons: Cancel, Save

2. Validation Rule – Stock Quantity

A validation rule was created for the **Inventory** object to ensure that the inventory count is not entered as a negative value.

Rule Name: Stock Quantity

Error Condition Formula: `Stock_Quantity__c <= 0`

Error Message: the inventory count is never less than zero.

Error Location: Top of Page

Developer Edition

Search Setup

Setup > Object Manager > Inventory

Inventory Validation Rule

Back to Inventory

Validation Rule Detail

Rule Name	Stock_Quantity	Active	✓
Error Condition Formula	Stock_Quantity__c <= 0		
Error Message	the inventory count is never less than zero	Error Location	Top of Page
Description			
Created By	Taruni Tummala, 9/12/2026, 1:45 AM	Modified By	Taruni Tummala, 9/12/2026, 1:45 AM

Buttons: Edit, Clone

Developer Edition

HandsMen Threads HandsMen Customers HandsMen Orders HandsMen Products Inventories Marketing Campaigns

Inventory I -0004

Related Details

* = Required Information

Inventory Number I -0004

Product Kadhi cloth

Stock Quantity 0

Stock Status Available
This field is calculated upon save

Warehouse HYD

Created By Taruni Tummala, 9/17/2026, 6:58 AM

Modified By Taruni Tummala, 9/18/2026, 3:50 AM

We hit a snag.

Review the errors on this page.

- the inventory count is never less than zero

Cancel Save

3. Validation Rule – Email

A validation rule was created for the **HandsMen Customer** object to check whether the entered email follows the specified Gmail format.

Rule Name: Email

Error Condition Formula: NOT CONTAINS(Email, "@gmail.com")

Error Message: Please fill Correct Gmail

Error Location: Top of Page

Setup Home Object Manager

Search Setup

SETUP > OBJECT MANAGER

HandsMen Customer

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Restriction Rules

HandsMen Customer Validation Rule

Back to HandsMen Customer

Validation Rule Detail

Rule Name Email

Error Condition Formula NOT CONTAINS(Email_c, "@gmail.com")

Error Message Please fill Correct Gmail

Description

Created By Taruni Tummala, 9/12/2026, 1:48 AM

Modified By Taruni Tummala, 9/12/2026, 1:48 AM

Active

Error Location Top of Page

Help for this Page

Edit Rao

* = Required Information

* HandsMen Customer Name

Rao

Owner

Taruni Tummala

Email

rao@example.com

Phone

Loyalty Status

Gold

FirstName

LastName

FullName

This field is calculated upon save

Total Purchases

3,000

Loyalty Point

3

We hit a snag.

Review the errors on this page.

- Please fill Correct Gmail



Cancel

Save & New

Save

Data Security – Profiles

Creating a Profile

A profile was created to define the access permissions required for the HandsMen Threads application. The profile was cloned from the **Standard User** profile and named **Platform 1**.

Steps

1. Go to **Setup**.
2. Type **Profiles** in the Quick Find box.
3. Select **Profiles**.
4. Clone the **Standard User** profile.
5. Enter **Platform 1** as the profile name.
6. Click **Save**.

Developer Edition

Search Setup

Setup Home Object Manager

profiles

Users Profiles

Didn't find what you're looking for? Try using Global Search.

SETUP Profiles

Profile Platform 1

Users with this profile have the permissions and page layouts listed below. Administrators can change a user's profile by editing that user's personal information.

If your organization uses Record Types, use the Edit links in the Record Type Settings section below to make one or more record types available to users with this profile.

Login IP Ranges [0] | Enabled Apex Class Access [0] | Enabled Visualforce Page Access [0] | Enabled External Data Source Access [0] | Enabled Named Credential Access [0] | Enabled External Credential Principal Access [0] | Enabled Custom Metadata Type Access [0] | Enabled Custom Setting Definitions Access [0] | Enabled Flow Access [0] | Enabled Service Presence Status Access [0] | Enabled Custom Permissions [0]

Profile Detail		Edit	Clone	Delete	View Users
Name	Platform 1				
User License	Salesforce				
Description					
Created By	Taruni Tummala, 9/13/2026, 12:04 AM				
Modified By	Taruni Tummala, 9/17/2026, 11:47 AM				


Page Layouts

Standard Object Layouts	
Global	Global Layout [View Assignment]
Email Application	Not Assigned [View Assignment]
Home Page Layout	Home Page Default [View Assignment]
Account	Account Layout [View Assignment]
Location Group	Location Group Layout [View Assignment]
Location Group Assignment	Location Group Assignment Layout [View Assignment]
Macro	Macro Layout [View Assignment]
Object Milestone	Object Milestone Layout [View Assignment]

Configuring Object Permissions

After creating the profile, the required permissions were configured for the custom objects used in the HandsMen Threads application.

1. Open the **Platform 1** profile.
2. Click **Edit**.
3. Scroll to **Custom Object Permissions**.
4. Provide the required access permissions for the **HandsMen Product** and **Inventory** objects.
5. Scroll down and click **Save**.



Data Security – Roles

Creating Roles

Roles were created to define the reporting hierarchy for the HandsMen Threads Salesforce application.

1. Go to **Setup** → **Roles**.
2. Click **Expand All** and select **Add Role** under the required parent role.
3. Enter the role name and select the appropriate **Reports To** role.
4. Click **Save**.

The following roles were created:

- **Sales**
- **Inventory**
- **Marketing**

Setup

[Home](#)
[Object Manager](#)

[Users](#)
[Roles](#)
[Feature Settings](#)
[Sales](#)
[Contact Roles on Contracts](#)
[Contact Roles on Opportunities](#)
[Service](#)
[Case Teams](#)
[Case Team Roles](#)
[Contact Roles on Cases](#)

SETUP
Roles

Role

Inventory

Below is the list of users assigned to this role. Click Edit to modify the role name. Click Assign Users to Role to assign existing users to this role. Click New User to create a user for this role.

Hierarchy: VRSEC > CEO > Inventory
 Strings: SVP_Sales & Marketing, SVP_Customer Service & Support, CFO, SVP_Human Resources, COO, Sales, Marketing

Users in Inventory Role (1)

Role Detail	Role Name
Label Inventory This role reports to CEO Modified By Jasjit Turumala, 9/13/2026, 2:32 AM Opportunity Access Users in this role can edit all opportunities associated with accounts that they own, regardless of who owns the opportunities Case Access Users in this role can edit all cases associated with accounts that they own, regardless of who owns the cases	Inventory Role Name as displayed on reports Sharing Groups Role Role and Internal Subordinates

Users in Inventory Role

[Assign Users to Role](#)
[New User](#)

[Users in Inventory Role Help](#)

Marketing Role

The **Marketing** role is created to represent users responsible for marketing campaigns and customer engagement.

The screenshot shows the Salesforce Setup interface. The left sidebar contains a 'Quick Find' search bar and a list of setup categories: Setup Home, Salesforce Go, Service Cloud Reports, Commerce Setup Assistant, Hyperforce Assistant, Release Updates, Salesforce Mobile App, Lightning Usage, AgentExchange Offers, Sales Cloud Everywhere, and ADMINISTRATION. The main content area is titled 'Roles' and shows the 'Marketing' role configuration. Below the role name, it states: 'Below is the list of users assigned to this role. Click Edit to modify the role name. Click Assign Users to Role to assign existing users to this role. Click New User to create a user for this role.' The hierarchy is listed as 'VRSEC » CEO » Marketing' and siblings as 'SVP, Sales & Marketing, SVP, Customer Service & Support, CFO, SVP, Human Resources, COO, Sales, Inventory'. A link 'Users in Marketing Role (0)' is provided. The 'Role Detail' section includes 'Edit' and 'Delete' buttons. A table shows the role's details:

Label	Marketing	Role Name	Marketing
This role reports to	CEO	Role Name as displayed on reports	
Modified By	Taruni Tummalala 9/13/2026, 2:33 AM	Sharing Groups	Role: Role and Internal Subordinates
Opportunity Access	Users in this role can edit all opportunities associated with accounts that they own, regardless of who owns the opportunities		
Case Access	Users in this role can edit all cases associated with accounts that they own, regardless of who owns the cases		


Data Security – Users

Creating Users

Users were created and assigned the appropriate roles and profile to access the HandsMen Threads Salesforce application.

User 1 – Sales


1. Go to Setup → Users.
2. Click New User.
3. Enter the user details:
 - First Name: Niklaus
 - Last Name: Mikaelson
 - Alias: Enter an alias.
 - Email: Enter a personal email address.
 - Username: Use the format `text@text.text`.
 - Nickname: Enter a nickname.
 - Role: Sales
 - User License: Salesforce Platform
 - Profile: Platform 1
4. Click Save.



User 2 – Inventory

Create another user using the same procedure with the following details:

- First Name: Kol
- Last Name: Mikaelson
- Role: Inventory
- User License: Salesforce Platform
- Profile: Platform 1



Data Security – Permission Set

Creating Permission Set

1. Go to Setup → Permission Sets → New.

2. Enter the label as **Permission_Platform_1** and save.
3. Under **Apps**, select **Object Settings**.
4. Select the **HandsMen Customer** object → **Edit** → enable **Read, Create, Edit, Delete**.
5. Click **Save**.
6. Repeat the same process for the **Order** object and enable **Read, Create, Edit, Delete**.
7. Open **Manage Assignments**.
8. Click **Add Assignment**.
9. Select a user with the **Platform 1** profile and click **Next**.
10. Click **Assign** and then **Done**.

Setup Home Object Manager

Q permission

Users

Permission Set Groups

Permission Sets

Custom Code

Custom Permissions

Didn't find what you're looking for? Try using Global Search.

SETUP

Permission Sets

Permission Set: **Permission Platform 1**

Find Settings... Clone Edit Properties Manage Assignments View Summary

Permission Set Overview

Description	API Name	Permission_Platform_1
License	Namespace Prefix	
Session Activation Required	Created By	Tarini Tummalala, 9/13/2025, 3:15 AM
Permission Set Groups Added To	Last Modified By	Tarini Tummalala, 9/13/2025, 3:22 AM

Apps

Assigned Apps
Settings that specify which apps are visible in the app menu

Assigned Connected Apps
Settings that specify which connected apps are visible in the app menu

Object Settings
Permissions to access objects and fields, and settings such as tab availability

App Permissions
Permissions to perform app-specific actions, such as "Manage Call Centers"

Apex Class Access
Permissions to execute Apex classes

Visualforce Page Access
Permissions to execute Visualforce pages

Setup Home Object Manager

Q permission

Users

Permission Set Groups

Permission Sets

Custom Code

Custom Permissions

Didn't find what you're looking for? Try using Global Search.

... > SETUP > PERMISSION SET 'PERMISSION PLATFORM 1'

Permission Platform 1

Current Assignments Add Assignment

Full Name ↑	Active	Role ↑	Profile	User License	Expires On
Kol Mikaelson	✓	Inventory	Platform 1	Salesforce	

1.Sales Manager Permission Set

Purpose:Provides the Sales team with the required access to manage customer and order information.

Configuration:

- Permission Set: **Sales Manager**
- HandsMen Customer: **Full Access**
- HandsMen Order: **Full Access**
- Assigned User: **Niklaus Mikaelson**

Developer Edition

Search Setup

Setup

Home

Object Manager

permission

Users

Permission Set Groups

Permission Sets

Custom Code

Custom Permissions

Didn't find what you're looking for? Try using Global Search.

SETUP

Permission Sets

Permission Set

Sales Manager

Find Settings... Clone Delete Edit Properties Manage Assignments View Summary

Permission Set Overview > Object Settings HandsMen Customers

HandsMen Customers Save Cancel

Tab Settings

Available

Visible

☐

☐

Object Permissions

Permission Name	Enabled
Read	☒
Create	☒
Edit	☒
Delete	☒
View All Records	☒
Modify All Records	☒
View All Fields	☒

Setup

Home

Object Manager

permission

Users

Permission Set Groups

Permission Sets

Custom Code

Custom Permissions

Didn't find what you're looking for? Try using Global Search.

SETUP

Permission Sets

Permission Set

Sales Manager

Find Settings... Clone Delete Edit Properties Manage Assignments View Summary

Permission Set Overview > Object Settings HandsMen Orders

HandsMen Orders Save Cancel

Tab Settings

Available

Visible

☐

☐

Object Permissions

Permission Name	Enabled
Read	☒
Create	☒
Edit	☒
Delete	☒
View All Records	☒
Modify All Records	☒
View All Fields	☒

... > PERMISSION SET 'SALES MANAGER' > MANAGE ASSIGNMENTS

Sales Manager

Assignment Summary

Full Name	User License	Expires On	Time Zone	Status
Niklaus Mikaelson	Salesforce			☒ Success

2. Inventory Manager Permission Set

Purpose: Provides the Inventory team with access to monitor and update inventory and product information.

Configuration:

- Permission Set: **Inventory Manager**
- Inventory: **Read & Edit**
- HandsMen Product: **Read & Edit**
- Assigned User: **Kol Mikaelson**

Users

Permission Set Groups

Permission Sets

Custom Code

Custom Permissions

Didn't find what you're looking for? Try using Global Search.

SETUP

Permission Sets

Permission Set

Inventory Manager

Permission Set Overview > Object Settings

Inventories

Tab Settings

Available	Visible
☐	☐ i

Object Permissions

Permission Name	Enabled
Read	☒
Create	☐
Edit	☒
Delete	☐
View All Records	☐
Modify All Records	☐
View All Fields	☐

Permission Set

Inventory Manager

Permission Set Overview > Object Settings

HandsMen Products

Tab Settings

Available	Visible
☐	☐ i

Object Permissions

Permission Name	Enabled
Read	☒
Create	☐
Edit	☒
Delete	☐
View All Records	☐
Modify All Records	☐
View All Fields	☐

...

>

SETUP

>

PERMISSION SET 'INVENTORY MANAGER'

Inventory Manager

Current Assignments

Add Assignment

☐	Full Name ↑	Active	Role	Profile	User License	Expires On
☐	Kol Mikaelson	✓	Inventory	Platform 1	Salesforce	

3. Marketing Team PermissionSet

Purpose:
Provides the Marketing team with read access to customer information and editing access to marketing campaigns.

Configuration:

- Permission Set: **Marketing Team**
- HandsMen Customer: **Read**
- Marketing Campaign: **Read & Edit**
- Assigned to: **John Mikaelson**

SetupHomeObject Manager

permission

Users

Permission Set Groups

Permission Sets

Custom Code

Custom Permissions

Didn't find what you're looking for? Try using Global Search.

SETUP

Permission Sets

Permission Set

Marketing Team

Find Settings...CloneEdit PropertiesManage AssignmentsView Summary

Permission Set Overview > Object Settings HandsMen Customers

HandsMen Customers

SaveCancel

Tab Settings

AvailableVisible

☐☐

Object Permissions

Permission Name	Enabled
Read	☒
Create	☐
Edit	☐
Delete	☐
View All Records	☐
Modify All Records	☐
View All Fields	☐

Q permission

Users

Permission Set Groups

Permission Sets

Custom Code

Custom Permissions

Didn't find what you're looking for? Try using Global Search.

SETUP

Permission Sets

Permission Set

Marketing Team

Find Settings... Clone Edit Properties Manage Assignments View Summary

Permission Set Overview > Object Settings Marketing Campaigns

Marketing Campaigns Save Cancel

Tab Settings

AvailableVisible

☐☐

Object Permissions

Permission Name	Enabled
Read	☒
Create	☐
Edit	☒
Delete	☐
View All Records	☐
Modify All Records	☐
View All Fields	☐

Email Templates

Email templates were configured to support the communication requirements of the HandsMen Threads Salesforce application. The templates are used for order confirmation, low-stock notifications, and loyalty program communication.

1.Order Confirmation Email

The **Order Confirmation Email** template was created to notify customers when their order is confirmed.

Template Configuration

- **Template Type:** HTML (with Classic Letterhead)
- **Folder:** Unfiled Public Email Templates
- **Available for Use:** Enabled
- **Template Name:** Order Confirmation Send
- **Encoding:** UTF-8
- **Subject:** Your Order has been Confirmed!

HTML Email Template

Order Confirmation Send

Help for this Page

Preview your email template below.

Email Template Detail

Edit Properties Edit HTML Version Edit Text Version Delete Clone

Email Templates from Salesforce	Unfiled Public Classic Email Templates	
Email Template Name	Order Confirmation Send	Available For Use ☒
Template Unique Name	Order_Confirmation_Send	Last Used Date
Classic Letterhead	Order Confirmation Email	Times Used
Email Layout	Free Form Letter	
Encoding	Unicode (UTF-8)	
Author	Taruni Tummala [Change]	
Description		
Created By	Taruni Tummala, 9/13/2026, 10:57 AM	Modified By Taruni Tummala, 9/19/2026, 2:39 PM

Edit Properties Edit HTML Version Edit Text Version Delete Clone

SETUP

Classic Email Templates

Formatting Controls

Font Size   **A** **B** *I* U        

Available Merge Fields

Select Field TypeSelect FieldCopy Merge Field Value

Contact Fields

Copy and paste the merge field value into a section below.

SubjectYour Order has been Confirmed!

<p>Dear {!HandsMen_Order_.Customer_c},</p>

<p>Your order #{!HandsMen_Order_.Name} has been confirmed!</p>

<p>Thank you for shopping with us.</p>

<p>Best Regards,</p>

<p>Sales Team</p>

<p>Dear {!HandsMen_Order__c.Customer__c},</p>
<p>Your order #{!HandsMen_Order__c.Name} has been confirmed!</p>
<p>Thank you for shopping with us.</p>
<p>Best Regards,</p>
<p>Sales Team</p>

2.Low Stock Alert

The **Low Stock Alert** email template was created as a **Text Email Template** in Salesforce. The template is used to notify the warehouse team when the stock quantity falls below **5 units**.

Subject: Low stock alert - inventory level is low

Configuration

Property	Value
Template Name	Low Stock Alert
Type	Text
Object	HandsMen Product
Trigger	Stock Quantity $c < 5$



SETUP

Classic Email Templates

Text Email Template

Low Stock Alert

Preview your email template below.

Help for this Page

Email Template Detail

EditDeleteClone

Email Templates from Salesforce


Unfiled Public Classic Email Templates

Email Template Name	Low_Stock_Alert	Available For Use	☒
Template Unique Name	Low_Stock_Alert	Last Used Date	
Encoding	Unicode (UTF-8)	Times Used	
Author	Taruni Tummala [Change]		
Description			
Created By	Taruni Tummala, 9/14/2026, 3:49 AM	Modified By	Taruni Tummala, 9/14/2026, 3:49 AM

EditDeleteClone

Email Template

Send Test and Verify Merge Fields



Loyalty Program Email

Purpose:

The Loyalty Program Email is used to communicate loyalty status updates based on the customer's purchase history, supporting personalized rewards and repeat business.

HTML Email Template

Loyalty Program Email

Preview your email template below.

Help for this Page

Email Template Detail [Edit Properties](#) [Edit HTML Version](#) [Edit Text Version](#) [Delete](#) [Clone](#)

Email Templates from Salesforce	Unfiled Public Classic Email Templates	
Email Template Name	Loyalty Program Email	Available For Use ☒
Template Unique Name	Loyalty_Program_Email	Last Used Date
Classic Letterhead	Order Confirmation Email	Times Used
Email Layout	Free Form Letter	
Encoding	Unicode (UTF-8)	
Author	Taruni Tummala (Change)	
Description		
Created By	Taruni Tummala, 9/13/2026, 11:05 AM	Modified By Taruni Tummala, 9/13/2026, 11:05 AM

[Edit Properties](#) [Edit HTML Version](#) [Edit Text Version](#) [Delete](#) [Clone](#)

SETUP

Classic Email Templates

Email Template [Send Test and Verify Merge Fields](#)

Subject | Congratulations! You've Earned Loyalty Rewards

HTML Preview

Dear {!HandsMen_Order__c.Customer__c},

Congratulations! Your loyalty status has been updated based on your recent purchase history.

Thank you for being a valued customer of HandsMen Threads.

Keep shopping with us to enjoy more exclusive rewards and benefits.

Best Regards,

HandsMen Threads Loyalty Team

Flows

The HandsMen Threads project uses Salesforce Flows to automate order confirmations, stock alerts, and loyalty status updates.

1.Order Confirmation Email (Record-Triggered)

Go to **Setup** → **Flows**.

- In Quick Find, search for **Flows** and click on it.
- Click **New Flow** → **Record-Triggered Flow** → **Create**.

Set Flow Trigger Details


- Object: `Order__c`
- Trigger: **When a record is updated**
- Condition: `Order__c.Status__c = "Confirmed"`
- Select **Only when a record is updated to meet the condition**.
- Click **Done**.

Add an Action Element

- Click the + icon → **Select Action**.
- Action Type: **Send Email Alert**
- Email Alert: **Order Confirmation Email Alert**
- Label: **Send Order Confirmation Email**
- Record ID: `{!$Record.Id}`
- Click **Save**.

Save & Activate the Flow

- Name: **Order Confirmation Flow**
- Click **Save** → **Activate**.



Flow Builder | Order Confirmation Flow - V5

Last saved on 9/17/2026, 07:33 PM **Active** Run Debug View Tests Save As New Version Save Deactivate

Record-Triggered Flow
Start
Object: **HandsMen Order** [Edit](#)
Trigger: **A record is created or updated**
Conditions: 1
Optimize for: **Actions and Related Recor...**
[+ Add Scheduled Paths \(Optional\)](#)
[Open Flow Trigger Explorer for Hands...](#)

Run Immediately

Send Order Confirmation Email
Email Alert

End

Configure Start

Select Object
Select the object whose records trigger the flow when they're created, updated, or deleted.
*Object
HandsMen Order

Configure Trigger
Trigger the Flow When:
☐ A record is created
☐ A record is updated
☒ A record is created or updated
☐ A record is deleted

Set Entry Conditions
Specify entry conditions to reduce the number of records that trigger the flow and the number of times the flow is executed. Minimizing unnecessary flow executions helps to conserve your org's resources.
If you create a flow that's triggered when a record is updated, we recommend first defining entry conditions. Then select the **Only when a record is updated to meet the condition requirements** option for When to Run the Flow for Updated Records.

Condition Requirements
All Conditions Are Met (AND)

Field: Status Operator: Equals Value: Confirmed

Flow Builder | Order Confirmation Flow - V5

Last saved on 9/17/2026, 07:33 PM **Active** Run Debug View Tests Save As New Version Save Deactivate

Record-Triggered Flow
Start
Object: **HandsMen Order** [Edit](#)
Trigger: **A record is created or updated**
Conditions: 1
Optimize for: **Actions and Related Recor...**
[+ Add Scheduled Paths \(Optional\)](#)
[Open Flow Trigger Explorer for Hands...](#)

Run Immediately

Send Order Confirmation Em...
Email Alert

End

Order Confirmation Email Alert

*Label
Send Order Confirmation Email

*API Name
Send_Order_Confirmation_Email

Description

Use values from earlier in the flow to set the inputs for the "Order Confirmation Email Alert" email alert. To use its outputs later in the flow, store them in variables.

Set Input Values
* Record ID
g HandsMen_Order_c > Record ID

> Show advanced options

Gmail

Compose

Inbox 13,466

Starred

Snoozed

Sent

Drafts 8

Purchases 122

More

Labels

Taruni Tummala <email@00dg800000hqeaz.sfcustomeremail.com>
to me

11:57 AM (0 minutes ago)

Dear Chitti, Your order #O-0020 has been confirmed! Thank you for shopping with us. Best Regards, Sales Team

Stock Alert Flow

Go to **Setup** → **Flows** → **New Flow**.

- Select **Record-Triggered Flow** → **Create**.

Set Flow Trigger Details


- Object: `Inventory__c`
- Trigger: **When a record is created or updated**
- Condition: `Stock_Quantity__c < 5`
- Select **Every time a record is updated and meets the condition requirements**.
- Click **Done**.

Add an Action Element

- Click the + icon → Select **Action**.
- Action Type: **Send Email Alert**
- Create a new **Email Alert** similar to the Order Confirmation setup.
- Recipient: **Inventory Manager**

Save & Activate the Flow

- Name: **Stock Alert Flow**
- Click **Save** → **Activate**.



Flow Builder

Stock Alert Flow - V2

?

Auto-Layout

Last saved on 9/17/2026, 07:28 PM

Active

Run

Debug

View Tests

Save As New Version

Save

Deactivate

Record-Triggered Flow

Start

Object: Inventory

Trigger: A record is created or updated

Conditions: 1

Optimize for: Actions and Related Recor...

+ Add Scheduled Paths (Optional)

Open Flow Trigger Explorer for Invent...

Run Immediately

Send Low Stock Alert

Email Alert

End

Configure Start

Inventory

Configure Trigger

Trigger the Flow When:

☐ A record is created

☐ A record is updated

☒ A record is created or updated

☐ A record is deleted

Set Entry Conditions

Specify entry conditions to reduce the number of records that trigger the flow and the number of times the flow is executed. Minimizing unnecessary flow executions helps to conserve your org's resources.

If you create a flow that's triggered when a record is updated, we recommend first defining entry conditions. Then select the **Only when a record is updated to meet the condition requirements** option for When to Run the Flow for Updated Records.

Condition Requirements

All Conditions Are Met (AND)

Field

Operator

Value

Stock Quantity

Less Than

5

+ Add Condition

When to Run the Flow for Updated Records

☒ Every time a record is updated and meets the condition requirements

Auto-Layout

Last saved on 9/17/2026, 07:28 PM

Active

Run

Debug

View Tests

Save As New Version

Save

Deactivate

Low Stock Alert

* Label

Send Low Stock Alert

* API Name

Send_Low_Stock_Alert

Description

Use values from earlier in the flow to set the inputs for the "Low Stock Alert" email alert. To use its outputs later in the flow, store them in variables.

Set Input Values

Record ID

Triggering Inventory_c > Record ID

> Show advanced options

Record-Triggered Flow

Start

Object: Inventory

Trigger: A record is created or updated

Conditions: 1

Optimize for: Actions and Related Recor...

+ Add Scheduled Paths (Optional)

Open Flow Trigger Explorer for Invent...

Run Immediately

Send Low Stock Alert

Email Alert

End

Gmail

Search mail

Compose

Inbox 13,466

Starred

Snoozed

Sent

Drafts 8

Purchases 122

More

Labels

Low stock alert!

Taruni Tummala <email@00dg800000hqezneaz.sfcustomeremail.com>

to me

3:33 AM (8 hours ago)

Dear Warehouse Team,

Low stock alert! The stock for Rayon has fallen below 5 units.

Current Stock: 10 units

Please initiate the replenishment process to avoid stockouts.

Best Regards,

Reply Forward

Loyalty Status Update (Scheduled Flow)

Go to **Setup** → **Flows** → **New Flow**.

- Select **Schedule-Triggered Flow** → **Create**.

Set Schedule Frequency

- Set Start Date & Time: Choose time to run daily.
- Frequency: **Daily**
- Click **Done**.

Add Get Records Element

- Click the + icon → Select **Get Records**.
- Object: `HandsMen_Customer__c`
- Filter: **Retrieve all records**
- Sort Order: **None**
- Click **Done**.

Add Loop Element


- Click the + icon → Select **Loop**.
- Collection: `{!Get_Records}`
- Direction: **First to Last**
- Click **Done**.

Inside Loop

- Click the + inside the loop → Select **Decision**.
- If `Total_Purchases__c > 1000`, set `Loyalty_Status__c = Gold`.
- Add **Update Records**:
 - Records to Update: **Specify Condition**
 - Object: **HandsMen Customer**
 - Field Value: `Loyalty_Status__c = Gold`
- Else if `Total_Purchases__c < 500`, set `Loyalty_Status__c = Bronze`.
- Else (**Default Outcome**), set `Loyalty_Status__c = Silver`.
- Click **Done**.

Save & Activate the Flow

- Name: **Loyalty Status Update Flow**
- Click **Save** → **Activate**



HandsMen Customer
Chitti

Related **Details**

HandsMen Customer Name	Chitti	Owner	Taruni Tummala
Email	tarunitummala25@gmail.com		
Phone	987543210		
Loyalty Status	Gold		
FirstName	Chitti		
LastName	T		
FullName	Chitti T		
Total Purchases	3,000		
Loyalty Point	3		
Created By	Taruni Tummala, 9/18/2026, 3:09 AM	Last Modified By	Taruni Tummala, 9/19/2026, 11:44 PM

HandsMen Customer
Chitti

Related
Details

HandsMen Customer Name	Chitti	Owner	Taruni Tummala
Email	tarunitummala25@gmail.com		
Phone	987543210		
Loyalty Status	Silver		
FirstName	Chitti		
LastName	T		
FullName	Chitti T		
Total Purchases	500		
Loyalty Point	3		
Created By	Taruni Tummala, 9/18/2026, 3:09 AM	Last Modified By	Taruni Tummala, 9/19/2026, 11:44 PM

1.Apex Class – OrderTriggerHandler

The **OrderTriggerHandler** Apex class contains the validation logic for order quantities based on the order status. It validates the quantity for **Confirmed, Pending, and Rejection** statuses before the order is saved.

```
OrderTrigger.apxt | OrderTriggerHandler.apxc | UpdateOrderTotal.apxt
Code Coverage: None | API Version: 67
1 public class OrderTriggerHandler {
2
3     public static void validateOrderQuantity(List<HandsMen_Order__c> orderList) {
4
5         for (HandsMen_Order__c order : orderList) {
6
7             if (order.Status__c == 'Confirmed') {
8
9                 if (order.Quantity__c == null || order.Quantity__c <= 500) {
10
11                     order.Quantity__c.addError('For Status "Confirmed", Quantity must be more than 500.');
```

```
OrderTrigger.apxt | OrderTriggerHandler.apxc | UpdateOrderTotal.apxt
Code Coverage: None | API Version: 67
16
17   if (order.Quantity__c == null || order.Quantity__c <= 200) {
18
19       order.Quantity__c.addError('For Status "Pending", Quantity must be more than 200.');
```

```
20
21   }
22
23   } else if (order.Status__c == 'Rejection') {
24
25       if (order.Quantity__c == null || order.Quantity__c != 0) {
26
27           order.Quantity__c.addError('For Status "Rejection", Quantity must be 0.');
```

```
28
29       }
30
31   }
32
33   }
34
35   System.debug('All records validated successfully.');
```

```
36
37   }
38
39 }
```

Apex Trigger – OrderTrigger

Purpose

The **OrderTrigger** automatically invokes the OrderTriggerHandler whenever a HandsMen Order is inserted or updated. The trigger is kept lightweight because the actual business logic is maintained in the handler class.

The top part of the image shows the Apex IDE with the `OrderTriggerHandler.apxc` file open. The code defines a trigger `OrderTrigger` on `HandsMen_Order__c` that calls `OrderTriggerHandler.validateOrderQuantity` before insert or update. The bottom part shows a Salesforce form for creating a new order. The form includes fields for Customer (Chitti), Status (Pending), Quantity (120), Total Amount (3,000), Customer Email (tarunitummala25@gmail.com), and HandsMen Product (Cotton). A validation error message is displayed: "For Status 'Pending', Quantity must be more than 200." A modal dialog box is shown with the message "We hit a snag. Review the following fields" and a list containing "Quantity". The form has "Cancel" and "Save" buttons at the bottom.

```
File | Edit | Debug | Test | Workspace | Help | < | >
OrderTrigger.apxt | OrderTriggerHandler.apxc | UpdateOrderTotal.apxt
Code Coverage: None | API Version: 67
1 trigger OrderTrigger on HandsMen_Order__c (before insert, before update) {
2
3     if (Trigger.isBefore && (Trigger.isInsert || Trigger.isUpdate)) {
4
5         OrderTriggerHandler.validateOrderQuantity(Trigger.new);
6
7     }
8
9 }
```

Customer

Chitti

Status

Pending

Quantity

120

For Status "Pending", Quantity must be more than 200.

Total Amount

3,000

* Customer Email

tarunitummala25@gmail.com

HandsMen Product

Cotton

Created By

Taruni Tummala, 9/19/2026, 11:27 AM

Created By

Taruni Tummala, 9/20/2026, 12:08 AM

We hit a snag.

Review the following fields

- Quantity

Cancel Save

Customer

Chitti

Status

Confirmed

Quantity

400

For Status "Confirmed", Quantity must be more than 500.

Total Amount

3,000

* Customer Email

tarunitummala25@gmail.com

HandsMen Product

Cotton

Created By

Taruni Tummala, 9/19/2026, 11:27 AM

Created By

Taruni Tummala, 9/20/2026, 12:08 AM

We hit a snag.

Review the following fields

- Quantity

Cancel

Save

2. Update Order Total

The **Update Order Total** Apex Trigger is designed to automatically calculate and update the **Total Amount** of a HandsMen Order whenever an order is created or modified. This reduces manual calculation and helps maintain accurate order values.

```

File Edit Debug Test Workspace Help < >
OrderTrigger.apxt OrderTriggerHandler.apxc UpdateOrderTotal.apxt OrderTotalHandler.apxc StockDeductionHandler.apxc StockDeduction.apxt LoyaltyStatusHandler.apxc LoyaltySt
Code Coverage: None API Version: 67
1 public class OrderTotalHandler {
2     public static void updateTotal(List<HandsMen_Order__c> orders) {
3         Set<Id> productIds = new Set<Id>();
4
5         for (HandsMen_Order__c order : orders) {
6             if (order.HandsMen_Product__c != null) {
7                 productIds.add(order.HandsMen_Product__c);
8             }
9         }
10
11         Map<Id, HandsMen_Product__c> products =
12             new Map<Id, HandsMen_Product__c>{
13                 [SELECT Id, Price__c
14                  FROM HandsMen_Product__c
15                  WHERE Id IN :productIds]
16             };
17
18         for (HandsMen_Order__c order : orders) {
19             if (order.HandsMen_Product__c != null &&
20                 order.Quantity__c != null &&
21                 products.containsKey(order.HandsMen_Product__c)) {
22
23                 Decimal price =
24                     products.get(order.HandsMen_Product__c).Price__c;
25
26                 products.containsKey(order.HandsMen_Product__c)) {
27                     Decimal price =
28                         products.get(order.HandsMen_Product__c).Price__c;
29                     order.Total_Amount__c =
30                         price * order.Quantity__c;
31                 }
32             }
33         }
34     }
35 }

```

OrderTrigger.apxt x OrderTriggerHandler.apxc x UpdateOrderTotal.apxt x OrderTotalHandler.apxc x StockDeductionHandler.apxc x

Code Coverage: None API Version: 67

1

2

3

4

```
1 trigger UpdateOrderTotal on HandsMen_Order__c (before insert, before update) {
2     OrderTotalHandler.updateTotal(trigger.new);
3 }
4
```

HandsMen Order

O-0020

Related

Details

HandsMen OrderNumber

O-0020

Owner

Taruni Tummala

Customer

Chitti

Status

Confirmed

Quantity

600

Total Amount

3,000

Customer Email

tarunitummala25@gmail.com

HandsMen Product

Cotton

Created By

Taruni Tummala

, 9/19/2026, 11:27 PM

Last Modified By

Taruni Tummala

, 9/20/2026, 12:08 AM

HandsMen Product

Cotton

Related

Details

HandsMen Product Name

Cotton

Order

O-0020

SKU

Price

\$400

Stock Quantity

600

Created By

Taruni Tummala

, 9/19/2026, 3:00 PM

Last Modified By

Taruni Tummala

, 9/20/2026, 12:09 AM

3. Apex Trigger– Stock Deduction

Description

The StockDeduction Apex Trigger automatically reduces the available inventory stock when an order is confirmed.

Configuration

Component	Details
Trigger Name	StockDeduction
Object	HandsMen_Order__c
Events	After Insert, After Update
Purpose	Reduce inventory stock when an order is confirmed

OrderTrigger.apxt | OrderTriggerHandler.apxc | UpdateOrderTotal.apxt | OrderTotalHandler.apxc | StockDeductionHandler.apxc | StockDeduction.apxt

Code Coverage: None | API Version: 67

```
1 trigger StockDeduction on HandsMen_Order__c
2 (after insert, after update) {
3
4     StockDeductionHandler.deductStock(
5         (List<HandsMen_Order__c>) Trigger.new
6     );
7 }
```

OrderTrigger.apxt | OrderTriggerHandler.apxc | UpdateOrderTotal.apxt | OrderTotalHandler.apxc | StockDeductionHandler.apxc | StockDeduction.apxt

Code Coverage: None | API Version: 67

```
1 public without sharing class StockDeductionHandler {
2
3     public static void deductStock(List<HandsMen_Order__c> orders) {
4
5         Map<Id, Decimal> quantityByProduct =
6             new Map<Id, Decimal>();
7
8         // Identify orders that need stock deduction
9         for (HandsMen_Order__c order : orders) {
10
11             Boolean shouldDeduct = false;
12
13             if (Trigger.isInsert) {
14
15                 shouldDeduct =
16                     order.Status__c == 'Confirmed';
17
18             } else if (Trigger.isUpdate) {
19
20                 HandsMen_Order__c oldOrder =
21                     (HandsMen_Order__c) Trigger.oldMap.get(order.Id);
22
23                 shouldDeduct =
24                     order.Status__c == 'Confirmed' &&
```

```

        oldOrder.Status__c != 'Confirmed';
    }

    if (shouldDeduct &&
        order.HandsMen_Product__c != null &&
        order.Quantity__c != null &&
        order.Quantity__c > 0) {

        Id productId =
            order.HandsMen_Product__c;

        Decimal existingQuantity =
            quantityByProduct.containsKey(productId)
            ? quantityByProduct.get(productId)
            : 0;

        quantityByProduct.put(
            productId,
            existingQuantity + order.Quantity__c
        );
    }
}

if (quantityByProduct.isEmpty()) {
    return;
}
List<Inventory__c> inventories = [
    SELECT Id, Product__c, Stock_Quantity__c
    FROM Inventory__c
    WHERE Product__c IN :quantityByProduct.keySet()
];

```

```

56     List<Inventory__c> inventoryUpdates = new List<Inventory__c>();
57     for (Inventory__c inventory : inventories) {
58         Decimal currentStock =
59             inventory.Stock_Quantity__c == null
60             ? 0
61             : inventory.Stock_Quantity__c;
62
63         Decimal orderedQuantity =
64             quantityByProduct.get(inventory.Product__c);
65         if (orderedQuantity == null) {
66             continue;
67         }
68         Decimal newStock =
69             currentStock - orderedQuantity;
70
71         if (newStock < 0) {
72             newStock = 0;
73         }
74         Inventory__c inventoryUpdate =
75             new Inventory__c(
76                 Id = inventory.Id,
77                 Stock_Quantity__c = newStock
78             );
79         inventoryUpdates.add(inventoryUpdate);
80     }
81     if (!inventoryUpdates.isEmpty()) {
82         update inventoryUpdates;
83     }
84 }
85 }

```


Inventory

I -0006

Related

Details

Inventory Number

I -0006

Product

[Rayon](#)

Stock Quantity

20

Stock Status

Available

Warehouse

Created By

[Taruni Tummala](#), 9/19/2026, 3:03 PM

Last Modified By

[Taruni Tummala](#), 9/20/2026, 1:50 AM


HandsMen Order

O-0020

Related

Details

HandsMen OrderNumber

O-0020

Customer

[Chitti](#)

Status

Confirmed

Quantity

600

Total Amount

180,000

Customer Email

[tarunitummala25@gmail.com](#)

HandsMen Product

[Rayon](#)

Created By

[Taruni Tummala](#), 9/19/2026, 11:27 PM

Owner

[Taruni Tummala](#)

Last Modified By

[Taruni Tummala](#), 9/20/2026, 1:52 AM

3. Loyalty Status Update

Apex Class - LoyaltyStatusHandler

The **LoyaltyStatusHandler** Apex Class handles the loyalty status update based on the customer's purchase history.

```
OrderTrigger.apxt | OrderTriggerHandler.apxc | UpdateOrderTotal.apxt | OrderTotalHandler.apxc | StockDeductionHandler.apxc * | StockDeduction.apxt | Loyali
Code Coverage: None | API Version: 67
1 public class LoyaltyStatusHandler {
2
3     public static void updateLoyalty(
4         List<HandsMen_Customer__c> customers
5     ) {
6
7         List<HandsMen_Customer__c> customersToUpdate =
8             new List<HandsMen_Customer__c>();
9
10        for (HandsMen_Customer__c customer : customers) {
11
12            Decimal purchases = customer.Total_Purchases__c;
13
14            String newStatus;
15
16            if (purchases != null && purchases > 1000) {
17                newStatus = 'Gold';
18            }
19            else if (purchases != null && purchases < 500) {
20                newStatus = 'Bronze';
21            }
22            else {
23                newStatus = 'Silver';
24            }
25
26            if (customer.Loyalty_Status__c != newStatus) {
27                customersToUpdate.add(
28                    new HandsMen_Customer__c(
29                        Id = customer.Id,
30                        Loyalty_Status__c = newStatus
31                    )
32                )
33            }
34        }
35
36        if (!customersToUpdate.isEmpty()) {
37            update customersToUpdate;
38        }
39    }
40}
```

```
        if (customer.Loyalty_Status__c != newStatus) {
            customersToUpdate.add(
                new HandsMen_Customer__c(
                    Id = customer.Id,
                    Loyalty_Status__c = newStatus
                )
            );
        }
    }

    if (!customersToUpdate.isEmpty()) {
        update customersToUpdate;
    }
}
```

Apex Trigger-LoyaltyStatusUpdate

The **LoyaltyStatusUpdate** Apex Trigger invokes the loyalty status logic when the relevant customer information is updated.

```
OrderTrigger.apxt | OrderTriggerHandler.apxc | UpdateOrderTotal.apxt | OrderTotalHandler.apxc | StockDeductionHandler.apxc * | StockDeduction.apxt
Code Coverage: None | API Version: 67
1 trigger LoyaltyStatusUpdate on HandsMen_Customer__c (after insert, after update) {
2     LoyaltyStatusHandler.updateLoyalty(Triiger.new);
3 }
```

HandsMen Customer
Chitti

Related
Details

HandsMen Customer Name	Chitti	Owner	Taruni Tummala
Email	tarunitummala25@gmail.com		
Phone	987543210		
Loyalty Status	Gold		
FirstName	Chitti		
LastName	T		
FullName	Chitti T		
Total Purchases	2,000		
Loyalty Point	3		
Created By	Taruni Tummala, 9/18/2026, 3:09 AM	Last Modified By	Taruni Tummala, 9/20/2026, 2:00 AM

HandsMen Customer
Chitti

Related
Details

HandsMen Customer Name	Chitti	Owner	Taruni Tummala
Email	tarunitummala25@gmail.com		
Phone	987543210		
Loyalty Status	Silver		
FirstName	Chitti		
LastName	T		
FullName	Chitti T		
Total Purchases	500		
Loyalty Point	3		
Created By	Taruni Tummala, 9/18/2026, 3:09 AM	Last Modified By	Taruni Tummala, 9/20/2026, 2:01 AM

Batch Jobs

Description

The **InventoryBatchJob** Apex Class was created using **Batch Apex** and **Schedulable Apex** to process inventory records and automatically restock products with low stock levels.

Activity 1: Create an Apex Class

Go to **Setup** → **Gear Icon** → **Developer Console**.

In the Developer Console:

1. Click **File** → **New** → **Apex Class**.
2. Enter the Apex Class name as **InventoryBatchJob**.
3. Click **OK**.
4. Write the code logic.
5. Click **File** → **Save**.

```
1  global class InventoryBatchJob implements Database.Batchable<SObject>, Schedulable {
2
3      // Start Method
4      global Database.QueryLocator start(Database.BatchableContext BC) {
5
6          return Database.getQueryLocator(
7              'SELECT Id, Stock_Quantity__c ' +
8              'FROM HandsMen_Product__c ' +
9              'WHERE Stock_Quantity__c < 10'
10         );
11     }
12
13     // Execute Method
14     global void execute(
15         Database.BatchableContext BC,
16         List<SObject> records
17     ) {
18
19         List<HandsMen_Product__c> productsToUpdate =
20             new List<HandsMen_Product__c>();
21
22         for (SObject record : records) {
23
24             HandsMen_Product__c product =
25                 (HandsMen_Product__c) record;
26
27             // Restock by adding 50 units
28             if (product.Stock_Quantity__c == null) {
29                 product.Stock_Quantity__c = 50;
30             } else {
31                 product.Stock_Quantity__c += 50;
32
33                 // product.Stock_Quantity__c = 50;
34
35                 productsToUpdate.add(product);
36             }
37             if (!productsToUpdate.isEmpty()) {
38                 try {
39                     update productsToUpdate;
40                 }
41                 catch (DmlException e) {
42                     System.debug(
43                         'Error updating inventory: ' + e.getMessage()
44                     );
45                 }
46             }
47         }
48         global void finish(Database.BatchableContext BC) {
49
50             System.debug('Inventory Sync Completed');
51         }
52         global void execute(SchedulableContext SC) {
53
54             InventoryBatchJob batchJob =
55                 new InventoryBatchJob();
56
57             Database.executeBatch(batchJob, 200);
58         }
59     }
```


Activity 2: Schedule the Apex Class


Go to **Developer Console** → **Debug** → **Open Execute Anonymous Window**.

Enter the following code to schedule the inventory batch job:

```
System.schedule(  
    'Daily Inventory Sync',  
    '0 0 0 * * ?',  
    new InventoryBatchJob()  
);
```

Verify the Scheduled Job

1. Go to **Setup**.
2. In **Quick Find**, search for **Scheduled Jobs**.
3. Open **Scheduled Jobs**.
4. Locate **Daily Inventory Sync**.



The screenshot shows the 'Scheduled Jobs' page in Salesforce Setup. At the top, there's a 'SETUP Scheduled Jobs' header. Below it, the page title is 'All Scheduled Jobs'. A message states: 'The All Scheduled Jobs page lists all of the jobs scheduled by your users. Multiple job types may display on this page. You can delete scheduled jobs if you have the permission to do so.' A yellow banner indicates 'Percentage of Scheduled Jobs Used: 1%' and mentions 'You have currently used 1 scheduled Apex jobs out of an allowed organization limit of 100 active or scheduled jobs.' Below this, there's a 'View:' dropdown set to 'All Scheduled Jobs' and a 'Create New View' link. A table lists the scheduled jobs. The first job is 'Daily Inventory Sync', submitted by 'Tummala, Tarun', on '9/17/2026, 11:37 AM', with a 'Next Scheduled Run' of '9/21/2026, 12:00 AM'. The table has columns for Action, Job Name, Submitted By, Submitted, Started, Next Scheduled Run, Type, and Cron Trigger ID.

Action	Job Name	Submitted By	Submitted	Started	Next Scheduled Run	Type	Cron Trigger ID
Manage Del Pause Job	Daily Inventory Sync	Tummala, Tarun	9/17/2026, 11:37 AM	9/20/2026, 12:01 AM	9/21/2026, 12:00 AM	Scheduled Apex	08eg800000JHXPd

Batch Jobs – Loyalty Points Calculation

Description

The **LoyaltyPointsBatch** Apex Class is used to process customer records and update their loyalty points based on the purchase information.

Component	Details
Batch Class Name	LoyaltyPointsBatch
Object Used	HandsMen Customer
Purpose	Calculate and update customer loyalty points
Calculation	Loyalty points are calculated based on Total Purchases
Batch Size	200 records

Activity 1: Create Loyalty Points Field

Go to **Setup** → **Object Manager** → **HandsMen Customer** → **Fields & Relationships** → **New**.

Field	Value
Field Label	Loyalty Points
Field Name	Loyalty Points
Data Type	Number
Decimal Places	0

Activity 2: Create Loyalty Points Batch Apex

Go to **Setup** → **Developer Console** → **File** → **New** → **Apex Class**.

Enter the class name **LoyaltyPointsBatch** and click **OK**.

```

1  global class LoyaltyPointsBatch
2  implements Database.Batchable<SObject>, Schedulable {
3
4      // Start Method
5  global Database.QueryLocator start(Database.BatchableContext BC) {
6
7      return Database.getQueryLocator(
8          'SELECT Id, Total_Purchases__c, Loyalty_Point__c ' +
9          'FROM HandsMen_Customer__c'
10     );
11 }
12
13 // Execute Method
14 global void execute(
15     Database.BatchableContext BC,
16     List<SObject> records
17 ) {
18
19     List<HandsMen_Customer__c> customersToUpdate =
20         new List<HandsMen_Customer__c>();
21
22     for (SObject record : records) {
23

```

```

TriggerHandler.apxc x UpdateOrderTotal.apxt x OrderTotalHandler.apxc x StockDeductionHandler.apxc * x StockDeduction.apxt x LoyaltyStatusHandler.apxc x LoyaltyStatusUpdat
Code Coverage: None API Version: 67
23
24     HandsMen_Customer__c customer =
25         (HandsMen_Customer__c) record;
26
27     Decimal totalPurchases =
28         customer.Total_Purchases__c == null
29         ? 0
30         : customer.Total_Purchases__c;
31
32     // 1 loyalty point for every ₹1,000
33     customer.Loyalty_Point__c =
34         Math.floor(totalPurchases / 1000);
35
36     customersToUpdate.add(customer);
37 }
38
39 if (!customersToUpdate.isEmpty()) {
40
41     try {
42         update customersToUpdate;
43     }
44     catch (DmlException e) {
45         System.debug(
46             'Error updating loyalty points: ' +

```

Code Coverage: None API Version: 67

```
46         'Error updating loyalty points: ' +
47         e.getMessage()
48     );
49     }
50 }
51 }
52
53 // Finish Method
54 global void finish(Database.BatchableContext BC) {
55
56     System.debug(
57         'Loyalty Points Calculation Completed'
58     );
59 }
60
61 // Scheduler Method
62 global void execute(SchedulableContext SC) {
63
64     LoyaltyPointsBatch batchJob =
65         new LoyaltyPointsBatch();
66
67     Database.executeBatch(batchJob, 200);
68 }
69 }
```

 HandsMen Customer

Chandra

Related

Details

HandsMen Customer Name

Chandra

Email

tarunitummala25@gmail.com

Phone

987543210

Loyalty Status

Gold

FirstName

Chandra

LastName

T

FullName

Chandra T

Total Purchases

5,000

Loyalty Point

125

Created By

 Taruni Tummala

, 9/18/2026, 3:08 AM

Owner

 Taruni Tummala

Last Modified By

 Taruni Tummala

, 9/20/2026, 2:54 AM

All Scheduled Jobs

Help for this Page

The All Scheduled Jobs page lists all of the jobs scheduled by your users. Multiple job types may display on this page. You can delete scheduled jobs if you have the permission to do so.

Percentage of Scheduled Jobs Used: 2%

You have currently used 2 scheduled Apex jobs out of an allowed organization limit of 100 active or scheduled jobs. To learn about how this limit is calculated and what contributes to it see the [Lightning Platform Apex Limits](#) topic.

View: All Scheduled Jobs Create New View

A | B | C | D | E | F | G | H | I | J | K | L | M | N | O | P | Q | R | S | T | U | V | W | X | Y | Z | Other | **All**

Action	Job Name	Submitted By	Submitted	Started	Next Scheduled Run	Type	Cron Trigger ID
Manage Del Pause Job	Daily Inventory Sync	Tummala, Taruni	9/17/2026, 11:37 AM	9/20/2026, 12:01 AM	9/21/2026, 12:00 AM	Scheduled Apex	08eg800000JHXPd
Del	Loyalty_Status_Flow-1	Tummala, Taruni	9/17/2026, 9:34 AM	9/19/2026, 9:15 PM	9/20/2026, 9:15 PM	Scheduled Flow	08eg800000JGJoY
Del	Metalytics Data Loader Job for Org : 00Dg800000HqeZN	User, Integration	9/5/2026, 10:01 PM	9/19/2026, 11:20 AM	9/20/2026, 11:20 AM	Autonomous Data Loader Job	08eg800000HRgWM
	Program Milestone Computation Cron Job	Process, Automated	9/5/2026, 10:01 PM	9/20/2026, 12:00 AM	9/20/2026, 6:59 AM	Program Milestone Computation Cron Job	08eg800000HRgWK
	Program Status Update Cron Job	Process, Automated	9/5/2026, 10:01 PM	9/19/2026, 8:01 PM	9/20/2026, 5:00 AM	Program Status Update Cron Job	08eg800000HRgWL
Manage Del Pause Job	Weekly Loyalty Points Calculation	Tummala, Taruni	9/20/2026, 3:04 AM		9/27/2026, 12:00 AM	Scheduled Apex	08eg800000JhcLd

A | B | C | D | E | F | G | H | I | J | K | L | M | N | O | P | Q | R | S | T | U | V | W | X | Y | Z | Other | **All**

Conclusion

The **HandsMen Threads Salesforce application** was developed to organize and automate key business activities such as **customer management, product and inventory management, order processing, and loyalty management**. The system uses Salesforce features including **custom objects, fields, relationships, validation rules, Lightning applications, profiles, roles, permission sets, Flows, Email Templates, Email Alerts, Apex Classes, Apex Triggers, and Batch Apex**.

The implemented automation supports important business processes such as **order confirmation, low-stock notifications, loyalty status management, automatic order total calculation, inventory processing, and loyalty point calculation**. The **InventoryBatchJob** and **LoyaltyPointsBatch** provide background processing for inventory and customer loyalty information.

Overall, the project demonstrates the use of both **declarative Salesforce tools and Apex programming** to automate business processes, maintain data consistency, reduce manual work, and improve the management of customer, order, inventory, and loyalty-related information within the HandsMen Threads organization.