

48. Text Transform

Class	CSS
<code>uppercase</code>	uppercase
<code>lowercase</code>	lowercase
<code>capitalize</code>	Capitalize
<code>normal-case</code>	normal

49. Text Decoration

Class	Meaning
<code>underline</code>	underline
<code>overline</code>	overline
<code>line-through</code>	strike-through
<code>no-underline</code>	remove

50. Text Decoration Style

Class	Meaning
<code>decoration-solid</code>	solid
<code>decoration-double</code>	double
<code>decoration-dotted</code>	dotted
<code>decoration-dashed</code>	dashed
<code>decoration-wavy</code>	wavy

51. Text Decoration Thickness

Class	Meaning
<code>decoration-auto</code>	browser
<code>decoration-from-font</code>	font
<code>decoration-0</code>	0
<code>decoration-1</code>	1px
<code>decoration-2</code>	2px
<code>decoration-4</code>	4px
<code>decoration-8</code>	8px

52. Underline Offset

Class	Meaning
<code>underline-offset-auto</code>	auto
<code>underline-offset-1</code>	1px
<code>underline-offset-2</code>	2px
<code>underline-offset-4</code>	4px
<code>underline-offset-8</code>	8px
<code>underline-offset-[5px]</code>	custom

53. Text Overflow

Class	काम
<code>truncate</code>	Single-line text truncate
<code>text-ellipsis</code>	Ellipsis
<code>text-clip</code>	Clip
<code>text-wrap</code>	wrap
<code>text-nowrap</code>	no wrap
<code>text-balance</code>	Balanced wrapping
<code>text-pretty</code>	Better paragraph wrapping

54. Word Breaking

Class	Meaning
<code>break-normal</code>	normal
<code>break-words</code>	long words break
<code>break-all</code>	anywhere
<code>break-keep</code>	keep words

55. Whitespace

Class	CSS
<code>whitespace-normal</code>	normal
<code>whitespace-nowrap</code>	no wrap
<code>whitespace-pre</code>	preserve
<code>whitespace-pre-line</code>	preserve lines
<code>whitespace-pre-wrap</code>	preserve + wrap
<code>whitespace-break-spaces</code>	preserve spaces

56. Text Color


Tailwind में colors `text-*` के through apply होते हैं। Theme में `--color-*` variables से नए colors भी create किए जा सकते हैं। [Tailwind CSS +1](#)

Pattern	Example
<code>text-{color}-{shade}</code>	<code>text-blue-500</code>
<code>text-black</code>	black
<code>text-white</code>	white
<code>text-transparent</code>	transparent
<code>text-current</code>	currentColor
<code>text-inherit</code>	inherit
<code>text-[red]</code>	custom
<code>text-[#123456]</code>	hex

text-(--my-color)			CSS variable
57. Background Color			
Class Pattern			Meaning
bg-red-500			red
bg-blue-500			blue
bg-green-500			green
bg-black			black
bg-white			white
bg-transparent			transparent
bg-current		↓	currentColor

<code>bg-current</code>	currentColor
<code>bg-[#123456]</code>	custom color
<code>bg(--brand-color)</code>	CSS variable

58. Color Opacity

Current Tailwind में अलग पुराने `bg-opacity-*` utilities के बजाय color modifier जैसे `bg-black/50` use किए जाते हैं। 

Class	Meaning
<code>bg-black/10</code>	black 10%
<code>bg-black/25</code>	25%
<code>bg-black/50</code>	50%
<code>bg-black/75</code>	75%

`bg-black/100`

100%

`text-black/50`

text color 50%

59. Background Image

Class	काम
<code>bg-none</code>	no background image
<code>bg-[url('/image.jpg')]</code>	custom image
<code>bg-linear-to-r</code>	horizontal gradient
<code>bg-linear-to-b</code>	vertical gradient
<code>bg-linear-to-br</code>	diagonal gradient
<code>bg-radial</code>	radial gradient



`bg-radial`

radial gradient

`bg-conic`

conic gradient

60. Background Position

Class	Meaning
<code>bg-top-left</code>	top-left
<code>bg-top</code>	top
<code>bg-top-right</code>	top-right
<code>bg-left</code>	left
<code>bg-center</code>	center
<code>bg-right</code>	right

`bg-right`

right

`bg-bottom-left`

bottom-left

`bg-bottom`

bottom

`bg-bottom-right`

bottom-right

`bg-position-[20%_30%]`

custom

Tailwind background-position के लिए ये utilities और arbitrary values provide करता है।

61. Background Size

Class	CSS	काम	📄
<code>bg-auto</code>	auto	original sizing	
<code>bg-cover</code>	cover	पूरा container cover	
<code>bg-contain</code>	contain	पूरा image दिखाने की कोशिश	
<code>bg-size-[100%_100%]</code>	custom	custom	

62. Background Repeat

Class	Meaning
<code>bg-repeat</code>	repeat
<code>bg-no-repeat</code>	no repeat
<code>bg-repeat-x</code>	X
<code>bg-repeat-y</code>	Y
<code>bg-repeat-round</code>	round
<code>bg-repeat-space</code>	space

63. Background Attachment

Class	Meaning
<code>bg-fixed</code>	fixed background
<code>bg-local</code>	local scroll
<code>bg-scroll</code>	normal scroll

64. Gradient

Class	Meaning
<code>from-blue-500</code>	gradient starting color
<code>via-purple-500</code>	middle color
<code>to-pink-500</code>	ending color
<code>to-pink-500</code>	ending color
<code>bg-linear-to-r</code>	left → right
<code>bg-linear-to-l</code>	right → left
<code>bg-linear-to-b</code>	top → bottom
<code>bg-linear-to-br</code>	diagonal
<code>bg-radial</code>	radial
<code>bg-conic</code>	conic

65. Border

Class	Meaning
<code>border</code>	border
<code>border-0</code>	0
<code>border-2</code>	2px
<code>border-4</code>	4px
<code>border-8</code>	8px
<code>border-x</code>	left/right
<code>border-y</code>	top/bottom
<code>border-t</code>	top
<code>border-r</code>	right
<code>border-b</code>	bottom

<code>border-l</code>	left
<code>border-s</code>	start
<code>border-e</code>	end

66. Border Color

Pattern	Example
<code>border-red-500</code>	red border
<code>border-blue-500</code>	blue
<code>border-gray-300</code>	gray
<code>border-black</code>	black
<code>border-white</code>	white



<code>border-transparent</code>	transparent
<code>border-[#123456]</code>	custom

67. Border Style

Class	Meaning
<code>border-solid</code>	solid
<code>border-dashed</code>	dashed
<code>border-dotted</code>	dotted
<code>border-double</code>	double
<code>border-hidden</code>	hidden
<code>border-none</code>	none



68. Border Radius

Class	Meaning
<code>rounded-none</code>	0
<code>rounded-xs</code>	extra small
<code>rounded-sm</code>	small
<code>rounded</code>	default
<code>rounded-md</code>	medium
<code>rounded-lg</code>	large
<code>rounded-xl</code>	XL
<code>rounded-2xl</code>	2XL
<code>rounded-3xl</code>	3XL
<code>rounded-4xl</code>	4XL



`rounded-full`

pill/circle

`rounded-[30px]`

custom

Important: Tailwind v4 में radius naming बदली है; पुराने v3 tutorials में `rounded-sm`, `rounded` आदि की exact values अलग हो सकती हैं। [Tailwind CSS](#)

69. Border Radius Side

Class	Meaning
-------	---------

`rounded-t-lg`

top corners

`rounded-b-lg`

bottom

`rounded-l-lg`

left

`rounded-r-lg`

right

`rounded-r-lg`

right

`rounded-s-lg`

start

`rounded-e-lg`

end

`rounded-tl-lg`

top-left

`rounded-tr-lg`

top-right

`rounded-bl-lg`

bottom-left

`rounded-br-lg`

bottom-right

70. Divide

Class	काम
<code>divide-y</code>	children के बीच horizontal divider
<code>divide-x</code>	vertical divider
<code>divide-y-2</code>	2px
<code>divide-x-2</code>	2px
<code>divide-dashed</code>	dashed
<code>divide-dotted</code>	dotted
<code>divide-double</code>	double
<code>divide-none</code>	remove ↓
<code>divide-gray-200</code>	color

SELECT

71. Outline

Class	Meaning
<code>outline</code>	outline
<code>outline-0</code>	0
<code>outline-1</code>	1px
<code>outline-2</code>	2px
<code>outline-4</code>	4px
<code>outline-8</code>	8px
<code>outline-none</code>	no outline
<code>outline-hidden</code>	hidden outline
<code>outline-dashed</code>	dashed
<code>outline-dotted</code>	dotted



<code>outline-dotted</code>	dotted
<code>outline-double</code>	double
<code>outline-blue-500</code>	color

72. Outline Offset

Class	Meaning
<code>outline-offset-0</code>	0
<code>outline-offset-1</code>	1px
<code>outline-offset-2</code>	2px
<code>outline-offset-4</code>	4px
<code>outline-offset-8</code>	8px



outline-offset-8	8px
outline-offset-[5px]	custom

73. Ring

Class	काम
ring	ring
ring-0	none
ring-1	1px
ring-2	2px
ring-4	4px
ring-8	8px



<code>ring-8</code>	8px
<code>ring-blue-500</code>	ring color
<code>ring-offset-2</code>	outer offset
<code>ring-offset-blue-500</code>	offset color

74. Shadow

Class		Meaning
<code>shadow-2xs</code>		very tiny
<code>shadow-xs</code>		extra small
<code>shadow-sm</code>		small
<code>shadow</code>		default
<code>shadow</code>		default
<code>shadow-md</code>		medium
<code>shadow-lg</code>		large
<code>shadow-xl</code>		extra large
<code>shadow-2xl</code>		huge
<code>shadow-none</code>		remove
<code>shadow-[0_10px_30px_rgba(0,0,0,.2)]</code>		custom

75. Opacity

Class	Meaning
<code>opacity-0</code>	invisible
<code>opacity-5</code>	5%
<code>opacity-10</code>	10%
<code>opacity-25</code>	25%
<code>opacity-50</code>	50%
<code>opacity-75</code>	75%
<code>opacity-100</code>	100%
<code>opacity-[.37]</code>	custom

76. Mix Blend

Class	Meaning
<code>mix-blend-normal</code>	normal
<code>mix-blend-multiply</code>	multiply
<code>mix-blend-screen</code>	screen
<code>mix-blend-overlay</code>	overlay
<code>mix-blend-darken</code>	darken
<code>mix-blend-lighten</code>	lighten
<code>mix-blend-color-dodge</code>	color dodge
<code>mix-blend-color-burn</code>	color burn
<code>mix-blend-hard-light</code>	hard light
<code>mix-blend-soft-light</code>	soft light



`mix-blend-difference`

difference

`mix-blend-exclusion`

exclusion

77. Object Fit

Class	CSS	काम
<code>object-contain</code>	contain	पूरा image
<code>object-cover</code>	cover	container भरना
<code>object-fill</code>	fill	stretch
<code>object-none</code>	none	original size
<code>object-scale-down</code>	scale-down	जरूरत अनुसार छोटा

.1.

78. Object Position

Class	Meaning
<code>object-center</code>	center
<code>object-top</code>	top
<code>object-bottom</code>	bottom
<code>object-left</code>	left
<code>object-right</code>	right
<code>object-left-top</code>	left-top
<code>object-right-bottom</code>	right-bottom
<code>object-[50%_20%]</code>	custom

79. Overflow

Class	Meaning
<code>overflow-auto</code>	auto scrollbar
<code>overflow-hidden</code>	extra content hide
<code>overflow-clip</code>	clip
<code>overflow-visible</code>	visible
<code>overflow-scroll</code>	scrollbar
<code>overflow-x-auto</code>	horizontal scroll
<code>overflow-y-auto</code>	vertical scroll
<code>overflow-x-hidden</code>	X hide
<code>overflow-y-hidden</code>	Y hide

80. Aspect Ratio

Class	Meaning
<code>aspect-auto</code>	auto
<code>aspect-square</code>	1:1
<code>aspect-video</code>	16:9
<code>aspect-[4/3]</code>	custom
<code>aspect-[16/10]</code>	custom

81. Cursor

Class	Meaning
<code>cursor-auto</code>	browser
<code>cursor-default</code>	default arrow
<code>cursor-pointer</code>	hand
<code>cursor-wait</code>	wait
<code>cursor-text</code>	text
<code>cursor-move</code>	move
<code>cursor-help</code>	help
<code>cursor-not-allowed</code>	not allowed
<code>cursor-grab</code>	grab
<code>cursor-grabbing</code>	grabbing



<code>cursor-grabbing</code>	grabbing
<code>cursor-crosshair</code>	crosshair
<code>cursor-zoom-in</code>	zoom in
<code>cursor-zoom-out</code>	zoom out

82. Pointer Events

Class	CSS	Meaning
<code>pointer-events-none</code>	none	mouse/touch events ignore
<code>pointer-events-auto</code>	auto	normal

83. User Select

Class	Meaning
<code>select-none</code>	text select बंद
<code>select-text</code>	text select
<code>select-all</code>	click पर all select
<code>select-auto</code>	browser default

84. Resize

Class	Meaning
<code>resize-none</code>	resize बंद
<code>resize</code>	both
<code>resize-y</code>	vertical
<code>resize-x</code>	horizontal

85. Scroll Behavior

Class	Meaning
<code>scroll-auto</code>	normal
<code>scroll-smooth</code>	smooth scrolling

86. Scroll Snap

Class	Meaning
<code>snap-none</code>	no snapping
<code>snap-x</code>	horizontal
<code>snap-y</code>	vertical
<code>snap-both</code>	 both

Tailwind_css_part_2

snap-both	both
snap-mandatory	mandatory
snap-proximity	proximity
snap-start	child start
snap-center	child center
snap-end	child end
snap-always	always snap

87. Appearance

Class	Meaning
<code>appearance-none</code>	browser default appearance हटाना
<code>appearance-auto</code>	default

Useful for custom `<select>`, checkbox etc.

88. Accent Color

Class	Meaning
<code>accent-blue-500</code>	checkbox/radio/range accent
<code>accent-red-500</code>	red
<code>accent-current</code>	current color
<code>accent-[#ff0000]</code>	↓ custom

89. Caret Color

Class	Meaning
<code>caret-blue-500</code>	text cursor blue
<code>caret-red-500</code>	red
<code>caret-transparent</code>	invisible
<code>caret-[red]</code>	custom

90. Scrollbar Color

Class	Meaning
<code>scrollbar-auto</code>	browser
<code>scrollbar-stable</code>	stable scrollbar gutter
<code>scrollbar-gutter</code> utilities	scrollbar layout behavior

91. Transition

Class	Meaning
<code>transition-none</code>	no transition
<code>transition-all</code>	all transitionable properties
<code>transition</code>	common properties
<code>transition-colors</code>	color-related

transition-colors	color-related
transition-opacity	opacity
transition-shadow	shadow
transition-transform	transform
transition-[height]	custom property

92. Transition Duration

Class	Meaning
duration-75	75ms
duration-100	100ms
duration-150	150ms



duration-200	200ms
duration-300	300ms
duration-500	500ms
duration-700	700ms
duration-1000	1000ms
duration-[450ms]	custom

93. Transition Timing

Class	Meaning
<code>ease-linear</code>	linear
<code>ease-in</code>	धीरे start
<code>ease-out</code>	धीरे end
<code>ease-in-out</code>	दोनों
<code>ease-[cubic-bezier(...)]</code>	custom

94. Transition Delay

Class	Meaning
<code>delay-75</code>	75ms
<code>delay-150</code>	150ms
<code>delay-300</code>	300ms
<code>delay-500</code>	500ms
<code>delay-[1.2s]</code>	custom