

138. @apply

Syntax

काम

```
@apply p-4 rounded-lg shadow-md;
```

Existing utilities को custom CSS में inline करता है

```
.btn { @apply px-4 py-2 rounded; }
```

Reusable custom class

139. @variant

Syntax

काम



```
@variant dark { ... }
```

CSS के अंदर dark variant

```
@variant hover:focus { ... }
```

Multiple variants

```
@variant md { ... }
```

Responsive variant



Official Tailwind v4 CSS में `@variant` custom CSS पर existing variant apply करने के लिए है।

140. @custom-variant

Syntax	काम
<code>@custom-variant theme-midnight (...)</code>	अपनी variant बनाना
<code>theme-midnight:bg-black</code>	नई variant use करना

141. @source

Syntax	काम
<code>@source "../node_modules/my-ui";</code>	Tailwind को बताना कि classes कहाँ detect करनी हैं
<code>@source inline(...)</code>	Specific classes safelist/detect करना

142. @reference

काम

Vue/Svelte `<style>` या CSS modules में main Tailwind theme/utilities को reference करने के लिए।

143. Tailwind Functions

Tailwind v4 CSS में build-time functions भी हैं।  Tailwind CSS

Function	काम
<code>--alpha()</code>	Color की opacity adjust
<code>--spacing()</code>	Theme spacing से calculated spacing
<code>theme()</code>	पुराने config theme values access; v4 में deprecated

144. `--alpha()`

Example	Meaning
<code>color: --alpha(var(--color-lime-300) / 50%);</code>	lime color की 50% opacity
फायदा	Color-mix आधारित alpha calculation

145. `--spacing()`

Example	Meaning
<code>margin: --spacing(4);</code>	theme spacing × 4
<code>--spacing(4)</code>	spacing token से calculated value
<code>calc()</code> में	Complex custom calculations



146. Tailwind v4 में पुराने v3 Concepts

Tailwind v3

Tailwind v4

flex-grow-*

grow-*

flex-shrink-*

shrink-*

bg-opacity-*

bg-color/opacity

text-opacity-*

text-color/opacity

border-opacity-*

border-color/opacity

ring-opacity-*

ring-color/opacity

placeholder-opacity-*

placeholder-color/opacity

shadow-sm

renamed scale

shadow

renamed scale

blur-sm

renamed scale

blur-sm

renamed scale

rounded-sm

renamed scale

outline-none

outline-hidden

ring

ring-3

JS-heavy config

CSS-first @theme आदि

v4 upgrade guide में ये renames/removals documented हैं।



148. Tailwind + React Example

Requirement	Tailwind
Flex	<code>flex</code>
Center	<code>justify-center items-center</code>
Full screen	<code>min-h-screen</code>
Background	<code>bg-gray-100</code>
Card	<code>bg-white rounded-xl shadow-lg p-6</code>
Responsive	<code>w-full md:w-1/2 lg:w-1/3</code>
Hover	<code>hover:shadow-xl</code>
Transition	<code>transition</code>
Dark	<code>dark:bg-gray-900</code>

149. एक Complete Card Class को Decode करो

Class	क्या करता है
<code>w-full</code>	width 100%
<code>max-w-sm</code>	maximum width small
<code>mx-auto</code>	horizontal center
<code>p-6</code>	padding
<code>bg-white</code>	white background
<code>rounded-xl</code>	rounded corners
<code>shadow-lg</code>	large shadow
<code>hover:shadow-2xl</code>	hover पर shadow बड़ा
<code>transition</code>	smooth transition



`transition`

smooth transition

`md:p-8`

md+ padding बढ़ेगा

`dark:bg-gray-800`

dark mode में dark background

150. Bootstrap vs Tailwind — सबसे Important Difference

Bootstrap

Tailwind

`.btn btn-primary`

`bg-blue-500 px-4 py-2 rounded`

`.container`

`container mx-auto`

`.row`

`grid` या `flex`

`.col-md-6`

`md:w-1/2` / `md:grid-cols-2`

`.d-flex`

`flex`



<code>.justify-content-center</code>	<code>justify-center</code>
<code>.align-items-center</code>	<code>items-center</code>
<code>.mt-3</code>	<code>mt-4</code> जैसे spacing token
<code>.text-center</code>	<code>text-center</code>
<code>.rounded</code>	<code>rounded-*</code>
<code>.shadow</code>	<code>shadow-*</code>
Prebuilt components	Limited styling primitives
Custom design	comparatively opinionated
CSS writing	कम
Arbitrary CSS	Limited pattern

151. Tailwind की सबसे जरूरी 20 चीजें

Priority	Topic	Example	☰
1	Display	<code>block flex grid hidden</code>	
2	Flex	<code>flex-row justify-center items-center</code>	
3	Grid	<code>grid-cols-3 gap-4</code>	
4	Width	<code>w-full w-1/2 max-w-xl</code>	
5	Height	<code>h-screen min-h-screen</code>	
6	Spacing	<code>p-4 m-4 px-6 py-2</code>	
7	Gap	<code>gap-4</code>	
8	Position	<code>relative absolute top-0</code>	
9	Typography	<code>text-xl font-bold</code>	↓

10	Colors	<code>text-blue-500 bg-blue-500</code>
11	Border	<code>border border-gray-300</code>
12	Radius	<code>rounded-lg rounded-full</code>
13	Shadow	<code>shadow-md</code>
14	Responsive	<code>sm: md: lg: xl: 2xl:</code>
15	Hover	<code>hover:*</code>
16	Focus	<code>focus:*</code>
17	Dark mode	<code>dark:*</code>
18	Group/Peer	<code>group-hover:*</code> , <code>peer-checked:*</code>
19	Arbitrary	<code>w-[350px]</code>
20	Theme	<code>@theme</code>

