


Text properties



Text properties

practice.css >  p

```
1  p{ /* text property */
2    text-align: justify; /*right, center,
3    start, end, justify*/
4    font-weight: bold; /*bolder, 100-900,
5    lighter, normal*/
6
7    font-family: 'Times New Roman', Times, serif;
8    line-height: normal; /*0%, 0vh, 0vw
9    2.5,*/*
10   text-decoration:solid; /*dotted, solid, none
11   underline, overline, line-through, red underline
12   wavy overline, dotted line-through,*/*
13   text-decoration:wavy  red underline;
14   /* text-decoration-color:blue */
15   text-transform:capitalize; /*capitalize, uppercase,
16   lowercase, none */
17   text-decoration-color:  white;
18   letter-spacing: normal; /*5px*/
19 }
```

style.css >  nav ul li a

```
1  h1,h3{
2      color: red;
3  }
4  /* decendent selector */
5  p a{
6      text-decoration: yellow line-through;
7  }
8  /* multiple selector */
9  nav ul li a{
10     text-transform: uppercase;
11     color: purple
12 }
13 /* direct reache destination tag */
14 nav a{
15     text-transform: lowercase;
16     color: purple
17 }
18
```

```
}  
1  /* Adjacent sibling combinator  
2  just immediate neighbour tag */  
3  p+h3{  
4      text-decoration: wavy violet dashed;  
5  }  
6  
7  
8  
9  /* child combinator just immediate neighbour  
10 div ke just baad wala tag */  
11 div>input{  
12     background-color: darkblue;  
13 }  
14  
15
```

```
/* Attribute selector */

<input type="text" placeholder="username">
*/
input[type="text"]{
|   color:  red;
}
/*<input type="password" placeholder="password">*/
input[type="password"]{
|   color:  orange
}
input[type]{
|   background-color:  grey;
}
```

```
/* <div class="box1">  
  <p>box ka paragraph</p>  
  </div>*/  
div[id="box1"] p{  
  color:  green;  
}  
#box1 p{  
  color:  orange;  
}
```

```
/* pseudo class */  
/* (1):hover (2):active  
| (3):checked => used for Radio btn  
| (4):nth-of-type */
```

```
h3:hover{
    background-color:  aqua;
    color:  black;
}
button:active{
    background-color:  aqua;
}
```

```
/*(3):checked => used for Radio btn*/
```

```
/*<div class="box2">
<input type="radio" id="yes" name="agreement">
| <label for="yes">yes</label>

<input type="radio" id="no" name="agreement">
<label for="no">No</label>
|
| </div>*/
```

```
38 input[type="radio"]:checked +label{
39     color: red;
40 }
41
42 /*(4) :nth-of-type() */
43 .para :nth-of-type(2n){
44     /*every (2n) paragraph ka bg color change ho jayega*/
45     background-color: pink;
46 }
47 .para :nth-of-type(3){
48     background-color: yellow;
49 }
50
51 /* pseudo elements */
52 /* (1) ::first-letter (2)::first-line
53 (3)::selection (4)::after */
54
55 /* <h1>hello pseudo elements</h1>*/
```



```
h1::first-letter{  
  color: red;  
}
```

```
/*<p>Lorem ipsum dolor sit amet consectetur  
adipisicing elit. Ex exercitationem, optio  
modi corporis dignissimos est! Eaque dolore  
quidem optio, rem cum doloribus consectetur  
suscipit, iste enim numquam neque illum?</p>*/
```

```
p::first-line{  
  color: pink;  
}
```

```
/*text select karne par bg color changer ho jaye*/
```

```
2  /*text select karne par bg color changer ho jaye*/
3
4  p::selection{
5      background-color: orange;
6  }
7
8
9  /* specificity */
10
11  /* (id) > (class,atributes & value) >(element & pseudo element)
12  */
13
14  /* ! important */
15  /* ! important lagane ke baad css ko in future
16  kabhi bhi change nahi kar sakte
17  */
18  */
19  */
```

```
39  h3{
40      background-color:  green !important;
41  }
42
43
44
45  /* inheritance */
46
47  /* <div class="box3">this is box3
48      |   <p id="list">this is paragraph<ul>
49          |   <li>mango</li>
50          |   <li>banana</li>
51          |   <li>orange</li>
52          |   </ul></p> */
53
54  div{
55      background-color:  orange;
56  }
```

```
/* <div>
    <form action="/action">
<label for="">username</label>
<input type="text" name="username" id=""
    placeholder="enter username">

<label for="">password</label>
<input type="password" name="password"
    placeholder="enter password">

<button>submit</button>

    </form>

</div>*/
```

```
div{
    background-color: yellow;
}

input{
    background-color: inherit;
}

button{
    background-color: inherit;
}
```

```
1  .box1{
2      height: 200px;
3      width: 400px;
4      background-color: □white;
5      border-width: 5px;
6      /* border-style: solid;dashed,dotted */
7      border-style: solid;
8      border-color: ■black;
9      /*border: 5px solid black*/
10
11
12      /* border slides */
13
14      /* (1) border-left: (2) border-right:
15      (3) border-top:  (4) border-bottom:
16      */
17
```

```

border-left-color: blue;
border-left-style: dashed;
border-top: 10px dotted rgb(0, 255, 98);
border-radius: 20px;
border-top-right-radius: 50px;
/*padding: top right bottom left ;    T R B L
(clockwise direction)
*/
padding: 25px 20px 15px 10px;
}

```

Random Heading

Now is the winter of our discontent Made glorious summer by this sun of York; And all the clouds that lour'd upon our house In the deep bosom of the ocean buried. Now are our brows bound with victorious wreaths; Our bruised arms hung up for monuments; Our stern alarums changed to merry meetings, Our dreadful marches to delightful measures. Grim-visaged war hath smooth'd his wrinkled front;


And now, instead of mounting barded steeds To fright the souls of fearful adversaries, He capers nimbly in a lady's chamber To the lascivious pleasing of a lute. But I, that am not shaped for sportive tricks, Nor made to court an amorous looking-glass; I, that am rudely stamp'd, and want love's majesty To strut before a wanton ambling nymph; I, that am curtail'd of this fair proportion,

width: 400px;
 background-color: white;
 border-width: 5px;
 border-style: solid;
 border-color: black;
 border: 5px solid black;
 border-left-color: blue;
 border-left-style: dashed;
 border-top: 10px dotted rgb(0, 255, 98);
 border-radius: 20px;
 border-top-right-radius: 50px;
 padding: 25px 20px 15px 10px;

```

div {
  display: block;
  unicode-bidi: isolate;
}


```




```
/* border slides */

/* (1) border-left: (2) border-right:
(3) border-top: (4) border-bottom:
*/

border-left-color: blue;
border-left-style: dashed;
border-top: 10px dotted rgb(0, 255, 98);
border-radius: 20px;
border-top-right-radius: 50px;
/*padding: top right bottom left ;    T R B L
(clockwise direction)
*/
padding: 25px 20px 15px 10px;
margin: 35px 25px 30px 10px ;
}
```



The screenshot shows a web browser window with a CSS box model diagram and its implementation. The diagram is a 400x200px element with a solid orange border, a dashed black border, a dotted black border, and a solid black border. The diagram also shows the calculated widths for the padding and margin areas, which are 4.667px on the left and right sides, and 15px on the top and bottom sides.

The CSS code for the diagram is as follows:

```
border-left-style: dashed;
border-top: 10px dotted #000000;
border-radius: 20px;
border-top-right-radius: 50px;
padding: 25px 20px 15px 10px;
margin: 35px 25px 30px 10px;
```

The diagram also shows the calculated widths for the padding and margin areas, which are 4.667px on the left and right sides, and 15px on the top and bottom sides.

```
/*<h2>heading h2</h2>  
<h2>2nd h2 heading</h2>  
<!-- heading is block element -->
```

```
<span>span 1</span>  
<span>span 2</span>  
<!-- span is inline element -->*/
```

```
h2{  
    background-color:  red;  
}  
span{  
    background-color:  yellow;  
}
```

Block element

heading h2

2nd h2 heading

inline element

this is span 1 this is span 2



```
span{  
    border: 6px solid black ;  
    padding: 50px;  
    text-decoration: double underline;  
}  
/* padding left and right side hi  
   lag rhi hai */
```

Tarun patidar CSS

Lorem ipsum dolor sit amet consectetur, adipisicing elit. Earum, accusamus. Amet iusto sit cum consequuntur nam atque ut, molestias taque! Facere aspernatur non dicta animi facilis numquam aut libero quis. Magni omnis ratione commodi maxime excepturi officia similique tempora voluptates, provident vero rerum. Libero atque nam eum rem, eligendi illum, minus temporibus quam excepturi, suscipit magnam voluptates. Delectus, voluptatum repellendus. Illo saepe itaque quis sed quae. Ipsa laboriosam sed aut ea consequuntur non, maxime rem. Ratione nobis amet officiis placeat doloremque minus, voluptates, dolore ut aborurn impedit magnam illum vel. Error quidem accusantium consectetur velit hic rem dolores dolorum consequatur similique odio quasi inventore, assumenda amet mollitia expedita corporis ipsam et repellendus libero fuga earum laborum? Quo, iure a. Provident. Aut a sequi quo soluta!

SPAN IS INLINE ELEMENT



Voluptatum aperiam earum temporibus vero similique ratione, expedita erum voluptatem deleniti itaque pariatur qui quibusdam perspiciatis eos, nisi nesciunt incidunt eum ad cumque alias ea. Doloremque incidunt ad audantium quidem quas quis itaque veniam deserunt. Sint ab praesentium ncidunt veniam delectus eveniet assumenda perferendis architecto aliquid eiciendis laudantium dolores tempora optio, porro at quaerat omnis. Nesciunt esse voluptatum qui veritatis sapiente illum, tempore provident, illam ex eveniet laudantium id molestias a totam deserunt quas voluptatem eius enim rerum similique pariatur, reprehenderit doloremque iit quos. Labore. Nulla tempore sequi consectetur cum incidunt voluptatem harum voluptates, corporis, exercitationem recusandae est culpa iure expedita sapiente qui voluptas doloremque! Necessitatibus misquam eos anidem insum, autem dolore libero dolores sed.




Tarun patidar CSS

code.css / div

```
1  div{
2      height: 100px;
3      width: 100px;
4      border: 5px solid black;
5      margin: 5px;
6      display: inline-block;
7  /* display: none;   element ko
8     hide karne k liye
9  */
10 }
11 }
```





```
#outer{
height: 400px; /*parent element size*/
width: 400px;
border: 5px solid ■ black;
margin: 50px;
font-size: 20px;
}
#inner{
height: 50px;
width: 50px;
border: 5px solid ■ black;
margin-left: 20%; /*80px*/

/* margin-left: 20%; Relative to
the parent element size(height,width) */
```



```
font-size: 2em; /*40px*/
```

```
/* font-size: 2em; Relative  
to the parent font-size
```



```
2em=> double of parent font-size
```

```
0.5 em => half
```

```
*/
```

```
padding:2em; /* 40*2 = 80px */
```


```
/* padding:0.5em; Relative to its font-size  
*/
```



```

button{
font-size: 50px;
border: 5px solid black;
padding-left: 2em;
/* em => double of its font-size: ;
50*2 = 100px */
padding-right: 2em;
}

```



:.CSS / ...

```
/*<section>  this is section

<div class="box1">this is box1
<div class="box2">this is box 2
| <div class="box3">this is box 3
|
| </div>
| </div>
| </div>
|      </section>*/

section{
|   font-size: 20px;
|
| }
div{
|   font-size: 2em;
|
| }
```

```
div{  
    font-size: 2em;  
}  
/* 2em => double of just immediate  
   parent font-size  
box1=> 20*2= 40px  
box2 => 40*2=80px  
box3 => 80*2=160px */
```

this is section parent font-size=20px

this is box1=> 20*2= 40px

this is box 2=> 40*2=80px

this is box 3=>
80*2=160px

```
section{
    font-size: 20px;
}
div{
    font-size: 2rem;
}
/* 2rem => double of just immediate
    parent font-size

    box1=> 20*2= 40px
    box2 => 20*2=40px
    box3 => 20*2=40px */
```

this is section parent font-size=20px

this is box1=> 20*2= 40px

this is box 2=> 20*2=40px

this is box 3=> 20*2=40px