ICS141: Discrete Mathematics for Computer Science I

Dept. Information & Computer Sci., University of Hawaii

Originals slides by Dr. Baek and Dr. Still, adapted by J. Stelovsky

Based on slides Dr. M. P. Frank and Dr. J.L. Gross

Provided by McGraw-Hill

Lecture 2

Chapter 1. The Foundations

1.1 Propositional Logic

Review: The Implication Operator

University of Hawaii

- The conditional statement (a.k.a. ***implication***) $p \rightarrow q$ states that p implies q.
- *I.e.*, If p is true, then q is true; but if p is not true, then q could be either true or false.
- *E.g.*, let p = "You study hard."
  q = "You will get a good grade."
  $p \rightarrow q$ = "If you study hard, then you will get a good grade." (else, it could go either way)
  - p: *hypothesis* or *antecedent* or *premise*
  - q: *conclusion* or *consequence*

Review: Implication Truth Table

University of Hawaii

p	q	$p \to q$
T	T	T
T	F	**F**
F	T	T
F	F	T

The only False case!

- $p \to q$ is **false** only when p is true but q is **not** true.
- $p \to q$ does **not** require that p or q **are ever true**!
  - *E.g.* "(1=0) $\to$ pigs can fly" is TRUE!

Examples of Implications

University of Hawaii

- "If this lecture ever ends, then the sun will rise tomorrow." *True* or *False*? $(T \rightarrow T)$
- "If 1+1=6, then Obama is president." *True* or *False*? $(F \rightarrow T)$
- "If the moon is made of green cheese, then I am richer than Bill Gates." *True* or *False*? $(F \rightarrow F)$
- "If Tuesday is a day of the week, then I am a penguin." *True* or *False*? $(T \rightarrow F)$

English Phrases Meaning $p \rightarrow q$

University of Hawaii

- "*p* implies *q*"
- "if *p*, then *q*"
- "if *p*, *q*"
- "when *p*, *q*"
- "whenever *p*, *q*"
- "*q* if *p*"
- "*q* when *p*"
- "*q* whenever *p*"
- "*p* only if *q*"
- "*p* is sufficient for *q*"
- "*q* is necessary for *p*"
- "*q* follows from *p*"
- "*q* is implied by *p*"

We will see some equivalent logic expressions later.

Converse, Inverse, Contrapositive

- Some terminology, for an implication $p \rightarrow q$:
- Its ***converse*** is: $q \rightarrow p$.
- Its ***inverse*** is: $\neg p \rightarrow \neg q$.
- Its ***contrapositive***: $\neg q \rightarrow \neg p$.

p	q	$p \rightarrow q$	$q \rightarrow p$	$\neg p \rightarrow \neg q$	$\neg q \rightarrow \neg p$
T	T	T	T	T	T
T	F	F	T	T	F
F	T	T	F	F	T
F	F	T	T	T	T

- One of these three has the *same meaning* (same truth table) as $p \rightarrow q$. Can you figure out which? **Contrapositive**

Examples

- p: Today is Easter
  q: Tomorrow is Monday

- $p \to q$:
  If today is Easter then tomorrow is Monday.
- ***Converse***: $q \to p$
  If tomorrow is Monday then today is Easter.
- ***Inverse***: $\neg p \to \neg q$
  If today is not Easter then tomorrow is not Monday.
- ***Contrapositive***: $\neg q \to \neg p$
  If tomorrow is not Monday then today is not Easter.

The Biconditional Operator

University of Hawaii

- The ***biconditional*** statement $p \leftrightarrow q$ states that p ***if and only if*** (*iff*) q.
- p = "It is below freezing."

  q = "It is snowing."

  $p \leftrightarrow q$ = "It is below freezing if and only if it is snowing."

  or

  = "That it is below freezing is necessary and sufficient for it to be snowing"

Biconditional Truth Table

University of Hawaii

p	q	$p \leftrightarrow q$
T	T	T
T	F	F
F	T	F
F	F	T

- p is necessary and sufficient for q
- If p then q, and conversely
- p iff q

- $p \leftrightarrow q$ is equivalent to $(p \rightarrow q) \wedge (q \rightarrow p)$.
- $p \leftrightarrow q$ means that p and q have the **same** truth value.
- $p \leftrightarrow q$ does **not** imply that p and q are true.
- Note this truth table is the exact **opposite** of $\oplus$'s! Thus, $p \leftrightarrow q$ means $\neg(p \oplus q)$.

Boolean Operations Summary

University of Hawaii

- Conjunction: $p \wedge q$, (read p and q), "discrete math is a required course and I am a computer science major".
- Disjunction: , $p \vee q$, (read p or q), "discrete math is a required course or I am a computer science major".
- Exclusive or: $p \oplus q$, "discrete math is a required course or I am a computer science major but not both".
- Implication: $p \rightarrow q$, "if discrete math is a required course then I am a computer science major".
- Biconditional: $p \leftrightarrow q$, "discrete math is a required course if and only if I am a computer science major".

Boolean Operations Summary

- We have seen 1 unary operator and 5 binary operators. What are they? Their truth tables are below.

p	q	$\neg p$	$p \wedge q$	$p \vee q$	$p \oplus q$	$p \rightarrow q$	$p \leftrightarrow q$
T	T	F	T	T	F	T	T
T	F	F	F	T	T	F	F
F	T	T	F	T	T	T	F
F	F	T	F	F	F	T	T

- For an implication $p \rightarrow q$
- Its ***converse*** is: $q \rightarrow p$
- Its ***inverse*** is: $\neg p \rightarrow \neg q$
- Its ***contrapositive***: $\neg q \rightarrow \neg p$

Compound Propositions

- A ***propositional variable*** is a variable such as p, q, r (possibly subscripted, e.g. p_j) over the Boolean domain.
- An ***atomic proposition*** is either Boolean constant or a propositional variable: e.g. T, F, p
- A ***compound proposition*** is derived from atomic propositions by application of propositional operators: e.g. $\neg p$, $p \vee q$, $(p \vee \neg q) \rightarrow q$
- Precedence of logical operators: $\neg$, $\wedge$, $\vee$, $\rightarrow$, $\leftrightarrow$
- Precedence also can be indicated by parentheses.
  - e.g. $\neg p \wedge q$ means $(\neg p) \wedge q$, not $\neg(p \wedge q)$

An Exercise

University of Hawaii

- Any compound proposition can be evaluated by a truth table
- $(p \vee \neg q) \rightarrow q$

p	q	$\neg q$	$p \vee \neg q$	$(p \vee \neg q) \rightarrow q$
T	T	F	T	T
T	F	T	T	F
F	T	F	F	T
F	F	T	T	F

Translating English Sentences

University of Hawaii

- Let p = "It rained last night",
  q = "The sprinklers came on last night,"
  r = "The lawn was wet this morning."

  Translate each of the following into English:

  $\neg p$ = "It didn't rain last night."

  $r \wedge \neg p$ = "The lawn was wet this morning, and it didn't rain last night."

  $\neg r \vee p \vee q$ = "The lawn wasn't wet this morning, or it rained last night, or the sprinklers came on last night."

Another Example

University of Hawaii

- Find the converse of the following statement.
  - "Raining tomorrow is a sufficient condition for my not going to town."
- **Step 1**: Assign propositional variables to component propositions.
  - p: It will rain tomorrow
  - q: I will not go to town
- **Step 2**: Symbolize the assertion: $p \rightarrow q$
- **Step 3**: Symbolize the converse: $q \rightarrow p$
- **Step 4**: Convert the symbols back into words.
  - "If I don't go to town then it will rain tomorrow" or
  - "Raining tomorrow is a *necessary condition* for my not going to town."

Logic and Bit Operations

University of Hawaii

- A ***bit*** is a binary (base 2) digit: 0 or 1.
- Bits may be used to represent truth values.
  - By convention:
    0 represents "False"; 1 represents "True".
- A ***bit string of length n*** is an ordered sequence of $n \geq 0$ bits.
- By convention, bit strings are (sometimes) written left to right:
  - e.g. the "first" bit of the bit string "1001101010" is 1.
  - What is the length of the above bit string?

Bitwise Operations

- Boolean operations can be extended to operate on bit strings as well as single bits.
- Example:

01 1011 0110	
11 0001 1101	
11 1011 1111	Bit-wise OR
01 0001 0100	Bit-wise AND
10 1010 1011	Bit-wise XOR

End of 1.1

You have learned about:

- Propositions: what they are
- Propositional logic operators'
  - symbolic notations, truth tables, English equivalents, logical meaning
- Atomic vs. compound propositions
- Bits, bit strings, and bit operations

- Next section:
  - Propositional equivalences
  - Equivalence laws
  - Proving propositional equivalences

Review Exercises

Submit your work by next class.

Your submission will not be accepted without the exercise handout attached.