CS359 - Computer Network Lab

Lab 8

Tarusi Mittal 1901CS65

The folder contains three files.

- 1. server.py -> used at the terminal for server
- 2. client.py -> used at the terminal for client
- 3. diseases.csv -> it contains the list of diseases and their medicines.

Starting the server:

To start the server we will go to the designated folder and run the server using the command:

Python3 server.py

The terminal screen will look like this:

Then we will start the client side also using the command:

Python3 client.py

The terminal screen will look like this

Now we will send a disease name from the client side:

We can see that in whatever case we send the message the result is going to be correct.

This is the case when the disease is known to the server...


The server side for this will look like:

Now let us see when the disease is not known to the server.

The server side looks like:

Some more examples:

```
☑ Windows PowerShell × 🐧 tarusimittal@LAPTOP-6CRHF1G × 🐧 tarusimittal@LAPTOP-6CRHF1G × + ∨
Enter the name of disease :
flu
Drug found : Zanamivir
Enter the name of disease :
Drug found : Zanamivir
Enter the name of disease :
vomit
Drug for this disease not found. We will update the system soon
Enter the name of disease :
peptic ulcer
.
Drug found : rabeprazole;omeprazole
Enter the name of disease :
depression
Drug found : bupropian;sertraline
Enter the name of disease :
```



END