

Fundamental Statistics for Accountants

Dr Taryn Axelsen

Last Updated: 08 June 2026

Contents

Preface	i
Why Statistics Matters to Accountants	i
Threshold / Expanded Competencies	ii
What This Course Focuses On	ii
Overall Learning Outcomes	iii
How this book was made	iii
1 Module 1	1
1.1 Variables, Types of Data, and Sampling	1
1.2 Visualising Data: One Categorical Variable	2
1.3 Contingency Tables	2
1.4 Use, Abuse, and Misuse of Statistics	3
Review Questions: Module 1	4
Tutorial Questions: Module 1	6
1.5 Question 1: Experiments Verse Observational	6
1.6 Question 2: Generating an appropriate sample	7
1.7 Question 3: Investigating the association between two categorical variables	8
1.8 Question 4: Repeat Q3 using Excel	14
1.9 Textbook Readings	14
1.10 Further Practice from the Textbook	15
Module 1 Checklist	15
Using Excel Checklist	16
2 Module 2	17
2.1 Gathering Data	17
2.2 Displaying Distributions	18
2.3 Describing Distributions with Numbers	19
2.4 Key Takeaways	20
Review Questions: Module 2	22
Tutorial Questions: Module 2	24
2.5 Question 1: Observational / Experiment	24
2.6 Question 2: Experimental Design	25
2.7 Question 3: Observational Study	26

Contents

2.8	Question 4: Describing Distributions	27
2.9	Question 5: Comparing Distributions	29
2.10	Question 6: Describing Distributions	30
2.11	Further Practice from the Textbook	31
2.12	Textbook Readings	32
Module 2 Checklist		33
	Using Excel Checklist	33

Preface

Welcome to Fundamental Statistics

This interactive Workbook is your companion for the ****learning through doing**** component of the course. It is designed to guide your practice, deepen your understanding, and support your progress throughout the semester.

The primary learning resource for the course is the lectures and tutorials, however we do have an accompanying textbook **Sharpe, De Veaux & Velleman, *Business Statistics* (4th edition)**. We do not cover the whole textbook in this course or in the order it is presented in the book. You are directed to the relevant readings from the textbook at the end of each chapter within this interactive Workbook.

Once you have watched the content recordings, you should consolidate your understanding by working through the material and tutorials in this interactive Workbook. The textbook readings will give you further knowledge and help to really solidify the materials covered each week.

The tutorials align with the modules covered in this course as listed in the *Course Specification*. At the end of each tutorial you will notice a *Module Checklist* and, in some cases, a *Using Excel Checklist*. Use these checklists to make sure that you have not missed an important concept as you work through the materials.

Why Statistics Matters to Accountants

Statistics helps us make sense of the information we encounter every day.

At the heart of statistics is **data**, and the need to understand that data is what drives this entire field. The goal in this course is to give you tools to enable you to competently use and interpret statistics.

Accounting is not just about recording numbers - it is about **interpreting information, making judgements, and supporting decisions under uncertainty**. Statistics provides the tools accountants need to do this rigorously and responsibly.

Threshold / Expanded Competencies

To help guide you through this course and prevent the need to cram or skip material, we have developed a THRESHOLD / EXPANDED competencies framework. All materials in this course have been broken into THRESHOLD competencies and EXPANDED competencies.

Think of statistics like a toolbox.

A good toolbox needs a hammer, pliers, a wrench, and a screwdriver.

Likewise, in this course there are some concepts and skills which are essential for you to master — we call these **Threshold Competencies**.

To pass the course, you'll need to demonstrate a full understanding of these Threshold Competencies.

- **Threshold competencies** in STA1004 refer to the key or fundamental ideas that are the core essential knowledge that a passing student must master.
- Additional knowledge and skills associated with these concepts are referred to as **Expanded competencies**, which represent the knowledge required to achieve higher than a Pass (P) grade.
- Mastery of expanded material will help students achieve a higher grade than a passing grade.

In this interactive Workbook, material related to **Expanded Competencies** are marked with an asterisk (*).

The goal of the Threshold/Expanded framework for delivering and assessing content is to provide students with a structure that allows for incremental mastery and achievement, building student confidence and momentum throughout the course. If you are feeling overwhelmed with a particular module of content, or if you are struggling to balance competing priorities in your life at some stage in the trimester, you can focus on mastering the Threshold content and still be able to continue progressing through the course. You can attempt the Expanded content once you feel grounded in the Threshold material or if you have more time for study later in the trimester.

What This Course Focuses On

The emphasis in Fundamental Statistics for Accountants is on:

- understanding and developing the basic concepts of statistical reasoning
- learning to use statistical software

The broad objectives of this course are stated below. More detailed overall objectives are given in the Course Specification. Specific objectives for each module are stated at the start of each

module in the lectures.

Best wishes and good studying!

Overall Learning Outcomes

On completion of this course students should be able to:

1. Identify, explain and analyse the role of statistics in decision making (TCA08:LO1) (BBCM PO4).
2. Analyse and evaluate financial and non-financial data from a variety of sources using appropriate tools to present results in tables and charts as well as numerical descriptive measures for business decision-making purposes (TCA08: LO2, LO3 and LO4; PCA01: LO1) (BBCM PO3 or PO4).
3. Communicate clearly, effectively and concisely when presenting and discussing results from the analysis of data (PCA02: LO2) (BBCM PO3).
4. Use problem-solving skills, including a selection of parametric and non-parametric tests to analyse, apply and interpret appropriate confidence interval and hypothesis testing procedures for given business data and identify applications to business problems to measure and reduce uncertainty (TCA08: LO3) (BBCM PO1 or PO4).
5. Apply thinking skills to solve problems through identifying, making decisions and reaching well-reasoned conclusions applying the relevant regression and correlation coefficients for a data set using Excel and identify ethical issues within a given business situation. (TCA08: LO4; PCA01: LO2, PCA04: LO4) (BBCM PO1 or PO2 or PO4).
6. Apply basic regression and time series forecasting tools to business problems and identify ethical issues to social responsibility within the business environment. (CPA/NZ PCA04: LO4) (BBCM PO4).

How this book was made

This book was made using **R** (R Core Team, 2025), and the **bookdown** package (Xie, 2025a), which is based on Markdown syntax, using **knitr** (Xie, 2025b).

These tools allow us to build a clean, interactive, and reproducible learning resource.

Author

Dr Taryn Axelsen (Springfield, Australia)

1 Module 1

Module Focus: Introducing the foundational ideas

The focus is on understanding what data are, how they are collected, and how they should be summarised and interpreted responsibly.

1.1 Variables, Types of Data, and Sampling

Understanding data begins with understanding variables.

Statistical terminology

- **Cases:** the individuals or objects being studied
- **Variables:** characteristics measured on each case
- **Data:** the observed values of the variables

Types of data

Data type	Description	Examples
Quantitative	Numerical values with meaningful units	Height (cm), pulse rate
Categorical (Nominal)	Categories with no natural order	Gender, faculty
Ordinal	Categories with a natural order	Likert scale responses
Identifier	Unique labels for each case	Student number

Categorical variables are often **coded numerically** in software, but the numbers themselves have no numerical meaning.

Populations and Sampling Because studying an entire population is usually impractical, statistics relies on samples. Valid conclusions depend on three key ideas:

1. **Sampling** – samples should be representative of the population.
2. **Randomising** – random selection reduces bias and allows generalisation.
3. **Sample size** – larger samples tend to give more accurate results, but at higher cost.

Only **random samples** support valid statistical inference.

1.2 Visualising Data: One Categorical Variable

The **distribution of a variable** describes what values it takes and how often they occur. Graphs allow large amounts of data to be summarised clearly and patterns to be identified.

Numerical summaries

- Frequency tables for categorical variables
- Use pivot tables in Excel

Bar charts

- Used for **categorical variables**
- Bars do **not** touch
- Order bars logically (alphabetical or by size)

Pie charts

- Not recommended as difficult for the reader to fully understand
 - Show **parts of a whole**
 - Must include all categories (total = 100%)
 - Best used sparingly and with few categories
-

1.3 Contingency Tables

When analysing **two categorical variables**, we use a **contingency table** (also called a two-way table or cross-tabulation).

Types of distributions

- **Joint distribution:** proportions of all cases in each cell
- **Marginal distribution:** proportions for one variable only (row or column totals)
- **Conditional distribution:** proportions within a subgroup

Assessing association

Two categorical variables are **associated** if the conditional distributions differ between groups. If the conditional distributions are similar, the variables are considered **independent**.

Graphical support

- **Stacked bar charts** are useful for comparing conditional distributions visually.

To assess association:

Always compare **conditional distributions**, not just raw counts.

1.4 Use, Abuse, and Misuse of Statistics

Statistics are powerful, but they can be misleading if used poorly or dishonestly.

Key ideas

- Results can be **misinterpreted** through poor sampling or misleading summaries.
- Graphs can strongly influence interpretation depending on:
 - scale and axis limits
 - graph type
 - use of 3D effects or distorted perspectives

Good data visualisation principles

- Match the graph type to the **data type**
- Label axes clearly (variable names and units)
- Use honest scales (usually starting at zero)
- Avoid unnecessary decoration (especially 3D graphs)
- Aim to **tell the truth** and communicate clearly

A graph is only as good as the data it displays.

No amount of visual design can fix poor or biased data.

Review Questions: Module 1

Review Questions

Once you have watched the lecture recordings you should be able to answer the following *Threshold* questions (solutions can be found at the end of this Workbook).

Write your answers in the spaces provided.

(i) What is a variable? What is a value of a variable? Give examples of each.

(ii) How can we tell if a variable is quantitative, categorical, ordinal, or an identifier?

(iii) What is the difference between cross sectional data and time series data?

(iv) What is the difference between a representative sample and a convenience sample?

nience sample? How are they obtained and what are their relative advantages/disadvantages?

(v) What is a contingency or two-way table? When is it used?

(v) What is meant by a marginal distribution, a joint distribution and a conditional distribution?

(v) List three things that may result in a bad graph.

Tutorial Questions: Module 1

Note: * Indicates **Expanded** Competencies

1.5 Question 1: Experiments Verse Observational

An excerpt from a data set containing information about Australian Charities is shown below:

	A	B	C	D	E	F	G
1	ABN	Charity name	Postcode	Aged care	Total full time equivalent staff	Total gross income (\$)	Net assets/liabilities (\$)
2	11000047950	Sydney Missionary & E	2132	n	54.61	9179850	32418097
3	11000073870	Integricare	2127	n	120	13654240	16041021
4	11000761571	AUSTRALIANS IN MISS	4121	n	2.8	2671937	8139477
5	11001233790	The Greek Orthodox C	2303	n	1	460570	1719167
6	11001241005	Wangarang Industries	2800	n	91	4053424	2950961
7	11001350867	Subud Australia		n	0	191309	4300798
8	11001794396	Bethel Christian Schoc	2770	n	31	5294136	11525840
9	11001832828	Pacific Hills Christian	E 2158	n	180.85	28723778	30933142
10	11002058127	Burum Benevolent Sc	4659	n	0	113238	186374
11	11002389746	St Peters Pre-School L	2350	n	6.33	609766	955894
12	11002595422	Chrysalis School For R	2454	n	30.43	3818748	1410622
13	11003362481	Lasercraft Australia L	2250	n	27.07	5039033	6408366
14	11003429338	ISCAST LTD	3131	n	0.6	149828	130574
15	11004285956	Australian Nurses Mer	3004	n	0.6	324225	3242140
16	11004857827	Austin Medical Resear	3084	n	1	2834981	11228152
17	11005151771	Braemar College Limit	3442	n	109	21153114	25348119
18	11005353218	Buddha Sasana Associ	2780	n	0	229237	1491636
19	11005583960	Odyssey House Victori	3121	n	175	28465050	12550435
20	11005898251	The Dia Foundation Pty	Ltd	n	0	240530	6526789
21	11005906054	St George Family Supp	2218	n	3.97	458700	840346
22	11007434362	Alphington Grammar S	3078	n	70.4	15104109	9139625
23	11008484197	Australian Institute Of	2000	n	274	88302000	29171000
24	11010805927	Victorian Brumby Assc	3469	n	0	87179	2019
25	11010856725	Sydney Sri Ayyappa Sv	2145	n	1	152899	752785
26	11014757615	Hannans Primary Scho	6430	n	1	75845	98696

Q1(a)

For each of the variables listed in the spreadsheet:

- Identify the **type of variable**
- State the **units**, if appropriate

Variable	Type	Units
ABN		
Charity name		
Postcode		
Aged Care		
Total full time equivalent staff		
Total gross income		
Net assets / liabilities		

Q1(b)

Is this **cross-sectional** or **time series** data?

Is this **cross-sectional** or **time series** data?

1.6 Question 2: Generating an appropriate sample

Sampling

- | | | |
|------------------------|-------------------------|------------------------|
| • Barry Humphries (m) | • Gough Whitlam (m) | • Michael Jordan (m) |
| • Bill Clinton (m) | • Harriet Tubman (f) | • Michele Pfeiffer (f) |
| • Bill Cosby (m) | • Henry Kissinger (m) | • Nelson Mandela (m) |
| • Bill Gates (m) | • Janet Reno (f) | • Oprah Winfrey (f) |
| • Bob Dylan (m) | • Jennifer Crowe (f) | • Paul Davies (m) |
| • Charles Yeager (m) | • Joan Sutherland (f) | • Paul Newman (m) |
| • Colin Powell (m) | • John Glenn (m) | • Pele (m) |
| • David Helfgott (m) | • Laura Schlesinger (f) | • Russell Crowe (m) |
| • Dawn Fraser (f) | • Leonardo DiCaprio (m) | • Samantha Riley (f) |
| • Evonne Goolagong (f) | • Manon Rheaume (f) | • Wayne Gardner (m) |
| • Germaine Greer (f) | • Mario Cuomo (m) | • Wynton Marsalis (m) |

Stratified sampling

Stratified sampling involves taking simple random samples from each of a number of groups (strata) into which a population has been divided

This question can be done manually, or visually (see below if using the interactive workbook).

Suppose a random sample of **eight** people is required.

- (a) Using a random number generator (or interactive visual below), select a simple random sample (SRS) from the sampling frame defined above.

- (b) How many males and females are there in your sample?
- (c) Using a random number generator, select a second simple random sample.
- (d) How many males and females are there in this sample?
- (e) Compare your two samples: Did you expect the result you got? Explain your answer with reference to the sampling process.
- (f) *Using a random number generator, select a stratified random sample, stratified according to gender so as to contain equal numbers of males (m) and females (f).
- (g) *Describe, in detail, the steps you took to produce your stratified sample or the steps that were likely to have been taken if doing this manually.
- (h) *Why might you decide that a stratified sample is more representative?

****Note****

<https://stattrek.com/statistics/random-number-generator> is one possible random number generator or the function RANDBETWEEN() in Excel

Interactive - Simple Random Sampling and Stratified Sampling

Below is an interactive tool for selecting simple random samples (SRS) and stratified samples from the given sampling frame.

Interactive Sampling

This tool is only available if using the interactive workbook and not the pdf version

1.7 Question 3: Investigating the association between two categorical variables

Is there an association between the type of banking client (new or old) and their satisfaction level?

The following data was collected and organized into the Contingency Table (two-way table) below to see if there is an association between type of client (stated as *New client (12 months or less)* and *Old client (longer than 12 months)*) and the satisfaction level (stated as *Satisfied* and *Dissatisfied*) for 151 banking clients.

Table 1.2: Type of Client and Satisfaction Levels

	New Client (12 mths or less)	Old Client (longer than 12mths)	Total
Satisfied	57	19	76
Dissatisfied	36	39	75
Total	93	58	151

Q3(a)

From the data in the study:

(i) how many clients are new clients?

(ii) how many clients are satisfied?

(iii) how many clients are new clients AND dissatisfied?

Q3(b)

From the data in the study (for each state if it is a joint, marginal or conditional percentage (rounded to 1 decimal place) as well as the answer):

(i) what percentage of clients are new clients?

(ii) what percentage of clients are satisfied?

(iii) what percentage of clients are new clients AND dissatisfied?

(iv) what percentage of clients who are satisfied are also new clients?

(v) what percentage of clients who are new are also satisfied?

Q3(c): Joint Distribution

In a two-way table, display the *joint* distribution of type of client and level of satisfaction (round to 1 or 2 decimal place).

Satisfaction / Type	New Client	Old Client	Total
Satisfied			
Dissatisfied			
Total			

Q3(d)

Using the joint distribution in (c), write 4 sentences describing what each of these 4 percentages mean (i.e. one of the sentences could be something like “90% of clients are new and dissatisfied”).

Write your answers in the spaces provided.

Sentence 1

Sentence 2

Sentence 3

Sentence 4

Q1(e): Marginal Distribution

Calculate, in percentages, and display, in a two-way table the following marginal distributions:

- i. Marginal Distribution of Type of Client
- ii. Marginal Distribution of Satisfaction Level

Satisfaction / Type	New Client	Old Client	Total
Satisfied			
Dissatisfied			
Total			

Q1(f): Conditional Distribution

Using percentages,

- i. calculate the distributions of satisfaction level *conditional* on type of client (i.e. calculate the distribution of satisfaction level for new clients and then the distribution of satisfaction level for old clients).

Satisfaction / Type	New Client	Old Client
Satisfied		
Dissatisfied		
Total	100%	100%

- ii. Calculate the distributions of type of client *conditional* on satisfaction level.

Satisfaction / Type	New Client	Old Client	Total
Satisfied			100%
Dissatisfied			100%

- iii. Sketch a suitable graph to display the association between the two variables, using the information from (i) or (ii) (there are two ways of doing this, either using the information from your answer to f(i) or the information from your answer to f(ii)).

Sketch suitable graph

Q1(g)

*We used two categorical variables in this exercise and have examined the joint, marginal and conditional distributions. Based on this analysis so far (including your graph from part (f)), do you think there is an association between type of client and satisfaction level? Why or why not?

Is there an association between type of client and satisfaction level?

Note on wording:

Saying that two categorical variables are ****not associated**** (or not related) is the same as saying they are ****independent****.

Saying that two categorical variables are ****associated**** (or related) is the same as saying they are ****NOT independent****.

1.8 Question 4: Repeat Q3 using Excel

Using the data in Question 3, repeat the analysis using Excel for this course and then compare your answers in Question 3 with your output.

- (a) Open the datafile Tutorial 1 Q4 in your Statistical Software (this file can be found in the Module 1 block on the StudyDesk, or downloaded from here).
 - Excel data file (Tutorial 1 Q4)
- (b) Create a two-way table using Pivot Tables to display the data (see the Contingency Tables video). Put satisfaction level in rows and type of client in columns.
- (c) Display the joint distribution of type of client and satisfaction level in terms of percentages, in a two-way table. Note that this table also gives you the marginal distributions. Compare with your answers in Question 3.
- (d) Produce the conditional distributions (both Row Percent and Column Percent). Compare with answers in Question 3.
- (e) Construct a Stacked Bar Graph to display the association between type of client and satisfaction level. Compare to your sketch in Question 3.

1.9 Textbook Readings

For extra clarification on materials in this module, see: Sharpe, De Veaux & Velleman (4th Edition)

- Chapter 1
- Chapter 2 (excluding Section 2.5 and Mosaic Plots)
- Chapter 8

1.10 Further Practice from the Textbook

Answers to these questions are in the back of the textbook. If you require further explanation, please ask in the Module Content Discussion Forum on the StudyDesk.

Note: 1.23 means Sharpe, DeVeaux & Velleman (4th edition) Chapter 1, Exercise 23 at the end of the chapter.

- Questions 1.3, 1.17, 2.17, 2.23, 2.35(a,b,c,d*), 2.37(a,b,c,d,e,f*)

Module 1 Checklist

Sampling

- ☐ Identify the cases/individuals and variables in any data set
- ☐ Classify a variable as categorical, quantitative, ordinal or an identifier
- ☐ Choose an appropriate graph to display the distribution of a categorical variable
- ☐ Identify the population and sampling frame in a study
- ☐ Understand the concepts of random sampling and census
- ☐ Use random numbers to generate a simple random sample of a specified size from a target frame
- ☐ Recognise the possibility of bias due to undercoverage, nonresponse and poor wording of questions in sample surveys
- ☐ Recognise the possibility of bias in non-random sampling methods
- ☐ **Distinguish amongst simple random samples, convenience samples, voluntary response samples, stratified samples, systematic samples, cluster samples and multistage samples in survey designs*

Association Between Two Categorical Variables

- ☐ Create a contingency table from data for two categorical variables
- ☐ Determine and interpret joint, marginal and conditional distributions from a contingency table
- ☐ Interpret the association between two categorical variables summarised in a stacked bar chart
- ☐ **Interpret the association between two categorical variables from the conditional distributions*

Using Excel Checklist

The Excel videos that have been covered this week include:

- ☐ Starting with Excel
- ☐ Inputting data in Excel
- ☐ Editing data in Excel
- ☐ Saving output in Excel
- ☐ Selecting cases
- ☐ Bar Graph
- ☐ Pie Graph
- ☐ Stacked Bar Graph
- ☐ Frequency Tables
- ☐ Contingency Tables

2 Module 2

Module Focus: Exploring and understanding data

The focus of this module is displaying one quantitative variable both visually and numerically.

2.1 Gathering Data

Types of Studies

There are two main types of studies:

1. *Observational studies*

- Researchers observe and measure variables
- No intervention is applied
- Examples: surveys, polls, transactional data
- Can identify relationships but **cannot establish causation**

2. *Experimental studies*

- Researchers impose treatments and observe outcomes
- Can establish **cause and effect**
- *Explanatory variable (factor)*: the variable being manipulated
- *Levels*: the values of the factor
- *Treatments*: combinations of factor levels
- *Experimental units*: individuals receiving treatments

Only experiments can demonstrate causation.

Observational studies can only show if variables are related.

Association vs Causation

- *Association*: Two variables move together

- *Causation*: One variable directly affects another

A key issue is the presence of **lurking variables**:

- A **lurking variable** affects both variables but is not measured
- Can create misleading associations

Example

Pet ownership and spending on cleaning products may be related, but a lurking variable (e.g. family with children) may explain the relationship.

Types of Observational Studies

- *Prospective study*: follows individuals into the future
- *Retrospective study*: uses past/historical data

Principles of Good Experimental Design

1. *Randomisation*

- Randomly assign subjects to treatments
- Reduces bias and lurking variables

2. *Control*

- Use control groups and placebos
- Allows fair comparison

3. *Replication*

- Use many subjects or repeat the experiment
- Reduces variability due to chance

4. *Blocking*

- Group similar individuals before assigning treatments
- Improves precision of comparisons

2.2 Displaying Distributions

The **distribution of a quantitative variable** describes what values the data take and how often those values occur.

Key ideas

- Raw data are often difficult to interpret without summarisation
- Graphical displays help reveal important patterns in the data
- Different graphs are suited to different data sizes and purposes

Common displays for one quantitative variable

Histograms

- Best for larger data sets
- Show the overall shape clearly
- Require careful choice of bin width

Boxplots - Summarise the distribution using the five-number summary

- Excellent for comparing distributions across groups
- Do not show detailed distribution shape

When constructing graphs

It is important to include:

- clear titles
- labelled axes with units
- appropriate scales

A graph should make the **overall features of the distribution easy to see**.

Describing Distributions (Graphically)

When interpreting a histogram or boxplot, describe:

1. **Shape**

- Symmetric, left-skewed, right-skewed
- Number of peaks (modes)

2. **Centre**

- Typical value

3. **Spread**

- Range of values (exclude outliers if there are any)

4. **Outliers**

- Unusual observations

Time Series Data

- Data measured over time at regular intervals
- Displayed using a **time series plot**

Use time series plots to: - Identify trends - Detect changes over time

2.3 Describing Distributions with Numbers

Summary Statistics

We describe quantitative data using:

Centre

- Mean - Average value, sensitive to outliers
- Median - middle number when dataset ordered, resistant to outliers

Spread

- Range = $\text{max} - \text{min}$
- Interquartile Range (IQR) = $[Q3 - Q1]$ - Used with the median for skewed data or data with outliers
- Standard deviation - Measures average spread around the mean, used with the mean for symmetric data

Use:

- Mean/SD: for **symmetric distributions** with no outliers. - Median/IQR: for **skewed distributions** or distributions with outliers.

Quartiles and Five-Number Summary

Five-number summary:

- Minimum
- First quartile (Q1)
- Median
- Third quartile (Q3)
- Maximum

Used to summarise the entire distribution. These numbers form the boxplot.

Choosing the Right Summary

Distribution Type	Centre	Spread
Symmetric	Mean	Standard deviation
Skewed / Outliers	Median	IQR

2.4 Key Takeaways

- Observational studies show relationships, not causation

2 Module 2

- Experiments are required for cause-and-effect conclusions
- Graphs help visualise distributions
- Always describe distributions using: Shape, Centre, Spread, Outliers
- Use appropriate numerical summaries based on distribution shape

Review Questions: Module 2

Review Questions

Once you have watched the lecture recordings you should be able to answer the following *Threshold* questions (solutions can be found at the end of this Workbook).

Write your answers in the spaces provided.

(i) What are the main differences between an observational study and an experiment?

(ii) State and define, with examples, the four principles of experimental design.

(iii) Which three types of graphs can be used to display the distribution of one quantitative variable?

(iv) What is an outlier?

(v) If the units are metres, what are the units of mean, median, standard deviation and variance?

(vi) Which descriptions of centre and spread are best for skewed vs symmetric distributions?

Tutorial Questions: Module 2

Note: * Indicates **Expanded** Competencies

2.5 Question 1: Observational / Experiment

In recent years, the Therapeutic Goods Administration has introduced new guidelines for marketers of herbs and other natural substances who make health claims about their product. Brands of ginkgo extract claim to improve memory and concentration. A study of 230 healthy people over 60 years old were randomly assigned to a ginkgo pill or a placebo pill. All participants took tests for learning and memory before treatment started and again after six weeks.

(a) Is this an observational or experimental study? Explain your answer.

(b) What were the subjects and how many were there?

(c) Identify all factors and factor levels.

(d) What was the response variable(s)?

2.6 Question 2: Experimental Design

A researcher wants to know whether the difficulty of a task influences our estimate of how long we spend working at it. She designs two sets of mazes that subjects can work through on a computer — one set is easy and the other set is difficult. A group of 50 subjects are randomly allocated a set of mazes and work until told to stop (5 minutes, but subjects do not know this). They are then asked to estimate how long they worked.

(a) Draw a diagram to show the design of this experiment.

(b) Have the four elements of good experimental design been used here?

(c) * How could the researcher account for gender? Draw a diagram of the revised design.

2.7 Question 3: Observational Study

A study found that senior citizens who report drinking diet soft drink regularly experience a greater increase in weight and waist circumference than those who do not drink diet soft drink regularly.

(a) Can we conclude that drinking diet soft drink causes weight gain? Why or why not?

(b) * What could be a potential lurking variable? Explain how it would impact both variables.

2.8 Question 4: Describing Distributions

The following represent the assignment results (out of 100) for a class of 20 Accounting students:

85, 38, 92, 93, 100, 88, 78, 79, 96, 81, 62, 39, 77, 78, 83, 91, 90, 85, 99, 97




Figure 2.1: Histogram of assignment results ($n = 20$)

For this data and Figure 2.1 complete the following questions:

(a) Describe the distribution (shape, centre, spread and outliers).

(b) What centre and spread would you use? Why?

(c) Calculate the mean.

(d) Calculate the standard deviation.

(e) Calculate the median.

(f) Why are the mean and median different/similar?

(g) Reproduce the histogram and descriptive statistics in software.

(h) What are the five numbers in the five-number summary?

(i) Calculate Q1 and Q3.

(j) Calculate the IQR.

2.9 Question 5: Comparing Distributions

The figure above shows the distribution of house prices for 545 furnished and unfurnished properties in a large city. Compare the distributions of prices of furnished and unfurnished properties in fewer than 100 words. You should mention shape, centre, spread, and outliers in your discussion.

Compare the two distributions (shape, centre, spread, outliers) in fewer than 100 words.




Figure 2.2: Side by side boxplots of housing price data (n = 545)

2.10 Question 6: Describing Distributions

Figure 2.3 shows the value of Australian exports (measured in \$AUD million).

(a) What type of graph is this?



Figure 2.3: Value of Australian exports (\$ million)

(b) In less than 100 words, interpret the information in this graph.

2.11 Further Practice from the Textbook

Answers to these questions are located in the back of the textbook. If you require further explanation, please ask in the Module Content Discussion Forum on the StudyDesk.

- Questions 9.13(a,b*,c), 9.19(a,b,c*), 3.21, 3.23, 3.43, 3.75

2.12 Textbook Readings

For extra clarification on materials in this module, see: Sharpe, De Veaux & Velleman (4th Edition).

- Chapter 9 (only Sections 9.1-9.4)
- Chapter 3 (excluding Section 3.11)

Module 2 Checklist

Using Excel Checklist

Experimental Design

- ☐ Recognise whether a study is observational or experimental
- ☐ Identify the response variable(s) and individuals (or subjects, or cases) in an experiment
- ☐ **Identify the factors (explanatory variables) and treatments in an experiment*
- ☐ **Explain why a randomised comparative experiment can give good evidence of causation*
- ☐ **Recognise the importance of a control group, placebos, the double-blind technique and of replication*
- ☐ **Identify blocks and understand why blocking can improve an experiment*
- ☐ **Recognise the existence and potential effect of lurking variables on both observational and experimental studies*

Describing Distributions

- ☐ Summarize and describe the distribution of a categorical variable using a frequency table
- ☐ Visually describe the distribution of a quantitative variable in terms of shape, centre and spread from a histogram
- ☐ Calculate by hand and interpret the median
- ☐ Use technology to find the mean and standard deviation of a data set
- ☐ **Calculate by hand and using technology the interquartile range (IQR) and five-number summary*
- ☐ **Recognize the impact of outliers and skewness on measures of centre and spread*
- ☐ Compare groups using boxplots

Using Excel Checklist

- ☐ Construct a histogram
- ☐ Construct a boxplot
- ☐ Produce summary statistics of quantitative data

Bibliography

R Core Team (2025). *R: A Language and Environment for Statistical Computing*. R Foundation for Statistical Computing, Vienna, Austria.

Xie, Y. (2025a). *bookdown: Authoring Books and Technical Documents with R Markdown*. R package version 0.46.

Xie, Y. (2025b). *knitr: A General-Purpose Package for Dynamic Report Generation in R*. R package version 1.51.