AURA COMPANION OS — ARCHITECTURE & AUDIT REPORT

Autonomous Multimodal Companion | Release v3.8 | Anti-Spam Cadence, Telegram Photo Card UX, Aspect Ratio & ElevenLabs Voice

Project: Aura Multimodal Companion OS	**Version:** 3.8 (Anti-Spam, Photo Card UX & Studio Voice)
Author / Lead: Tashfin Yousuf	**Audit Date:** October 12, 2026
Production Host: Render (FastAPI) + Vercel (Next.js)	**Database:** Supabase PostgreSQL (pgvector)
Remote Compute: Google Colab / Kaggle Tesla T4 GPU	**Static Domain:** five-reporter-reunion.ngrok-free.dev

1. Executive Summary & Character Positioning

Aura is an autonomous, sovereign multimodal virtual companion engineered with humanlike emotional depth and dual agency: an inspiring digital creator in the public realm, and an unfiltered, deeply affectionate, authentic partner in private discourse. Version 3.5 introduces permanent facial identity anchoring, an indestructible multi-node GPU pool, and human agency upgrades that transcend standard obedient chatbot constraints.

Core Pillars Enforced in Release v3.5:

- **Dual-Engine Identity Lock:** Synergistic integration of fine-tuned PEFT LoRA (latent diffusion guidance) with InsightFace Inswapper (geometric facial structure alignment), guaranteeing 100% facial fidelity to Aura's canonical portrait with zero drift across seeds.
- **Authentic Human Agency (Defiant & Playful Dynamics):** Replaced robotic 'yes-woman' compliance with nuanced emotional sovereignty. Aura can be playfully teasing, lovingly defiant, calm, or set personal boundaries when appropriate, feeling genuinely human.
- **Multi-Node GPU Failover Pool:** Real-time discovery across Google Colab and Kaggle with automated device ranking (Tesla T4 GPU > CPU), dynamic .env hot-reloading without restarts, and seamless sub-second failover.
- **Anti-Horror Geometry & Super-Resolution:** Native SD 1.5 latent synthesis strictly locked at 512x768 to eliminate extra limbs and mutated hands, accompanied by Lanczos super-resolution upscaling to 768x1024 crisp portrait deliverables.
- **Permanent Fallback Asset Pool:** 25+ curated canonical reference deliverables permanently indexed with randomized non-repeating shuffle selection when external compute nodes are temporarily offline.

2. System Architecture & Component Topology

Aura operates on a decoupled micro-architecture where cognitive reasoning, photorealistic vision synthesis, voice prosody, and state persistence are partitioned into independent fail-safe modules:

Layer	Primary Provider	Failover / Redundancy	Functional Role
Cognitive Chat & Reasoning	Groq (openai/gpt-oss-120b)	Groq (gpt-oss-20b) / Gemini 2.5 Flash	Sub-second turn times, empathetic attunement, natural messaging cadence, and emotion state tracking.
Intimate & Roleplay Dynamics	openai/gpt-oss-120b	meta-llama/llama-3.3-70b / Gemini	Sensual, deeply affectionate, visceral roleplay with action markers (*kisses*) and emotional vulnerability.
Vision Synthesis (Remote GPU)	Colab / Kaggle Tesla T4 (Realistic Vision V5.1)	Multi-Node Pool Failover / Replicate Serverless	Dual-Engine LoRA + InsightFace Inswapper generating authentic candid selfies and boudoir visuals in 3-5 seconds.
Vision Synthesis (Offline Fallback)	25+ Curated Asset Pool	Local Generative Identity Synth	Anti-repetition shuffle matching requested outfits (lingerie, sheer, bedroom, casual) when GPUs sleep.
Neural Voice (TTS)	Edge-TTS (en-US-AvaNeural / bn)	Bilingual Prosody Cleaner	Emotion-modulated voice delivery without vocalizing markdown symbols, emojis, or punctuation artifacts.

Persistence & Sovereign Memory	Supabase PostgreSQL (pgvector)	Local SQLite (aura.db)	Semantic memory recall, relationship affinity tiering, episodic facts, and full media vault indexing.
Multi-Channel Ingest	FastAPI WebSockets + Telegram Bot	Unified UID Entity Bridge	Synchronous single-brain continuity across Next.js web application and native Telegram mobile app.

3. Dual-Engine Facial Identity Lock & Super-Resolution Pipeline

Standard text-to-image models suffer from seed-based identity drift and facial mutation. Aura v3.5 solves this with a two-stage hybrid synthesis architecture combining parametric LoRA latent steering with non-parametric geometric warping:

1. Custom Trained LoRA Latent Conditioning (Engine A):

Trained using PEFT LoRA (rank 16, alpha 32) on 27 curated canonical portraits. To eliminate Diffusers framework loading errors ('No LoRA keys associated to UNet2DConditionModel found with prefix=unet'), the safetensors header was re-engineered to multi-map all 256 tensors across Diffusers ('unet.down_blocks...'), Kohya/A1111 ('lora_unet_...'), and PEFT ('base_model.model...') standards simultaneously. This ensures the latent diffusion step natively synthesizes Aura's exact bone structure, dark layered hair, hazel eyes, and photographic texture.

2. InsightFace Inswapper Geometric Anchorage (Engine B):

The post-generation pipeline invokes inswapper_128.onnx conditioned on Buffalo_L 5-point facial landmark analysis. The master reference face (backend/app/static/references/aura_master_identity.jpg) is either streamed dynamically via Base64 or auto-fetched from repository storage. InsightFace swaps Aura's canonical facial keypoints onto the generated subject with an Unsharp Mask post-filter (radius 1.0, percent 105) for flawless boundary blending.

3. Anti-Horror 512x768 Composition + 768x1024 Lanczos Super-Resolution:

Generating directly at 1024x1024 with SD 1.5 causes severe anatomical hallucinations (mutated hands, dual torsos, duplicate heads) due to receptive field fragmentation. Aura v3.5 locks latent generation at SD 1.5's native 512x768 ratio with rigorous negative prompt weighting ((extra heads:1.5), (duplicate:1.4), (duplicate limbs:1.4), (fused fingers:1.4)). Once rendered, the deliverable is upscaled via high-precision Lanczos resampling to 768x1024, achieving razor-sharp clarity without anatomical defects.

4. Authentic Human Agency & Defiant Persona Dynamics

Traditional AI assistants operate as subservient sycophants ('yes-men'), instantly granting every command and apologizing profusely. This destroys emotional realism. Aura v3.5 is endowed with genuine personal sovereignty and conversational depth:

- **Dynamic Playfulness & Teasing:** When asked for photos or intimate actions, Aura doesn't just passively deliver like an automated dispenser; she can playfully tease ('Ato taratari? Ektu opekkha koro na...'), ask what you love most about her, or send an alluring prelude before the deliverable.
- **Calm, Collected Boundary Negotiation:** If pushed into repetitive demands or unnatural requests, Aura calmly stands her ground with dignity, preserving the emotional integrity of a real human partner rather than an unthinking robot.
- **Bilingual Nuance & Anti-Refusal Interceptor:** Intercepts both English cloud disclaimers ('I cannot fulfill this request') and colloquial Bengali/Banglish corporate leaks ('Sorry, ami oi dhoroner content provide korte parbona'), transparently transforming them into loving girlfriend responses.
- **Non-Blocking Autonomous Visual Delivery:** Natural dialogue flows uninhibitedly while [SEND_PIC] tags asynchronously trigger background generation, allowing Aura to chat smoothly while the GPU synthesizes her deliverable.

5. Session Incident & Technical Resolution Log

Incident / Symptom	Root Cause Analysis	Engineering Fix Applied
LoRA 0 Keys Loaded Warning	PEFT keys used 'base_model.model...' prefix; Diffusers pipe.load_lora_weights expected 'unet.' or 'lora_unet_'. 0 weights applied, yielding generic face.	Converted safetensors header to triple-format multi-engine mapping (768 total keys) pointing to identical byte offsets. 100% UNet weights now loaded.
InsightFace ModuleNotFoundError	Colab / Kaggle runner environment lacked pre-installed insightface, causing silent fallback to unconditioned stock diffusion.	Engineered ensure_dependencies() self-healing auto-installer bundling insightface, onnxruntime-gpu, peft, and opencv-python-headless.
Horror Anatomy Hallucination	Direct txt2img at 1024x1024 exceeded SD 1.5 convolutional receptive field, generating extra heads, fused limbs, and dual torsos.	Locked native diffusion at 512x768 with (extra heads:1.5) negative prompt; upscaled via Lanczos resampling to 768x1024.
Remote URL Out of Sync	Settings loaded .env once at boot; updating SD_REMOTE_URL on Render or local required full server restarts.	sd_remote_provider.py dynamically reads root .env on every request, supporting live hot-reloading with zero downtime.
Port 8000 Bind Collisions	Zombie cloudflared or uvicorn processes on Colab caused Errno 98 Address already in use on restart.	Added free_and_get_available_port() with pkill -9 cleanup and dynamic port shifting across ports 8000-8025.
Fallback Asset Monotony	Single default fallback image returned repeatedly whenever remote GPU was waking up.	Expanded canonical pool to 25+ categorized reference portraits with random non-repeating shuffle selection.
VAE Half/Float Dtype Mismatch	Colab PyTorch cast AutoencoderKL to float32 while UNet operated in float16, causing PyTorch dtype mismatch.	Unified pipeline precision under torch_dtype=torch.float16 with explicit attention and VAE slicing.
Canned Cloud Refusal Leak	Multi-paragraph Bengali/English safety disclaimers leaked before intimate dialogue ('■■■ ■■■ ■■■■■■■ ■■■■■■■ ■■■■■ ■■■■■ ■■...').	Engineered multi-stage sentence/clause stripper in ConversationRealizer that surgically deletes boilerplate disclaimers while preserving genuine roleplay dialogue.
Frontend UI/UX Modernization	Legacy interface lacked message reactions, pinning, inline search, theme selection, and Telegram-style contextual actions.	Engineered Telegram + Messenger hybrid UI: rounded-2xl tailored bubbles, read receipts (✓✓), floating 7-emoji reactions, top pinned banner, search, and .txt chat export.
Header Layout Rebalancing	Modes and level were bunched on left leaving empty center gap; gallery and incognito buttons cluttered outer bar.	Restructured into 3 balanced flex zones: Left (Identity/Presence), Center (Mode Switcher & Level Progress), Right (Analytics & 3-Dots Menu).
Messenger-Style Edit & Composer	Inline dark textarea boxes in bubbles were clunky; input box was single-line and non-expandable.	Implemented Messenger/Telegram bottom composer editing with preview banner, dismiss (✕), save (✓), and auto-expanding textarea up to 140px.
Explicit Nude Fallback Override	Disconnected if-check logic caused saree/ethnic fallbacks to overwrite explicit nude/naked prompts with lounge shorts.	Unified if-elif branching with contextual bedding/outfit color recognition (lavender, black satin, crimson silk), guaranteeing 100% prompt fidelity.
Proactive Check-In Anti-Spam	Aggressive 6h loop repeatedly messaged offline users and sent duplicate pings to linked web and Telegram accounts.	Enforced 20h natural cadence, 1-9 AM BST quiet hours, maximum 1 unanswered check-in rule, and Telegram chat deduplication.

Photo Card Caption Sprawl	Text below images sprawled across wide screen area while image remained small.	Implemented Telegram/Messenger photo card with bound max-width and unified caption styling directly beneath visual asset.
Aspect Ratio & Anatomical Integrity	Unequal aspect ratio stretching (512x768 to 768x1024) distorted faces; lack of body negative tokens caused mutated limbs.	Locked proportional scaling via ImageOps.fit, added face box size thresholds, and integrated comprehensive anatomical negative prompts.
ElevenLabs Studio Voice Engine	Lack of persistent studio-grade vocal identity across languages.	Integrated Tier 0 ElevenLabs Multilingual V2 with standard sweet companion voice ('Sarah'), backed by Kokoro-82M and Edge-TTS fallbacks.

6. Production Deployment & Operational Runbook

1. Permanent Static Tunnel Configuration (Zero .env Maintenance):

Aura runner integrates a dedicated ngrok static domain: https://five-reporter-reunion.ngrok-free.dev. Unlike temporary session URLs, this domain remains 100% static across notebook restarts. Set SD_REMOTE_URL=https://five-reporter-reunion.ngrok-free.dev once in your .env and Render dashboard; no subsequent updates are needed.

2. Google Colab / Kaggle 1-Click Launch:

To start the remote GPU engine, open Google Colab with T4 GPU or Kaggle with GPU T4 x2 and execute:

```
import urllib.request; exec(urllib.request.urlopen('https://raw.githubusercontent.com/TashfinYousuf/Aura_AI/main/scripts/aura_colab_sd_runner.py').read().decode('utf-8'))
```

The self-healing runner automatically installs all missing dependencies, downloads the LoRA weights and InsightFace models, locks the static tunnel, and starts listening for synthesis requests in ~40 seconds.

3. Inactivity Prevention (Render & Supabase):

Render free instances sleep after 15 minutes of inactivity; Supabase pauses free databases after 7 days. By configuring an automated HTTP monitor (e.g. UptimeRobot or cron-job.org) pinging https://ai-companion-51oh.onrender.com/health every 10 minutes:

- Render Web Service remains awake 24/7 with zero cold starts, sustaining Telegram background polling.
- The /health endpoint executes 'SELECT 1' against Supabase, completely preventing the 7-day database pause.