

```
# psql -U medassist_user -d medassist
psql (16.13 (Debian 16.13-1.pgdg13+1))
Type "help" for help.
```

```
medassist=#
```

```
medassist=# \dt
Did not find any relations.
medassist=# CREATE TABLE patients (
    id BIGSERIAL PRIMARY KEY,
    first_name VARCHAR(100) NOT NULL,
    last_name VARCHAR(100) NOT NULL,
    birth_date DATE NOT NULL,
    gender CHAR(1) NOT NULL CHECK (gender IN ('M', 'F')),
    ssn VARCHAR(15) UNIQUE NOT NULL,
    phone VARCHAR(20),
    email VARCHAR(255),
    address_line1 VARCHAR(255),
    address_line2 VARCHAR(255),
    city VARCHAR(100),
    postal_code VARCHAR(10),
    created_at TIMESTAMP NOT NULL DEFAULT CURRENT_TIMESTAMP,
    updated_at TIMESTAMP NOT NULL DEFAULT CURRENT_TIMESTAMP
);
CREATE TABLE
medassist=#
```

```
C:\Users\rafael\Desktop\B3\Integration Continue\Final TP\medassist-MAAS-CORREIA-TARASSE-KABA>docker-compose up -d postgres
[+] Running 15/15
✔ postgres Pulled 88.2s
✔ decd178ddeb0 Pull complete 40.5s
✔ 2952c21578f5 Pull complete 41.5s
✔ 102496efe6c1 Pull complete 41.3s
✔ 3326b6522e5b Pull complete 1.2s
✔ 3618b5f7b5bc Pull complete 85.4s
✔ 9ebf6f2e52f3 Pull complete 1.3s
✔ a88738cb3441 Pull complete 1.3s
✔ a13375e48b67 Pull complete 1.1s
✔ 9e42eccf4bc0 Pull complete 1.4s
✔ d65fa596db1b Pull complete 85.5s
✔ f2aef946c609 Pull complete 4.1s
✔ cef33b0ec231 Pull complete 1.4s
✔ 8e80c373fbad Pull complete 85.4s
✔ 3531af2bc2a9 Pull complete 40.1s
[+] Running 2/2
✔ Network medassist-maas-correia-tarasse-kaba_default C... 0.1s
✔ Container medassist_pg Started 4.5s
```

```
C:\Users\rafael\Desktop\B3\Integration Continue\Final TP\medassist-MAAS-CORREIA-TARASSE-KABA>docker-compose run --rm flyway migrate
[+] Creating 1/1
✓Container medassist_pg Running 0.0s
[+] Running 8/8
✓Flyway Pulled 161.2s
✓7e1fcc4c7f9 Pull complete 159.2s
✓f4d133ca2b7f Pull complete 0.7s
✓d12988e90d61 Pull complete 95.4s
✓17da8ec43a12 Pull complete 53.2s
✓143733ae87a4 Pull complete 1.2s
✓6414378b6477 Pull complete 51.4s
✓341ab9d87fad Pull complete 1.1s
A more recent version of Flyway is available. Find out more about Flyway 12.5.0 at https://rd.gt/3rXiSLV

Flyway OSS Edition 10.22.0 by Redgate

See release notes here: https://rd.gt/4160bMi
Database: jdbc:postgresql://postgres:5432/medassist (PostgreSQL 16.13)
Successfully validated 5 migrations (execution time 00:00.229s)
Current version of schema "public": 1.1
Migrating schema "public" to version "2 - expand schema"
+-----+
| setval |
+-----+
| 15      |
+-----+

Migrating schema "public" to version "3 - contract schema"
DB: view "consultations_v2_view" does not exist, skipping
Successfully applied 2 migrations to schema "public", now at version v3 (execution time 00:00.625s)
```

```
C:\Users\rafael\Desktop\B3\Integration Continue\Final TP\medassist-MAAS-CORREIA-TARASSE-KABA>docker-compose run --rm flyway info
[+] Creating 1/1
✓Container medassist_pg Running 0.0s
A more recent version of Flyway is available. Find out more about Flyway 12.5.0 at https://rd.gt/3rXiSLV

Flyway OSS Edition 10.22.0 by Redgate

See release notes here: https://rd.gt/4160bMi
Database: jdbc:postgresql://postgres:5432/medassist (PostgreSQL 16.13)
Schema version: 3
```

Category	Version	Description	Type	Installed On	State	Undoable
Versioned	1	init schema	SQL		Ignored (Baseline)	No
	1	<< Flyway Baseline >>	BASELINE	2026-04-27 10:47:32	Baseline	No
Versioned	1.1	seed data	SQL	2026-04-27 10:47:33	Success	No
Versioned	2	expand schema	SQL	2026-04-28 07:12:59	Success	No
Versioned	3	contract schema	SQL	2026-04-28 07:13:00	Success	No

```
C:\Users\rafael\Desktop\B3\Integration Continue\Final TP\medassist-MAAS-CORREIA-TARASSE-KABA>docker exec -i medassist_pg psql -U medassi
st_user -d medassist < tests/test_evolution_A.sql
NOTICE: ===== TEST ÉVOLUTION A =====
NOTICE: [✓] Test 1 : Table addresses existe
NOTICE: [✓] Test 2 : Toutes les colonnes requises existent
NOTICE: [✓] Test 3 : Contrainte CHECK sur address_type existe
NOTICE: [✓] Test 4 : Données migrées vers addresses (7 adresses)
NOTICE: [✓] Test 5 : Intégrité des adresses primaires
ERROR: relation "patients_v1_view" does not exist
LINE 1: EXISTS (SELECT 1 FROM patients_v1_view LIMIT 1)
                                ^
QUERY: EXISTS (SELECT 1 FROM patients_v1_view LIMIT 1)
CONTEXT: PL/pgSQL function inline_code_block line 66 at IF
address_type | count
+-----+-----+
HOME         |      7
(1 row)
```

id	first_name	last_name	address_type	line1	city
1	Marie	Dupont	HOME	12 Rue de la Paix	Paris
2	Jean	Martin	HOME	5 Avenue des Champs	Lyon
3	Sophie	Bernard	HOME	28 Rue du Commerce	Marseille
4	Pierre	Leroy	HOME	3 Place de la République	Toulouse
5	Isabelle	Moreau	HOME	15 Boulevard Victor Hugo	Nantes
6	François	Garcia	HOME	7 Impasse des Lilas	Bordeaux
8	Antoine	Fournier	HOME	42 Rue Pasteur	Lille
7	Camille	Roux			

```
(8 rows)
```

```
C:\Users\rafael\Desktop\B3\Integration Continue\Final TP\medassist-MAAS-CORREIA-TARASSE-KABA>
```

```
C:\Users\rafael\Desktop\B3\Integration Continue\Final TP\medassist-MAAS-CORREIA-TARASSE-KABA>docker exec -i medassist_pg psql -U medassist_user -d medassist < tests/test_evolution_A.sql
NOTICE: ===== TEST ÉVOLUTION A =====
NOTICE: [✓] Test 1 : Table addresses existe
NOTICE: [✓] Test 2 : Toutes les colonnes requises existent
NOTICE: [✓] Test 3 : Contrainte CHECK sur address_type existe
NOTICE: [✓] Test 4 : Données migrées vers addresses (7 adresses)
NOTICE: [✓] Test 5 : Intégrité des adresses primaires
NOTICE: [✓] Test 6 : Vue patients_v1_view accessible
NOTICE: [✓] Test 7 : Index sur patient_id existe
NOTICE: ===== RÉSUMÉ =====
NOTICE: Tests passés: 7/7
DO
address_type | count
-----
HOME | 7
(1 row)

id | first_name | last_name | address_type | line1 | city
---
1 | Marie | Dupont | HOME | 12 Rue de la Paix | Paris
2 | Jean | Martin | HOME | 5 Avenue des Champs | Lyon
3 | Sophie | Bernard | HOME | 28 Rue du Commerce | Marseille
4 | Pierre | Leroy | HOME | 3 Place de La République | Toulouse
5 | Isabelle | Moreau | HOME | 15 Boulevard Victor Hugo | Nantes
6 | François | Garcia | HOME | 7 Impasse des Lilas | Bordeaux
8 | Antoine | Fournier | HOME | 42 Rue Pasteur | Lille
7 | Camille | Roux |
(8 rows)
```