

Profile Summary

Generated 20-May-2020 01:02:28 using performance time.

Function Name	Calls	Total Time	Self Time *
working	1	263.885 s	0.949 s
qureg	1073152	222.809 s	42.296 s
UT1	523	131.712 s	17.299 s
UT0	511	128.371 s	16.867 s
kron	10710278	120.317 s	120.317 s
de2bi	1069590	65.919 s	65.919 s
Qulmg	7	2.796 s	0.132 s
LSBext	5	1.963 s	0.005 s
TenPowProd	2068	0.330 s	0.054 s
close	1	0.014 s	0.005 s
bi2de	5	0.011 s	0.008 s
close>safegetchildren	1	0.007 s	0.002 s
allchild	1	0.006 s	0.004 s
clearvars	1	0.006 s	0.003 s
QtoC	1	0.005 s	0.003 s
expand	1	0.004 s	0.004 s
shrink	1	0.003 s	0.003 s
bi2de>validateInputs	5	0.003 s	0.003 s
ind2sub	1	0.002 s	0.002 s
ket	7	0.002 s	0.002 s
clearvars>parseArgs	1	0.002 s	0.002 s
onCleanup>onCleanup.delete	1	0.001 s	0.000 s

close>getEmptyHandleList	1	0.001 s	0.001 s
uitools\private\allchildRootHelper	1	0.000 s	0.000 s
allchild>getchildren	1	0.000 s	0.000 s
close>request_close	1	0.000 s	0.000 s
...set(rootobj,'ShowHiddenHandles',Temp)	1	0.000 s	0.000 s
clearvars>createPattern	1	0.000 s	0.000 s
fliplr	5	0.000 s	0.000 s
close>checkfigs	1	0.000 s	0.000 s
onCleanup>onCleanup.onCleanup	1	0.000 s	0.000 s

Self time is the time spent in a function excluding the time spent in its child fu
Self time also includes overhead resulting from the process of profiling.

nctions.