Profile Summary

Generated 20-May-2020 00:39:50 using performance time.

Function Name	Calls	**Total Time**	Self Time*	Total Time Plot (dark band = self time)
working	1	13.243 s	0.030 s	
qureg	72448	11.493 s	2.310 s	
UT1	141	6.538 s	0.685 s	
UT0	128	5.933 s	0.611 s	
kron	578408	5.500 s	5.500 s	
de2bi	71544	4.009 s	4.009 s	
QuImg	7	0.687 s	0.037 s	
LSBext	5	0.477 s	0.004 s	
TenPowProd	538	0.062 s	0.011 s	
close	1	0.017 s	0.007 s	
bi2de	5	0.011 s	0.008 s	
close>safegetchildren	1	0.008 s	0.002 s	
clearvars	1	0.007 s	0.004 s	
allchild	1	0.006 s	0.004 s	
QtoC	1	0.005 s	0.003 s	
expand	1	0.003 s	0.003 s	

shrink	1	0.003 s	0.003 s	
bi2de>validateInputs	5	0.002 s	0.002 s	
clearvars>parseArgs	1	0.002 s	0.002 s	
ind2sub	1	0.002 s	0.002 s	
onCleanup>onCleanup.delete	1	0.001 s	0.001 s	
ket	7	0.001 s	0.001 s	
close>getEmptyHandleList	1	0.001 s	0.001 s	
close>request_close	1	0.001 s	0.001 s	
...set(rootobj,'ShowHiddenHandles',Temp)	1	0.001 s	0.001 s	
uitools\private\allchildRootHelper	1	0.001 s	0.001 s	
allchild>getchildren	1	0.000 s	0.000 s	
close>checkfigs	1	0.000 s	0.000 s	
onCleanup>onCleanup.onCleanup	1	0.000 s	0.000 s	
clearvars>createPattern	1	0.000 s	0.000 s	
fliplr	5	0.000 s	0.000 s	

Self time is the time spent in a function excluding the time spent in its child functions. Self time also includes overhead resulting from the process of profiling.