

## Profile Summary

Generated 20-May-2020 00:17:57 using performance time.

<a href="#">Function Name</a>	<a href="#">Calls</a>	<a href="#">Total Time</a>	<a href="#">Self Time</a> *
<a href="#">working</a>	1	29.239 s	0.061 s
<a href="#">qureg</a>	139264	26.970 s	5.349 s
<a href="#">UT0</a>	139	14.842 s	0.926 s
<a href="#">UT1</a>	126	13.441 s	0.834 s
<a href="#">kron</a>	1110720	12.535 s	12.535 s
<a href="#">de2bi</a>	138091	9.432 s	9.431 s
<a href="#">Qulmg</a>	7	0.846 s	0.046 s
<a href="#">LSBext</a>	5	0.610 s	0.007 s
<a href="#">TenPowProd</a>	530	0.068 s	0.013 s
<a href="#">close</a>	1	0.013 s	0.002 s
<a href="#">bi2de</a>	5	0.012 s	0.009 s
<a href="#">close&gt;safegetchildren</a>	1	0.011 s	0.003 s
<a href="#">allchild</a>	1	0.008 s	0.004 s
<a href="#">bi2de&gt;validateInputs</a>	5	0.003 s	0.003 s
<a href="#">clearvars</a>	1	0.002 s	0.002 s
<a href="#">QtoC</a>	1	0.002 s	0.001 s
<a href="#">expand</a>	1	0.002 s	0.002 s
<a href="#">shrink</a>	1	0.002 s	0.002 s
<a href="#">ket</a>	7	0.001 s	0.001 s
<a href="#">onCleanup&gt;onCleanup.delete</a>	1	0.001 s	0.001 s
<a href="#">allchild&gt;getchildren</a>	1	0.001 s	0.001 s
<a href="#">ind2sub</a>	1	0.001 s	0.001 s



<a href="#">...set(rootobj.'ShowHiddenHandles'.Temp)</a>	1	0.001 s	0.001 s
<a href="#">onCleanup&gt;onCleanup.onCleanup</a>	1	0.001 s	0.001 s
<a href="#">uitools\private\allchildRootHelper</a>	1	0.001 s	0.001 s
<a href="#">fliplr</a>	5	0.001 s	0.001 s
<a href="#">close&gt;getEmptyHandleList</a>	1	0.000 s	0.000 s
<a href="#">clearvars&gt;parseArgs</a>	1	0.000 s	0.000 s
<a href="#">close&gt;request_close</a>	1	0.000 s	0.000 s
<a href="#">close&gt;checkfigs</a>	1	0.000 s	0.000 s
<a href="#">clearvars&gt;createPattern</a>	1	0.000 s	0.000 s

**Self time** is the time spent in a function excluding the time spent in its children. Self time also includes overhead resulting from the process of profiling.


d functions.