

## Profile Summary

Generated 20-May-2020 14:25:01 using performance time.

Function Name	Calls	Total Time	Self Time*	Total Time Plot (dark band = self time)
<a href="#">main</a>	1	191.407 s	9.551 s	
<a href="#">fn_UT1</a>	2098	91.101 s	57.773 s	
<a href="#">fn_UT0</a>	2065	89.945 s	57.116 s	
<a href="#">kron</a>	43259	66.397 s	66.397 s	
<a href="#">fn_Qulmg</a>	7	0.774 s	0.302 s	
<a href="#">fn_LSBext</a>	5	0.571 s	0.005 s	
<a href="#">fn_quireg</a>	61507	0.231 s	0.231 s	
<a href="#">de2bi</a>	5	0.009 s	0.009 s	
<a href="#">bi2de</a>	5	0.008 s	0.006 s	
<a href="#">close</a>	1	0.006 s	0.001 s	
<a href="#">close&gt;safegetchildren</a>	1	0.004 s	0.000 s	
<a href="#">allchild</a>	1	0.004 s	0.002 s	
<a href="#">fn_QtoC</a>	1	0.002 s	0.001 s	
<a href="#">fn_expand</a>	1	0.002 s	0.002 s	
<a href="#">bi2de&gt;validateInputs</a>	5	0.002 s	0.002 s	
<a href="#">clearvars</a>	1	0.002 s	0.001 s	
<a href="#">fn_shrink</a>	1	0.002 s	0.002 s	
<a href="#">onCleanup&gt;onCleanup.delete</a>	1	0.001 s	0.001 s	
<a href="#">fn_ket</a>	7	0.001 s	0.001 s	
<a href="#">ind2sub</a>	1	0.001 s	0.001 s	
<a href="#">onCleanup&gt;onCleanup.onCleanup</a>	1	0.001 s	0.001 s	
<a href="#">fliplr</a>	5	0.000 s	0.000 s	
<a href="#">clearvars&gt;parseArgs</a>	1	0.000 s	0.000 s	

<a href="#">close&gt;getEmptyHandleList</a>	1	0.000 s	0.000 s	
<a href="#">...set(rootobj.'ShowHiddenHandles'.Temp)</a>	1	0.000 s	0.000 s	
<a href="#">allchild&gt;getchildren</a>	1	0.000 s	0.000 s	
<a href="#">clearvars&gt;createPattern</a>	1	0.000 s	0.000 s	
<a href="#">uitools\private\allchildRootHelper</a>	1	0.000 s	0.000 s	
<a href="#">close&gt;checkfigs</a>	1	0.000 s	0.000 s	
<a href="#">close&gt;request_close</a>	1	0.000 s	0.000 s	

**Self time** is the time spent in a function excluding the time spent in its child functions. Self time also includes overhead resulting from the process of profiling.