

## Profile Summary

Generated 20-May-2020 02:27:32 using performance time.

<a href="#">Function Name</a>	<a href="#">Calls</a>	<a href="#">Total Time</a>	<a href="#">Self Time*</a>
<a href="#">working</a>	1	363.176 s	16.275 s
<a href="#">UT0</a>	2131	168.705 s	103.565 s
<a href="#">UT1</a>	1985	157.147 s	96.393 s
<a href="#">kron</a>	636048	135.794 s	135.794 s
<a href="#">qureg</a>	61460	22.109 s	4.365 s
<a href="#">Qulmg</a>	7	20.977 s	0.727 s
<a href="#">LSBext</a>	5	15.773 s	0.009 s
<a href="#">de2bi</a>	51305	5.774 s	5.773 s
<a href="#">TenPowProd</a>	8232	1.514 s	0.223 s
<a href="#">bi2de</a>	5	0.014 s	0.011 s
<a href="#">close</a>	1	0.014 s	0.004 s
<a href="#">close&gt;safegetchildren</a>	1	0.008 s	0.002 s
<a href="#">QtoC</a>	1	0.008 s	0.005 s
<a href="#">allchild</a>	1	0.007 s	0.004 s
<a href="#">shrink</a>	1	0.005 s	0.005 s
<a href="#">clearvars</a>	1	0.005 s	0.003 s
<a href="#">bi2de&gt;validateInputs</a>	5	0.004 s	0.004 s
<a href="#">expand</a>	1	0.003 s	0.003 s
<a href="#">ind2sub</a>	1	0.003 s	0.003 s
<a href="#">clearvars&gt;parseArgs</a>	1	0.002 s	0.002 s
<a href="#">ket</a>	7	0.001 s	0.001 s
<a href="#">onCleanup&gt;onCleanup.delete</a>	1	0.001 s	0.001 s
<a href="#">fliplr</a>	5	0.001 s	0.001 s



<a href="#">close&gt;getEmptyHandleList</a>	1	0.001 s	0.001 s
<a href="#">...set(rootobj,'ShowHiddenHandles',Temp)</a>	1	0.001 s	0.001 s
<a href="#">allchild&gt;getchildren</a>	1	0.001 s	0.001 s
<a href="#">onCleanup&gt;onCleanup.onCleanup</a>	1	0.001 s	0.001 s
<a href="#">uitools\private\allchildRootHelper</a>	1	0.000 s	0.000 s
<a href="#">close&gt;request_close</a>	1	0.000 s	0.000 s
<a href="#">close&gt;checkfigs</a>	1	0.000 s	0.000 s
<a href="#">clearvars&gt;createPattern</a>	1	0.000 s	0.000 s

**Self time** is the time spent in a function excluding the time spent in its child  
Self time also includes overhead resulting from the process of profiling.


functions.