

Profile Summary

Generated 20-May-2020 02:14:37 using performance time.

Function Name	Calls	Total Time	Self Time*
working	1	244.909 s	11.299 s
UT1	2097	109.794 s	68.275 s
UT0	2080	109.322 s	67.944 s
kron	636948	89.749 s	89.749 s
qureg	61521	15.197 s	2.985 s
Qulmg	7	14.442 s	0.509 s
LSBext	5	10.374 s	0.006 s
de2bi	51265	3.948 s	3.948 s
TenPowProd	8354	1.041 s	0.155 s
close	1	0.012 s	0.004 s
bi2de	5	0.010 s	0.007 s
close>safegetchildren	1	0.007 s	0.001 s
allchild	1	0.006 s	0.003 s
QtoC	1	0.005 s	0.003 s
clearvars	1	0.004 s	0.002 s
expand	1	0.003 s	0.003 s
shrink	1	0.003 s	0.003 s
bi2de>validateInputs	5	0.003 s	0.003 s
clearvars>parseArgs	1	0.002 s	0.002 s
ind2sub	1	0.002 s	0.002 s
ket	7	0.001 s	0.001 s
onCleanup>onCleanup.delete	1	0.001 s	0.000 s
close>getEmptyHandleList	1	0.001 s	0.001 s



allchild>getchildren	1	0.001 s	0.001 s
...set(rootobj.'ShowHiddenHandles'.Temp)	1	0.001 s	0.001 s
close>request_close	1	0.000 s	0.000 s
fliplr	5	0.000 s	0.000 s
onCleanup>onCleanup.onCleanup	1	0.000 s	0.000 s
uitools\private\allchildRootHelper	1	0.000 s	0.000 s
close>checkfigs	1	0.000 s	0.000 s
clearvars>createPattern	1	0.000 s	0.000 s

Self time is the time spent in a function excluding the time spent in its children. Self time also includes overhead resulting from the process of profiling.

d functions.