

## Number of Reported Cases of Chikungunya Fever in the Americas, by Country or Territory 2013-2014 (to week noted)

Cumulative cases

Epidemiological Week / EW 10 (Updated 7 March 2014)

Country/Territory	Week <sup>a</sup>	Suspect Cases		Confirmed Cases <sup>b</sup>		Deaths	Population d
		Number	Incidence rate <sup>c</sup>	Number	Incidence rate <sup>c</sup>	Deatils	X 1000
Latin Caribbean							
Cuba						0	11,266
Dominican Republic						0	10,404
French Guiana (*)	Week 9	25	10	17	6.8	0	249
Guadaloupe (**)	Week 9	1460	313	476	102.1	0	466
Haiti						0	10,317
Martinique	Week 9	3940	975	1,058	261.9	1##	
Puerto Rico			0	0	0.0	0	3,688
Saint Barthelemy	Week 9	380	4,270	127	1,427.0	0	9
Saint Martin (French part) (***)	Week 9	2030	5,688	765	2,143.5	2#	36
Subtotal		7835	21	2,443	6.6	3	36,839
Non-Latin Caribbean							
Anguilla <sup>\$</sup>	Week 10		0	14	87.5	0	16
Antigua & Barbuda	<u> </u>		0	0	0.0	0	90
Aruba <sup>\$</sup>	Week 6		0	1	0.9	0	109
Bahamas			0	0		0	377
Barbados	<u> </u>		0	0	0.0	0	289
Cayman Islands			0	0	0.0	0	54
Curacao			0	0	7.7	0	147
Dominica (****)	Week 10	269	368	56	76.7	0	73
Grenada			0	0		0	110
Guyana			0	0		0	800
Jamaica			0	0		0	2,784
Montserrat			0	0		0	5
Saint Kitts & Nevis	Week 8		0	1		0	51
Saint Lucia			0	0		0	163
Saint Vincent & the Grenadines			0	0	0.0	0	103
Sint Maarten (Dutch part) <sup>≖</sup>	Week 10		0	115	287.5	0	40
Suriname			0	0		0	539
Trinidad & Tobago	<u> </u>	<u> </u>	0	0		0	1,341
Turks & Caicos Islands			0	0		0	48
Virgin Islands (UK)	Week 10	<u> </u>	0	7		0	32
Virgin Islands (US)			0	0	0.0	0	105
Subtotal		269	4	194	2.7	0	7,276
TOTAL		8104	18	2,637	6.0	3	44,115
NOTES							

## NOTES

Data source: Cases reported by IHR NFPs to PAHO/WHO and/or through Member States websites.

- \* Includes seven imported cases (three in EW 51 2013, one in EW 04 2014, one in EW 07 2014, and two in EW 09 2014).
- \*\* Includes three imported cases (one in EW 02 2014 and two in EW 04 2014).

<sup>&</sup>lt;sup>a</sup> Epidemiological Week for which information is available.

Suspected case: patient with acute onset of fever >38°C (101°F) and severe arthralgia or arthritis not explained by other medical conditions, and who resides or has visited epidemic or endemic areas within two weeks prior the onset of the symptoms. Confirmed case: a suspected case with any specific CHIK test (viral isolation, RT-PCR, Ig M, or four-fold increase of CHIK specific antibodies titers) - PAHO/CDC confirmed case definition available at www.paho.org/chikungunya.

<sup>&</sup>lt;sup>c</sup> Incidence / 100,000 pop.

d PAHO/WHO. Basic Indicators, 2013. http://www.paho.org/hq/index.php?option=com\_docman&task=doc\_download&gid=23535&ltemid=270&lang=en, except St. Barthelemy ("Populations légales 2009 entrent en vigueur le 1er janvier 2012." Recensement de la population. INSEE. Retrieved 2 January 2014).

<sup>\*\*\*</sup> Confirmed cases as per http://www.invs.sante.fr/content/download/81802/298759/version/44/file/pe\_chikungunya\_antilles\_261213.pdf.

<sup>\*\*\*\*</sup> Includes one imported case (EW 03 2014).

s Includes one imported case (EW 06 2014).

<sup>#</sup> Includes one death indirectly related with chikungunya due to co-morbidities and one death whose relation with chikungunya fever could not been established (EW 09 2014).

<sup>##</sup> Death indirectly related with chikungunya.

<sup>■</sup> Data from the CARPHA Chikungunya Update, March 5 2014.