


Course the Git and Github

1. Network github;
2. Download the Git;

Terminal-Visual studio code

git init

Repositório vazio do Git foi inicializado.



```
PROBLEMAS  CONSOLE DE DEPURAÇÃO  TERMINAL  PORTAS  GITLENS  powershell + v []  
PS C:\Users\[redacted]\Área de Trabalho\Nova pasta (3)> git init  
Initialized empty Git repository in C:/Users/[redacted]/OneDrive/Área de Trabalho/Nova pasta (3)/.git/
```

git add .

Vai adicionar.



```
PS C:\Users\[redacted]\OneDrive\Área de Trabalho\Nova pasta (3)> git add .
```

git config --global user.email "email@gmail.com"

git config --global user.name "Tassiana Milka"

```
PS C:\Users\... \OneDrive\Área de Trabalho\Nova pasta (3)> git config --global user.email "...@gmail.com"
PS C:\Users\... \OneDrive\Área de Trabalho\Nova pasta (3)> git config --global user.name "Tassiana Milka"
```

git commit -m "Nova pasta (3)"

```
PS C:\Users\... \OneDrive\Área de Trabalho\Nova pasta (3)> git commit -m "Nova pasta(3)"
[master (root-commit) 8d1a9a3] Nova pasta(3)
 1 file changed, 48 insertions(+)
 create mode 100644 index.html
```

git remote add origin url-do-repositorio-no-github

```
PS C:\Users\... \OneDrive\Área de Trabalho\Nova pasta (3)> git remote add origin git@github.com:TassianaMilka/Git-Github.git
```

```
PS C:\Users\... \OneDrive\Área de Trabalho\Nova pasta (3)> ssh-keygen -t ed25519 -C ...
```

git clone <https://github.com/....>

Clonando um repositório

```
Windows PowerShell
PS C:\Users\... \OneDrive\Área de Trabalho\git> git clone https://github.com/TassianaMilka/Challenge.git
Cloning into 'Challenge'...
remote: Enumerating objects: 16, done.
remote: Counting objects: 100% (16/16), done.
remote: Compressing objects: 100% (11/11), done.
remote: Total 16 (delta 0), reused 0 (delta 0), pack-reused 0
Receiving objects: 100% (16/16), 4.40 KiB | 53.00 KiB/s, done.
```


git status

Demonstra todas alterações realizada no projeto

git log

Histórico dos commit

git pull

A screenshot of a Windows command prompt terminal window. The title bar shows the path 'C:\Users\...'. The command prompt shows the current directory as 'C:\OneDrive\Área de Trabalho\Nova pasta (3)' and the command 'git push -u origin main' being executed. The output shows 'main' on the next line.

```
PS C:\Users\... \OneDrive\Área de Trabalho\Nova pasta (3)> git push -u origin  
main
```

git pull origin main

Destinado para baixar mudanças do repositório local

git revert

Desfazendo um commit

git reset –hard

Para apagar o commit do anterior.

git commit –amend -m “Trocando botao para adivinhar”

Alteração do último commit sem a necessidade de apagar.

gitignore

Ignorar alguma parte do projeto.