

Date: Oct 2, 2025

DOUBLE CLICK

Playwright + TypeScript

Double-click is clicking an element twice quickly. It's commonly used to open files, select words, or trigger special actions.

Playwright provides TWO ways to perform double-click!

IMPORTANT!

Playwright offers 2 methods for double-click: 1) `dblclick()` method, 2) `click()` with `clickCount: 2`. Both do the same thing!

Two Ways to Double Click

Playwright gives you 2 options:

Method 1: `dblclick()`

```
await element.dblclick();
```

OR

Method 2: click with clickCount

```
await element.click({ clickCount: 2 });
```

Method 1: Using dblclick()

The dedicated double-click method - simple and clean!

dblclick() Syntax

```
// Direct double-click method  
await locator.dblclick();
```

Advantages of dblclick():

Very clear and readable

Explicitly shows double-click intent

Shorter syntax

Recommended for better code clarity

Method 2: Using clickCount

Use click() method with clickCount option!

clickCount Syntax

```
// Double-click using clickCount  
await locator.click({ clickCount: 2 });  
  
// Triple-click (if needed)  
await locator.click({ clickCount: 3 });
```

Advantages of clickCount:

Can do triple-click, quadruple-click, etc.

More flexible

Useful for selecting text (triple-click selects paragraph)

Real Example - jQuery Double Click

Let's double-click on an element inside an iframe!

Complete Code

```
import { Browser, chromium, Page } from "playwright";

let page: Page;

(async () => {
  const browser: Browser = await chromium.launch({
    headless: false,
    channel: "chrome",
  });

  page = await browser.newPage();
  await page.goto('https://api.jquery.com/dblclick/');

  // Step 1: Locate iframe
  let frameEle = page.frameLocator('iframe');

  // Step 2: Locate element inside iframe
  let box = frameEle.locator('div');

  // Method 1: Using dblclick()
  await box.dblclick();

  // OR Method 2: Using clickCount
  // await box.click({ clickCount: 2 });
})();
```

Working with iframes:

Step 1: Use frameLocator() to access iframe

Step 2: Locate element inside iframe

Step 3: Perform double-click

Comparison: `dblclick()` vs `clickCount`

Feature	<code>dblclick()</code>	<code>clickCount: 2</code>
Syntax	<code>dblclick()</code>	<code>click(options)</code>
Readability	Very clear	Good
Flexibility	Double only	Any count
Best For	Double-click	Multiple clicks

More Examples

Example 1: Double-click to Select Word

```
// Double-click on text to select word  
await page.locator('p').dblclick();
```

Example 2: Triple-click to Select Paragraph

```
// Triple-click to select entire paragraph  
await page.locator('p').click({ clickCount: 3 });
```

Example 3: Double-click Button

```
// Double-click a button  
await page.locator('button#submit').dblclick();
```

REMEMBER!

Two methods: `dblclick()` or click with `clickCount: 2`

Both methods do the exact same thing

`dblclick()` is more readable for double-click

`clickCount` is more flexible (can do triple, quadruple click)

COMMON MISTAKES

Using two separate `click()` calls instead of `dblclick()`

Not handling elements inside iframes properly

Forgetting that `dblclick()` only does double-click

Not waiting for element to be ready before double-clicking

PRO TIPS!

Use `dblclick()` for better code readability

Use `clickCount` when you need triple-click or more

For iframes, use `frameLocator()` first

Playwright auto-waits - no manual delays needed!

Real-World Use Cases

1. Opening files in file manager
2. Selecting words in text editor
3. Expanding/collapsing tree nodes
4. Editing inline text fields
5. Triggering special UI actions

Which Method to Choose?

Use `dblclick()`:

When you only need double-click

For better code clarity and readability

Use clickCount:

When you need triple-click or more

When click count is dynamic/variable

For text selection (triple-click selects paragraph)

KEY TAKEAWAYS

Two ways: `dblclick()` or click with `clickCount: 2`

`dblclick()` is clearer and more readable

`clickCount` is more flexible for multiple clicks

Both methods work exactly the same way

Use `frameLocator()` for elements inside iframes!

NAVEEN AUTOMATION LABS

Your Journey to Test Automation Excellence