Создать тестовую коллекцию из 14 запросов сайт https://reqres.in/

REQRES Collection - Run results

Run Again   Automate Run ∨   + New Run   ⬆ Export Results

👤 Ran today at 23:05:10 · View all runs

Source	Environment	Iterations	Duration	All tests	Avg. Resp. Time
Runner	**none**	**1**	**5s 478ms**	**23**	**329 ms**

All Tests   Passed (23)   Failed (0)   Skipped (0)   View Summary

Iteration 1

GET LIST USERS
https://reqres.in/api/users?page=2   200 OK 94 ms 1.97 KB

| PASS   Status code is 200

GET SINGLE USER
https://reqres.in/api/users/2   200 OK 142 ms 1.213 KB

| PASS   Status code is 200

GET SINGLE USER NOT FOUND
https://reqres.in/api/users/23   404 Not Found 110 ms 901 B

| PASS   Status code is 404

GET LIST <RESOURCE>
https://reqres.in/api/unknown   200 OK 162 ms 1.634 KB

| PASS   Status code is 200
| PASS   Response time is less than 500ms

GET SINGLE <RESOURCE>
https://reqres.in/api/unknown/2   200 OK 106 ms 1.164 KB

| PASS   Status code is 200
| PASS   Body matches string

REQRES Collection - Run results

Run Again   Automate Run ⌄   + New Run   ⬆ Export Resul

Source	Environment	Iterations	Duration	All tests	Avg. Resp. Time
Runner	**none**	**1**	**5s 478ms**	**23**	**329 ms**

All Tests   Passed (23)   Failed (0)   Skipped (0)   <u>View Summa</u>

GET SINGLE <RESOURCE> NOT FOUND
https://reqres.in/api/unknown/23   404 Not Found 116 ms 901 B

| PASS | Status code is 404 |

POST CREATE
https://reqres.in/api/users   201 Created 123 ms 930 B

| PASS | Successful POST request |
| PASS | Status code name has string |

PUT UPDATE
https://reqres.in/api/users/2   200 OK 116 ms 974 B

PASS	Status code is 200
PASS	Body matches string
PASS	Status code name has string

DELETE DELETE
https://reqres.in/api/users/2   204 No Content 102 ms 796 B

| PASS | Status code name has string |
| PASS | Response time is less than 200ms |

POST REGISTER - SUCCESSFUL
https://reqres.in/api/register   200 OK 97 ms 873 B

| PASS | Successful POST request |

POST REGISTER - UNSUCCESSFUL

https://reqres.in/api/register

400 Bad Request 98 ms 878 B

| PASS   Unsuccessful POST request

POST LOGIN - SUCCESSFUL

https://reqres.in/api/login

200 OK 111 ms 870 B

| PASS   Response time is less than 200ms

| PASS   Successful POST request

POST LOGIN - UNSUCCESSFUL

https://reqres.in/api/login

400 Bad Request 116 ms 878 B

| PASS   Body matches string

GET DELAYED RESPONSE

https://reqres.in/api/users?delay=3

200 OK 3111 ms 1.868 KB

| PASS   Status code is 200

| PASS   Response time is less than 3500ms

| PASS   Body matches string

1

Save

GET | https://reqres.in/api/users?page=2 | Send

Params • | Authorization | Headers (6) | Body | Pre-request Script | Tests • | Settings | Cookies

```
1  pm.test("Status code is 200", function () {
2      pm.response.to.have.status(200);
3  });
```

Test scripts are written in JavaScript, and are run after the response is received. Learn more about tests scripts

Snippets

Get an environment variable

Body | Cookies | Headers (18) | Test Results (1/1)   Status: **200 OK**   Time: **75 ms**   Size: **1.92 KB**   Save as example

Pretty | Raw | Preview | Visualize | JSON

```json
1  {
2      "page": 2,
3      "per_page": 6,
4      "total": 12,
5      "total_pages": 2,
6      "data": [
7          {
8              "id": 7,
9              "email": "michael.lawson@reqres.in",
10             "first_name": "Michael",
11             "last_name": "Lawson",
12             "avatar": "https://reqres.in/img/faces/7-image.jpg"
13         },
14         {
15             "id": 8,
16             "email": "lindsay.ferguson@reqres.in",
17             "first_name": "Lindsay",
18             "last_name": "Ferguson",
19             "avatar": "https://reqres.in/img/faces/8-image.jpg"
20         },
21         {
22             "id": 9,
23             "email": "tobias.funke@reqres.in",
24             "first_name": "Tobias",
25             "last_name": "Funke",
26             "avatar": "https://reqres.in/img/faces/9-image.jpg"
27         },
```

2

REQRES Collection / **SINGLE USER**

Save

GET https://reqres.in/api/users/2 Send

Params Authorization Headers (6) Body Pre-request Script Tests ● Settings Cookies

```
1  pm.test("Status code is 200", function () {
2      pm.response.to.have.status(200);
3  });
4
```

Test scripts are written in JavaScript, and are run after the response is received. Learn more about tests scripts

Snippets

Get an environment variable

Get a global variable

Get a variable

Get a collection variable

Body Cookies Headers (18) Test Results (1/1) 🌐 Status: **200 OK** Time: **29 ms** Size: **1.19 KB** 💾 Save as example ⋯

Pretty Raw Preview Visualize JSON

```
1  {
2      "data": {
3          "id": 2,
4          "email": "janet.weaver@reqres.in",
5          "first_name": "Janet",
6          "last_name": "Weaver",
7          "avatar": "https://reqres.in/img/faces/2-image.jpg"
8      },
9      "support": {
10         "url": "https://reqres.in/#support-heading",
11         "text": "To keep ReqRes free, contributions towards server costs are appreciated!"
12     }
13 }
```

3

REQRES Collection / **SINGLE USER NOT FOUND**

Save

GET ⌄ | https://reqres.in/api/users/23 | **Send** ⌄

Params Authorization Headers (6) Body Pre-request Script **Tests** ● Settings   **Cookies**

```
1  pm.test("Status code is 404", function () {
2      pm.response.to.have.status(404);
3  });
```

Test scripts are written in JavaScript, and are run after the response is received. Learn more about tests scripts

Snippets

Get an environment variable

Get a global variable

Get a variable

Get a collection variable

~~Set an environment variable~~

Body Cookies Headers (17) Test Results (1/1)   Status: **404 Not Found** Time: **22 ms** Size: **905 B** 💾 Save as example ⋯

Pretty Raw Preview Visualize JSON ⌄

```
1  {}
```

4

Save

GET | https://reqres.in/api/unknown

Send

Params   Authorization   Headers (6)   Body   Pre-request Script   Tests ●   Settings   Cookies

```
1  pm.test("Status code is 200", function () {
2      pm.response.to.have.status(200);
3  });
4  pm.test("Response time is less than 500ms", function () {
5      pm.expect(pm.response.responseTime).to.be.below(500);
6  });
```

Test scripts are written in JavaScript, and are run after the response is received. Learn more about tests scripts

Snippets

Get an environment variable

Get a global variable

Get a variable

Get a collection variable

Set an environment variable

Body   Cookies   Headers (18)   Test Results (2/2)   Status: **200 OK**   Time: **34 ms**   Size: **1.6 KB**   Save as example   ⁰⁰⁰

Pretty   Raw   Preview   Visualize   JSON ⌄

```
1  {
2      "page": 1,
3      "per_page": 6,
4      "total": 12,
5      "total_pages": 2,
6      "data": [
7          {
8              "id": 1,
9              "name": "cerulean",
10             "year": 2000,
11             "color": "#98B2D1",
12             "pantone_value": "15-4020"
13         },
14         {
15             "id": 2,
16             "name": "fuchsia rose",
17             "year": 2001,
18             "color": "#C74375",
19             "pantone_value": "17-2031"
20         },
21         {
22             "id": 3,
```

5

Save ▾   ✏️ 💬

GET ▾   https://reqres.in/api/unknown/2   **Send** ▾

Params   Authorization   Headers (6)   Body   Pre-request Script   **Tests** ●   Settings   **Cookies**

```
1  pm.test("Status code is 200", function () {
2      pm.response.to.have.status(200);
3  });
4  pm.test("Body matches string", function () {
5      pm.expect(pm.response.text()).to.include("fuchsia rose");
6  });
```

Test scripts are written in JavaScript, ⟩
and are run after the response is
received. Learn more about
tests scripts

Snippets

Get an environment variable

Get a global variable

Get a variable

Get a collection variable

~~Set an environment variable~~

Body   Cookies   Headers (18)   Test Results (2/2)   🌐 Status: **200 OK**   Time: **35 ms**   Size: **1.14 KB**   💾 Save as example   ⚬⚬⚬

Pretty   Raw   Preview   Visualize   JSON ▾   ⇥   ⎘ 🔍

```json
1  {
2      "data": {
3          "id": 2,
4          "name": "fuchsia rose",
5          "year": 2001,
6          "color": "#C74375",
7          "pantone_value": "17-2031"
8      },
9      "support": {
10         "url": "https://reqres.in/#support-heading",
11         "text": "To keep ReqRes free, contributions towards server costs are appreciated!"
12     }
13 }
```

REQRES Collection / **SINGLE <RESOURCE> NOT FOUND**

Save

GET ⌄   https://reqres.in/api/unknown/23   **Send** ⌄

Params   Authorization   Headers (6)   Body   Pre-request Script   Tests ●   Settings   **Cookies**

```
1  pm.test("Status code is 404", function () {
2      pm.response.to.have.status(404);
3  });
4
```

Test scripts are written in JavaScript, and are run after the response is received. Learn more about tests scripts

Snippets

Get an environment variable

Get a global variable

Get a variable

Get a collection variable

~~Set an environment variable~~

Body   Cookies   Headers (17)   Test Results (1/1)   🌐🔒 Status: **404 Not Found**   Time: **22 ms**   Size: **913 B**   💾 Save as example   ⚬⚬⚬

Pretty   Raw   Preview   Visualize   JSON ⌄

```
1  {}
```

HTTP   REQRES Collection / **CREATE**

Save

POST ∨   https://reqres.in/api/users   **Send** ∨

Params   Authorization   Headers (8)   Body •   Pre-request Script   Tests •   Settings   **Cookies**

```
1  pm.test("Successful POST request", function () {
2      pm.expect(pm.response.code).to.be.oneOf([201, 202]);
3  });
4  pm.test("Status code name has string", function () {
5      pm.response.to.have.status("Created");
6  });
```

Test scripts are written in JavaScript, and are run after the response is received. Learn more about tests scripts

Snippets

Get an environment variable

Get a global variable

Get a variable

Get a collection variable

Body   Cookies   Headers (14)   Test Results (2/2)   Status: **201 Created**   Time: **140 ms**   Size: **934 B**   Save as example   ooo

Pretty   Raw   Preview   Visualize   JSON ∨

```
1  {
2      "name": "morpheus",
3      "job": "leader",
4      "id": "697",
5      "createdAt": "2023-12-28T19:47:48.430Z"
6  }
```

REQRES Collection / **UPDATE**

Save

PUT | https://reqres.in/api/users/2

Send

Params   Authorization   Headers (8)   Body •   Pre-request Script   Tests •   Settings

Cookies

```
1  pm.test("Status code is 200", function () {
2      pm.response.to.have.status(200);
3  });
4  pm.test("Body matches string", function () {
5      pm.expect(pm.response.text()).to.include("morpheus");
6  });
7  pm.test("Status code name has string", function () {
8      pm.response.to.have.status("OK");
9  });
```

Test scripts are written in JavaScript, and are run after the response is received. Learn more about tests scripts

Snippets

Get an environment variable

Get a global variable

Get a variable

Get a collection variable

Body   Cookies   Headers (16)   Test Results (3/3)

Status: 200 OK   Time: 96 ms   Size: 974 B   Save as example

Pretty   Raw   Preview   Visualize   JSON

```
1  {
2      "name": "morpheus",
3      "job": "zion resident",
4      "updatedAt": "2023-12-28T19:48:18.274Z"
5  }
```

REQRES Collection / **DELETE**

[Save] [⌄]

DELETE [⌄] https://reqres.in/api/users/2 **Send** [⌄]

Params   Authorization   Headers (6)   Body   Pre-request Script   Tests •   Settings   **Cookies**

```
1  pm.test("Status code name has string", function () {
2      pm.response.to.have.status("No Content");
3  });
4  pm.test("Response time is less than 200ms", function () {
5      pm.expect(pm.response.responseTime).to.be.below(200);
6  });
```

Test scripts are written in JavaScript, and are run after the response is received. Learn more about tests scripts

Snippets

Get an environment variable

Get a global variable

Get a variable

Get a collection variable

Set an environment variable

Body   Cookies   Headers (13)   Test Results (2/2)

Status: **204 No Content**   Time: **98 ms**   Size: **816 B**   Save as example   ∘∘∘

Pretty   Raw   Preview   Visualize   Text [⌄]

```
1
```

REQRES Collection / **REGISTER - SUCCESSFUL**

Save

POST | https://reqres.in/api/register | **Send**

Params   Authorization   Headers (8)   Body ●   Pre-request Script   Tests ●   Settings   Cookies

```
1  pm.test("Successful POST request", function () {
2      pm.expect(pm.response.code).to.be.oneOf([200, 201, 202]);
3  });
```

Test scripts are written in JavaScript, and are run after the response is received. Learn more about tests scripts

Snippets

Get an environment variable

Get a global variable

Get a variable

Get a collection variable

Body   Cookies   Headers (14)   Test Results (1/1)   Status: **200 OK**   Time: **111 ms**   Size: **873 B**   Save as example

Pretty   Raw   Preview   Visualize   JSON

```
1  {
2      "id": 4,
3      "token": "QpwL5tke4Pnpja7X4"
4  }
```

REQRES Collection / **REGISTER - UNSUCCESSFUL**

Save

POST | https://reqres.in/api/register | Send

Params | Authorization | Headers (8) | Body ● | Pre-request Script | Tests ● | Settings | Cookies

```
1  pm.test("Unsuccessful POST request", function () {
2      pm.expect(pm.response.code).to.be.oneOf([400]);
3  });
```

Test scripts are written in JavaScript, and are run after the response is received. Learn more about tests scripts

Snippets

Get an environment variable

Get a global variable

Get a variable

Get a collection variable

~~Set an environment variable~~

Body | Cookies | Headers (14) | Test Results (1/1) | Status: **400 Bad Request** Time: **167 ms** Size: **878 B** | Save as example ○○○

Pretty | Raw | Preview | Visualize | JSON ∨

```
1  {
2      "error": "Missing password"
3  }
```

REQRES Collection / **LOGIN - SUCCESSFUL**

💾 Save ▾ | ✏️ 💬

POST ▾ | https://reqres.in/api/login | **Send** ▾

Params · Authorization · Headers (8) · Body ● · Pre-request Script · Tests ● · Settings · **Cookies**

```
1  pm.test("Response time is less than 200ms", function () {
2      pm.expect(pm.response.responseTime).to.be.below(200);
3  });
4  pm.test("Successful POST request", function () {
5      pm.expect(pm.response.code).to.be.oneOf([200, 201, 202]);
6  });
```

Test scripts are written in JavaScript, and are run after the response is received. Learn more about tests scripts

Snippets

Get an environment variable

Get a global variable

Get a variable

Get a collection variable

Body · Cookies · Headers (14) · Test Results (2/2)

🌐 Status: **200 OK** Time: **104 ms** Size: **870 B** 💾 Save as example ⋯

Pretty · Raw · Preview · Visualize · JSON ▾

```
1  {
2      "token": "QpwL5tke4Pnpja7X4"
3  }
```

REQRES Collection / **LOGIN - UNSUCCESSFUL**

| POST ∨ | https://reqres.in/api/login | **Send** ∨ |

Params   Authorization   Headers (8)   Body ●   Pre-request Script   Tests ●   Settings   **Cookies**

```
1  pm.test("Body matches string", function () {
2      pm.expect(pm.response.text()).to.include("Missing password");
3  });
```

Test scripts are written in JavaScript, and are run after the response is received. Learn more about tests scripts

Snippets

Get an environment variable

Get a global variable

Get a variable

Get a collection variable

Body   Cookies   Headers (14)   Test Results (1/1)   Status: **400 Bad Request**   Time: **143 ms**   Size: **878 B**   Save as example   ⚬⚬⚬

Pretty   Raw   Preview   Visualize   JSON ∨

```
1  {
2      "error": "Missing password"
3  }
```

REQRES Collection / **DELAYED RESPONSE**

Save

GET | https://reqres.in/api/users?delay=3 | **Send**

Params • | Authorization | Headers (6) | Body | Pre-request Script | Tests • | Settings | Cookies

```
1  pm.test("Status code is 200", function () {
2      pm.response.to.have.status(200);
3  });
4  pm.test("Response time is less than 3500ms", function () {
5      pm.expect(pm.response.responseTime).to.be.below(3500);
6  });
7  pm.test("Body matches string", function () {
8      pm.expect(pm.response.text()).to.include("total_pages");
9  });
```

Test scripts are written in JavaScript, and are run after the response is received. Learn more about tests scripts

Snippets

Get an environment variable

Get a global variable

Get a variable

Get a collection variable

Body | Cookies | Headers (15) | Test Results (3/3)   Status: **200 OK** Time: **3.12 s** Size: **1.82 KB**   Save as example   •••

Pretty | Raw | Preview | Visualize | JSON ▾

```
1  {
2      "page": 1,
3      "per_page": 6,
4      "total": 12,
5      "total_pages": 2,
6      "data": [
7          {
8              "id": 1,
9              "email": "george.bluth@reqres.in",
10             "first_name": "George",
11             "last_name": "Bluth",
12             "avatar": "https://reqres.in/img/faces/1-image.jpg"
13         },
14         {
15             "id": 2,
16             "email": "janet.weaver@reqres.in",
17             "first_name": "Janet",
18             "last_name": "Weaver",
19             "avatar": "https://reqres.in/img/faces/2-image.jpg"
20         },
21         {
22             "id": 3,
```