State of Multilinguality: LLMs in 2024

Tatiana Shavrina AINL, 25.04.2024

That's me


Tatiana Shavrina

Linguist & AI enthusiast



- → mGPT
- → BLOOM
- → ruGPT-3
- → Russian SuperGLUE


→ tg: @rybolos_channel



Today's Agenda

- Multilingual LLMs in 2024
 - Current multilingual capabilities
 - Data coverage
- The polyglot internet
 - Data
 - Community
- Bottlenecks
- Opportunities

Multilingual LLMs in 2024



General pretrained Multilinguality

Decoder-based OS models:

XGLM mGPT

BLOOM, BLOOMx

•••

LLaMa LLaMa 2

LLaMa 3

Command-R

Encoder, Encoder-Decoder models:

mBERT mT5

Decoder-based Closer-sourced models:

XGLM

mGPT

BLOOM, BLOOMx


...

GPT-3.5

GPT-4

Claude 3

Command-R+



Map of NLP resources

Machine Translation Multilinguality





No Language Left Behind: machine translation into 200 languages of the world, mostly rare, low-resource ones Towards the Next 1000 Languages in Multilingual Machine Translation: machine translation into the next 1000 languages (closed source)

The biggest gap is the under-resourced languages

To bridge the gap between resource-rich and resource-poor languages and make machine translation more accessible, new translation benchmarks have been created that cater specifically to low-resource languages. The <u>Conference on Machine Translation (WMT)</u> now regularly hosts shared tasks on low-resource MT such as for <u>Indic</u> and <u>African languages</u>; workshops such as <u>AmericasNLP</u> support <u>indigenous languages</u>; and <u>large-scale</u> decentralized collaborations such as <u>Masakhane</u>, <u>SEACrowd</u> and <u>Aya</u> created MT datasets for <u>African languages</u>, <u>Indonesian languages</u>, and <u>100+ languages</u> respectively. Recently, <u>FLORES-200</u> expands translation data coverage to 200 languages. Beyond theses efforts, through extensive work on data cleaning, filtering, and language identification, researchers have been able to obtain data and train MT models for 1000+ languages (<u>Bapna et al.</u>, 2022; <u>NLLB Team</u>, 2022).

Is this a lot...or?

Wikipedia: 6-7k languages

Ethnologue 2024: 7164 languages in the world

Linguasphere Observatory (LS-2010, totalling over 32,800 coded

entries and over 70,900 linguistic names)

All multilingual LLM work – around 1500 languages found on the internet

All this is about... up to 20% coverage!

Is this a lot...or?

Wikipedia: 6-7k languages

Ethnologue 2024: 7164 languages in the world

Linguasphere Observatory (LS-2010, totalling over 32,800 coded

entries and over 70,900 linguistic names)

All multilingual LLM work – around 1500 languages found on the internet

All this is about... up to 20% coverage!

How Many Books Are Preserved Forever with ISBNDB?

All Internet Libraries combined -around 12 million out of 129 million ever published (Google Books estimation)




https://annas-blog.org/blog-isbndb-dump-how-many-books-are-preserved-forever.html https://booksearch.blogspot.com/2010/08/books-of-world-stand-up-and-be-counted.html

Data Bias

Bias in scientific publications

Scope of CL vs world's linguistic ecology and relevant technology



The Polyglot Internet



The Polyglot Internet

2008, Global Agenda Council on the Future of the Internet:

The globalization of the Internet has brought connectivity to almost 1.3 billion people The Internet that results from globalization and user-authorship is profoundly polyglot.

Wikipedia now available in 326 languages

A user who joins the Internet today is far more likely to encounter content in her own language than had she joined ten years ago. But each internet user is able to participate in a smaller percentage of the total interactions and conversations than an English-speaking internet user could in 1997 when English was the dominant language of the net.

In today's internet, there's more opportunity for Portuguese, Chinese, or Arabic speakers to interact with one another, and perhaps less incentive to interact with speakers of other languages.

For the the Internet to fulfill its most ambitious promises, we need to recognize translation as one of the core challenges to an open, shared and collectively governed internet.

The Polyglot Internet

2008, Global Agenda Council on the Future of the Internet:

Machine translation will not solve all our problems. While machine translation systems continue to improve, they are well below the quality threshold necessary to enable readers to participate in conversations and debates with speakers of other languages.

While there is profound need to continue improving machine translation, we also need to focus on enabling and empowering human translators.

The polyglot internet demands that we explore the possibility and power of distributed human translation. Hundreds of millions of internet users speak multiple languages; some percentage of these users are capable of translating between these. These users could be the backbone of a powerful, distributed peer production system able to tackle the audacious task of translating the internet

To translate the internet, we need both tools and communities.

https://ethanzuckerman.com/the-polyglot-internet/

Data

Data

No Language Left Behind — huge parallel corpus for machine translation. Contains texts for 148 parallel pairs with English and 1465 language pairs without English. Collected using an automatic method with partial manual validation.

https://huggingface.co/datasets/allenai/nllb

Open Parallel Corpus — the largest aggregator of non-strictly parallel corpora, supports 744 languages of the world.
Contains an aggregator and search for resources such as NLLB, CCMatrix (open web index), OpenSubtitles (subtitles from movies and TV series)

https://opus.nlpl.eu/

Open Language Data Initiative —an initiative to collect and preserve data for low-resource languages, bringing together experts from various fields, from linguists to sociologists. The corpora mainly cover the needs of cross-lingual applications - machine translation, other areas where it is better to have parallel corpora. FLORES+ MT Seed https://oldi.org/languages

Hamburg Center for Language Corpora — an aggregator of corpuses, including audio recordings of speech, for languages whose data was collected mainly on expeditions. The standard university aggregator is smaller than Opus, but you can find cases that are not available anywhere else.

- https://www.slm.uni-hamburg.de/hzsk.html
- https://www.fdr.uni-hamburg.de/communities

Data

Web-Corpora

Corpus aggregator of the HSE School of Linguistics - a lot of good corpora, including the "Languages of Russia" project. A lot of data automatically collected from ru web domain.

- http://web-corpora.net/
- http://web-corpora.net/wsgi3/minorlangs/download

Universal Dependencies

One of the oldest multilingual projects, UD, is focused on unified morphological and syntactic markup for the world's languages.


For pre-training, you can take original data without markup - for many corpora there are texts and sentences from different sources and genres - Wikipedia, fiction, social networks.

https://universaldependencies.org/

Archive.org


Not quite a corpus, but an archive. Fiction and other publications, with a language filter on 120 scrolling pages. You need to write your own crawler for crawling and filtering, but you can find rare sources and low-resource languages.

https://archive.org/
details/texts



Community

ACL 2022 main track



https://aclanthology.org/2022.acl-long.539/

Recommendations

- Maximize interaction with and listening to the native speakers of languages included in resources you are developing.
- 2. When feasible, engage with speakers of included languages for quality control.
- 3. Consider the potential negative consequences of



https://aclanthology.org/2022.findings-acl.44.pdf

Open Language Data Initiative

OLDI currently houses the following datasets:

- Seed data, a set of 6,193 sentences extracted from English Wikipedia and translated into many other languages, which can be used to train machine translation models.
- <u>FLORES+</u>, an evaluation benchmark for multilingual machine translation based on FLORES, covering over 200 languages.

The goal of this shared task is to expand OLDI's open datasets to more languages. In particular, we are soliciting contributions to the following:

- The MT evaluation dataset FLORES+.
- The MT Seed dataset.
- Other high-quality, human-verified monolingual text datasets in under-resourced languages.

Contributions may consist of either the addition of entirely new languages, varieties or dialects to the above datasets, or substantial improvements to existing datasets.

To describe and publicise their contributions, task participants will be asked to submit a 2-4 page paper to be presented at the WMT 2024 conference.

Field Matters

Field linguistics plays a crucial role in the development of linguistic theory and universal language modelling, as it provides uncontested, the only way to obtain structural data about the rapidly diminishing diversity of natural languages.

The Field matters workshop aims to bring together the urgent needs of field linguists and the vast community of NLP practitioners, developing up-to-date NLP tools for easier, faster, more reliable data collection and annotation.

Apply now!

Paper submission deadline: May 17 (Friday), 2024



https://field-matters.github.io/2024.html https://field-matters.github.io/cfp2024

Bottlenecks

Synthetic Data?

In most initiatives to collect the data, synthetic data is prohibited

It is still widely used, when possible, as Instruct-finetune pipelines (DPO, RLHF, RLAIF...)


Tagengo - the world's largest high quality multilingual chat dataset
This dataset consists of more than 75,000 single-turn conversations between humans and GPT-4 (gpt-4-0125-preview).

While there is a good amount of high quality English chat datasets between humans and state-of-the-art AI assistants such as

GPT-4, this is severely lacking in other languages.

- the world's largest multilingual chat dataset between humans and a high quality AI assistant such as GPT-4.


 conversations in 74 languages, with high quality output from one of the best state-of-the-art assistant Als available just now.




Data Validation

Data validation is generally

- hard to organize: without a community
- hard to validate by itself: esp for under-resourced languages





Adding More Languages Easily

What if a language uses the script the model already has in the tokenizer, vocab?

- you can use special adapters, like in BLOOM + 1 paper
- unrelated languages using the same script can noise the data for each other

What if the script is new?

- you will need to do vocabulary expansion and fine-tuning
- a lot of underlying problems with the probability distribution of logits (e.g. the model will only generate newly added tokens)

LM before adding [SEP]: Boston. Clam chowder was served today at a city-wide "chowder fest", much to the delight of many.

LM after adding [SEP]: [SEP] [SEP] [SEP] [SEP] [SEP] [SEP] [SEP] [SEP] [SEP] [SEP]


Opportunities

Larger Context Window

Claude 3 Opus case: Russian - Circassian translation

Context window: 200k tokens

Prompt: randomised set of 5.7K linguist-validated translation pairs



True Zero-Shot Machine translation

Long context window + digitalized grammar = A Benchmark for Learning to Translate a New Language from One Grammar Book

MTOB (Machine Translation from One Book) is a recent dataset that provides the three above resources for Kalamang, an endangered language spoken by less than 200 people⁷, which is essentially absent from pre-training corpora.

- not closely related to other languages with many speakers (which is important to measure true zero-shot performance)
- uses the Latin script, which makes it easy to process with LLMs.

13.1.5 With give-constructions

Give-constructions (§12.2.1.2) are made with a zero morpheme 'give'. They may and frequently do occur without any other verb in the clause. However, they also occur in complex predicates with predicate linker =i. The verb marked with =i precedes the recipient. The zero morpheme 'give' comes after the recipient, which makes these discontinuous complex predicates. The verbs only share their subject, and the recipient comes between the two verbs. The theme (pandanus leaf in the first example and fish in the second) is the direct object of both verbs.

- (31) naman=a padanual=at rep=i ka Ø who=FOC pandanus=OBJ get=PLNK 2SG give 'Who got pandanus [leaf] and gave it to you?'
- (32) an toni kuru ma yap=i sontum=ki Ø 1SG say bring move_landwards divide=PLNK person=BEN give 'I said bring it here and divide it among people.'

An excerpt from A grammar of Kamalang.

Take-Away points

Data challenges:

- More languages to be represented in machine-readable format
- Still not many languages involved

Bottlenecks:

- We need both data and communities to build reliable MT
- Data validation is generally a bottleneck
- Synthetic data?

New opportunities:

- Longer context window
- Better generalization over multiple languages!
- Grammar and linguistic data use!
- New communities developing

Thank you! Questions?