



WEEK 9 DAY 3 COD ASSIGNMENT TASK OUTPUTS:

OUESTION : BANKING(EASY)






Home
cricket_data_lab
Patient Billing Silver Analysis
Project Data Engineer headcountAlert
File Edit View Run Help Python Full
Last edit was 1 hour ago
01:09 PM (13s)
2
.csv("/Volumes/uc_practice_bank/transaction_ops/raw_txn_vol/data.csv")
)
print("Raw Count :", df.count())
display(
df.select(
F.sum(
F.when(F.col("amount").isNull(),1).otherwise(0)
).alias("null_amount_count")
)
)
See performance (2)
df: pyspark.sql.connect.dataframe.DataFrame = [txn_id: string, account_id: string ... 5 more fields]
Raw Count : 10
Table
null_amount_count
1
1



Home
cricket_data_lab
Patient Billing Silver Analysis
Project Data Engineer headcountAlert
Banking UC Setup
File Edit View Run Help Python Full
Last edit was 1 hour ago
Run all
Serverless
Schedule
01:12 PM (2s)
3
Python
df_clean = (
df.filter(F.col("amount").isNotNull())
.withColumn(
"amount_band",
F.when(F.col("amount") >= 10000, "HIGH")
.otherwise("STANDARD")
)
.withColumn(
"review_flag",
F.when(F.col("amount") >= 20000, "REVIEW")
.otherwise("NORMAL")
)
)
print("Cleaned Count :", df_clean.count())
display(df_clean)
See performance (2)
Checked for improv
df_clean: pyspark.sql.connect.dataframe.DataFrame = [txn_id: string, account_id: string ... 7 more fields]
Cleaned Count : 9




	txn_id	account_id	channel	txn_type	amount	txn_status	txn_date	amount_band
1	T001	A101	UPI	DEBIT	1200	SUCCESS	2026-09-01	STANDARD
2	T002	A102	ATM	DEBIT	5000	SUCCESS	2026-09-01	STANDARD
3	T003	A103	NEFT	CREDIT	18000	SUCCESS	2026-09-02	HIGH
4	T005	A105	IMPS	CREDIT	7500	SUCCESS	2026-09-03	STANDARD
5	T006	A106	ATM	DEBIT	3000	FAILED	2026-09-03	STANDARD
6	T007	A107	UPI	DEBIT	22000	SUCCESS	2026-09-04	HIGH
7	T008	A108	NEFT	CREDIT	14000	SUCCESS	2026-09-04	HIGH
8	T009	A109	IMPS	DEBIT	950	SUCCESS	2026-09-05	STANDARD
9	T010	A110	UPI	CREDIT	30000	SUCCESS	2026-09-05	HIGH




Home
cricket_data_lab
Patient Billing Silver Analysis
Project Data Engineer headcountAlert
Banking UC Setup
File Edit View Run Help Python Full Last edit was 1 hour ago
Run all
Serverless
Table
channel
transaction_count
total_amount
1 ATM 2 8000
2 IMPS 2 8450
3 NEFT 2 32000
4 UPI 3 53200
4 rows 2.614s runtime
Refreshed at 10
This result is stored as _sqldf and can be used in other Python and SQL cells.
01:17 PM (2s)
6
SQL
%sql
SELECT *
FROM uc_practice_bank.transaction_ops.transactions_silver
WHERE review_flag = 'REVIEW'
OR amount_band = 'HIGH'
ORDER BY amount DESC;


Home
cricket_data_lab
Patient Billing Silver Analysis
Project Data Engineer headcountAlert
Banking UC Setup
File Edit View Run Help Python Full Last edit was 1 hour ago
Run all
Serverless
Schedule
Table
txn_id
account_id
channel
txn_type
amount
txn_status
txn_date
amount_ba
1 T010 A110 UPI CREDIT 30000 SUCCESS 2026-09-05 HIGH
2 T007 A107 UPI DEBIT 22000 SUCCESS 2026-09-04 HIGH
3 T003 A103 NEFT CREDIT 18000 SUCCESS 2026-09-02 HIGH
4 T008 A108 NEFT CREDIT 14000 SUCCESS 2026-09-04 HIGH
4 rows 2.394s runtime
Refreshed at 10/14/26, 1:17 PM (2h a
This result is stored as _sqldf and can be used in other Python and SQL cells.
01:20 PM (2s)
7
SQL
%sql
SELECT
channel,
ROUND(AVG(amount),2) AS avg_amount
FROM uc_practice_bank.transaction_ops.transactions_silver
GROUP BY channel
ORDER BY channel;


Home
cricket_data_lab
Patient Billing Silver Analysis
Project Data Engineer headcountAlert
Banking
File Edit View Run Help Python Full
Last edit was 1 hour ago
Run all
01:20 PM (2s)
7
7 ORDER BY channel;
See performance (1)
Table
channel
avg_amount
1 ATM 4000
2 IMPS 4225
3 NEFT 16000
4 UPI 17733.33
4 rows 1.801s runtime
This result is stored as _sqldf and can be used in other Python and SQL cells.
Code
Text
Genie Code