

Zegowska szama SAD

This document contains all the technical documentation intended for developers regarding this projects class diagram, database, code documentation and project's structure

Tech stack

- Backend: PHP
- Frontend: Javascript + bootstrap
- Database: MySQL
- Hosting: external server

All technologies were imposed from the beginning by a third party.

System class architecture

- User - information about the currently logged in user
- Role - users role containing their permissions
- Settings - users settings
- Product - information about the product
- Order - Information about the order
- Item - what gets processed at the checkout (product data & quantity)

User

- string name
- string email
- integer id
- Role role
- Settings settings

Role

- string name
- set<enum> permissions (0 - see offers, 1 - manage orders, 2 - push announcements, 3 - manage roles)

Settings

- string theme

Product

- string name
- string picture
- string category
- integer id
- integer price (cents, price is READ-ONLY)
- integer discount (from 0% to 100% only)
- integer stock


Order

- User user (who orders)
- integer id
- enum status (0 - pending, 1 - processing, 2 - completed, 3 - paid & collected)
- vector<item> contents

Item

- Product item (includes the price of a single unit)
- integer quantity

Class diagram



Database tables

- products - available products
- order_items - snapshot table containing unchanged data
- orders - created orders
- users - registered users
- settings - users personal settings
- roles - existing roles
- role_permissions - a table mapping permissions to roles
- permissions - list of permissions

products

- integer, primary key, auto increment id
- string name
- string category
- string, unique picture
- integer price_cents (price_cents > 0)
- integer, allow nulls discount_percent (discount_percent BETWEEN 0 AND 100)
- integer stock (stock >= 0)

order_items

- integer, primary key, auto increment id
- integer, foreign key of orders, order_id (indexed)
- integer foreign key of products, product_id (indexed)
- integer quantity (quantity > 0)
- integer unit_price_snapshot (unit_price_snapshot > 0)
- integer, allow nulls discount_percent_snapshot

orders

- integer, primary key, auto increment id
- integer, foreign key of users, user_id (indexed)
- integer status (status IN (0, 1, 2, 3))
- datetime created_at

users

- integer, primary key, auto increment id
- string name
- integer password (indexed)
- string, unique email
- integer, foreign key of roles, role_id
- datetime created_at

settings

- integer, primary key, foreign key of users, user_id
- string theme

roles

- integer, primary key, auto increment id
- string name


role_permissions

- integer primary key, foreign key of roles, role_id
- integer primary key, foreign key of permissions, permission_id

permissions

- integer primary key, auto increment id
- string name

Database diagram



Database relations

- products $\longleftrightarrow$ orders - many to many
- users $\rightarrow$ orders - one to many
- settings — users - one to one
- users — roles - one to one
- roles $\longleftrightarrow$ permissions - many to many

Code documentation

unfinished [...]

Project structure

/project

- |— README.md
- |— CHANGELOG.md
- |— LICENSE
- |— .env.example
- |— /docs (project's documentation)
- |— /design (project's graphic design)
- |— /src (project's code implementation)