



TECHNICAL PRODUCT CATALOG

Comprehensive Stockholder, Manufacturer & Exporter Portfolio (2025–2026)

Origin: **Jindal / Prime Mills**

MTC Standard: **EN 10204 3.1 Traceable**

Export Destinations: **15+ Countries**

Industry Legacy: **22+ Years**

CORPORATE PROFILE & APPROVED VENDOR STATUS

VENDOR REGISTRATION

Tatvam Overseas Inc (and family concern *Dhyan Industries*) is a premier Indian stockist, supplier, and exporter of high-integrity Ferrous & Non-Ferrous metals, specialized Stainless Steels, Carbon Steels, Alloy Steels, and Nickel Superalloys. Operating from the heart of Mumbai's commercial metal market with centralized warehousing, we cater to EPC contractors, public sector undertakings (PSUs), boiler fabricators, offshore platforms, and petrochemical refineries worldwide.

Piping & Tubular Range

1/2" NB to 24" NB Seamless and 1/2" to 72" Welded (ERW/EFW). Pressure ratings from Sch 5 to Sch XXS. Stocked in ASTM A312, A213, A269, A358, A106, A333, A335.

Flats, Coils, Foils & Plates

0.02 mm ultra-thin foils up to 140 mm heavy rolling plates. Widths: 1000 / 1250 / 1500 / 1800 / 2000 mm. Jindal prime stainless steel coils with custom slit widths.

Buttweld & Forged Fittings

Seamless & Welded Elbows, Equal/Reducing Tees, Concentric/Eccentric Reducers, End Caps (1/2" to 72"). High pressure forged 3000# / 6000# / 9000# SW & NPT.

Flanges, Fasteners & Ferrule

ASME B16.5 flanges (150# to 2500#), ASTM A193 B7/B8/B8M high tensile studs with A194 2H/8 nuts, and 6,000 / 10,000 PSI double-ferrule compression tube fittings.

MAJOR INDUSTRIES SERVED

GLOBAL SECTORS

ENERGY & THERMAL	HYDROCARBONS & PETROCHEM	PROCESS & CHEMICAL	MARINE & INFRASTRUCTURE
• Power Houses & Boilers • Supercritical Steam Lines • Heat Exchangers & Condensers • Nuclear & Solar Thermal	• Oil & Gas Refineries • Offshore Drilling Platforms • Cross-Country Pipelines • Fertilizer Manufacturing	• Chemical & Acid Plants • Pharmaceutical Cleanrooms • Synthetic Yarn & Textiles • Glass & Cement Plants	• Shipbuilding & Marine Hulls • Desalination Plants • Port Trusts & Heavy Bridges • Coal Mines & Cold Storages

Quality & Testing Assurance: EN 10204 3.1 Certified

- ✓ Every dispatch is accompanied by an authentic Mill Test Certificate (MTC) with 100% heat number and lot traceability.
- ✓ In-house Positive Material Identification (PMI) using Thermo Scientific Niton XRF analyzers before dispatch.
- ✓ Third Party Inspection (TPI) accepted: TUV Nord, DNV, Bureau Veritas (BV), SGS, Lloyds Register, and CEIL.



(A.1) STAINLESS STEEL PIPES & TUBES

ASTM A312 / A213 / A269 / A358

PARAMETER	STOCK RANGE & TECHNICAL CAPABILITIES
Grades Stocked	SS 304 SS 304L SS 304H SS 316 SS 316L SS 316H SS 316Ti SS 317L SS 321 SS 321H SS 310S SS 347 SS 202
Manufacturing Specs	ASTM A312 (Pipes), ASTM A213 (Boiler & Heat Exchanger Tubes), ASTM A269 (General Service Tubes), ASTM A358 (Large Diameter Welded EFW)
Seamless Sizes	1/2" NB to 24" NB (15 mm to 600 mm NB) — Cold Drawn & Hot Finished
Welded (ERW/EFW) Sizes	1/2" NB to 48" NB (up to 72" NB on custom fabricated projects with 100% X-ray / Radiography)
Schedules & Walls	Schedule 5S, 10S, 40S, 80S, 160, XS, XXS (Wall thickness from 0.8 mm up to 30 mm)
Tubing OD Range	Outside Diameter: 1/8" OD to 6" OD (3.17 mm to 152.4 mm OD); Thickness: 20 SWG to 6 mm
Origins & Brands	Jindal, European, Japanese, Domestic Prime Mills with full MTC to EN 10204 3.1

(A.2) SS PLATES, SHEETS, COILS, FOILS & STRUCTURALS

ASTM A240 / A276 / A479

PRODUCT FORM	GRADES AVAILABLE	SIZE & THICKNESS ENVELOPE	SURFACE FINISH & CONDITION
Stainless Steel Coils & Slit Strips	304, 304L, 316, 316L, 310S, 321, 409M, 410, 202	Thickness: 0.02 mm (Foil) to 12 mm Width: 1000, 1250, 1500, 1800, 2000 mm	2B Cold Rolled, No.1 Hot Rolled, BA Bright Annealed, Slit Edge
Heavy Plates & Boiler Sheets	304/304L, 316/316L, 316Ti, 317L, 321, 310S, 347, 904L	Thickness: 3.0 mm to 140 mm Cut to size, Plasma / Laser profiling	Hot Rolled Annealed & Pickled (HRAP / No.1), 100% UT tested
SS Angles & Channels	304, 304L, 316, 316L, 310, 202	Angles: 20x20x3 mm to 100x100x12 mm Channels: 75x40 mm to 200x75 mm	Hot Rolled, Laser Welded, Pickled finish for structural frames
Round Bars, Rods & Hex	304, 304L, 316, 316L, 316Ti, 321, 410, 420, 431	Dia 3 mm to 350 mm; Hex 6 mm to 65 mm Cut length up to 6000 mm	Bright Drawn (h9/h11), Centerless Peeled, Polished, Forged Rough Turned
Circles, Rings & Patta	304, 316L, 310, 202 (J4/J1)	Diameter 50 mm to 1500 mm Thickness 0.5 mm to 50 mm	Circle sheared, Waterjet cut, CNC machined edges for vessel ends

**(B.1) CARBON & ALLOY STEEL PIPES**

HIGH TEMP & CRYOGENIC

STANDARD / SPECIFICATION	GRADES	SIZE & SCHEDULE	APPLICATION HIGHLIGHTS
ASTM A106 / ASME SA106 (Seamless High-Temp)	Grade B, Grade C	1/2" NB to 24" NB Sch 40, 80, 160, XXS	Standard refinery process piping, high temperature steam distribution lines.
ASTM A333 / ASME SA333 (Low Temperature LTCS)	Grade 6	1/2" NB to 24" NB Sch 40 to Sch XXS	Cryogenic and sub-zero service down to -45°C. Full Charpy V-notch impact certified.
ASTM A335 / ASME SA335 (Chrome-Moly Alloy Steel)	P1, P2, P5, P9, P11, P22, P91	1/2" NB to 24" NB Seamless Heavy wall schedules	Supercritical thermal boilers, power stations, hydrogen reform heaters (Creep resistant).
IS 1239 / IS 3589 & A53 (Indian Standard CS Pipes)	IS 1239 (Pt 1) Lt/Med/Hvy IS 3589 Fe 330, Fe 410	1/2" NB to 48" NB ERW & Seamless	Water transmission, firefighting networks, structural piling, compressed air.
API 5L / ISO 3183 (Cross Country Line Pipe)	Grade B, X42, X52, X60, X65 (PSL 1 & PSL 2)	2" NB to 48" NB Welded & Seamless	High pressure crude oil, natural gas transport lines, offshore subsea duty.

(B.2) BOILER QUALITY & STRUCTURAL STEEL PLATES

ASTM A516 / IS 2062

STANDARD	GRADES STOCKED	THICKNESS ENVELOPE	CONDITION & TESTING
ASTM A516 / ASME SA516 (Boiler Quality BQ Plates)	Grade 60, Grade 70	5 mm to 150 mm Widths up to 3000 mm	Normalized (N), HIC tested, NACE MR0175 compliant, Low S & P.
ASTM A515 / ASME SA515 (Intermediate Temp Vessels)	Grade 60, Grade 70	6 mm to 100 mm	Coarse-grain practice for medium and higher temperature boilers.
IS 2062 (Bureau of Indian Standards) (Structural Steel Plates/Angles)	Grade E250 (Gr. A, B, C) Grade E350 (High Tensile)	Sheets: 1.2 to 4 mm Plates: 5 mm to 120 mm	Killed steel, impact tested at 0°C / -20°C for structural fabrication.

(B.3) CARBON & ALLOY PIPE FITTINGS & FLANGES

ASTM A234 / A105

Buttweld Fittings (ASTM A234 WPB / WPC)

1/2" to 24" Seamless & up to 72" Welded. 90°/45° Long Radius Elbows, Concentric/Eccentric Reducers, Equal & Reducing Tees, End Caps. Beveled ends to ASME B16.9.

Alloy Steel Buttweld (ASTM A234 WP11 / WP22 / WP91)

Chrome-Moly fittings engineered to match A335 alloy pipe specifications for superheater steam piping and refinery reformer applications with 100% PWHT.

Forged Flanges (ASTM A105 / A350 LF2)

Weld Neck (WNRF), Slip-On (SORF), Blind (BLRF), Socket Weld, Threaded. Classes: 150#, 300#, 600#, 900#, 1500#, 2500#. Serrated finish to ASME B16.5.

High Pressure Forged Fittings (ASTM A105 3000# / 6000#)

1/4" to 4" NB Socket Weld and NPT/BSPT Threaded Elbows, Tees, Couplings, Half Couplings, Hex Nipples, Unions, Swage Nipples to ASME B16.11.



(C.1) NICKEL ALLOYS, MONEL, INCONEL & HASTELLOY

EXOTIC MATERIALS

MATERIAL FAMILY	SPECIFIC GRADES	FORMS SUPPLIED	KEY SERVICE ENVIRONMENTS
Inconel® Alloys	Inconel 600 Inconel 625 Inconel 601 Inconel 718	Pipes, Seamless Tubes, Round Bars, Plates, Flanges, Fasteners	Oxidation up to 1100°C, extreme marine pitting, jet turbine exhausts, sour gas wells.
Incoloy® Alloys	Incoloy 800 Incoloy 800H Incoloy 825	Seamless Tubes, Heat Exchanger Pipes, Round Rods, Plates	High-temperature carburization, nitric/phosphoric/sulfuric acid environments.
Monel® Alloys	Monel 400 Monel K-500	Rods, Shafts, Sheets, Condenser Tubes, U-Bolts, Flanges	Seawater pumps, propeller shafts, hydrofluoric acid alkylation, crude oil distillation.
Hastelloy® Alloys	Hastelloy C-276 Hastelloy C-22 Hastelloy B-2	Plates, Pipes, Butt weld Fittings, Flanges, Valves	Wet chlorine gas, hypochlorite, severe ferric/cupric chloride, hydrochloric acid.
Pure Nickel	Nickel 200 Nickel 201	Sheets, Plates, Wires, Seamless Pipes, Rods	Caustic soda evaporators, caustic alkalis, food processing, rayon manufacturing.
Cupro-Nickel (Cu-Ni)	Cu-Ni 90/10 (C70600) Cu-Ni 70/30 (C71500)	Condenser Tubes (ASTM B111), Pipes (ASTM B466), Flanges	Desalination plants, marine condenser tubing, seawater intake lines (anti-fouling).
Titanium & Specialty	Titanium Gr. 2 Titanium Gr. 5 Alloy 20 SS 904L	Plates, Seamless Tubes, Round Bars, Forged Rings	Chlor-alkali, offshore oil platforms, aerospace brackets, sulfuric acid digestion.
Duplex & Super Duplex	Duplex 2205 (S31803) Super Duplex 2507	Pipes, Plates, Flanges, Butt weld Fittings, Fasteners	2x strength of 316, chloride stress corrosion cracking immunity, reverse osmosis.

(C.2) COPPER & BRASS PRODUCTS

NON-FERROUS METALS

Electrolytic Copper (ETP / DHP / OFC)

Pipes, Tubes, Busbars, Sheets, Strips, and Round Rods. Purity 99.9% min for high electrical and thermal conductivity in heat exchangers, electrical switchboards, and solar panels.

Commercial & Naval Brass

Naval Brass (C46400), Cartridge Brass (70/30), Free Cutting Brass (IS 319 / C36000) in Rods, Hex, Tubes, Sheets, and Threaded Components for marine hardware and precision instrumentation.

**(D.1) INDUSTRIAL FASTENERS, STUDS, BOLTS & NUTS****ASTM A193 / A194**

FASTENER TYPE	MATERIAL GRADES	SIZE RANGE & STANDARDS
High Temp Stud Bolts & Heavy Hex Nuts	• Studs: ASTM A193 Grade B7, B7M, B16 • Nuts: ASTM A194 Grade 2H, 2HM, Grade 4, Grade 7	M10 to M100 (3/8" to 4" dia), cut lengths up to 4 meters. Zinc plated, Cadmium, PTFE Xylan coated, Hot-Dip Galvanized.
Stainless Steel Fasteners (A2 / A4)	• Studs/Bolts: ASTM A193 B8 (304), B8M (316), B8T (321) • Nuts: ASTM A194 Grade 8, Grade 8M; ISO 3506 A2-70, A4-80	M6 to M64 full thread, half thread hex head bolts, allen socket screws, spring & flat washers. Anti-galling coatings available.
High Nickel Superalloy Fasteners	Inconel 625, Inconel 718, Monel 400, Hastelloy C-276, Titanium Gr. 2, Duplex 2205, Super Duplex 2507	Custom CNC machined precision studs and 12-point bolts for subsea manifolds and aerospace furnaces.

(D.2) DOUBLE FERRULE COMPRESSION TUBE FITTINGS**UP TO 10,000 PSI**

FITTING CATEGORY	CONFIGURATIONS	SPECS & MATERIALS
Double Ferrule Tube Fittings	Male Connector, Female Connector, Union, Union Tee, Union Elbow, Reducing Union, Bulkhead Union, Port Connector, Tube End Reducer, Cap, Plug	• Tube OD: 1/8" to 1" (3 mm to 25 mm) • Threads: NPT, BSPT, BSPP (1/8" to 1") • Materials: SS 316, 316L, Monel 400, Brass, Inconel • Pressure: Up to 6,000 / 10,000 PSI leak-tight
Instrumentation Valves & Manifolds	Needle Valves, Ball Valves (1000# to 6000#), Check Valves, Gauge Valves, 2-Way, 3-Way & 5-Way Valve Manifolds	Precision stem packing in PTFE / Grafoil for high pressure instrumentation lines and impulse tubing.

(D.3) HIGH PRESSURE FORGED FITTINGS**ASME B16.11 / 3000# 6000# 9000#****Socket Weld (SW) Fittings**

90° Elbows, 45° Elbows, Tees, Crosses, Couplings, Half Couplings, Caps. Class 3000, 6000, 9000 in ASTM A105, A350 LF2, ASTM A182 F304L, F316L, F321, F11, F22.

Screwed / Threaded (NPT / BSPT)

Full Couplings, Reducing Couplings, Hex Nipples, Swage Nipples, Street Elbows, Square / Hex Head Plugs, Bushings. Class 2000, 3000, 6000. Clean CNC cut threads.



QUALITY ASSURANCE & INSPECTION PROTOCOLS

ISO 9001:2015

INSPECTION STAGE	TEST METHOD / PROCEDURE	STANDARD REFERENCE
Chemical Verification	PMI (Positive Material Identification) with handheld XRF Analyzer; Spectro chemical laboratory analysis	ASTM A751 / EN 10204 3.1
Mechanical Testing	Tensile strength, Yield strength, % Elongation, Hardness (Brinell / Rockwell / Vickers), Charpy V-Notch Impact	ASTM A370 / ISO 6892
Non-Destructive Testing (NDT)	100% Ultrasonic Testing (UT), Eddy Current testing for tubes, Radiography (RT) for welded seams, Dye Penetrant (DP)	ASME Sec V, ASTM A388, ASTM E213
Corrosion Resistance Tests	Intergranular Corrosion Test (IGC Practice A, B, C, E), Pitting resistance testing, HIC & SSCC tests for NACE MR0175	ASTM A262 Practice E, NACE TM0284
Dimensional & Hydrostatic	Full vernier caliper, micrometer wall verification, Hydrostatic pressure holding test up to design limits	ASME B36.10M / ASME B36.19M

EXPORT PACKAGING & SEA-WORTHY LOGISTICS

ZERO DAMAGE GUARANTEE

Pipes & Heavy Tubing

End plastic caps, hexagonal bundling with high tensile steel strapping, waterproof plastic wrapping, timber wooden cradles for long sea voyages.

Plates, Sheets & Coils

Fumigated wooden skids, corrugated sheet wrapping, moisture-absorbing silica pouches, metal edge corner protectors to prevent transit bending.

Fittings, Flanges & Fasteners

Individually wrapped with bubble film, packed in ISPM-15 heat-treated fumigated wooden plywood boxes with inner poly-liner protection.

Documentation & Shipping

Commercial Invoice, Packing List, Certificate of Origin (Chamber of Commerce), Bill of Lading, Legalized Embassy docs, Letter of Credit (LC) compliant.

REGISTER TATVAM OVERSEAS INC AS YOUR APPROVED VENDOR

Send your tender inquiries, Bill of Materials (BOM), or stock availability checks to our senior sales desk. We respond within 2 to 4 hours with official quotations and MTC samples.

REGISTERED OFFICE

61, Jamnadas Building, Shop 5 & 6,
10th Khetwadi Back Road, Girgaon,
Mumbai - 400004, Maharashtra, India

TRADING HUB & WAREHOUSE

39/41, Kamal Building, 1st Kumbharwada
Lane,
Near Round Temple, Bhandari Street,
Mumbai - 400004, Maharashtra, India

DIRECT ENQUIRIES & DESK

Email:
sales@tatvamoverseasinc.com

Export:
export@tatvamoverseasinc.com

Phone:
+91 90828 34775

/

+91 98696 07960

Web:

www.tatvamoverseasinc.com