Hybrid training under residual misspecification

Results by dataset × misspec family × γ × method

Exact-greedy CTR (%), paired contrasts, and DiD with 95% t CIs

OPC project

November 11, 2026

Abstract

This note explains the experiment from first principles and then reports **every locked cell with numbers**: absolute CTR levels, method contrasts (hybrid / OPC vs NLL), and difference-in-differences (DiD) with 95% confidence intervals. Tables are stratified by **dataset**, **misspec family**, γ, and **method**. The full hybrid grid (`nlres_grid_*`, n=40, methods including $f \in \{0.25, 0.5, 0.75\}$ and adapt) is still running for non-ML catalogs; ML SoftAND / SoftThresh / $R^\star$ grids and earlier multi-dataset $R^\star$ locks are included.

Contents

1 Problem setup (for a reader not in the loop) 3
- 1.1 Offline policy learning with logged bandit feedback . . . 3
- 1.2 Ground-truth world and the misspecification dial γ . . . 3
- 1.3 Learners . . . 3
- 1.4 Estimands: levels, contrasts, DiD . . . 3
- 1.5 Decision regret (no γ oracle) . . . 3

2 Status snapshot 4

3 Full-grid study matrix (complete picture) 4

4 When to use hybrid (aggregate) 8

5 Dial calibration (MovieLens reward ratios) 8

6 Compact DiD index (primary contrasts; includes partial n) 8

7 Results by setup 12
- 7.1 anime / R* . . . 12
  - 7.1.1 anime / R* / $\gamma = 0$ . . . 12
  - 7.1.2 anime / R* / $\gamma = 0.25$ . . . 12
  - 7.1.3 anime / R* / $\gamma = 0.5$ . . . 13
  - 7.1.4 anime / R* / $\gamma = 0.6$ . . . 13
  - 7.1.5 anime / R* / $\gamma = 0.75$ . . . 14
  - 7.1.6 anime / R* / $\gamma = 1$ . . . 14
  - 7.1.7 anime / R* / $\gamma = 2$ . . . 15
  - 7.1.8 anime / R* / $\gamma = 4$ . . . 15
  - 7.1.9 anime / R* / $\gamma = 10$ . . . 16
  - 7.1.10 anime / R* / $\gamma = 100$ . . . 16
- 7.2 anime / SoftAND* . . . 18
  - 7.2.1 anime / SoftAND* / $\gamma = 0$ . . . 18
  - 7.2.2 anime / SoftAND* / $\gamma = 0.25$ . . . 18
  - 7.2.3 anime / SoftAND* / $\gamma = 0.5$ . . . 19
  - 7.2.4 anime / SoftAND* / $\gamma = 0.6$ . . . 19
  - 7.2.5 anime / SoftAND* / $\gamma = 0.75$ . . . 20
  - 7.2.6 anime / SoftAND* / $\gamma = 1$ . . . 20
  - 7.2.7 anime / SoftAND* / $\gamma = 2$ . . . 21
  - 7.2.8 anime / SoftAND* / $\gamma = 4$ . . . 21
  - 7.2.9 anime / SoftAND* / $\gamma = 10$ . . . 22
  - 7.2.10 anime / SoftAND* / $\gamma = 100$ . . . 22

7.3 anime / SoftThreshτ1.5 . . . 24
7.3.1 anime / SoftThreshτ1.5 / $\gamma = 0$ . . . 24
7.3.2 anime / SoftThreshτ1.5 / $\gamma = 0.25$ . . . 24
7.3.3 anime / SoftThreshτ1.5 / $\gamma = 0.5$ . . . 24
7.3.4 anime / SoftThreshτ1.5 / $\gamma = 0.6$ . . . 25
7.3.5 anime / SoftThreshτ1.5 / $\gamma = 0.75$ . . . 25
7.3.6 anime / SoftThreshτ1.5 / $\gamma = 1$ . . . 26
7.3.7 anime / SoftThreshτ1.5 / $\gamma = 2$ . . . 26
7.3.8 anime / SoftThreshτ1.5 / $\gamma = 4$ . . . 27
7.3.9 anime / SoftThreshτ1.5 / $\gamma = 10$ . . . 27
7.3.10 anime / SoftThreshτ1.5 / $\gamma = 100$ . . . 28
7.4 kuairand / R*-full . . . 29
7.4.1 kuairand / R*-full / $\gamma = 0$ . . . 29
7.4.2 kuairand / R*-full / $\gamma = 0.25$ . . . 29
7.4.3 kuairand / R*-full / $\gamma = 0.5$ . . . 29
7.4.4 kuairand / R*-full / $\gamma = 0.75$ . . . 30
7.4.5 kuairand / R*-full / $\gamma = 1$ . . . 31
7.4.6 kuairand / R*-full / $\gamma = 2$ . . . 31
7.4.7 kuairand / R*-full / $\gamma = 4$ . . . 32
7.4.8 kuairand / R*-full / $\gamma = 10$ . . . 32
7.4.9 kuairand / R*-full / $\gamma = 100$ . . . 33
7.5 kuairand / R*-mlsize . . . 34
7.5.1 kuairand / R*-mlsize / $\gamma = 0$ . . . 34
7.5.2 kuairand / R*-mlsize / $\gamma = 0.25$ . . . 34
7.5.3 kuairand / R*-mlsize / $\gamma = 0.5$ . . . 34
7.5.4 kuairand / R*-mlsize / $\gamma = 0.75$ . . . 35
7.5.5 kuairand / R*-mlsize / $\gamma = 1$ . . . 36
7.5.6 kuairand / R*-mlsize / $\gamma = 2$ . . . 36
7.5.7 kuairand / R*-mlsize / $\gamma = 4$ . . . 37
7.5.8 kuairand / R*-mlsize / $\gamma = 10$ . . . 37
7.5.9 kuairand / R*-mlsize / $\gamma = 100$ . . . 38
7.6 kuairand / SoftAND*-full . . . 39
7.6.1 kuairand / SoftAND*-full / $\gamma = 0$ . . . 39
7.6.2 kuairand / SoftAND*-full / $\gamma = 0.25$ . . . 39
7.6.3 kuairand / SoftAND*-full / $\gamma = 0.5$ . . . 39
7.6.4 kuairand / SoftAND*-full / $\gamma = 0.75$ . . . 40
7.6.5 kuairand / SoftAND*-full / $\gamma = 1$ . . . 40
7.6.6 kuairand / SoftAND*-full / $\gamma = 2$ . . . 41
7.6.7 kuairand / SoftAND*-full / $\gamma = 4$ . . . 41
7.6.8 kuairand / SoftAND*-full / $\gamma = 10$ . . . 42
7.6.9 kuairand / SoftAND*-full / $\gamma = 100$ . . . 42
7.7 kuairand / SoftAND*-mlsize . . . 44
7.7.1 kuairand / SoftAND*-mlsize / $\gamma = 0$ . . . 44
7.7.2 kuairand / SoftAND*-mlsize / $\gamma = 0.25$ . . . 44
7.7.3 kuairand / SoftAND*-mlsize / $\gamma = 0.5$ . . . 44
7.7.4 kuairand / SoftAND*-mlsize / $\gamma = 0.75$ . . . 45
7.7.5 kuairand / SoftAND*-mlsize / $\gamma = 1$ . . . 45
7.7.6 kuairand / SoftAND*-mlsize / $\gamma = 2$ . . . 46
7.7.7 kuairand / SoftAND*-mlsize / $\gamma = 4$ . . . 46
7.7.8 kuairand / SoftAND*-mlsize / $\gamma = 10$ . . . 47
7.7.9 kuairand / SoftAND*-mlsize / $\gamma = 100$ . . . 47
7.8 kuairand / SoftThreshτ1.5-full . . . 49
7.8.1 kuairand / SoftThreshτ1.5-full / $\gamma = 0$ . . . 49
7.8.2 kuairand / SoftThreshτ1.5-full / $\gamma = 0.25$ . . . 49
7.8.3 kuairand / SoftThreshτ1.5-full / $\gamma = 0.5$ . . . 49
7.8.4 kuairand / SoftThreshτ1.5-full / $\gamma = 0.75$ . . . 50
7.8.5 kuairand / SoftThreshτ1.5-full / $\gamma = 1$ . . . 50
7.8.6 kuairand / SoftThreshτ1.5-full / $\gamma = 2$ . . . 51
7.8.7 kuairand / SoftThreshτ1.5-full / $\gamma = 4$ . . . 51
7.8.8 kuairand / SoftThreshτ1.5-full / $\gamma = 10$ . . . 52
7.8.9 kuairand / SoftThreshτ1.5-full / $\gamma = 100$ . . . 52

7.9 kuairand / SoftThreshτ1.5-mlsize . . . 54
7.9.1 kuairand / SoftThreshτ1.5-mlsize / $\gamma = 0$ . . . 54
7.9.2 kuairand / SoftThreshτ1.5-mlsize / $\gamma = 0.25$ . . . 54
7.9.3 kuairand / SoftThreshτ1.5-mlsize / $\gamma = 0.5$ . . . 54
7.9.4 kuairand / SoftThreshτ1.5-mlsize / $\gamma = 0.75$ . . . 55
7.9.5 kuairand / SoftThreshτ1.5-mlsize / $\gamma = 1$ . . . 55
7.9.6 kuairand / SoftThreshτ1.5-mlsize / $\gamma = 2$ . . . 56
7.9.7 kuairand / SoftThreshτ1.5-mlsize / $\gamma = 4$ . . . 56
7.9.8 kuairand / SoftThreshτ1.5-mlsize / $\gamma = 10$ . . . 57
7.9.9 kuairand / SoftThreshτ1.5-mlsize / $\gamma = 100$ . . . 57
7.10 kuairec / R*-full . . . 59
7.10.1 kuairec / R*-full / $\gamma = 0$ . . . 59
7.10.2 kuairec / R*-full / $\gamma = 0.25$ . . . 59
7.10.3 kuairec / R*-full / $\gamma = 0.5$ . . . 59
7.10.4 kuairec / R*-full / $\gamma = 0.75$ . . . 60
7.10.5 kuairec / R*-full / $\gamma = 1$ . . . 61
7.10.6 kuairec / R*-full / $\gamma = 2$ . . . 61
7.10.7 kuairec / R*-full / $\gamma = 4$ . . . 62
7.10.8 kuairec / R*-full / $\gamma = 10$ . . . 62
7.10.9 kuairec / R*-full / $\gamma = 100$ . . . 63
7.11 kuairec / R*-mlsize . . . 64
7.11.1 kuairec / R*-mlsize / $\gamma = 0$ . . . 64
7.11.2 kuairec / R*-mlsize / $\gamma = 0.25$ . . . 64
7.11.3 kuairec / R*-mlsize / $\gamma = 0.5$ . . . 64
7.11.4 kuairec / R*-mlsize / $\gamma = 0.75$ . . . 65
7.11.5 kuairec / R*-mlsize / $\gamma = 1$ . . . 66
7.11.6 kuairec / R*-mlsize / $\gamma = 2$ . . . 66
7.11.7 kuairec / R*-mlsize / $\gamma = 4$ . . . 67
7.11.8 kuairec / R*-mlsize / $\gamma = 10$ . . . 67
7.11.9 kuairec / R*-mlsize / $\gamma = 100$ . . . 68
7.12 kuairec / SoftAND*-full . . . 69
7.12.1 kuairec / SoftAND*-full / $\gamma = 0$ . . . 69
7.12.2 kuairec / SoftAND*-full / $\gamma = 0.25$ . . . 69
7.12.3 kuairec / SoftAND*-full / $\gamma = 0.5$ . . . 69
7.12.4 kuairec / SoftAND*-full / $\gamma = 0.75$ . . . 70
7.12.5 kuairec / SoftAND*-full / $\gamma = 1$ . . . 70
7.12.6 kuairec / SoftAND*-full / $\gamma = 2$ . . . 71
7.12.7 kuairec / SoftAND*-full / $\gamma = 4$ . . . 71
7.12.8 kuairec / SoftAND*-full / $\gamma = 10$ . . . 72
7.12.9 kuairec / SoftAND*-full / $\gamma = 100$ . . . 72
7.13 kuairec / SoftAND*-mlsize . . . 74
7.13.1 kuairec / SoftAND*-mlsize / $\gamma = 0$ . . . 74
7.13.2 kuairec / SoftAND*-mlsize / $\gamma = 0.25$ . . . 74
7.13.3 kuairec / SoftAND*-mlsize / $\gamma = 0.5$ . . . 74
7.13.4 kuairec / SoftAND*-mlsize / $\gamma = 0.75$ . . . 75
7.13.5 kuairec / SoftAND*-mlsize / $\gamma = 1$ . . . 75
7.13.6 kuairec / SoftAND*-mlsize / $\gamma = 2$ . . . 76
7.13.7 kuairec / SoftAND*-mlsize / $\gamma = 4$ . . . 76
7.13.8 kuairec / SoftAND*-mlsize / $\gamma = 10$ . . . 77
7.13.9 kuairec / SoftAND*-mlsize / $\gamma = 100$ . . . 77
7.14 kuairec / SoftThreshτ1.5-full . . . 79
7.14.1 kuairec / SoftThreshτ1.5-full / $\gamma = 0$ . . . 79
7.14.2 kuairec / SoftThreshτ1.5-full / $\gamma = 0.25$ . . . 79
7.14.3 kuairec / SoftThreshτ1.5-full / $\gamma = 0.5$ . . . 79
7.14.4 kuairec / SoftThreshτ1.5-full / $\gamma = 0.75$ . . . 80
7.14.5 kuairec / SoftThreshτ1.5-full / $\gamma = 1$ . . . 80
7.14.6 kuairec / SoftThreshτ1.5-full / $\gamma = 2$ . . . 81
7.14.7 kuairec / SoftThreshτ1.5-full / $\gamma = 4$ . . . 81
7.14.8 kuairec / SoftThreshτ1.5-full / $\gamma = 10$ . . . 82
7.14.9 kuairec / SoftThreshτ1.5-full / $\gamma = 100$ . . . 82
7.15 kuairec / SoftThreshτ1.5-mlsize . . . 84

7.15.1 kuairec / SoftThreshτ1.5-mlsize / $\gamma = 0$ . . . 84
7.15.2 kuairec / SoftThreshτ1.5-mlsize / $\gamma = 0.25$ . . . 84
7.15.3 kuairec / SoftThreshτ1.5-mlsize / $\gamma = 0.5$ . . . 84
7.15.4 kuairec / SoftThreshτ1.5-mlsize / $\gamma = 0.75$ . . . 85
7.15.5 kuairec / SoftThreshτ1.5-mlsize / $\gamma = 1$ . . . 85
7.15.6 kuairec / SoftThreshτ1.5-mlsize / $\gamma = 2$ . . . 86
7.15.7 kuairec / SoftThreshτ1.5-mlsize / $\gamma = 4$ . . . 86
7.15.8 kuairec / SoftThreshτ1.5-mlsize / $\gamma = 10$ . . . 87
7.15.9 kuairec / SoftThreshτ1.5-mlsize / $\gamma = 100$ . . . 87
7.16 ml / R* . . . 89
7.16.1 ml / R* / $\gamma = 0$ . . . 89
7.16.2 ml / R* / $\gamma = 0.25$ . . . 89
7.16.3 ml / R* / $\gamma = 0.5$ . . . 90
7.16.4 ml / R* / $\gamma = 0.75$ . . . 90
7.16.5 ml / R* / $\gamma = 1$ . . . 91
7.16.6 ml / R* / $\gamma = 2$ . . . 92
7.16.7 ml / R* / $\gamma = 4$ . . . 92
7.16.8 ml / R* / $\gamma = 10$ . . . 93
7.16.9 ml / R* / $\gamma = 100$ . . . 93
7.17 ml / R*-adapt . . . 95
7.17.1 ml / R*-adapt / $\gamma = 0$ . . . 95
7.17.2 ml / R*-adapt / $\gamma = 0.5$ . . . 95
7.18 ml / SoftAND* . . . 96
7.18.1 ml / SoftAND* / $\gamma = 0$ . . . 96
7.18.2 ml / SoftAND* / $\gamma = 0.25$ . . . 96
7.18.3 ml / SoftAND* / $\gamma = 0.5$ . . . 97
7.18.4 ml / SoftAND* / $\gamma = 0.75$ . . . 97
7.18.5 ml / SoftAND* / $\gamma = 1$ . . . 98
7.18.6 ml / SoftAND* / $\gamma = 2$ . . . 99
7.18.7 ml / SoftAND* / $\gamma = 4$ . . . 99
7.18.8 ml / SoftAND* / $\gamma = 10$ . . . 100
7.18.9 ml / SoftAND* / $\gamma = 100$ . . . 101
7.19 ml / SoftAND*-adapt . . . 102
7.19.1 ml / SoftAND*-adapt / $\gamma = 0$ . . . 102
7.19.2 ml / SoftAND*-adapt / $\gamma = 100$ . . . 102
7.20 ml / SoftThresh-adapt . . . 103
7.20.1 ml / SoftThresh-adapt / $\gamma = 0$ . . . 103
7.20.2 ml / SoftThresh-adapt / $\gamma = 100$ . . . 103
7.21 ml / SoftThreshτ1.5 . . . 104
7.21.1 ml / SoftThreshτ1.5 / $\gamma = 0$ . . . 104
7.21.2 ml / SoftThreshτ1.5 / $\gamma = 0.25$ . . . 104
7.21.3 ml / SoftThreshτ1.5 / $\gamma = 0.5$ . . . 105
7.21.4 ml / SoftThreshτ1.5 / $\gamma = 0.75$ . . . 105
7.21.5 ml / SoftThreshτ1.5 / $\gamma = 1$ . . . 106
7.21.6 ml / SoftThreshτ1.5 / $\gamma = 2$ . . . 107
7.21.7 ml / SoftThreshτ1.5 / $\gamma = 4$ . . . 107
7.21.8 ml / SoftThreshτ1.5 / $\gamma = 10$ . . . 108
7.21.9 ml / SoftThreshτ1.5 / $\gamma = 100$ . . . 109
7.22 myket / R* . . . 110
7.22.1 myket / R* / $\gamma = 0$ . . . 110
7.22.2 myket / R* / $\gamma = 0.25$ . . . 110
7.22.3 myket / R* / $\gamma = 0.5$ . . . 110
7.22.4 myket / R* / $\gamma = 0.75$ . . . 111
7.22.5 myket / R* / $\gamma = 1$ . . . 112
7.22.6 myket / R* / $\gamma = 2$ . . . 112
7.22.7 myket / R* / $\gamma = 4$ . . . 113
7.22.8 myket / R* / $\gamma = 10$ . . . 113
7.22.9 myket / R* / $\gamma = 100$ . . . 114
7.23 myket / SoftAND* . . . 115
7.23.1 myket / SoftAND* / $\gamma = 0$ . . . 115
7.23.2 myket / SoftAND* / $\gamma = 0.25$ . . . 115

7.23.3 myket / SoftAND* / $\gamma = 0.5$ . . . 115
7.23.4 myket / SoftAND* / $\gamma = 0.75$ . . . 116
7.23.5 myket / SoftAND* / $\gamma = 1$ . . . 116
7.23.6 myket / SoftAND* / $\gamma = 2$ . . . 117
7.23.7 myket / SoftAND* / $\gamma = 4$ . . . 117
7.23.8 myket / SoftAND* / $\gamma = 10$ . . . 118
7.23.9 myket / SoftAND* / $\gamma = 100$ . . . 118
7.24 myket / SoftThreshτ1.5 . . . 120
7.24.1 myket / SoftThreshτ1.5 / $\gamma = 0$ . . . 120
7.24.2 myket / SoftThreshτ1.5 / $\gamma = 0.25$ . . . 120
7.24.3 myket / SoftThreshτ1.5 / $\gamma = 0.5$ . . . 120
7.24.4 myket / SoftThreshτ1.5 / $\gamma = 0.75$ . . . 121
7.24.5 myket / SoftThreshτ1.5 / $\gamma = 1$ . . . 121
7.24.6 myket / SoftThreshτ1.5 / $\gamma = 2$ . . . 122
7.24.7 myket / SoftThreshτ1.5 / $\gamma = 4$ . . . 122
7.24.8 myket / SoftThreshτ1.5 / $\gamma = 10$ . . . 123
7.24.9 myket / SoftThreshτ1.5 / $\gamma = 100$ . . . 123

8 Reproducibility **125**

1 Problem setup (for a reader not in the loop)

1.1 Offline policy learning with logged bandit feedback

We have users x, items / actions $a \in \mathcal{A}$, and binary rewards $r \in \{0, 1\}$ (click). A logging policy π_0 collected a dataset $\mathcal{D} = \{(x_i, a_i, r_i, p_i)\}$ with propensities $p_i = \pi_0(a_i \mid x_i)$. A learner outputs a new policy π_θ. We evaluate with the **exact-greedy CTR** of π_θ in a simulated world whose click probabilities $q(x, a) = \Pr(r{=}1 \mid x, a)$ are known to the evaluator (but not used as training labels for the policy, except through the usual reward model / IPS machinery of each method).

Reported metric (percentage points of CTR):

$$V(\pi) = 100 \cdot \mathbb{E}_{x\sim\nu}\Big[q\big(x, \arg\max_a \pi(a \mid x)\big)\Big]. \tag{1}$$

1.2 Ground-truth world and the misspecification dial γ

The environment logit is an affine-bilinear "clean" score plus a residual:

$$\ell_\gamma(x, a) = \underbrace{b + u_x^\top v_a}_{\text{GT bilinear}} + \gamma \cdot \alpha \cdot \phi(x, a), \qquad \mathrm{sd}(\phi) = 1, \tag{2}$$

and $q = \sigma(\ell_\gamma)$ after a global offset that freezes a target reference CTR (here 5% under the logger). The scalar $\gamma \geq 0$ is the **dial**: $\gamma = 0$ is well-specified bilinear truth; large γ makes the residual ϕ dominate ranking.

Three residual families ϕ are used (unit-SD by construction after normalization):

- $R^\star$ (even map on a second random projection; $s{=}1, m{=}4, \psi{=}\tanh$). Empirically $\mathrm{sd}(\gamma\alpha\phi)/\mathrm{sd}(\mathrm{GT}) \approx 2.4\gamma$ (overshoots the nominal dial).
- **SoftAND*** (multiplicative gate; tracks sd_ratio $\approx \gamma$).
- **SoftThresh**τ=1.5 (thresholded residual; also tracks sd_ratio $\approx \gamma$).

A useful summary of "how loud is ϕ" is the logit variance share $\mathrm{Var}(\gamma\alpha\phi)/\mathrm{Var}(\ell_\gamma)$. SoftAND / SoftThresh at γ=0.5 keep $\approx 20\%$ variance on ϕ; $R^\star$ at the same nominal γ is louder ($\approx 59\%$).

1.3 Learners

All primary learners are matched linear policies with Optuna-tuned LR / epochs ($n_{\text{train}}{=}10^5$, $n_{\text{val}}{=}2{\cdot}10^4$, 20 trials, bias cell `high`). Methods in the tables:

- **NLL**: maximum likelihood on logged clicks (no IPS correction).
- **OPC/DR**: doubly robust offline policy learning (direct method + IPS).
- **hybrid_seq_**f: train with NLL for the first fraction f of the (selected) epoch budget, then switch to DR for the remainder. Locked default $f^\star{=}0.5$; the full grid also reports $f \in \{0.25, 0.75\}$.
- **hybrid_seq_adapt**: start with NLL, switch to DR when validation NLL plateaus (patience 2), with switch fraction clipped to $[0.25, 0.75]$.

1.4 Estimands: levels, contrasts, DiD

For a fixed dataset, misspec family, and γ, write $V_m(\gamma)$ for method m. Paired over seeds $s = 1, \ldots, n$:

$$\Delta_{m,m'}(\gamma) = V_m(\gamma) - V_{m'}(\gamma), \tag{3}$$

$$\mathrm{DiD}_{m,m'}(\gamma_1; \gamma_0) = \Delta_{m,m'}(\gamma_1) - \Delta_{m,m'}(\gamma_0). \tag{4}$$

Primary contrast vs likelihood: $\Delta_{\mathrm{H,NLL}}$ with H = `hybrid_seq_f0.5`. DiD asks: *does the hybrid advantage over NLL grow when we turn up misspecification?* CIs are seed-level Student-t: $\bar{x} \pm t_{0.975,n-1}\,\mathrm{SE}$, with $\mathrm{SE} = s/\sqrt{n}$.

1.5 Decision regret (no γ oracle)

Across locked cells, cell regret of a rule that picks hybrid or NLL is the forgone $|\Delta_{\mathrm{H,NLL}}|$ when the pick disagrees with the sign of the estimated mean. Empirically, **always-hybrid** has far smaller summed regret than always-NLL when γ is unknown.

2 Status snapshot

- **ML full hybrid grid** (`nlres_grid_ml_*`): SoftAND complete across γ; SoftThresh / $R^\star$ largely complete or near-complete (n up to 40; some mid-cells still filling $f \in \{0.25, 0.75, \text{adapt}\}$).
- **Anime** grid: in flight (partial seeds).
- **Myket / KuaiRand / KuaiRec** full hybrid grids: queued; earlier Phase-1 $R^\star$ locks (n=20) are included below.
- SoftAND n=40 catchup on ML (seeds 320–339) is complete for prior tags.

3 Full-grid study matrix (complete picture)

Planned confirmatory grid: **192** cells (dataset×misspec×γ), each with methods OPC/DR, NLL, hybrid $f \in \{0.25, 0.5, 0.75\}$, adapt; target n=40 seeds. Status now: **18** complete, **23** partial, **151** did not run. Partial cells still contribute seed-level estimates below (with current n and CIs). Did-not-run cells appear explicitly as "did not run".

dataset	misspec	γ	status	n range (methods)	tag
anime	R*	0	partial	0–2	nlres_grid_anime_rstar_g0
anime	R*	0.25	partial	12	nlres_grid_anime_rstar_g0.25
anime	R*	0.5	partial	0–2	nlres_grid_anime_rstar_g0.5
anime	R*	0.6	partial	0–2	nlres_grid_anime_rstar_g0.6
anime	R*	0.75	partial	9–12	nlres_grid_anime_rstar_g0.75
anime	R*	1	partial	0–2	nlres_grid_anime_rstar_g1
anime	R*	2	partial	9–12	nlres_grid_anime_rstar_g2
anime	R*	4	partial	12	nlres_grid_anime_rstar_g4
anime	R*	10	partial	9–12	nlres_grid_anime_rstar_g10
anime	R*	100	partial	0–2	nlres_grid_anime_rstar_g100
anime	SoftAND*	0	partial	33–36	nlres_grid_anime_softand_g0
anime	SoftAND*	0.25	partial	11–12	nlres_grid_anime_softand_g0.25
anime	SoftAND*	0.5	partial	0–2	nlres_grid_anime_softand_g0.5
anime	SoftAND*	0.6	did not run	0	nlres_grid_anime_softand_g0.6
anime	SoftAND*	0.75	partial	6	nlres_grid_anime_softand_g0.75
anime	SoftAND*	1	did not run	0	nlres_grid_anime_softand_g1
anime	SoftAND*	2	did not run	0	nlres_grid_anime_softand_g2
anime	SoftAND*	4	did not run	0	nlres_grid_anime_softand_g4
anime	SoftAND*	10	did not run	0	nlres_grid_anime_softand_g10
anime	SoftAND*	100	did not run	0	nlres_grid_anime_softand_g100
anime	SoftThreshτ1.5	0	did not run	0	nlres_grid_anime_softthresh_g0
anime	SoftThreshτ1.5	0.25	did not run	0	nlres_grid_anime_softthresh_g0.25
anime	SoftThreshτ1.5	0.5	did not run	0	nlres_grid_anime_softthresh_g0.5
anime	SoftThreshτ1.5	0.6	did not run	0	nlres_grid_anime_softthresh_g0.6
anime	SoftThreshτ1.5	0.75	did not run	0	nlres_grid_anime_softthresh_g0.75
anime	SoftThreshτ1.5	1	did not run	0	nlres_grid_anime_softthresh_g1
anime	SoftThreshτ1.5	2	did not run	0	nlres_grid_anime_softthresh_g2
anime	SoftThreshτ1.5	4	did not run	0	nlres_grid_anime_softthresh_g4
anime	SoftThreshτ1.5	10	did not run	0	nlres_grid_anime_softthresh_g10
anime	SoftThreshτ1.5	100	did not run	0	nlres_grid_anime_softthresh_g100
kuairand	R*-full	0	did not run	0	nlres_grid_kuairand_full_rstar_g0
kuairand	R*-full	0.25	did not run	0	nlres_grid_kuairand_full_rstar_g0.25
kuairand	R*-full	0.5	did not run	0	nlres_grid_kuairand_full_rstar_g0.5
kuairand	R*-full	0.75	did not run	0	nlres_grid_kuairand_full_rstar_g0.75
kuairand	R*-full	1	did not run	0	nlres_grid_kuairand_full_rstar_g1
kuairand	R*-full	2	did not run	0	nlres_grid_kuairand_full_rstar_g2
kuairand	R*-full	4	did not run	0	nlres_grid_kuairand_full_rstar_g4
kuairand	R*-full	10	did not run	0	nlres_grid_kuairand_full_rstar_g10
kuairand	R*-full	100	did not run	0	nlres_grid_kuairand_full_rstar_g100
kuairand	R*-mlsize	0	did not run	0	nlres_grid_kuairand_ml_rstar_g0
kuairand	R*-mlsize	0.25	did not run	0	nlres_grid_kuairand_ml_rstar_g0.25
kuairand	R*-mlsize	0.5	did not run	0	nlres_grid_kuairand_ml_rstar_g0.5
kuairand	R*-mlsize	0.75	did not run	0	nlres_grid_kuairand_ml_rstar_g0.75
kuairand	R*-mlsize	1	did not run	0	nlres_grid_kuairand_ml_rstar_g1
kuairand	R*-mlsize	2	did not run	0	nlres_grid_kuairand_ml_rstar_g2
kuairand	R*-mlsize	4	did not run	0	nlres_grid_kuairand_ml_rstar_g4

dataset	misspec	γ	status	n range (methods)	tag
kuairand	R*-mlsize	10	did not run	0	nlres_grid_kuairand_ml_rstar_g10
kuairand	R*-mlsize	100	did not run	0	nlres_grid_kuairand_ml_rstar_g100
kuairand	SoftAND*-full	0	did not run	0	nlres_grid_kuairand_full_softand_g0
kuairand	SoftAND*-full	0.25	did not run	0	nlres_grid_kuairand_full_softand_g0.25
kuairand	SoftAND*-full	0.5	did not run	0	nlres_grid_kuairand_full_softand_g0.5
kuairand	SoftAND*-full	0.75	did not run	0	nlres_grid_kuairand_full_softand_g0.75
kuairand	SoftAND*-full	1	did not run	0	nlres_grid_kuairand_full_softand_g1
kuairand	SoftAND*-full	2	did not run	0	nlres_grid_kuairand_full_softand_g2
kuairand	SoftAND*-full	4	did not run	0	nlres_grid_kuairand_full_softand_g4
kuairand	SoftAND*-full	10	did not run	0	nlres_grid_kuairand_full_softand_g10
kuairand	SoftAND*-full	100	did not run	0	nlres_grid_kuairand_full_softand_g100
kuairand	SoftAND*-mlsize	0	did not run	0	nlres_grid_kuairand_ml_softand_g0
kuairand	SoftAND*-mlsize	0.25	did not run	0	nlres_grid_kuairand_ml_softand_g0.25
kuairand	SoftAND*-mlsize	0.5	did not run	0	nlres_grid_kuairand_ml_softand_g0.5
kuairand	SoftAND*-mlsize	0.75	did not run	0	nlres_grid_kuairand_ml_softand_g0.75
kuairand	SoftAND*-mlsize	1	did not run	0	nlres_grid_kuairand_ml_softand_g1
kuairand	SoftAND*-mlsize	2	did not run	0	nlres_grid_kuairand_ml_softand_g2
kuairand	SoftAND*-mlsize	4	did not run	0	nlres_grid_kuairand_ml_softand_g4
kuairand	SoftAND*-mlsize	10	did not run	0	nlres_grid_kuairand_ml_softand_g10
kuairand	SoftAND*-mlsize	100	did not run	0	nlres_grid_kuairand_ml_softand_g100
kuairand	SoftThreshτ1.5-full	0	did not run	0	nlres_grid_kuairand_full_softthresh_g0
kuairand	SoftThreshτ1.5-full	0.25	did not run	0	nlres_grid_kuairand_full_softthresh_g0.25
kuairand	SoftThreshτ1.5-full	0.5	did not run	0	nlres_grid_kuairand_full_softthresh_g0.5
kuairand	SoftThreshτ1.5-full	0.75	did not run	0	nlres_grid_kuairand_full_softthresh_g0.75
kuairand	SoftThreshτ1.5-full	1	did not run	0	nlres_grid_kuairand_full_softthresh_g1
kuairand	SoftThreshτ1.5-full	2	did not run	0	nlres_grid_kuairand_full_softthresh_g2
kuairand	SoftThreshτ1.5-full	4	did not run	0	nlres_grid_kuairand_full_softthresh_g4
kuairand	SoftThreshτ1.5-full	10	did not run	0	nlres_grid_kuairand_full_softthresh_g10
kuairand	SoftThreshτ1.5-full	100	did not run	0	nlres_grid_kuairand_full_softthresh_g100
kuairand	SoftThreshτ1.5-mlsize	0	did not run	0	nlres_grid_kuairand_ml_softthresh_g0
kuairand	SoftThreshτ1.5-mlsize	0.25	did not run	0	nlres_grid_kuairand_ml_softthresh_g0.25
kuairand	SoftThreshτ1.5-mlsize	0.5	did not run	0	nlres_grid_kuairand_ml_softthresh_g0.5
kuairand	SoftThreshτ1.5-mlsize	0.75	did not run	0	nlres_grid_kuairand_ml_softthresh_g0.75
kuairand	SoftThreshτ1.5-mlsize	1	did not run	0	nlres_grid_kuairand_ml_softthresh_g1
kuairand	SoftThreshτ1.5-mlsize	2	did not run	0	nlres_grid_kuairand_ml_softthresh_g2
kuairand	SoftThreshτ1.5-mlsize	4	did not run	0	nlres_grid_kuairand_ml_softthresh_g4
kuairand	SoftThreshτ1.5-mlsize	10	did not run	0	nlres_grid_kuairand_ml_softthresh_g10
kuairand	SoftThreshτ1.5-mlsize	100	did not run	0	nlres_grid_kuairand_ml_softthresh_g100
kuairec	R*-full	0	did not run	0	nlres_grid_kuairec_full_rstar_g0
kuairec	R*-full	0.25	did not run	0	nlres_grid_kuairec_full_rstar_g0.25
kuairec	R*-full	0.5	did not run	0	nlres_grid_kuairec_full_rstar_g0.5
kuairec	R*-full	0.75	did not run	0	nlres_grid_kuairec_full_rstar_g0.75
kuairec	R*-full	1	did not run	0	nlres_grid_kuairec_full_rstar_g1
kuairec	R*-full	2	did not run	0	nlres_grid_kuairec_full_rstar_g2
kuairec	R*-full	4	did not run	0	nlres_grid_kuairec_full_rstar_g4
kuairec	R*-full	10	did not run	0	nlres_grid_kuairec_full_rstar_g10
kuairec	R*-full	100	did not run	0	nlres_grid_kuairec_full_rstar_g100
kuairec	R*-mlsize	0	did not run	0	nlres_grid_kuairec_ml_rstar_g0
kuairec	R*-mlsize	0.25	did not run	0	nlres_grid_kuairec_ml_rstar_g0.25
kuairec	R*-mlsize	0.5	did not run	0	nlres_grid_kuairec_ml_rstar_g0.5
kuairec	R*-mlsize	0.75	did not run	0	nlres_grid_kuairec_ml_rstar_g0.75
kuairec	R*-mlsize	1	did not run	0	nlres_grid_kuairec_ml_rstar_g1
kuairec	R*-mlsize	2	did not run	0	nlres_grid_kuairec_ml_rstar_g2
kuairec	R*-mlsize	4	did not run	0	nlres_grid_kuairec_ml_rstar_g4
kuairec	R*-mlsize	10	did not run	0	nlres_grid_kuairec_ml_rstar_g10
kuairec	R*-mlsize	100	did not run	0	nlres_grid_kuairec_ml_rstar_g100
kuairec	SoftAND*-full	0	did not run	0	nlres_grid_kuairec_full_softand_g0
kuairec	SoftAND*-full	0.25	did not run	0	nlres_grid_kuairec_full_softand_g0.25
kuairec	SoftAND*-full	0.5	did not run	0	nlres_grid_kuairec_full_softand_g0.5
kuairec	SoftAND*-full	0.75	did not run	0	nlres_grid_kuairec_full_softand_g0.75
kuairec	SoftAND*-full	1	did not run	0	nlres_grid_kuairec_full_softand_g1
kuairec	SoftAND*-full	2	did not run	0	nlres_grid_kuairec_full_softand_g2
kuairec	SoftAND*-full	4	did not run	0	nlres_grid_kuairec_full_softand_g4
kuairec	SoftAND*-full	10	did not run	0	nlres_grid_kuairec_full_softand_g10
kuairec	SoftAND*-full	100	did not run	0	nlres_grid_kuairec_full_softand_g100

dataset	misspec	γ	status	n range (methods)	tag
kuairec	SoftAND*-mlsize	0	did not run	0	nlres_grid_kuairec_ml_softand_g0
kuairec	SoftAND*-mlsize	0.25	did not run	0	nlres_grid_kuairec_ml_softand_g0.25
kuairec	SoftAND*-mlsize	0.5	did not run	0	nlres_grid_kuairec_ml_softand_g0.5
kuairec	SoftAND*-mlsize	0.75	did not run	0	nlres_grid_kuairec_ml_softand_g0.75
kuairec	SoftAND*-mlsize	1	did not run	0	nlres_grid_kuairec_ml_softand_g1
kuairec	SoftAND*-mlsize	2	did not run	0	nlres_grid_kuairec_ml_softand_g2
kuairec	SoftAND*-mlsize	4	did not run	0	nlres_grid_kuairec_ml_softand_g4
kuairec	SoftAND*-mlsize	10	did not run	0	nlres_grid_kuairec_ml_softand_g10
kuairec	SoftAND*-mlsize	100	did not run	0	nlres_grid_kuairec_ml_softand_g100
kuairec	SoftThreshτ1.5-full	0	did not run	0	nlres_grid_kuairec_full_softthresh_g0
kuairec	SoftThreshτ1.5-full	0.25	did not run	0	nlres_grid_kuairec_full_softthresh_g0.25
kuairec	SoftThreshτ1.5-full	0.5	did not run	0	nlres_grid_kuairec_full_softthresh_g0.5
kuairec	SoftThreshτ1.5-full	0.75	did not run	0	nlres_grid_kuairec_full_softthresh_g0.75
kuairec	SoftThreshτ1.5-full	1	did not run	0	nlres_grid_kuairec_full_softthresh_g1
kuairec	SoftThreshτ1.5-full	2	did not run	0	nlres_grid_kuairec_full_softthresh_g2
kuairec	SoftThreshτ1.5-full	4	did not run	0	nlres_grid_kuairec_full_softthresh_g4
kuairec	SoftThreshτ1.5-full	10	did not run	0	nlres_grid_kuairec_full_softthresh_g10
kuairec	SoftThreshτ1.5-full	100	did not run	0	nlres_grid_kuairec_full_softthresh_g100
kuairec	SoftThreshτ1.5-mlsize	0	did not run	0	nlres_grid_kuairec_ml_softthresh_g0
kuairec	SoftThreshτ1.5-mlsize	0.25	did not run	0	nlres_grid_kuairec_ml_softthresh_g0.25
kuairec	SoftThreshτ1.5-mlsize	0.5	did not run	0	nlres_grid_kuairec_ml_softthresh_g0.5
kuairec	SoftThreshτ1.5-mlsize	0.75	did not run	0	nlres_grid_kuairec_ml_softthresh_g0.75
kuairec	SoftThreshτ1.5-mlsize	1	did not run	0	nlres_grid_kuairec_ml_softthresh_g1
kuairec	SoftThreshτ1.5-mlsize	2	did not run	0	nlres_grid_kuairec_ml_softthresh_g2
kuairec	SoftThreshτ1.5-mlsize	4	did not run	0	nlres_grid_kuairec_ml_softthresh_g4
kuairec	SoftThreshτ1.5-mlsize	10	did not run	0	nlres_grid_kuairec_ml_softthresh_g10
kuairec	SoftThreshτ1.5-mlsize	100	did not run	0	nlres_grid_kuairec_ml_softthresh_g100
ml	R*	0	partial	36–38	nlres_grid_ml_rstar_g0
ml	R*	0.25	partial	0–3	nlres_grid_ml_rstar_g0.25
ml	R*	0.5	partial	0–2	nlres_grid_ml_rstar_g0.5
ml	R*	0.75	complete	40	nlres_grid_ml_rstar_g0.75
ml	R*	1	complete	40	nlres_grid_ml_rstar_g1
ml	R*	2	complete	40	nlres_grid_ml_rstar_g2
ml	R*	4	complete	40	nlres_grid_ml_rstar_g4
ml	R*	10	complete	40	nlres_grid_ml_rstar_g10
ml	R*	100	complete	40	nlres_grid_ml_rstar_g100
ml	SoftAND*	0	complete	40	nlres_grid_ml_softand_g0
ml	SoftAND*	0.25	complete	40	nlres_grid_ml_softand_g0.25
ml	SoftAND*	0.5	complete	40	nlres_grid_ml_softand_g0.5
ml	SoftAND*	0.75	complete	40	nlres_grid_ml_softand_g0.75
ml	SoftAND*	1	complete	40	nlres_grid_ml_softand_g1
ml	SoftAND*	2	complete	40	nlres_grid_ml_softand_g2
ml	SoftAND*	4	complete	40	nlres_grid_ml_softand_g4
ml	SoftAND*	10	complete	40	nlres_grid_ml_softand_g10
ml	SoftAND*	100	complete	40	nlres_grid_ml_softand_g100
ml	SoftThreshτ1.5	0	complete	40	nlres_grid_ml_softthresh_g0
ml	SoftThreshτ1.5	0.25	complete	40	nlres_grid_ml_softthresh_g0.25
ml	SoftThreshτ1.5	0.5	partial	36–38	nlres_grid_ml_softthresh_g0.5
ml	SoftThreshτ1.5	0.75	partial	0–3	nlres_grid_ml_softthresh_g0.75
ml	SoftThreshτ1.5	1	partial	34–36	nlres_grid_ml_softthresh_g1
ml	SoftThreshτ1.5	2	complete	40	nlres_grid_ml_softthresh_g2
ml	SoftThreshτ1.5	4	partial	0–2	nlres_grid_ml_softthresh_g4
ml	SoftThreshτ1.5	10	partial	0–2	nlres_grid_ml_softthresh_g10
ml	SoftThreshτ1.5	100	partial	35–38	nlres_grid_ml_softthresh_g100
myket	R*	0	did not run	0	nlres_grid_myket_rstar_g0
myket	R*	0.25	did not run	0	nlres_grid_myket_rstar_g0.25
myket	R*	0.5	did not run	0	nlres_grid_myket_rstar_g0.5
myket	R*	0.75	did not run	0	nlres_grid_myket_rstar_g0.75
myket	R*	1	did not run	0	nlres_grid_myket_rstar_g1
myket	R*	2	did not run	0	nlres_grid_myket_rstar_g2
myket	R*	4	did not run	0	nlres_grid_myket_rstar_g4
myket	R*	10	did not run	0	nlres_grid_myket_rstar_g10
myket	R*	100	did not run	0	nlres_grid_myket_rstar_g100
myket	SoftAND*	0	did not run	0	nlres_grid_myket_softand_g0
myket	SoftAND*	0.25	did not run	0	nlres_grid_myket_softand_g0.25

dataset	misspec	γ	status	n range (methods)	tag
myket	SoftAND*	0.5	did not run	0	nlres_grid_myket_softand_g0.5
myket	SoftAND*	0.75	did not run	0	nlres_grid_myket_softand_g0.75
myket	SoftAND*	1	did not run	0	nlres_grid_myket_softand_g1
myket	SoftAND*	2	did not run	0	nlres_grid_myket_softand_g2
myket	SoftAND*	4	did not run	0	nlres_grid_myket_softand_g4
myket	SoftAND*	10	did not run	0	nlres_grid_myket_softand_g10
myket	SoftAND*	100	did not run	0	nlres_grid_myket_softand_g100
myket	SoftThreshτ1.5	0	did not run	0	nlres_grid_myket_softthresh_g0
myket	SoftThreshτ1.5	0.25	did not run	0	nlres_grid_myket_softthresh_g0.25
myket	SoftThreshτ1.5	0.5	did not run	0	nlres_grid_myket_softthresh_g0.5
myket	SoftThreshτ1.5	0.75	did not run	0	nlres_grid_myket_softthresh_g0.75
myket	SoftThreshτ1.5	1	did not run	0	nlres_grid_myket_softthresh_g1
myket	SoftThreshτ1.5	2	did not run	0	nlres_grid_myket_softthresh_g2
myket	SoftThreshτ1.5	4	did not run	0	nlres_grid_myket_softthresh_g4
myket	SoftThreshτ1.5	10	did not run	0	nlres_grid_myket_softthresh_g10
myket	SoftThreshτ1.5	100	did not run	0	nlres_grid_myket_softthresh_g100

4 When to use hybrid (aggregate)

Prefer hybrid_seq_f0.5 as the default vs pure likelihood when residual misspecification strength is unknown. Across dataset×misspec cells, summed regret of always-NLL is much larger than always-hybrid: well-spec (γ=0) costs are typically ≤0.5–0.8pt, while mid/extreme ϕ misspec yields +0.5 to +6pt H–NLL with CI LB¿0 on most R* and extreme SoftAND/SoftThresh cells. Use pure NLL only when you have a strong prior of bilinear well-specification and need to squeeze the last γ=0 points (e.g. kuairand full-catalog γ=0). OPC–NLL≥0.5 is a conservative 'misspec is loud' flag but is not a good gate for switching away from hybrid—it misses many mid-γ hybrid wins where OPC still trails NLL.

Best regret rule. `hybrid_unless_OPC_NLL_le_-1.0`. Summed regret (pt): always-NLL 74.65, always-hybrid 3.52, rule 2.95. Sign agreement with H−NLL: 41; clear wins caught: 26/28.

5 Dial calibration (MovieLens reward ratios)

Uniform (x, a) pairs; designed sd(ϕ) = 1 so SoftAND/SoftThresh track sd_ratio ≈ γ. $R^\star$ overshoots (≈ 2.4×).

family	γ	sd_ratio	var_share$_\phi$	reward_ratio	CTR lift$_\phi$
rstar	0.00	0.000	0.0%	1.00	+0.00
rstar	0.25	0.597	26.3%	1.15	+0.00
rstar	0.50	1.194	58.7%	1.72	+0.01
rstar	0.75	1.791	76.2%	3.14	+0.02
rstar	1.00	2.388	85.1%	6.54	+0.03
rstar	2.00	4.776	95.8%	209.86	+0.04
rstar	4.00	9.551	98.9%	4.08e+05	+0.04
rstar	10.00	23.878	99.8%	4.47e+10	+0.04
rstar	100.00	238.776	100.0%	4.70e+10	+0.05
softand	0.00	0.000	0.0%	1.00	+0.00
softand	0.25	0.249	5.8%	1.04	+0.00
softand	0.50	0.498	19.9%	1.14	+0.00
softand	0.75	0.747	35.8%	1.27	+0.01
softand	1.00	0.996	49.8%	1.44	+0.01
softand	2.00	1.992	79.9%	2.43	+0.02
softand	4.00	3.984	94.1%	8.28	+0.03
softand	10.00	9.959	99.0%	896.35	+0.04
softand	100.00	99.592	100.0%	4.25e+10	+0.04
softthresh	0.00	0.000	0.0%	1.00	+0.00
softthresh	0.25	0.250	5.9%	1.04	+0.00
softthresh	0.50	0.500	20.0%	1.17	+0.00
softthresh	0.75	0.750	36.0%	1.35	+0.01
softthresh	1.00	1.001	50.0%	1.57	+0.01
softthresh	2.00	2.001	80.0%	3.16	+0.02
softthresh	4.00	4.003	94.1%	19.64	+0.03
softthresh	10.00	10.006	99.0%	2.41e+04	+0.04
softthresh	100.00	100.065	100.0%	4.25e+10	+0.04

6 Compact DiD index (primary contrasts; includes partial n)

All estimable DiDs with $n \geq 1$. Smaller n are partial runs — interpret CIs cautiously.

dataset	misspec	γ_0	γ_1	contrast	n	DiD	95% CI	status
anime	R*	0	0.6	$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	20	+0.10	[-0.26, +0.46]	complete
anime	R*	0	0.6	$V_{f0.5} - V_{\mathrm{NLL}}$	20	+0.50	[+0.08, +0.92]	complete
anime	SoftAND*	0	0.25	$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	9	-0.36	[-0.71, -0.02]	partial
anime	SoftAND*	0	0.25	$V_{f0.25} - V_{\mathrm{NLL}}$	9	+0.05	[-0.38, +0.47]	partial
anime	SoftAND*	0	0.25	$V_{f0.5} - V_{\mathrm{NLL}}$	9	+0.27	[-0.13, +0.68]	partial
anime	SoftAND*	0	0.25	$V_{f0.75} - V_{\mathrm{NLL}}$	9	+0.19	[-0.35, +0.72]	partial
anime	SoftAND*	0	0.25	$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	9	+0.17	[-0.43, +0.78]	partial

dataset	misspec	γ_0	γ_1	contrast	n	DiD	95% CI	status
anime	SoftAND*	0	0.75	$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	5	-0.50	[-1.53, +0.53]	partial
anime	SoftAND*	0	0.75	$V_{f0.25} - V_{\mathrm{NLL}}$	5	+0.18	[-1.20, +1.55]	partial
anime	SoftAND*	0	0.75	$V_{f0.5} - V_{\mathrm{NLL}}$	5	+1.47	[-0.33, +3.27]	partial
anime	SoftAND*	0	0.75	$V_{f0.75} - V_{\mathrm{NLL}}$	5	+1.79	[-0.53, +4.10]	partial
anime	SoftAND*	0	0.75	$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	5	+0.60	[-1.62, +2.82]	partial
kuairand	R*-full	0	0.5	$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	20	+0.17	[-0.28, +0.62]	complete
kuairand	R*-full	0	0.5	$V_{f0.5} - V_{\mathrm{NLL}}$	20	+0.61	[+0.12, +1.11]	complete
kuairand	R*-mlsize	0	0.5	$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	20	+1.18	[+0.69, +1.67]	complete
kuairand	R*-mlsize	0	0.5	$V_{f0.5} - V_{\mathrm{NLL}}$	20	+1.31	[+0.92, +1.69]	complete
kuairec	R*-full	0	0.5	$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	20	+1.56	[+0.92, +2.20]	complete
kuairec	R*-full	0	0.5	$V_{f0.5} - V_{\mathrm{NLL}}$	20	+1.30	[+0.72, +1.88]	complete
kuairec	R*-mlsize	0	0.5	$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	20	+0.94	[+0.46, +1.42]	complete
kuairec	R*-mlsize	0	0.5	$V_{f0.5} - V_{\mathrm{NLL}}$	20	+0.72	[-0.06, +1.50]	complete
ml	R*	0	0.25	$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	40	+0.26	[+0.03, +0.49]	complete
ml	R*	0	0.25	$V_{f0.5} - V_{\mathrm{NLL}}$	40	+0.36	[+0.12, +0.61]	complete
ml	R*	0	0.5	$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	40	+1.12	[+0.78, +1.47]	complete
ml	R*	0	0.5	$V_{f0.25} - V_{\mathrm{NLL}}$	10	+1.82	[+0.58, +3.05]	partial
ml	R*	0	0.5	$V_{f0.5} - V_{\mathrm{NLL}}$	40	+1.11	[+0.72, +1.50]	complete
ml	R*	0	0.5	$V_{f0.75} - V_{\mathrm{NLL}}$	10	+1.71	[+1.02, +2.39]	partial
ml	R*	0	0.75	$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	40	+2.01	[+1.59, +2.42]	complete
ml	R*	0	0.75	$V_{f0.25} - V_{\mathrm{NLL}}$	36	+1.75	[+1.20, +2.31]	partial
ml	R*	0	0.75	$V_{f0.5} - V_{\mathrm{NLL}}$	40	+1.73	[+1.23, +2.24]	complete
ml	R*	0	0.75	$V_{f0.75} - V_{\mathrm{NLL}}$	36	+1.67	[+1.28, +2.05]	partial
ml	R*	0	0.75	$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	36	+1.76	[+1.37, +2.15]	partial
ml	R*	0	1	$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	40	+2.66	[+2.22, +3.09]	complete
ml	R*	0	1	$V_{f0.25} - V_{\mathrm{NLL}}$	36	+2.45	[+1.90, +3.01]	partial
ml	R*	0	1	$V_{f0.5} - V_{\mathrm{NLL}}$	40	+2.28	[+1.78, +2.77]	complete
ml	R*	0	1	$V_{f0.75} - V_{\mathrm{NLL}}$	36	+2.17	[+1.69, +2.64]	partial
ml	R*	0	1	$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	36	+2.25	[+1.74, +2.76]	partial
ml	R*	0	2	$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	40	+4.46	[+3.96, +4.96]	complete
ml	R*	0	2	$V_{f0.25} - V_{\mathrm{NLL}}$	36	+3.48	[+2.69, +4.27]	partial
ml	R*	0	2	$V_{f0.5} - V_{\mathrm{NLL}}$	40	+3.63	[+2.95, +4.31]	complete
ml	R*	0	2	$V_{f0.75} - V_{\mathrm{NLL}}$	36	+3.33	[+2.68, +3.98]	partial
ml	R*	0	2	$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	36	+3.28	[+2.69, +3.88]	partial
ml	R*	0	4	$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	40	+5.56	[+5.02, +6.09]	complete
ml	R*	0	4	$V_{f0.25} - V_{\mathrm{NLL}}$	36	+4.32	[+3.46, +5.18]	partial
ml	R*	0	4	$V_{f0.5} - V_{\mathrm{NLL}}$	40	+4.22	[+3.46, +4.98]	complete
ml	R*	0	4	$V_{f0.75} - V_{\mathrm{NLL}}$	36	+4.19	[+3.44, +4.94]	partial
ml	R*	0	4	$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	36	+4.15	[+3.39, +4.91]	partial
ml	R*	0	10	$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	36	+6.24	[+5.67, +6.82]	partial
ml	R*	0	10	$V_{f0.25} - V_{\mathrm{NLL}}$	36	+4.72	[+3.88, +5.57]	partial
ml	R*	0	10	$V_{f0.5} - V_{\mathrm{NLL}}$	36	+4.84	[+3.93, +5.74]	partial
ml	R*	0	10	$V_{f0.75} - V_{\mathrm{NLL}}$	36	+4.49	[+3.66, +5.32]	partial
ml	R*	0	10	$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	36	+4.39	[+3.62, +5.15]	partial
ml	R*	0	100	$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	36	+6.55	[+5.89, +7.21]	partial
ml	R*	0	100	$V_{f0.25} - V_{\mathrm{NLL}}$	36	+4.81	[+3.95, +5.68]	partial
ml	R*	0	100	$V_{f0.5} - V_{\mathrm{NLL}}$	36	+4.76	[+3.95, +5.56]	partial
ml	R*	0	100	$V_{f0.75} - V_{\mathrm{NLL}}$	36	+4.44	[+3.66, +5.23]	partial
ml	R*	0	100	$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	36	+4.36	[+3.51, +5.21]	partial
ml	R*-adapt	0	0.5	$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	20	+1.35	[+0.88, +1.83]	complete
ml	R*-adapt	0	0.5	$V_{f0.5} - V_{\mathrm{NLL}}$	20	+1.19	[+0.59, +1.79]	complete
ml	R*-adapt	0	0.5	$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	20	+1.44	[+1.03, +1.85]	complete
ml	SoftAND*	0	0.25	$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	40	+0.00	[-0.19, +0.19]	complete
ml	SoftAND*	0	0.25	$V_{f0.25} - V_{\mathrm{NLL}}$	40	+0.26	[+0.06, +0.46]	complete
ml	SoftAND*	0	0.25	$V_{f0.5} - V_{\mathrm{NLL}}$	40	+0.09	[-0.11, +0.28]	complete
ml	SoftAND*	0	0.25	$V_{f0.75} - V_{\mathrm{NLL}}$	40	+0.19	[-0.03, +0.41]	complete
ml	SoftAND*	0	0.25	$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	40	+0.22	[-0.00, +0.45]	complete
ml	SoftAND*	0	0.5	$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	40	+0.13	[-0.08, +0.34]	complete
ml	SoftAND*	0	0.5	$V_{f0.25} - V_{\mathrm{NLL}}$	40	+0.39	[+0.15, +0.63]	complete
ml	SoftAND*	0	0.5	$V_{f0.5} - V_{\mathrm{NLL}}$	40	+0.35	[+0.13, +0.58]	complete
ml	SoftAND*	0	0.5	$V_{f0.75} - V_{\mathrm{NLL}}$	40	+0.42	[+0.15, +0.68]	complete
ml	SoftAND*	0	0.5	$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	40	+0.38	[+0.11, +0.65]	complete
ml	SoftAND*	0	0.75	$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	40	+0.35	[+0.10, +0.60]	complete
ml	SoftAND*	0	0.75	$V_{f0.25} - V_{\mathrm{NLL}}$	40	+0.71	[+0.41, +1.02]	complete
ml	SoftAND*	0	0.75	$V_{f0.5} - V_{\mathrm{NLL}}$	40	+0.55	[+0.23, +0.86]	complete

dataset	misspec	γ_0	γ_1	contrast	n	DiD	95% CI	status
ml	SoftAND*	0	0.75	$V_{f0.75} - V_{\mathrm{NLL}}$	40	+0.70	[+0.38, +1.03]	complete
ml	SoftAND*	0	0.75	$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	40	+0.76	[+0.43, +1.09]	complete
ml	SoftAND*	0	1	$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	40	+0.47	[+0.21, +0.73]	complete
ml	SoftAND*	0	1	$V_{f0.25} - V_{\mathrm{NLL}}$	40	+0.73	[+0.34, +1.12]	complete
ml	SoftAND*	0	1	$V_{f0.5} - V_{\mathrm{NLL}}$	40	+0.82	[+0.52, +1.13]	complete
ml	SoftAND*	0	1	$V_{f0.75} - V_{\mathrm{NLL}}$	40	+0.82	[+0.46, +1.18]	complete
ml	SoftAND*	0	1	$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	40	+0.81	[+0.47, +1.15]	complete
ml	SoftAND*	0	2	$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	40	+1.05	[+0.72, +1.38]	complete
ml	SoftAND*	0	2	$V_{f0.25} - V_{\mathrm{NLL}}$	40	+1.47	[+0.88, +2.06]	complete
ml	SoftAND*	0	2	$V_{f0.5} - V_{\mathrm{NLL}}$	40	+1.71	[+1.24, +2.18]	complete
ml	SoftAND*	0	2	$V_{f0.75} - V_{\mathrm{NLL}}$	40	+1.52	[+1.15, +1.90]	complete
ml	SoftAND*	0	2	$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	40	+1.53	[+1.10, +1.96]	complete
ml	SoftAND*	0	4	$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	40	+1.88	[+1.43, +2.32]	complete
ml	SoftAND*	0	4	$V_{f0.25} - V_{\mathrm{NLL}}$	40	+2.43	[+1.77, +3.09]	complete
ml	SoftAND*	0	4	$V_{f0.5} - V_{\mathrm{NLL}}$	40	+2.54	[+1.94, +3.13]	complete
ml	SoftAND*	0	4	$V_{f0.75} - V_{\mathrm{NLL}}$	40	+2.43	[+1.88, +2.97]	complete
ml	SoftAND*	0	4	$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	40	+2.42	[+1.86, +2.98]	complete
ml	SoftAND*	0	10	$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	40	+3.16	[+2.56, +3.76]	complete
ml	SoftAND*	0	10	$V_{f0.25} - V_{\mathrm{NLL}}$	40	+3.41	[+2.65, +4.17]	complete
ml	SoftAND*	0	10	$V_{f0.5} - V_{\mathrm{NLL}}$	40	+3.51	[+2.71, +4.32]	complete
ml	SoftAND*	0	10	$V_{f0.75} - V_{\mathrm{NLL}}$	40	+3.43	[+2.62, +4.23]	complete
ml	SoftAND*	0	10	$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	40	+3.38	[+2.57, +4.20]	complete
ml	SoftAND*	0	100	$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	40	+3.92	[+3.22, +4.62]	complete
ml	SoftAND*	0	100	$V_{f0.25} - V_{\mathrm{NLL}}$	40	+3.49	[+2.67, +4.32]	complete
ml	SoftAND*	0	100	$V_{f0.5} - V_{\mathrm{NLL}}$	40	+3.38	[+2.50, +4.25]	complete
ml	SoftAND*	0	100	$V_{f0.75} - V_{\mathrm{NLL}}$	40	+3.45	[+2.53, +4.38]	complete
ml	SoftAND*	0	100	$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	40	+3.40	[+2.48, +4.32]	complete
ml	SoftAND*-adapt	0	100	$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	20	+3.71	[+2.59, +4.83]	complete
ml	SoftAND*-adapt	0	100	$V_{f0.5} - V_{\mathrm{NLL}}$	20	+3.80	[+2.33, +5.26]	complete
ml	SoftAND*-adapt	0	100	$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	20	+3.64	[+2.22, +5.05]	complete
ml	SoftThresh-adapt	0	100	$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	20	+6.20	[+5.11, +7.29]	complete
ml	SoftThresh-adapt	0	100	$V_{f0.5} - V_{\mathrm{NLL}}$	20	+6.71	[+5.22, +8.21]	complete
ml	SoftThresh-adapt	0	100	$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	20	+6.39	[+5.22, +7.55]	complete
ml	SoftThreshτ1.5	0	0.25	$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	40	-0.04	[-0.27, +0.19]	complete
ml	SoftThreshτ1.5	0	0.25	$V_{f0.25} - V_{\mathrm{NLL}}$	40	+0.28	[+0.01, +0.55]	complete
ml	SoftThreshτ1.5	0	0.25	$V_{f0.5} - V_{\mathrm{NLL}}$	40	+0.08	[-0.20, +0.36]	complete
ml	SoftThreshτ1.5	0	0.25	$V_{f0.75} - V_{\mathrm{NLL}}$	40	+0.24	[+0.00, +0.48]	complete
ml	SoftThreshτ1.5	0	0.25	$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	40	+0.33	[+0.08, +0.58]	complete
ml	SoftThreshτ1.5	0	0.5	$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	40	-0.02	[-0.32, +0.28]	complete
ml	SoftThreshτ1.5	0	0.5	$V_{f0.25} - V_{\mathrm{NLL}}$	36	+0.82	[+0.41, +1.24]	partial
ml	SoftThreshτ1.5	0	0.5	$V_{f0.5} - V_{\mathrm{NLL}}$	40	+0.66	[+0.25, +1.07]	complete
ml	SoftThreshτ1.5	0	0.5	$V_{f0.75} - V_{\mathrm{NLL}}$	36	+0.86	[+0.46, +1.27]	partial
ml	SoftThreshτ1.5	0	0.5	$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	36	+0.87	[+0.49, +1.25]	partial
ml	SoftThreshτ1.5	0	0.75	$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	40	+0.13	[-0.29, +0.54]	complete
ml	SoftThreshτ1.5	0	0.75	$V_{f0.5} - V_{\mathrm{NLL}}$	40	+1.30	[+0.87, +1.73]	complete
ml	SoftThreshτ1.5	0	1	$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	40	+0.33	[-0.16, +0.81]	complete
ml	SoftThreshτ1.5	0	1	$V_{f0.25} - V_{\mathrm{NLL}}$	34	+1.26	[+0.76, +1.77]	partial
ml	SoftThreshτ1.5	0	1	$V_{f0.5} - V_{\mathrm{NLL}}$	40	+1.75	[+1.21, +2.30]	complete
ml	SoftThreshτ1.5	0	1	$V_{f0.75} - V_{\mathrm{NLL}}$	34	+1.71	[+1.19, +2.24]	partial
ml	SoftThreshτ1.5	0	1	$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	34	+1.68	[+1.12, +2.24]	partial
ml	SoftThreshτ1.5	0	2	$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	40	+1.99	[+1.32, +2.65]	complete
ml	SoftThreshτ1.5	0	2	$V_{f0.25} - V_{\mathrm{NLL}}$	40	+3.24	[+2.49, +3.99]	complete
ml	SoftThreshτ1.5	0	2	$V_{f0.5} - V_{\mathrm{NLL}}$	40	+3.50	[+2.86, +4.15]	complete
ml	SoftThreshτ1.5	0	2	$V_{f0.75} - V_{\mathrm{NLL}}$	40	+3.04	[+2.47, +3.61]	complete
ml	SoftThreshτ1.5	0	2	$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	40	+3.11	[+2.50, +3.71]	complete
ml	SoftThreshτ1.5	0	4	$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	40	+4.31	[+3.60, +5.02]	complete
ml	SoftThreshτ1.5	0	4	$V_{f0.5} - V_{\mathrm{NLL}}$	40	+5.51	[+4.82, +6.20]	complete
ml	SoftThreshτ1.5	0	10	$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	40	+5.75	[+4.91, +6.60]	complete
ml	SoftThreshτ1.5	0	10	$V_{f0.5} - V_{\mathrm{NLL}}$	40	+6.88	[+5.97, +7.79]	complete
ml	SoftThreshτ1.5	0	100	$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	40	+5.95	[+4.98, +6.91]	complete
ml	SoftThreshτ1.5	0	100	$V_{f0.25} - V_{\mathrm{NLL}}$	34	+6.53	[+5.43, +7.62]	partial
ml	SoftThreshτ1.5	0	100	$V_{f0.5} - V_{\mathrm{NLL}}$	40	+7.09	[+6.06, +8.12]	complete
ml	SoftThreshτ1.5	0	100	$V_{f0.75} - V_{\mathrm{NLL}}$	34	+6.21	[+5.41, +7.02]	partial
ml	SoftThreshτ1.5	0	100	$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	34	+6.13	[+5.29, +6.97]	partial
myket	R*	0	0.5	$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	20	+0.55	[-0.20, +1.31]	complete

dataset	misspec	γ_0	γ_1	contrast	n	DiD	95% CI	status
myket	R*	0	0.5	$V_{f0.5} - V_{\mathrm{NLL}}$	20	+0.69	[+0.16, +1.22]	complete

7 Results by setup

One small table per setup = (**dataset**, **misspec**, $\boldsymbol{\gamma}$). **Bold** marks the best finite entry in that table (highest CTR for levels; highest mean for contrasts / DiD). Partial runs keep their current n; missing methods are "did not run".

7.1 anime / R*

Grid cells: 10 (complete 0, partial 10, did not run 0); target $n = 40$.

7.1.1 anime / R* / $\gamma = 0$

Cell status: partial.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	partial	20	15.93	15.51	16.34
NLL	partial	20	16.49	15.83	17.14
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	partial	**20**	**16.71**	**15.93**	**17.48**
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	partial	20	-0.56	-0.95	-0.17
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	partial	20	+0.22	-0.11	+0.55
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{OPC}}$	partial	20	+0.78	+0.27	+1.29
H-nll_dr	partial	**20**	**+4.57**	**+2.99**	**+6.15**

7.1.2 anime / R* / $\gamma = 0.25$

Cell status: partial.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	partial	12	16.50	15.89	17.11
NLL	partial	12	16.75	15.90	17.61
hybrid f=0.25	partial	12	17.03	16.03	18.03
hybrid f=0.5	partial	**12**	**17.45**	**16.44**	**18.46**
hybrid f=0.75	partial	12	17.22	15.64	18.80
hybrid adapt	partial	12	17.10	15.58	18.63

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.1.3 anime / $\mathbf{R}^*$ / $\gamma = 0.5$

Cell status: partial.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.1.4 anime / $\mathbf{R}^*$ / $\gamma = 0.6$

Cell status: partial.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	partial	20	16.19	15.61	16.76
NLL	partial	20	16.65	16.02	17.27
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	partial	**20**	**17.37**	**16.60**	**18.13**
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	partial	20	-0.46	-0.99	+0.08
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	partial	20	+0.72	+0.39	+1.05
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{OPC}}$	partial	20	+1.18	+0.52	+1.83
H-nll_dr	partial	**20**	**+4.98**	**+3.47**	**+6.48**

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	partial	20	+0.10	-0.26	+0.46
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	partial	**20**	**+0.50**	**+0.08**	**+0.92**
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{OPC}}$	partial	20	+0.40	-0.09	+0.89
H-nll_dr	partial	20	+0.40	-0.16	+0.97

7.1.5 anime / $\mathbf{R}^*$ / $\gamma = 0.75$

Cell status: partial.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	partial	9	17.29	16.39	18.18
NLL	partial	9	17.08	16.44	17.73
hybrid f=0.25	partial	9	17.97	17.01	18.93
hybrid f=0.5	partial	**9**	**18.49**	**17.43**	**19.56**
hybrid f=0.75	partial	9	18.21	17.01	19.42
hybrid adapt	partial	9	17.64	15.39	19.89

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.1.6 anime / $\mathbf{R}^*$ / $\gamma = 1$

Cell status: partial.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.1.7 anime / $\mathbf{R}^*$ / $\gamma = 2$

Cell status: partial.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	partial	9	17.15	15.71	18.60
NLL	partial	9	16.43	14.73	18.12
hybrid f=0.25	partial	9	18.26	17.02	19.49
hybrid f=0.5	partial	9	18.40	17.02	19.77
hybrid f=0.75	partial	**9**	**18.40**	**17.07**	**19.72**
hybrid adapt	partial	9	18.22	16.85	19.59

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.1.8 anime / $\mathbf{R}^*$ / $\gamma = 4$

Cell status: partial.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	partial	12	16.19	15.02	17.36
NLL	partial	12	15.77	14.20	17.33
hybrid f=0.25	partial	12	17.30	16.11	18.49
hybrid f=0.5	partial	**12**	**17.78**	**16.63**	**18.92**
hybrid f=0.75	partial	12	17.36	16.03	18.70
hybrid adapt	partial	12	17.32	15.97	18.67

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.1.9 anime / $\mathbf{R}^*$ / $\gamma = 10$

Cell status: partial.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	partial	9	15.78	14.27	17.29
NLL	partial	9	15.23	13.06	17.39
hybrid f=0.25	partial	9	17.03	15.33	18.72
hybrid f=0.5	partial	**9**	**17.12**	**15.48**	**18.77**
hybrid f=0.75	partial	9	17.07	15.36	18.79
hybrid adapt	partial	9	16.98	15.25	18.71

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.1.10 anime / $\mathbf{R}^*$ / $\gamma = 100$

Cell status: partial.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). $\mathrm{DiD} = \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.2 anime / SoftAND*

Grid cells: 10 (complete 0, partial 4, did not run 6); target $n = 40$.

7.2.1 anime / SoftAND* / $\gamma = 0$

Cell status: partial.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	partial	33	15.92	15.56	16.28
NLL	partial	33	16.31	15.70	16.91
hybrid f=0.25	partial	33	16.18	15.55	16.82
hybrid f=0.5	partial	**33**	**16.44**	**15.77**	**17.11**
hybrid f=0.75	partial	33	16.26	15.38	17.14
hybrid adapt	partial	33	16.33	15.44	17.22

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	partial	9	-0.24	-1.24	+0.76
$V_{f0.25} - V_{\mathrm{NLL}}$	partial	9	-0.25	-1.59	+1.09
$V_{f0.5} - V_{\mathrm{NLL}}$	partial	9	+0.08	-1.12	+1.28
$V_{f0.75} - V_{\mathrm{NLL}}$	partial	9	+0.07	-1.58	+1.71
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	partial	9	+0.05	-1.55	+1.65
$V_{f0.5} - V_{\mathrm{OPC}}$	partial	**9**	**+0.32**	**-0.47**	**+1.11**
$V_{\mathrm{adapt}} - V_{\mathrm{OPC}}$	partial	9	+0.29	-1.32	+1.89
$V_{\mathrm{adapt}} - V_{f0.5}$	partial	9	-0.03	-1.16	+1.09

7.2.2 anime / SoftAND* / $\gamma = 0.25$

Cell status: partial.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	partial	9	16.23	15.05	17.41
NLL	partial	9	16.84	15.91	17.76
hybrid f=0.25	partial	9	16.63	15.05	18.22
hybrid f=0.5	partial	**9**	**17.19**	**15.51**	**18.87**
hybrid f=0.75	partial	9	17.09	14.84	19.35
hybrid adapt	partial	9	17.06	14.82	19.29

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	partial	9	-0.60	-1.70	+0.49
$V_{f0.25} - V_{\mathrm{NLL}}$	partial	9	-0.20	-1.72	+1.32
$V_{f0.5} - V_{\mathrm{NLL}}$	partial	9	+0.35	-1.04	+1.75
$V_{f0.75} - V_{\mathrm{NLL}}$	partial	9	+0.26	-1.56	+2.08
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	partial	9	+0.22	-1.59	+2.03
$V_{f0.5} - V_{\mathrm{OPC}}$	partial	**9**	**+0.96**	**+0.26**	**+1.65**
$V_{\mathrm{adapt}} - V_{\mathrm{OPC}}$	partial	9	+0.82	-0.78	+2.43
$V_{\mathrm{adapt}} - V_{f0.5}$	partial	9	-0.13	-1.49	+1.22

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	partial	9	-0.36	-0.71	-0.02
$V_{f0.25} - V_{\mathrm{NLL}}$	partial	9	+0.05	-0.38	+0.47
$V_{f0.5} - V_{\mathrm{NLL}}$	partial	9	+0.27	-0.13	+0.68
$V_{f0.75} - V_{\mathrm{NLL}}$	partial	9	+0.19	-0.35	+0.72
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	partial	9	+0.17	-0.43	+0.78
$V_{f0.5} - V_{\mathrm{OPC}}$	partial	**9**	**+0.63**	**+0.16**	**+1.11**
$V_{\mathrm{adapt}} - V_{\mathrm{OPC}}$	partial	9	+0.54	-0.03	+1.11
$V_{\mathrm{adapt}} - V_{f0.5}$	partial	9	-0.10	-0.59	+0.40

7.2.3 anime / SoftAND* / $\gamma = 0.5$

Cell status: partial.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.2.4 anime / SoftAND* / $\gamma = 0.6$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). $\mathrm{DiD} = \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.2.5 anime / SoftAND* / $\gamma = 0.75$

Cell status: partial.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	partial	5	16.73	14.39	19.06
NLL	partial	5	17.84	14.94	20.73
hybrid f=0.25	partial	5	17.41	14.54	20.28
hybrid f=0.5	partial	5	18.75	16.51	20.99
hybrid f=0.75	partial	**5**	**18.77**	**16.09**	**21.44**
hybrid adapt	partial	5	17.59	12.25	22.92

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	partial	5	-1.11	-3.34	+1.13
$V_{f0.25} - V_{\mathrm{NLL}}$	partial	5	-0.43	-2.29	+1.44
$V_{f0.5} - V_{\mathrm{NLL}}$	partial	5	+0.91	-0.78	+2.61
$V_{f0.75} - V_{\mathrm{NLL}}$	partial	5	+0.93	-0.45	+2.31
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	partial	5	-0.25	-4.17	+3.67
$V_{f0.5} - V_{\mathrm{OPC}}$	partial	**5**	**+2.02**	**+0.92**	**+3.13**
$V_{\mathrm{adapt}} - V_{\mathrm{OPC}}$	partial	5	+0.86	-3.82	+5.54
$V_{\mathrm{adapt}} - V_{f0.5}$	partial	5	-1.17	-4.86	+2.53

DiD vs $\gamma = 0$ (CTR points). $\mathrm{DiD} = \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	partial	5	-0.50	-1.53	+0.53
$V_{f0.25} - V_{\mathrm{NLL}}$	partial	5	+0.18	-1.20	+1.55
$V_{f0.5} - V_{\mathrm{NLL}}$	partial	5	+1.47	-0.33	+3.27
$V_{f0.75} - V_{\mathrm{NLL}}$	partial	5	+1.79	-0.53	+4.10
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	partial	5	+0.60	-1.62	+2.82
$V_{f0.5} - V_{\mathrm{OPC}}$	partial	**5**	**+1.97**	**+1.20**	**+2.74**
$V_{\mathrm{adapt}} - V_{\mathrm{OPC}}$	partial	5	+1.10	-0.54	+2.75
$V_{\mathrm{adapt}} - V_{f0.5}$	partial	5	-0.87	-2.43	+0.69

7.2.6 anime / SoftAND* / $\gamma = 1$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.2.7 anime / SoftAND* / $\gamma = 2$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.2.8 anime / SoftAND* / $\gamma = 4$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.2.9 anime / SoftAND* / $\gamma = 10$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.2.10 anime / SoftAND* / $\gamma = 100$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). $\mathrm{DiD} = \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.3 anime / SoftThreshτ1.5

Grid cells: 10 (complete 0, partial 0, did not run 10); target $n = 40$.

7.3.1 anime / SoftThreshτ1.5 / $\gamma = 0$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.3.2 anime / SoftThreshτ1.5 / $\gamma = 0.25$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.3.3 anime / SoftThreshτ1.5 / $\gamma = 0.5$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.3.4 anime / SoftThreshτ1.5 / $\gamma = 0.6$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.3.5 anime / SoftThreshτ1.5 / $\gamma = 0.75$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.3.6 anime / SoftThreshτ1.5 / $\gamma = 1$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.3.7 anime / SoftThreshτ1.5 / $\gamma = 2$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.3.8 anime / SoftThreshτ1.5 / $\gamma = 4$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.3.9 anime / SoftThreshτ1.5 / $\gamma = 10$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.3.10 anime / SoftThreshτ1.5 / $\gamma = 100$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.4 kuairand / R*-full

Grid cells: 9 (complete 0, partial 0, did not run 9); target $n = 40$.

7.4.1 kuairand / R*-full / $\gamma = 0$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	partial	20	20.78	20.36	21.19
NLL	partial	**20**	**22.15**	**21.78**	**22.52**
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	partial	20	21.57	21.29	21.85
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	partial	20	-1.38	-1.75	-1.00
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	partial	20	-0.58	-0.87	-0.30
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{OPC}}$	partial	**20**	**+0.79**	**+0.38**	**+1.21**
H-nll_dr	partial	20	-0.58	-0.87	-0.30

7.4.2 kuairand / R*-full / $\gamma = 0.25$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). $\mathrm{DiD} = \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.4.3 kuairand / R*-full / $\gamma = 0.5$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	partial	20	20.62	19.90	21.35
NLL	partial	20	21.83	21.04	22.62
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	partial	**20**	**21.86**	**21.06**	**22.66**
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	partial	20	-1.21	-1.66	-0.76
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	partial	20	+0.03	-0.41	+0.47
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{OPC}}$	partial	**20**	**+1.24**	**+0.83**	**+1.65**
H-nll_dr	partial	20	+0.05	-0.39	+0.49

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	partial	20	+0.17	-0.28	+0.62
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	partial	20	+0.61	+0.12	+1.11
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{OPC}}$	partial	20	+0.45	-0.04	+0.93
H-nll_dr	partial	**20**	**+0.63**	**+0.13**	**+1.13**

7.4.4 kuairand / R*-full / $\gamma = 0.75$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.4.5 kuairand / R*-full / $\gamma = 1$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). $\mathrm{DiD} = \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.4.6 kuairand / R*-full / $\gamma = 2$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). $\mathrm{DiD} = \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.4.7 kuairand / R*-full / $\gamma = 4$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). $\mathrm{DiD} = \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.4.8 kuairand / R*-full / $\gamma = 10$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). $\mathrm{DiD} = \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.4.9 kuairand / R*-full / $\gamma = 100$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). $\mathrm{DiD} = \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.5 kuairand / R*-mlsize

Grid cells: 9 (complete 0, partial 0, did not run 9); target $n = 40$.

7.5.1 kuairand / R*-mlsize / $\gamma = 0$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	partial	20	20.00	19.52	20.49
NLL	partial	**20**	**21.57**	**21.15**	**21.98**
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	partial	20	20.79	20.34	21.23
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	partial	20	-1.57	-1.97	-1.16
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	partial	20	-0.78	-1.04	-0.52
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{OPC}}$	partial	**20**	**+0.79**	**+0.39**	**+1.19**
H-nll_dr	partial	20	-0.79	-1.05	-0.52

7.5.2 kuairand / R*-mlsize / $\gamma = 0.25$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.5.3 kuairand / R*-mlsize / $\gamma = 0.5$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	partial	20	20.95	20.33	21.57
NLL	partial	20	21.34	20.69	21.98
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	partial	**20**	**21.86**	**21.21**	**22.51**
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	partial	20	-0.39	-0.79	+0.02
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	partial	20	+0.53	+0.14	+0.92
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{OPC}}$	partial	**20**	**+0.92**	**+0.51**	**+1.32**
H-nll_dr	partial	20	+0.45	+0.07	+0.83

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	partial	20	+1.18	+0.69	+1.67
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	partial	**20**	**+1.31**	**+0.92**	**+1.69**
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{OPC}}$	partial	20	+0.13	-0.30	+0.56
H-nll_dr	partial	20	+1.24	+0.83	+1.65

7.5.4 kuairand / R*-mlsize / $\gamma = 0.75$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.5.5 kuairand / R*-mlsize / $\gamma = 1$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). $\mathrm{DiD} = \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.5.6 kuairand / R*-mlsize / $\gamma = 2$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). $\mathrm{DiD} = \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.5.7 kuairand / R*-mlsize / $\gamma = 4$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). $\mathrm{DiD} = \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.5.8 kuairand / R*-mlsize / $\gamma = 10$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). $\mathrm{DiD} = \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.5.9 kuairand / R*-mlsize / $\gamma = 100$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). $\mathrm{DiD} = \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.6 kuairand / SoftAND*-full

Grid cells: 9 (complete 0, partial 0, did not run 9); target $n = 40$.

7.6.1 kuairand / SoftAND*-full / $\gamma = 0$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.6.2 kuairand / SoftAND*-full / $\gamma = 0.25$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.6.3 kuairand / SoftAND*-full / $\gamma = 0.5$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.6.4 kuairand / SoftAND*-full / $\gamma = 0.75$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.6.5 kuairand / SoftAND*-full / $\gamma = 1$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.6.6 kuairand / SoftAND*-full / $\gamma = 2$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.6.7 kuairand / SoftAND*-full / $\gamma = 4$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.6.8 kuairand / SoftAND*-full / $\gamma = 10$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.6.9 kuairand / SoftAND*-full / $\gamma = 100$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). $\mathrm{DiD} = \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.7 kuairand / SoftAND*-mlsize

Grid cells: 9 (complete 0, partial 0, did not run 9); target $n = 40$.

7.7.1 kuairand / SoftAND*-mlsize / $\gamma = 0$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.7.2 kuairand / SoftAND*-mlsize / $\gamma = 0.25$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). $\mathrm{DiD} = \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.7.3 kuairand / SoftAND*-mlsize / $\gamma = 0.5$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.7.4 kuairand / SoftAND*-mlsize / $\gamma = 0.75$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.7.5 kuairand / SoftAND*-mlsize / $\gamma = 1$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.7.6 kuairand / SoftAND*-mlsize / $\gamma = 2$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.7.7 kuairand / SoftAND*-mlsize / $\gamma = 4$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.7.8 kuairand / SoftAND*-mlsize / $\gamma = 10$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.7.9 kuairand / SoftAND*-mlsize / $\gamma = 100$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). $\mathrm{DiD} = \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.8 kuairand / SoftThreshτ1.5-full

Grid cells: 9 (complete 0, partial 0, did not run 9); target $n = 40$.

7.8.1 kuairand / SoftThreshτ1.5-full / $\gamma = 0$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.8.2 kuairand / SoftThreshτ1.5-full / $\gamma = 0.25$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.8.3 kuairand / SoftThreshτ1.5-full / $\gamma = 0.5$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.8.4 kuairand / SoftThreshτ1.5-full / $\gamma = 0.75$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.8.5 kuairand / SoftThreshτ1.5-full / $\gamma = 1$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.8.6 kuairand / SoftThreshτ1.5-full / $\gamma = 2$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.8.7 kuairand / SoftThreshτ1.5-full / $\gamma = 4$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.8.8 kuairand / SoftThreshτ1.5-full / $\gamma = 10$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.8.9 kuairand / SoftThreshτ1.5-full / $\gamma = 100$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). $\mathrm{DiD} = \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.9 kuairand / SoftThreshτ1.5-mlsize

Grid cells: 9 (complete 0, partial 0, did not run 9); target $n = 40$.

7.9.1 kuairand / SoftThreshτ1.5-mlsize / $\gamma = 0$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.9.2 kuairand / SoftThreshτ1.5-mlsize / $\gamma = 0.25$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.9.3 kuairand / SoftThreshτ1.5-mlsize / $\gamma = 0.5$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.9.4 kuairand / SoftThreshτ1.5-mlsize / $\gamma = 0.75$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.9.5 kuairand / SoftThreshτ1.5-mlsize / $\gamma = 1$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.9.6 kuairand / SoftThreshτ1.5-mlsize / $\gamma = 2$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.9.7 kuairand / SoftThreshτ1.5-mlsize / $\gamma = 4$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.9.8 kuairand / SoftThreshτ1.5-mlsize / $\gamma = 10$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.9.9 kuairand / SoftThreshτ1.5-mlsize / $\gamma = 100$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). $\mathrm{DiD} = \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.10 kuairec / R*-full

Grid cells: 9 (complete 0, partial 0, did not run 9); target $n = 40$.

7.10.1 kuairec / R*-full / $\gamma = 0$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	partial	20	20.54	19.74	21.34
NLL	partial	**20**	**22.27**	**21.55**	**23.00**
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	partial	20	21.59	20.67	22.50
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	partial	20	-1.74	-2.22	-1.25
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	partial	20	-0.68	-1.24	-0.12
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{OPC}}$	partial	**20**	**+1.05**	**+0.48**	**+1.62**
H-nll_dr	partial	20	-0.65	-1.22	-0.07

7.10.2 kuairec / R*-full / $\gamma = 0.25$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.10.3 kuairec / R*-full / $\gamma = 0.5$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	partial	20	21.81	20.96	22.65
NLL	partial	20	21.98	20.90	23.07
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	partial	**20**	**22.60**	**21.53**	**23.67**
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	partial	20	-0.18	-0.74	+0.39
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	partial	20	+0.62	+0.09	+1.14
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{OPC}}$	partial	**20**	**+0.79**	**+0.34**	**+1.24**
H-nll_dr	partial	20	+0.68	+0.13	+1.22

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	partial	**20**	**+1.56**	**+0.92**	**+2.20**
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	partial	20	+1.30	+0.72	+1.88
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{OPC}}$	partial	20	-0.26	-0.88	+0.36
H-nll_dr	partial	20	+1.32	+0.74	+1.91

7.10.4 kuairec / R*-full / $\gamma = 0.75$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.10.5 kuairec / R*-full / $\gamma = 1$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). $\mathrm{DiD} = \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.10.6 kuairec / R*-full / $\gamma = 2$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). $\mathrm{DiD} = \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.10.7 kuairec / R*-full / $\gamma = 4$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). $\mathrm{DiD} = \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.10.8 kuairec / R*-full / $\gamma = 10$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). $\mathrm{DiD} = \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.10.9 kuairec / R*-full / $\gamma = 100$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). $\mathrm{DiD} = \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.11 kuairec / R*-mlsize

Grid cells: 9 (complete 0, partial 0, did not run 9); target $n = 40$.

7.11.1 kuairec / R*-mlsize / $\gamma = 0$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	partial	20	22.02	21.40	22.63
NLL	partial	**20**	**23.01**	**22.25**	**23.76**
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	partial	20	22.87	22.22	23.53
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	partial	20	-0.99	-1.56	-0.42
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	partial	20	-0.13	-0.80	+0.53
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{OPC}}$	partial	**20**	**+0.85**	**+0.17**	**+1.54**
H-nll_dr	partial	20	-0.13	-0.79	+0.54

7.11.2 kuairec / R*-mlsize / $\gamma = 0.25$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). $\mathrm{DiD} = \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.11.3 kuairec / R*-mlsize / $\gamma = 0.5$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	partial	20	22.24	21.41	23.08
NLL	partial	20	22.29	21.34	23.24
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	partial	**20**	**22.87**	**21.86**	**23.88**
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	partial	20	-0.05	-0.47	+0.38
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	partial	20	+0.58	+0.12	+1.05
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{OPC}}$	partial	**20**	**+0.63**	**+0.10**	**+1.16**
H-nll_dr	partial	20	+0.60	+0.13	+1.07

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	partial	**20**	**+0.94**	**+0.46**	**+1.42**
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	partial	20	+0.72	-0.06	+1.50
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{OPC}}$	partial	20	-0.22	-1.00	+0.56
H-nll_dr	partial	20	+0.73	-0.05	+1.51

7.11.4 kuairec / R*-mlsize / $\gamma = 0.75$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.11.5 kuairec / R*-mlsize / $\gamma = 1$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). $\mathrm{DiD} = \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.11.6 kuairec / R*-mlsize / $\gamma = 2$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). $\mathrm{DiD} = \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.11.7 kuairec / R*-mlsize / $\gamma = 4$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). $\mathrm{DiD} = \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.11.8 kuairec / R*-mlsize / $\gamma = 10$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). $\mathrm{DiD} = \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.11.9 kuairec / R*-mlsize / $\gamma = 100$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). $\mathrm{DiD} = \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.12 kuairec / SoftAND*-full

Grid cells: 9 (complete 0, partial 0, did not run 9); target $n = 40$.

7.12.1 kuairec / SoftAND*-full / $\gamma = 0$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\text{OPC}} - V_{\text{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\text{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\text{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\text{NLL}}$	did not run	0	—	—	—
$V_{\text{adapt}} - V_{\text{NLL}}$	did not run	0	—	—	—

7.12.2 kuairec / SoftAND*-full / $\gamma = 0.25$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\text{OPC}} - V_{\text{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\text{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\text{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\text{NLL}}$	did not run	0	—	—	—
$V_{\text{adapt}} - V_{\text{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). $\text{DiD} = \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\text{OPC}} - V_{\text{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\text{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\text{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\text{NLL}}$	did not run	0	—	—	—
$V_{\text{adapt}} - V_{\text{NLL}}$	did not run	0	—	—	—

7.12.3 kuairec / SoftAND*-full / $\gamma = 0.5$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.12.4 kuairec / SoftAND*-full / $\gamma = 0.75$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.12.5 kuairec / SoftAND*-full / $\gamma = 1$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.12.6 kuairec / SoftAND*-full / $\gamma = 2$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.12.7 kuairec / SoftAND*-full / $\gamma = 4$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.12.8 kuairec / SoftAND*-full / $\gamma = 10$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.12.9 kuairec / SoftAND*-full / $\gamma = 100$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). $\mathrm{DiD} = \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.13 kuairec / SoftAND*-mlsize

Grid cells: 9 (complete 0, partial 0, did not run 9); target $n = 40$.

7.13.1 kuairec / SoftAND*-mlsize / $\gamma = 0$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.13.2 kuairec / SoftAND*-mlsize / $\gamma = 0.25$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). $\mathrm{DiD} = \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.13.3 kuairec / SoftAND*-mlsize / $\gamma = 0.5$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.13.4 kuairec / SoftAND*-mlsize / $\gamma = 0.75$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.13.5 kuairec / SoftAND*-mlsize / $\gamma = 1$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.13.6 kuairec / SoftAND*-mlsize / $\gamma = 2$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.13.7 kuairec / SoftAND*-mlsize / $\gamma = 4$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.13.8 kuairec / SoftAND*-mlsize / $\gamma = 10$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.13.9 kuairec / SoftAND*-mlsize / $\gamma = 100$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). $\mathrm{DiD} = \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.14 kuairec / SoftThreshτ1.5-full

Grid cells: 9 (complete 0, partial 0, did not run 9); target $n = 40$.

7.14.1 kuairec / SoftThreshτ1.5-full / $\gamma = 0$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.14.2 kuairec / SoftThreshτ1.5-full / $\gamma = 0.25$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.14.3 kuairec / SoftThreshτ1.5-full / $\gamma = 0.5$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.14.4 kuairec / SoftThreshτ1.5-full / $\gamma = 0.75$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.14.5 kuairec / SoftThreshτ1.5-full / $\gamma = 1$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.14.6 kuairec / SoftThreshτ1.5-full / $\gamma = 2$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.14.7 kuairec / SoftThreshτ1.5-full / $\gamma = 4$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.14.8 kuairec / SoftThreshτ1.5-full / $\gamma = 10$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.14.9 kuairec / SoftThreshτ1.5-full / $\gamma = 100$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). $\mathrm{DiD} = \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.15 kuairec / SoftThreshτ1.5-mlsize

Grid cells: 9 (complete 0, partial 0, did not run 9); target $n = 40$.

7.15.1 kuairec / SoftThreshτ1.5-mlsize / $\gamma = 0$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.15.2 kuairec / SoftThreshτ1.5-mlsize / $\gamma = 0.25$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.15.3 kuairec / SoftThreshτ1.5-mlsize / $\gamma = 0.5$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.15.4 kuairec / SoftThreshτ1.5-mlsize / $\gamma = 0.75$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.15.5 kuairec / SoftThreshτ1.5-mlsize / $\gamma = 1$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.15.6 kuairec / SoftThreshτ1.5-mlsize / $\gamma = 2$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.15.7 kuairec / SoftThreshτ1.5-mlsize / $\gamma = 4$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.15.8 kuairec / SoftThreshτ1.5-mlsize / $\gamma = 10$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.15.9 kuairec / SoftThreshτ1.5-mlsize / $\gamma = 100$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). $\mathrm{DiD} = \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.16 ml / R*

Grid cells: 9 (complete 6, partial 3, did not run 0); target $n = 40$.

7.16.1 ml / R* / $\gamma = 0$

Cell status: partial.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	complete	40	17.35	17.06	17.63
NLL	complete	**40**	**18.54**	**18.16**	**18.92**
hybrid f=0.25	partial	36	18.03	17.63	18.43
hybrid f=0.5	complete	40	18.37	18.08	18.65
hybrid f=0.75	partial	36	18.42	18.08	18.76
hybrid adapt	partial	36	18.41	18.05	18.78

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	complete	40	-1.19	-1.53	-0.85
$V_{f0.25} - V_{\mathrm{NLL}}$	partial	36	-0.53	-0.85	-0.20
$V_{f0.5} - V_{\mathrm{NLL}}$	complete	40	-0.17	-0.40	+0.06
$V_{f0.75} - V_{\mathrm{NLL}}$	partial	36	-0.13	-0.41	+0.14
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	partial	36	-0.14	-0.42	+0.14
$V_{f0.5} - V_{\mathrm{OPC}}$	complete	40	+1.02	+0.73	+1.31
$V_{\mathrm{adapt}} - V_{\mathrm{OPC}}$	partial	36	+1.11	+0.72	+1.50
$V_{\mathrm{adapt}} - V_{f0.5}$	partial	36	+0.04	-0.15	+0.22
H-nll_dr	partial	**20**	**+2.53**	**+0.52**	**+4.54**

7.16.2 ml / R* / $\gamma = 0.25$

Cell status: partial.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	complete	40	18.01	17.59	18.42
NLL	complete	40	18.94	18.41	19.46
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	complete	**40**	**19.13**	**18.64**	**19.61**
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	complete	40	-0.93	-1.31	-0.55
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	complete	40	+0.19	-0.11	+0.50
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{OPC}}$	complete	**40**	**+1.12**	**+0.83**	**+1.41**

DiD vs $\gamma = 0$ (CTR points). DiD = $\Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	complete	40	+0.26	+0.03	+0.49
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	complete	**40**	**+0.36**	**+0.12**	**+0.61**
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{OPC}}$	complete	40	+0.10	-0.15	+0.35

7.16.3 ml / R* / $\gamma = 0.5$

Cell status: partial.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	complete	40	19.05	18.58	19.52
NLL	complete	40	19.12	18.49	19.74
hybrid f=0.25	partial	10	19.10	17.81	20.40
hybrid f=0.5	complete	**40**	**20.06**	**19.43**	**20.68**
hybrid f=0.75	partial	10	19.56	18.76	20.36
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	complete	40	-0.07	-0.50	+0.37
$V_{f0.25} - V_{\mathrm{NLL}}$	partial	10	+1.14	-0.14	+2.42
$V_{f0.5} - V_{\mathrm{NLL}}$	complete	40	+0.94	+0.53	+1.35
$V_{f0.75} - V_{\mathrm{NLL}}$	partial	10	+1.60	+0.83	+2.36
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{OPC}}$	complete	40	+1.01	+0.56	+1.46
H-nll_dr	partial	**20**	**+3.42**	**+1.30**	**+5.54**

DiD vs $\gamma = 0$ (CTR points). DiD = $\Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	complete	40	+1.12	+0.78	+1.47
$V_{f0.25} - V_{\mathrm{NLL}}$	partial	**10**	**+1.82**	**+0.58**	**+3.05**
$V_{f0.5} - V_{\mathrm{NLL}}$	complete	40	+1.11	+0.72	+1.50
$V_{f0.75} - V_{\mathrm{NLL}}$	partial	10	+1.71	+1.02	+2.39
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{OPC}}$	complete	40	-0.01	-0.45	+0.42
H-nll_dr	partial	20	+0.90	+0.10	+1.69

7.16.4 ml / R* / $\gamma = 0.75$

Cell status: complete.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	complete	40	19.65	19.14	20.16
NLL	complete	40	18.91	18.21	19.61
hybrid f=0.25	complete	40	20.15	19.46	20.84
hybrid f=0.5	complete	40	20.47	19.78	21.16
hybrid f=0.75	complete	40	20.45	19.76	21.14
hybrid adapt	complete	**40**	**20.53**	**19.82**	**21.23**

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	complete	40	+0.82	+0.38	+1.25
$V_{f0.25} - V_{\mathrm{NLL}}$	partial	36	+1.23	+0.71	+1.74
$V_{f0.5} - V_{\mathrm{NLL}}$	complete	40	+1.56	+1.07	+2.06
$V_{f0.75} - V_{\mathrm{NLL}}$	partial	36	+1.54	+1.22	+1.85
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	partial	**36**	**+1.62**	**+1.29**	**+1.94**
$V_{f0.5} - V_{\mathrm{OPC}}$	complete	40	+0.75	+0.27	+1.22
$V_{\mathrm{adapt}} - V_{\mathrm{OPC}}$	partial	36	+0.88	+0.35	+1.40
$V_{\mathrm{adapt}} - V_{f0.5}$	partial	36	+0.06	-0.32	+0.43

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	complete	**40**	**+2.01**	**+1.59**	**+2.42**
$V_{f0.25} - V_{\mathrm{NLL}}$	partial	36	+1.75	+1.20	+2.31
$V_{f0.5} - V_{\mathrm{NLL}}$	complete	40	+1.73	+1.23	+2.24
$V_{f0.75} - V_{\mathrm{NLL}}$	partial	36	+1.67	+1.28	+2.05
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	partial	36	+1.76	+1.37	+2.15
$V_{f0.5} - V_{\mathrm{OPC}}$	complete	40	-0.27	-0.70	+0.15
$V_{\mathrm{adapt}} - V_{\mathrm{OPC}}$	partial	36	-0.23	-0.75	+0.29
$V_{\mathrm{adapt}} - V_{f0.5}$	partial	36	+0.02	-0.41	+0.45

7.16.5 ml / R* / $\gamma = 1$

Cell status: complete.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	complete	40	20.04	19.46	20.62
NLL	complete	40	18.64	17.89	19.38
hybrid f=0.25	complete	40	20.54	19.78	21.30
hybrid f=0.5	complete	40	20.71	20.00	21.41
hybrid f=0.75	complete	40	20.71	19.94	21.48
hybrid adapt	complete	**40**	**20.80**	**20.02**	**21.57**

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	complete	40	+1.47	+1.05	+1.89
$V_{f0.25} - V_{\mathrm{NLL}}$	partial	36	+1.93	+1.42	+2.44
$V_{f0.5} - V_{\mathrm{NLL}}$	complete	40	+2.11	+1.62	+2.59
$V_{f0.75} - V_{\mathrm{NLL}}$	partial	36	+2.03	+1.63	+2.44
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	partial	**36**	**+2.11**	**+1.65**	**+2.57**
$V_{f0.5} - V_{\mathrm{OPC}}$	complete	40	+0.64	+0.22	+1.06
$V_{\mathrm{adapt}} - V_{\mathrm{OPC}}$	partial	36	+0.69	+0.19	+1.20
$V_{\mathrm{adapt}} - V_{f0.5}$	partial	36	+0.08	-0.16	+0.31

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	complete	**40**	**+2.66**	**+2.22**	**+3.09**
$V_{f0.25} - V_{\mathrm{NLL}}$	partial	36	+2.45	+1.90	+3.01
$V_{f0.5} - V_{\mathrm{NLL}}$	complete	40	+2.28	+1.78	+2.77
$V_{f0.75} - V_{\mathrm{NLL}}$	partial	36	+2.17	+1.69	+2.64
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	partial	36	+2.25	+1.74	+2.76
$V_{f0.5} - V_{\mathrm{OPC}}$	complete	40	-0.38	-0.84	+0.08
$V_{\mathrm{adapt}} - V_{\mathrm{OPC}}$	partial	36	-0.42	-0.94	+0.10
$V_{\mathrm{adapt}} - V_{f0.5}$	partial	36	+0.04	-0.23	+0.31

7.16.6 ml / R* / $\gamma = 2$

Cell status: complete.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	complete	40	20.35	19.74	20.96
NLL	complete	40	17.08	16.37	17.78
hybrid f=0.25	complete	40	19.97	19.10	20.84
hybrid f=0.5	complete	**40**	**20.48**	**19.61**	**21.36**
hybrid f=0.75	complete	40	20.25	19.36	21.13
hybrid adapt	complete	40	20.20	19.35	21.04

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	complete	40	+3.26	+2.86	+3.67
$V_{f0.25} - V_{\mathrm{NLL}}$	partial	36	+2.95	+2.25	+3.65
$V_{f0.5} - V_{\mathrm{NLL}}$	complete	**40**	**+3.46**	**+2.87**	**+4.04**
$V_{f0.75} - V_{\mathrm{NLL}}$	partial	36	+3.20	+2.64	+3.75
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	partial	36	+3.14	+2.62	+3.66
$V_{f0.5} - V_{\mathrm{OPC}}$	complete	40	+0.19	-0.32	+0.70
$V_{\mathrm{adapt}} - V_{\mathrm{OPC}}$	partial	36	-0.17	-0.73	+0.40
$V_{\mathrm{adapt}} - V_{f0.5}$	partial	36	-0.29	-0.67	+0.09

DiD vs $\gamma = 0$ (CTR points). DiD = $\Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	complete	**40**	**+4.46**	**+3.96**	**+4.96**
$V_{f0.25} - V_{\mathrm{NLL}}$	partial	36	+3.48	+2.69	+4.27
$V_{f0.5} - V_{\mathrm{NLL}}$	complete	40	+3.63	+2.95	+4.31
$V_{f0.75} - V_{\mathrm{NLL}}$	partial	36	+3.33	+2.68	+3.98
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	partial	36	+3.28	+2.69	+3.88
$V_{f0.5} - V_{\mathrm{OPC}}$	complete	40	-0.83	-1.34	-0.32
$V_{\mathrm{adapt}} - V_{\mathrm{OPC}}$	partial	36	-1.28	-1.89	-0.66
$V_{\mathrm{adapt}} - V_{f0.5}$	partial	36	-0.33	-0.78	+0.12

7.16.7 ml / R* / $\gamma = 4$

Cell status: complete.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	complete	**40**	**20.02**	**19.44**	**20.60**
NLL	complete	40	15.65	15.01	16.29
hybrid f=0.25	complete	40	19.44	18.53	20.35
hybrid f=0.5	complete	40	19.64	18.78	20.50
hybrid f=0.75	complete	40	19.65	18.78	20.51
hybrid adapt	complete	40	19.58	18.65	20.50

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	complete	**40**	**+4.37**	**+3.96**	**+4.78**
$V_{f0.25} - V_{\mathrm{NLL}}$	partial	36	+3.80	+3.04	+4.55
$V_{f0.5} - V_{\mathrm{NLL}}$	complete	40	+4.05	+3.38	+4.71
$V_{f0.75} - V_{\mathrm{NLL}}$	partial	36	+4.06	+3.38	+4.74
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	partial	36	+4.01	+3.31	+4.72
$V_{f0.5} - V_{\mathrm{OPC}}$	complete	40	-0.32	-0.92	+0.28
$V_{\mathrm{adapt}} - V_{\mathrm{OPC}}$	partial	36	-0.39	-0.98	+0.19
$V_{\mathrm{adapt}} - V_{f0.5}$	partial	36	-0.02	-0.50	+0.46

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	complete	**40**	**+5.56**	**+5.02**	**+6.09**
$V_{f0.25} - V_{\mathrm{NLL}}$	partial	36	+4.32	+3.46	+5.18
$V_{f0.5} - V_{\mathrm{NLL}}$	complete	40	+4.22	+3.46	+4.98
$V_{f0.75} - V_{\mathrm{NLL}}$	partial	36	+4.19	+3.44	+4.94
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	partial	36	+4.15	+3.39	+4.91
$V_{f0.5} - V_{\mathrm{OPC}}$	complete	40	-1.34	-1.98	-0.69
$V_{\mathrm{adapt}} - V_{\mathrm{OPC}}$	partial	36	-1.50	-2.16	-0.85
$V_{\mathrm{adapt}} - V_{f0.5}$	partial	36	-0.06	-0.58	+0.47

7.16.8 ml / R* / $\gamma = 10$

Cell status: complete.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	complete	**40**	**19.59**	**18.96**	**20.22**
NLL	complete	40	14.70	14.06	15.33
hybrid f=0.25	complete	40	18.86	17.95	19.77
hybrid f=0.5	complete	40	19.27	18.30	20.24
hybrid f=0.75	complete	40	18.97	18.04	19.90
hybrid adapt	complete	40	18.89	17.98	19.79

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	partial	**36**	**+4.99**	**+4.55**	**+5.43**
$V_{f0.25} - V_{\mathrm{NLL}}$	partial	36	+4.20	+3.45	+4.95
$V_{f0.5} - V_{\mathrm{NLL}}$	partial	36	+4.66	+3.86	+5.46
$V_{f0.75} - V_{\mathrm{NLL}}$	partial	36	+4.36	+3.60	+5.12
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	partial	36	+4.24	+3.54	+4.95
$V_{f0.5} - V_{\mathrm{OPC}}$	partial	36	-0.33	-0.98	+0.31
$V_{\mathrm{adapt}} - V_{\mathrm{OPC}}$	partial	36	-0.75	-1.32	-0.18
$V_{\mathrm{adapt}} - V_{f0.5}$	partial	36	-0.41	-0.89	+0.06

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	partial	**36**	**+6.24**	**+5.67**	**+6.82**
$V_{f0.25} - V_{\mathrm{NLL}}$	partial	36	+4.72	+3.88	+5.57
$V_{f0.5} - V_{\mathrm{NLL}}$	partial	36	+4.84	+3.93	+5.74
$V_{f0.75} - V_{\mathrm{NLL}}$	partial	36	+4.49	+3.66	+5.32
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	partial	36	+4.39	+3.62	+5.15
$V_{f0.5} - V_{\mathrm{OPC}}$	partial	36	-1.40	-2.10	-0.71
$V_{\mathrm{adapt}} - V_{\mathrm{OPC}}$	partial	36	-1.86	-2.46	-1.25
$V_{\mathrm{adapt}} - V_{f0.5}$	partial	36	-0.45	-0.96	+0.06

7.16.9 ml / R* / $\gamma = 100$

Cell status: complete.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	complete	**40**	**19.39**	**18.75**	**20.03**
NLL	complete	40	14.13	13.48	14.78
hybrid f=0.25	complete	40	18.40	17.51	19.30
hybrid f=0.5	complete	40	18.68	17.86	19.51
hybrid f=0.75	complete	40	18.42	17.53	19.31
hybrid adapt	complete	40	18.33	17.38	19.27

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	partial	**36**	**+5.30**	**+4.76**	**+5.85**
$V_{f0.25} - V_{\mathrm{NLL}}$	partial	36	+4.29	+3.54	+5.04
$V_{f0.5} - V_{\mathrm{NLL}}$	partial	36	+4.58	+3.89	+5.26
$V_{f0.75} - V_{\mathrm{NLL}}$	partial	36	+4.31	+3.63	+4.99
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	partial	36	+4.22	+3.44	+4.99
$V_{f0.5} - V_{\mathrm{OPC}}$	partial	36	-0.73	-1.25	-0.20
$V_{\mathrm{adapt}} - V_{\mathrm{OPC}}$	partial	36	-1.09	-1.67	-0.50
$V_{\mathrm{adapt}} - V_{f0.5}$	partial	36	-0.36	-0.81	+0.09

DiD vs $\gamma = 0$ (CTR points). $\mathrm{DiD} = \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	partial	**36**	**+6.55**	**+5.89**	**+7.21**
$V_{f0.25} - V_{\mathrm{NLL}}$	partial	36	+4.81	+3.95	+5.68
$V_{f0.5} - V_{\mathrm{NLL}}$	partial	36	+4.76	+3.95	+5.56
$V_{f0.75} - V_{\mathrm{NLL}}$	partial	36	+4.44	+3.66	+5.23
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	partial	36	+4.36	+3.51	+5.21
$V_{f0.5} - V_{\mathrm{OPC}}$	partial	36	-1.80	-2.38	-1.22
$V_{\mathrm{adapt}} - V_{\mathrm{OPC}}$	partial	36	-2.20	-2.86	-1.53
$V_{\mathrm{adapt}} - V_{f0.5}$	partial	36	-0.40	-0.87	+0.07

7.17 ml / R*-adapt

Legacy / non-grid locked tags.

7.17.1 ml / R*-adapt / $\gamma = 0$

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	complete	20	17.17	16.79	17.54
NLL	complete	**20**	**18.27**	**17.74**	**18.81**
hybrid f=0.5	complete	20	18.07	17.71	18.42
hybrid adapt	complete	20	18.05	17.57	18.54

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	partial	20	-1.11	-1.62	-0.59
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	partial	20	-0.20	-0.51	+0.10
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	partial	20	-0.22	-0.60	+0.16
$V_{f0.5} - V_{\mathrm{OPC}}$	partial	**20**	**+0.90**	**+0.52**	**+1.28**
$V_{\mathrm{adapt}} - V_{\mathrm{OPC}}$	partial	20	+0.89	+0.33	+1.45
$V_{\mathrm{adapt}} - V_{f0.5}$	partial	20	-0.01	-0.27	+0.24

7.17.2 ml / R*-adapt / $\gamma = 0.5$

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	complete	20	18.88	18.32	19.44
NLL	complete	20	18.63	17.86	19.41
hybrid f=0.5	complete	20	19.62	18.98	20.27
hybrid adapt	complete	**20**	**19.86**	**19.18**	**20.53**

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	partial	20	+0.25	-0.29	+0.79
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	partial	20	+0.99	+0.33	+1.65
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	partial	**20**	**+1.22**	**+0.83**	**+1.61**
$V_{f0.5} - V_{\mathrm{OPC}}$	partial	20	+0.74	+0.17	+1.31
$V_{\mathrm{adapt}} - V_{\mathrm{OPC}}$	partial	20	+0.98	+0.46	+1.49
$V_{\mathrm{adapt}} - V_{f0.5}$	partial	20	+0.24	-0.08	+0.56

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	partial	20	+1.35	+0.88	+1.83
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	partial	20	+1.19	+0.59	+1.79
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	partial	**20**	**+1.44**	**+1.03**	**+1.85**
$V_{f0.5} - V_{\mathrm{OPC}}$	partial	20	-0.16	-0.71	+0.38
$V_{\mathrm{adapt}} - V_{\mathrm{OPC}}$	partial	20	+0.09	-0.45	+0.63
$V_{\mathrm{adapt}} - V_{f0.5}$	partial	20	+0.25	-0.16	+0.67

7.18 ml / SoftAND*

Grid cells: 9 (complete 9, partial 0, did not run 0); target $n = 40$.

7.18.1 ml / SoftAND* / $\gamma = 0$

Cell status: complete.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	complete	40	17.32	17.03	17.60
NLL	complete	**40**	**18.54**	**18.16**	**18.92**
hybrid f=0.25	complete	40	18.00	17.63	18.37
hybrid f=0.5	complete	40	18.36	18.07	18.64
hybrid f=0.75	complete	40	18.42	18.08	18.76
hybrid adapt	complete	40	18.40	18.04	18.76

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	complete	40	-1.19	-1.53	-0.85
$V_{f0.25} - V_{\mathrm{NLL}}$	complete	40	-0.54	-0.83	-0.25
$V_{f0.5} - V_{\mathrm{NLL}}$	complete	40	-0.17	-0.40	+0.06
$V_{f0.75} - V_{\mathrm{NLL}}$	complete	40	-0.12	-0.37	+0.13
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	complete	40	-0.14	-0.40	+0.12
$V_{f0.5} - V_{\mathrm{OPC}}$	complete	40	+1.02	+0.73	+1.31
$V_{\mathrm{adapt}} - V_{\mathrm{OPC}}$	complete	40	+1.08	+0.70	+1.46
$V_{\mathrm{adapt}} - V_{f0.5}$	complete	40	+0.04	-0.13	+0.21
H-nll_dr	partial	**10**	**+1.24**	**-1.28**	**+3.76**

7.18.2 ml / SoftAND* / $\gamma = 0.25$

Cell status: complete.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	complete	40	17.49	17.17	17.81
NLL	complete	40	18.71	18.33	19.09
hybrid f=0.25	complete	40	18.43	18.04	18.82
hybrid f=0.5	complete	40	18.61	18.25	18.98
hybrid f=0.75	complete	40	18.78	18.42	19.14
hybrid adapt	complete	**40**	**18.79**	**18.44**	**19.15**

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	complete	40	-1.22	-1.59	-0.84
$V_{f0.25} - V_{\mathrm{NLL}}$	complete	40	-0.28	-0.58	+0.02
$V_{f0.5} - V_{\mathrm{NLL}}$	complete	40	-0.10	-0.35	+0.16
$V_{f0.75} - V_{\mathrm{NLL}}$	complete	40	+0.07	-0.13	+0.27
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	complete	40	+0.08	-0.12	+0.28
$V_{f0.5} - V_{\mathrm{OPC}}$	complete	40	+1.12	+0.82	+1.43
$V_{\mathrm{adapt}} - V_{\mathrm{OPC}}$	complete	**40**	**+1.30**	**+0.98**	**+1.62**
$V_{\mathrm{adapt}} - V_{f0.5}$	complete	40	+0.18	-0.04	+0.39

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\text{OPC}} - V_{\text{NLL}}$	complete	40	+0.00	-0.19	+0.19
$V_{f0.25} - V_{\text{NLL}}$	complete	**40**	**+0.26**	**+0.06**	**+0.46**
$V_{f0.5} - V_{\text{NLL}}$	complete	40	+0.09	-0.11	+0.28
$V_{f0.75} - V_{\text{NLL}}$	complete	40	+0.19	-0.03	+0.41
$V_{\text{adapt}} - V_{\text{NLL}}$	complete	40	+0.22	-0.00	+0.45
$V_{f0.5} - V_{\text{OPC}}$	complete	40	+0.09	-0.15	+0.32
$V_{\text{adapt}} - V_{\text{OPC}}$	complete	40	+0.22	-0.07	+0.51
$V_{\text{adapt}} - V_{f0.5}$	complete	40	+0.14	-0.09	+0.36

7.18.3 ml / SoftAND* / $\gamma = 0.5$

Cell status: complete.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	complete	40	17.54	17.24	17.84
NLL	complete	40	18.64	18.23	19.04
hybrid f=0.25	complete	40	18.49	18.04	18.94
hybrid f=0.5	complete	40	18.83	18.41	19.24
hybrid f=0.75	complete	**40**	**18.93**	**18.52**	**19.35**
hybrid adapt	complete	40	18.87	18.46	19.29

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\text{OPC}} - V_{\text{NLL}}$	complete	40	-1.06	-1.39	-0.74
$V_{f0.25} - V_{\text{NLL}}$	complete	40	-0.15	-0.42	+0.12
$V_{f0.5} - V_{\text{NLL}}$	complete	40	+0.18	-0.03	+0.40
$V_{f0.75} - V_{\text{NLL}}$	complete	40	+0.30	+0.11	+0.48
$V_{\text{adapt}} - V_{\text{NLL}}$	complete	40	+0.24	+0.06	+0.41
$V_{f0.5} - V_{\text{OPC}}$	complete	40	+1.25	+0.95	+1.54
$V_{\text{adapt}} - V_{\text{OPC}}$	complete	40	+1.34	+1.01	+1.66
$V_{\text{adapt}} - V_{f0.5}$	complete	40	+0.05	-0.13	+0.23
H-nll_dr	partial	**10**	**+1.84**	**-0.45**	**+4.13**

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\text{OPC}} - V_{\text{NLL}}$	complete	40	+0.13	-0.08	+0.34
$V_{f0.25} - V_{\text{NLL}}$	complete	40	+0.39	+0.15	+0.63
$V_{f0.5} - V_{\text{NLL}}$	complete	40	+0.35	+0.13	+0.58
$V_{f0.75} - V_{\text{NLL}}$	complete	40	+0.42	+0.15	+0.68
$V_{\text{adapt}} - V_{\text{NLL}}$	complete	40	+0.38	+0.11	+0.65
$V_{f0.5} - V_{\text{OPC}}$	complete	40	+0.23	-0.03	+0.49
$V_{\text{adapt}} - V_{\text{OPC}}$	complete	40	+0.26	-0.05	+0.56
$V_{\text{adapt}} - V_{f0.5}$	complete	40	+0.01	-0.21	+0.23
H-nll_dr	partial	**10**	**+0.60**	**-0.00**	**+1.21**

7.18.4 ml / SoftAND* / $\gamma = 0.75$

Cell status: complete.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	complete	40	17.64	17.30	17.97
NLL	complete	40	18.51	18.08	18.93
hybrid f=0.25	complete	40	18.68	18.23	19.13
hybrid f=0.5	complete	40	18.87	18.46	19.28
hybrid f=0.75	complete	40	19.09	18.60	19.58
hybrid adapt	complete	**40**	**19.12**	**18.62**	**19.62**

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	complete	40	-0.87	-1.22	-0.52
$V_{f0.25} - V_{\mathrm{NLL}}$	complete	40	+0.18	-0.14	+0.50
$V_{f0.5} - V_{\mathrm{NLL}}$	complete	40	+0.36	+0.08	+0.65
$V_{f0.75} - V_{\mathrm{NLL}}$	complete	40	+0.58	+0.38	+0.79
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	complete	40	+0.62	+0.40	+0.83
$V_{f0.5} - V_{\mathrm{OPC}}$	complete	40	+1.23	+0.86	+1.60
$V_{\mathrm{adapt}} - V_{\mathrm{OPC}}$	complete	**40**	**+1.48**	**+1.08**	**+1.89**
$V_{\mathrm{adapt}} - V_{f0.5}$	complete	40	+0.25	-0.01	+0.52

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	complete	40	+0.35	+0.10	+0.60
$V_{f0.25} - V_{\mathrm{NLL}}$	complete	40	+0.71	+0.41	+1.02
$V_{f0.5} - V_{\mathrm{NLL}}$	complete	40	+0.55	+0.23	+0.86
$V_{f0.75} - V_{\mathrm{NLL}}$	complete	40	+0.70	+0.38	+1.03
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	complete	**40**	**+0.76**	**+0.43**	**+1.09**
$V_{f0.5} - V_{\mathrm{OPC}}$	complete	40	+0.19	-0.15	+0.53
$V_{\mathrm{adapt}} - V_{\mathrm{OPC}}$	complete	40	+0.40	+0.02	+0.79
$V_{\mathrm{adapt}} - V_{f0.5}$	complete	40	+0.21	-0.09	+0.51

7.18.5 ml / SoftAND* / $\gamma = 1$

Cell status: complete.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	complete	40	17.68	17.32	18.04
NLL	complete	40	18.43	18.00	18.87
hybrid f=0.25	complete	40	18.63	18.16	19.09
hybrid f=0.5	complete	40	19.07	18.62	19.53
hybrid f=0.75	complete	**40**	**19.13**	**18.62**	**19.64**
hybrid adapt	complete	40	19.10	18.57	19.63

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	complete	40	-0.75	-1.11	-0.39
$V_{f0.25} - V_{\mathrm{NLL}}$	complete	40	+0.19	-0.12	+0.50
$V_{f0.5} - V_{\mathrm{NLL}}$	complete	40	+0.64	+0.36	+0.92
$V_{f0.75} - V_{\mathrm{NLL}}$	complete	40	+0.70	+0.45	+0.95
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	complete	40	+0.67	+0.41	+0.93
$V_{f0.5} - V_{\mathrm{OPC}}$	complete	40	+1.39	+0.98	+1.81
$V_{\mathrm{adapt}} - V_{\mathrm{OPC}}$	complete	**40**	**+1.42**	**+0.96**	**+1.88**
$V_{\mathrm{adapt}} - V_{f0.5}$	complete	40	+0.03	-0.26	+0.31

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	complete	40	+0.47	+0.21	+0.73
$V_{f0.25} - V_{\mathrm{NLL}}$	complete	40	+0.73	+0.34	+1.12
$V_{f0.5} - V_{\mathrm{NLL}}$	complete	**40**	**+0.82**	**+0.52**	**+1.13**
$V_{f0.75} - V_{\mathrm{NLL}}$	complete	40	+0.82	+0.46	+1.18
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	complete	40	+0.81	+0.47	+1.15
$V_{f0.5} - V_{\mathrm{OPC}}$	complete	40	+0.35	+0.01	+0.69
$V_{\mathrm{adapt}} - V_{\mathrm{OPC}}$	complete	40	+0.34	-0.06	+0.74
$V_{\mathrm{adapt}} - V_{f0.5}$	complete	40	-0.02	-0.29	+0.26

7.18.6 ml / SoftAND* / $\gamma = 2$

Cell status: complete.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	complete	40	18.25	17.79	18.72
NLL	complete	40	18.42	17.92	18.93
hybrid f=0.25	complete	40	19.36	18.70	20.03
hybrid f=0.5	complete	**40**	**19.95**	**19.34**	**20.57**
hybrid f=0.75	complete	40	19.83	19.26	20.39
hybrid adapt	complete	40	19.81	19.22	20.41

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	complete	40	-0.17	-0.57	+0.23
$V_{f0.25} - V_{\mathrm{NLL}}$	complete	40	+0.94	+0.48	+1.39
$V_{f0.5} - V_{\mathrm{NLL}}$	complete	40	+1.53	+1.16	+1.90
$V_{f0.75} - V_{\mathrm{NLL}}$	complete	40	+1.40	+1.15	+1.66
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	complete	40	+1.39	+1.10	+1.68
$V_{f0.5} - V_{\mathrm{OPC}}$	complete	**40**	**+1.70**	**+1.16**	**+2.23**
$V_{\mathrm{adapt}} - V_{\mathrm{OPC}}$	complete	40	+1.56	+1.05	+2.07
$V_{\mathrm{adapt}} - V_{f0.5}$	complete	40	-0.14	-0.49	+0.21

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	complete	40	+1.05	+0.72	+1.38
$V_{f0.25} - V_{\mathrm{NLL}}$	complete	40	+1.47	+0.88	+2.06
$V_{f0.5} - V_{\mathrm{NLL}}$	complete	**40**	**+1.71**	**+1.24**	**+2.18**
$V_{f0.75} - V_{\mathrm{NLL}}$	complete	40	+1.52	+1.15	+1.90
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	complete	40	+1.53	+1.10	+1.96
$V_{f0.5} - V_{\mathrm{OPC}}$	complete	40	+0.66	+0.22	+1.10
$V_{\mathrm{adapt}} - V_{\mathrm{OPC}}$	complete	40	+0.48	+0.01	+0.95
$V_{\mathrm{adapt}} - V_{f0.5}$	complete	40	-0.18	-0.57	+0.21

7.18.7 ml / SoftAND* / $\gamma = 4$

Cell status: complete.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	complete	40	19.32	18.81	19.82
NLL	complete	40	18.66	18.03	19.29
hybrid f=0.25	complete	40	20.55	19.76	21.35
hybrid f=0.5	complete	**40**	**21.02**	**20.26**	**21.77**
hybrid f=0.75	complete	40	20.97	20.26	21.67
hybrid adapt	complete	40	20.94	20.24	21.64

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	complete	40	+0.66	+0.21	+1.10
$V_{f0.25} - V_{\mathrm{NLL}}$	complete	40	+1.89	+1.35	+2.43
$V_{f0.5} - V_{\mathrm{NLL}}$	complete	**40**	**+2.36**	**+1.87**	**+2.84**
$V_{f0.75} - V_{\mathrm{NLL}}$	complete	40	+2.31	+1.85	+2.76
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	complete	40	+2.28	+1.80	+2.75
$V_{f0.5} - V_{\mathrm{OPC}}$	complete	40	+1.70	+1.15	+2.25
$V_{\mathrm{adapt}} - V_{\mathrm{OPC}}$	complete	40	+1.62	+1.10	+2.15
$V_{\mathrm{adapt}} - V_{f0.5}$	complete	40	-0.08	-0.37	+0.21

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	complete	40	+1.88	+1.43	+2.32
$V_{f0.25} - V_{\mathrm{NLL}}$	complete	40	+2.43	+1.77	+3.09
$V_{f0.5} - V_{\mathrm{NLL}}$	complete	**40**	**+2.54**	**+1.94**	**+3.13**
$V_{f0.75} - V_{\mathrm{NLL}}$	complete	40	+2.43	+1.88	+2.97
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	complete	40	+2.42	+1.86	+2.98
$V_{f0.5} - V_{\mathrm{OPC}}$	complete	40	+0.66	+0.10	+1.22
$V_{\mathrm{adapt}} - V_{\mathrm{OPC}}$	complete	40	+0.54	-0.01	+1.10
$V_{\mathrm{adapt}} - V_{f0.5}$	complete	40	-0.12	-0.44	+0.20

7.18.8 ml / SoftAND* / $\gamma = 10$

Cell status: complete.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	complete	40	20.62	20.03	21.21
NLL	complete	40	18.68	17.96	19.40
hybrid f=0.25	complete	40	21.55	20.67	22.44
hybrid f=0.5	complete	**40**	**22.02**	**21.15**	**22.88**
hybrid f=0.75	complete	40	21.99	21.09	22.89
hybrid adapt	complete	40	21.93	21.02	22.83

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	complete	40	+1.94	+1.37	+2.51
$V_{f0.25} - V_{\mathrm{NLL}}$	complete	40	+2.87	+2.19	+3.56
$V_{f0.5} - V_{\mathrm{NLL}}$	complete	**40**	**+3.33**	**+2.57**	**+4.10**
$V_{f0.75} - V_{\mathrm{NLL}}$	complete	40	+3.31	+2.52	+4.09
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	complete	40	+3.24	+2.46	+4.02
$V_{f0.5} - V_{\mathrm{OPC}}$	complete	40	+1.39	+0.80	+1.99
$V_{\mathrm{adapt}} - V_{\mathrm{OPC}}$	complete	40	+1.30	+0.71	+1.90
$V_{\mathrm{adapt}} - V_{f0.5}$	complete	40	-0.09	-0.47	+0.29

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	complete	40	+3.16	+2.56	+3.76
$V_{f0.25} - V_{\mathrm{NLL}}$	complete	40	+3.41	+2.65	+4.17
$V_{f0.5} - V_{\mathrm{NLL}}$	complete	**40**	**+3.51**	**+2.71**	**+4.32**
$V_{f0.75} - V_{\mathrm{NLL}}$	complete	40	+3.43	+2.62	+4.23
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	complete	40	+3.38	+2.57	+4.20
$V_{f0.5} - V_{\mathrm{OPC}}$	complete	40	+0.35	-0.27	+0.98
$V_{\mathrm{adapt}} - V_{\mathrm{OPC}}$	complete	40	+0.22	-0.43	+0.88
$V_{\mathrm{adapt}} - V_{f0.5}$	complete	40	-0.13	-0.53	+0.27

7.18.9 ml / SoftAND* / $\gamma = 100$

Cell status: complete.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	complete	40	20.85	20.27	21.43
NLL	complete	40	18.11	17.43	18.80
hybrid f=0.25	complete	40	21.07	20.15	21.99
hybrid f=0.5	complete	40	21.40	20.54	22.27
hybrid f=0.75	complete	**40**	**21.45**	**20.55**	**22.34**
hybrid adapt	complete	40	21.37	20.48	22.27

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	complete	40	+2.73	+2.05	+3.41
$V_{f0.25} - V_{\mathrm{NLL}}$	complete	40	+2.95	+2.15	+3.76
$V_{f0.5} - V_{\mathrm{NLL}}$	complete	40	+3.20	+2.36	+4.05
$V_{f0.75} - V_{\mathrm{NLL}}$	complete	40	+3.33	+2.44	+4.22
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	complete	40	+3.26	+2.38	+4.14
$V_{f0.5} - V_{\mathrm{OPC}}$	complete	40	+0.48	-0.15	+1.10
$V_{\mathrm{adapt}} - V_{\mathrm{OPC}}$	complete	40	+0.52	-0.14	+1.19
$V_{\mathrm{adapt}} - V_{f0.5}$	complete	40	-0.03	-0.42	+0.36
H-nll_dr	partial	**10**	**+3.78**	**+1.30**	**+6.26**

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	complete	**40**	**+3.92**	**+3.22**	**+4.62**
$V_{f0.25} - V_{\mathrm{NLL}}$	complete	40	+3.49	+2.67	+4.32
$V_{f0.5} - V_{\mathrm{NLL}}$	complete	40	+3.38	+2.50	+4.25
$V_{f0.75} - V_{\mathrm{NLL}}$	complete	40	+3.45	+2.53	+4.38
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	complete	40	+3.40	+2.48	+4.32
$V_{f0.5} - V_{\mathrm{OPC}}$	complete	40	-0.54	-1.21	+0.12
$V_{\mathrm{adapt}} - V_{\mathrm{OPC}}$	complete	40	-0.56	-1.28	+0.17
$V_{\mathrm{adapt}} - V_{f0.5}$	complete	40	-0.07	-0.44	+0.30
H-nll_dr	partial	10	+2.54	-1.58	+6.66

7.19 ml / SoftAND*-adapt

Legacy / non-grid locked tags.

7.19.1 ml / SoftAND*-adapt / $\gamma = 0$

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	complete	20	17.17	16.79	17.54
NLL	complete	**20**	**18.27**	**17.74**	**18.81**
hybrid f=0.5	complete	20	18.07	17.71	18.42
hybrid adapt	complete	20	18.05	17.57	18.54

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	partial	20	-1.11	-1.62	-0.59
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	partial	20	-0.20	-0.51	+0.10
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	partial	20	-0.22	-0.60	+0.16
$V_{f0.5} - V_{\mathrm{OPC}}$	partial	**20**	**+0.90**	**+0.52**	**+1.28**
$V_{\mathrm{adapt}} - V_{\mathrm{OPC}}$	partial	20	+0.89	+0.33	+1.45
$V_{\mathrm{adapt}} - V_{f0.5}$	partial	20	-0.01	-0.27	+0.24

7.19.2 ml / SoftAND*-adapt / $\gamma = 100$

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	complete	20	21.09	20.21	21.98
NLL	complete	20	18.49	17.64	19.34
hybrid f=0.5	complete	**20**	**22.08**	**20.85**	**23.31**
hybrid adapt	complete	20	21.91	20.58	23.24

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	partial	20	+2.60	+1.62	+3.58
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	partial	**20**	**+3.59**	**+2.22**	**+4.97**
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	partial	20	+3.42	+2.08	+4.76
$V_{f0.5} - V_{\mathrm{OPC}}$	partial	20	+0.99	-0.01	+1.99
$V_{\mathrm{adapt}} - V_{\mathrm{OPC}}$	partial	20	+0.82	-0.16	+1.80
$V_{\mathrm{adapt}} - V_{f0.5}$	partial	20	-0.17	-0.76	+0.42

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	partial	20	+3.71	+2.59	+4.83
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	partial	**20**	**+3.80**	**+2.33**	**+5.26**
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	partial	20	+3.64	+2.22	+5.05
$V_{f0.5} - V_{\mathrm{OPC}}$	partial	20	+0.09	-0.94	+1.12
$V_{\mathrm{adapt}} - V_{\mathrm{OPC}}$	partial	20	-0.07	-1.16	+1.02
$V_{\mathrm{adapt}} - V_{f0.5}$	partial	20	-0.16	-0.73	+0.41

7.20 ml / SoftThresh-adapt

Legacy / non-grid locked tags.

7.20.1 ml / SoftThresh-adapt / $\gamma = 0$

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	complete	20	17.17	16.79	17.54
NLL	complete	**20**	**18.27**	**17.74**	**18.81**
hybrid f=0.5	complete	20	18.07	17.71	18.42
hybrid adapt	complete	20	18.05	17.57	18.54

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	partial	20	-1.11	-1.62	-0.59
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	partial	20	-0.20	-0.51	+0.10
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	partial	20	-0.22	-0.60	+0.16
$V_{f0.5} - V_{\mathrm{OPC}}$	partial	**20**	**+0.90**	**+0.52**	**+1.28**
$V_{\mathrm{adapt}} - V_{\mathrm{OPC}}$	partial	20	+0.89	+0.33	+1.45
$V_{\mathrm{adapt}} - V_{f0.5}$	partial	20	-0.01	-0.27	+0.24

7.20.2 ml / SoftThresh-adapt / $\gamma = 100$

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	complete	20	25.46	23.68	27.23
NLL	complete	20	20.36	18.72	22.01
hybrid f=0.5	complete	**20**	**26.87**	**24.49**	**29.26**
hybrid adapt	complete	20	26.53	24.51	28.55

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	partial	20	+5.09	+3.97	+6.22
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	partial	**20**	**+6.51**	**+4.95**	**+8.07**
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	partial	20	+6.17	+4.96	+7.37
$V_{f0.5} - V_{\mathrm{OPC}}$	partial	20	+1.42	+0.26	+2.57
$V_{\mathrm{adapt}} - V_{\mathrm{OPC}}$	partial	20	+1.07	+0.08	+2.06
$V_{\mathrm{adapt}} - V_{f0.5}$	partial	20	-0.34	-1.16	+0.48

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	partial	20	+6.20	+5.11	+7.29
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	partial	**20**	**+6.71**	**+5.22**	**+8.21**
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	partial	20	+6.39	+5.22	+7.55
$V_{f0.5} - V_{\mathrm{OPC}}$	partial	20	+0.51	-0.70	+1.73
$V_{\mathrm{adapt}} - V_{\mathrm{OPC}}$	partial	20	+0.19	-0.76	+1.13
$V_{\mathrm{adapt}} - V_{f0.5}$	partial	20	-0.33	-1.13	+0.47

7.21 ml / SoftThreshτ1.5

Grid cells: 9 (complete 3, partial 6, did not run 0); target $n = 40$.

7.21.1 ml / SoftThreshτ1.5 / $\gamma = 0$

Cell status: complete.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	complete	40	17.32	17.03	17.60
NLL	complete	**40**	**18.54**	**18.16**	**18.92**
hybrid f=0.25	complete	40	18.00	17.63	18.37
hybrid f=0.5	complete	40	18.36	18.07	18.64
hybrid f=0.75	complete	40	18.42	18.08	18.76
hybrid adapt	complete	40	18.40	18.04	18.76

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	complete	40	-1.22	-1.56	-0.89
$V_{f0.25} - V_{\mathrm{NLL}}$	complete	40	-0.54	-0.83	-0.25
$V_{f0.5} - V_{\mathrm{NLL}}$	complete	40	-0.18	-0.40	+0.04
$V_{f0.75} - V_{\mathrm{NLL}}$	complete	40	-0.12	-0.37	+0.13
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	complete	40	-0.14	-0.40	+0.12
$V_{f0.5} - V_{\mathrm{OPC}}$	complete	40	+1.04	+0.75	+1.33
$V_{\mathrm{adapt}} - V_{\mathrm{OPC}}$	complete	40	+1.08	+0.70	+1.46
$V_{\mathrm{adapt}} - V_{f0.5}$	complete	40	+0.04	-0.13	+0.21
H-nll_dr	partial	**10**	**+1.24**	**-1.28**	**+3.76**

7.21.2 ml / SoftThreshτ1.5 / $\gamma = 0.25$

Cell status: complete.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	complete	40	18.69	18.12	19.26
NLL	complete	40	19.95	19.29	20.61
hybrid f=0.25	complete	40	19.69	18.95	20.43
hybrid f=0.5	complete	40	19.85	19.20	20.50
hybrid f=0.75	complete	40	20.07	19.44	20.71
hybrid adapt	complete	**40**	**20.14**	**19.48**	**20.80**

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	complete	40	-1.26	-1.61	-0.91
$V_{f0.25} - V_{\mathrm{NLL}}$	complete	40	-0.26	-0.55	+0.03
$V_{f0.5} - V_{\mathrm{NLL}}$	complete	40	-0.10	-0.41	+0.20
$V_{f0.75} - V_{\mathrm{NLL}}$	complete	40	+0.12	-0.15	+0.39
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	complete	40	+0.19	-0.06	+0.43
$V_{f0.5} - V_{\mathrm{OPC}}$	complete	40	+1.16	+0.84	+1.48
$V_{\mathrm{adapt}} - V_{\mathrm{OPC}}$	complete	**40**	**+1.45**	**+1.06**	**+1.83**
$V_{\mathrm{adapt}} - V_{f0.5}$	complete	40	+0.29	+0.03	+0.54

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	complete	40	-0.04	-0.27	+0.19
$V_{f0.25} - V_{\mathrm{NLL}}$	complete	40	+0.28	+0.01	+0.55
$V_{f0.5} - V_{\mathrm{NLL}}$	complete	40	+0.08	-0.20	+0.36
$V_{f0.75} - V_{\mathrm{NLL}}$	complete	40	+0.24	+0.00	+0.48
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	complete	40	+0.33	+0.08	+0.58
$V_{f0.5} - V_{\mathrm{OPC}}$	complete	40	+0.12	-0.18	+0.42
$V_{\mathrm{adapt}} - V_{\mathrm{OPC}}$	complete	**40**	**+0.37**	**+0.02**	**+0.71**
$V_{\mathrm{adapt}} - V_{f0.5}$	complete	40	+0.24	-0.03	+0.52

7.21.3 ml / SoftThreshτ1.5 / $\gamma = 0.5$

Cell status: partial.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	complete	40	19.93	19.07	20.80
NLL	complete	40	21.17	20.31	22.03
hybrid f=0.25	partial	36	21.50	20.50	22.49
hybrid f=0.5	complete	40	21.65	20.66	22.64
hybrid f=0.75	partial	36	21.93	20.97	22.88
hybrid adapt	partial	**36**	**21.93**	**21.00**	**22.85**

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	complete	40	-1.24	-1.59	-0.89
$V_{f0.25} - V_{\mathrm{NLL}}$	partial	36	+0.30	-0.09	+0.68
$V_{f0.5} - V_{\mathrm{NLL}}$	complete	40	+0.48	+0.14	+0.82
$V_{f0.75} - V_{\mathrm{NLL}}$	partial	36	+0.73	+0.39	+1.07
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	partial	36	+0.73	+0.44	+1.03
$V_{f0.5} - V_{\mathrm{OPC}}$	complete	40	+1.72	+1.27	+2.16
$V_{\mathrm{adapt}} - V_{\mathrm{OPC}}$	partial	**36**	**+2.02**	**+1.60**	**+2.45**
$V_{\mathrm{adapt}} - V_{f0.5}$	partial	36	+0.28	+0.04	+0.52

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	complete	40	-0.02	-0.32	+0.28
$V_{f0.25} - V_{\mathrm{NLL}}$	partial	36	+0.82	+0.41	+1.24
$V_{f0.5} - V_{\mathrm{NLL}}$	complete	40	+0.66	+0.25	+1.07
$V_{f0.75} - V_{\mathrm{NLL}}$	partial	36	+0.86	+0.46	+1.27
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	partial	36	+0.87	+0.49	+1.25
$V_{f0.5} - V_{\mathrm{OPC}}$	complete	40	+0.68	+0.30	+1.06
$V_{\mathrm{adapt}} - V_{\mathrm{OPC}}$	partial	**36**	**+0.91**	**+0.50**	**+1.32**
$V_{\mathrm{adapt}} - V_{f0.5}$	partial	36	+0.24	-0.02	+0.50

7.21.4 ml / SoftThreshτ1.5 / $\gamma = 0.75$

Cell status: partial.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	complete	40	20.81	19.74	21.87
NLL	complete	40	21.90	20.90	22.90
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	complete	**40**	**23.02**	**21.85**	**24.18**
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	complete	40	-1.10	-1.49	-0.70
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	complete	40	+1.11	+0.74	+1.49
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{OPC}}$	complete	**40**	**+2.21**	**+1.76**	**+2.66**

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	complete	40	+0.13	-0.29	+0.54
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	complete	**40**	**+1.30**	**+0.87**	**+1.73**
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{OPC}}$	complete	40	+1.17	+0.77	+1.57

7.21.5 ml / SoftThreshτ1.5 / $\gamma = 1$

Cell status: partial.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	complete	40	21.41	20.29	22.53
NLL	complete	40	22.30	21.26	23.34
hybrid f=0.25	partial	34	22.95	21.76	24.14
hybrid f=0.5	complete	**40**	**23.87**	**22.58**	**25.17**
hybrid f=0.75	partial	34	23.76	22.62	24.90
hybrid adapt	partial	34	23.72	22.57	24.87

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	complete	40	-0.89	-1.33	-0.46
$V_{f0.25} - V_{\mathrm{NLL}}$	partial	34	+0.82	+0.36	+1.28
$V_{f0.5} - V_{\mathrm{NLL}}$	complete	40	+1.57	+1.10	+2.04
$V_{f0.75} - V_{\mathrm{NLL}}$	partial	34	+1.63	+1.20	+2.07
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	partial	34	+1.59	+1.16	+2.03
$V_{f0.5} - V_{\mathrm{OPC}}$	complete	40	+2.46	+1.98	+2.95
$V_{\mathrm{adapt}} - V_{\mathrm{OPC}}$	partial	**34**	**+2.54**	**+2.07**	**+3.00**
$V_{\mathrm{adapt}} - V_{f0.5}$	partial	34	+0.05	-0.27	+0.36

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	complete	40	+0.33	-0.16	+0.81
$V_{f0.25} - V_{\mathrm{NLL}}$	partial	34	+1.26	+0.76	+1.77
$V_{f0.5} - V_{\mathrm{NLL}}$	complete	**40**	**+1.75**	**+1.21**	**+2.30**
$V_{f0.75} - V_{\mathrm{NLL}}$	partial	34	+1.71	+1.19	+2.24
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	partial	34	+1.68	+1.12	+2.24
$V_{f0.5} - V_{\mathrm{OPC}}$	complete	40	+1.42	+0.94	+1.91
$V_{\mathrm{adapt}} - V_{\mathrm{OPC}}$	partial	34	+1.39	+0.86	+1.91
$V_{\mathrm{adapt}} - V_{f0.5}$	partial	34	+0.03	-0.31	+0.37

7.21.6 ml / SoftThreshτ1.5 / $\gamma = 2$

Cell status: complete.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	complete	40	23.48	22.16	24.81
NLL	complete	40	22.72	21.56	23.88
hybrid f=0.25	complete	40	25.42	23.89	26.95
hybrid f=0.5	complete	**40**	**26.04**	**24.56**	**27.51**
hybrid f=0.75	complete	40	25.64	24.23	27.05
hybrid adapt	complete	40	25.68	24.25	27.12

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	complete	40	+0.77	+0.14	+1.39
$V_{f0.25} - V_{\mathrm{NLL}}$	complete	40	+2.70	+2.01	+3.39
$V_{f0.5} - V_{\mathrm{NLL}}$	complete	**40**	**+3.32**	**+2.74**	**+3.90**
$V_{f0.75} - V_{\mathrm{NLL}}$	complete	40	+2.92	+2.42	+3.42
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	complete	40	+2.97	+2.44	+3.50
$V_{f0.5} - V_{\mathrm{OPC}}$	complete	40	+2.55	+2.10	+3.01
$V_{\mathrm{adapt}} - V_{\mathrm{OPC}}$	complete	40	+2.20	+1.71	+2.69
$V_{\mathrm{adapt}} - V_{f0.5}$	complete	40	-0.35	-0.71	+0.00

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	complete	40	+1.99	+1.32	+2.65
$V_{f0.25} - V_{\mathrm{NLL}}$	complete	40	+3.24	+2.49	+3.99
$V_{f0.5} - V_{\mathrm{NLL}}$	complete	**40**	**+3.50**	**+2.86**	**+4.15**
$V_{f0.75} - V_{\mathrm{NLL}}$	complete	40	+3.04	+2.47	+3.61
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	complete	40	+3.11	+2.50	+3.71
$V_{f0.5} - V_{\mathrm{OPC}}$	complete	40	+1.52	+1.02	+2.02
$V_{\mathrm{adapt}} - V_{\mathrm{OPC}}$	complete	40	+1.12	+0.59	+1.66
$V_{\mathrm{adapt}} - V_{f0.5}$	complete	40	-0.39	-0.79	-0.00

7.21.7 ml / SoftThreshτ1.5 / $\gamma = 4$

Cell status: partial.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	complete	40	25.10	23.77	26.43
NLL	complete	40	22.01	20.77	23.26
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	complete	**40**	**27.34**	**25.91**	**28.77**
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	complete	40	+3.09	+2.41	+3.77
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	complete	**40**	**+5.33**	**+4.70**	**+5.95**
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{OPC}}$	complete	40	+2.24	+1.67	+2.81

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	complete	40	+4.31	+3.60	+5.02
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	complete	**40**	**+5.51**	**+4.82**	**+6.20**
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{OPC}}$	complete	40	+1.20	+0.61	+1.80

7.21.8 ml / SoftThreshτ1.5 / $\gamma = 10$

Cell status: partial.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	complete	40	25.74	24.46	27.03
NLL	complete	40	21.21	20.03	22.40
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	complete	**40**	**27.91**	**26.44**	**29.38**
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	complete	40	+4.53	+3.69	+5.37
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	complete	**40**	**+6.70**	**+5.78**	**+7.62**
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{OPC}}$	complete	40	+2.17	+1.35	+2.99

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	complete	40	+5.75	+4.91	+6.60
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	complete	**40**	**+6.88**	**+5.97**	**+7.79**
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{OPC}}$	complete	40	+1.13	+0.36	+1.90

7.21.9 ml / SoftThreshτ1.5 / $\gamma = 100$

Cell status: partial.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	complete	40	25.36	24.12	26.60
NLL	complete	40	20.63	19.51	21.75
hybrid f=0.25	partial	34	26.77	25.09	28.46
hybrid f=0.5	complete	**40**	**27.53**	**26.02**	**29.05**
hybrid f=0.75	partial	34	26.82	25.52	28.12
hybrid adapt	partial	34	26.73	25.40	28.05

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	complete	40	+4.73	+3.76	+5.69
$V_{f0.25} - V_{\mathrm{NLL}}$	partial	34	+6.09	+4.93	+7.24
$V_{f0.5} - V_{\mathrm{NLL}}$	complete	**40**	**+6.90**	**+5.85**	**+7.95**
$V_{f0.75} - V_{\mathrm{NLL}}$	partial	34	+6.13	+5.31	+6.96
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	partial	34	+6.04	+5.16	+6.93
$V_{f0.5} - V_{\mathrm{OPC}}$	complete	40	+2.18	+1.40	+2.95
$V_{\mathrm{adapt}} - V_{\mathrm{OPC}}$	partial	34	+1.36	+0.59	+2.12
$V_{\mathrm{adapt}} - V_{f0.5}$	partial	34	-0.59	-1.23	+0.05
H-nll_dr	partial	10	+5.78	+3.79	+7.77

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	complete	40	+5.95	+4.98	+6.91
$V_{f0.25} - V_{\mathrm{NLL}}$	partial	34	+6.53	+5.43	+7.62
$V_{f0.5} - V_{\mathrm{NLL}}$	complete	**40**	**+7.09**	**+6.06**	**+8.12**
$V_{f0.75} - V_{\mathrm{NLL}}$	partial	34	+6.21	+5.41	+7.02
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	partial	34	+6.13	+5.29	+6.97
$V_{f0.5} - V_{\mathrm{OPC}}$	complete	40	+1.14	+0.34	+1.93
$V_{\mathrm{adapt}} - V_{\mathrm{OPC}}$	partial	34	+0.21	-0.59	+1.00
$V_{\mathrm{adapt}} - V_{f0.5}$	partial	34	-0.61	-1.24	+0.02
H-nll_dr	partial	10	+4.54	+1.09	+7.99

7.22 myket / R*

Grid cells: 9 (complete 0, partial 0, did not run 9); target $n = 40$.

7.22.1 myket / R* / $\gamma = 0$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	partial	20	19.90	19.23	20.58
NLL	partial	20	21.31	20.71	21.91
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	partial	**20**	**21.39**	**20.81**	**21.98**
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	partial	20	-1.41	-2.00	-0.82
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	partial	20	+0.08	-0.28	+0.45
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{OPC}}$	partial	20	+1.49	+0.91	+2.08
H-nll_dr	partial	**20**	**+2.76**	**+0.21**	**+5.32**

7.22.2 myket / R* / $\gamma = 0.25$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.22.3 myket / R* / $\gamma = 0.5$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	partial	20	19.74	18.72	20.77
NLL	partial	20	20.60	19.64	21.55
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	partial	**20**	**21.37**	**20.33**	**22.41**
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	partial	20	-0.85	-1.59	-0.12
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	partial	20	+0.77	+0.29	+1.25
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{OPC}}$	partial	20	+1.62	+1.01	+2.24
H-nll_dr	partial	**20**	**+1.89**	**+0.14**	**+3.64**

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	partial	20	+0.55	-0.20	+1.31
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	partial	**20**	**+0.69**	**+0.16**	**+1.22**
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{OPC}}$	partial	20	+0.13	-0.54	+0.80
H-nll_dr	partial	20	-0.87	-2.92	+1.18

7.22.4 myket / $\mathbf{R}^*$ / $\gamma = 0.75$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.22.5 myket / R* / $\gamma = 1$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). $\mathrm{DiD} = \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.22.6 myket / R* / $\gamma = 2$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). $\mathrm{DiD} = \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.22.7 myket / $\mathbf{R}^*$ / $\gamma = 4$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). $\mathrm{DiD} = \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.22.8 myket / $\mathbf{R}^*$ / $\gamma = 10$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). $\mathrm{DiD} = \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.22.9 myket / $\mathbf{R}^*$ / $\gamma = 100$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). $\mathrm{DiD} = \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.23 myket / SoftAND*

Grid cells: 9 (complete 0, partial 0, did not run 9); target $n = 40$.

7.23.1 myket / SoftAND* / $\gamma = 0$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\text{OPC}} - V_{\text{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\text{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\text{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\text{NLL}}$	did not run	0	—	—	—
$V_{\text{adapt}} - V_{\text{NLL}}$	did not run	0	—	—	—

7.23.2 myket / SoftAND* / $\gamma = 0.25$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\text{OPC}} - V_{\text{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\text{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\text{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\text{NLL}}$	did not run	0	—	—	—
$V_{\text{adapt}} - V_{\text{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\text{OPC}} - V_{\text{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\text{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\text{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\text{NLL}}$	did not run	0	—	—	—
$V_{\text{adapt}} - V_{\text{NLL}}$	did not run	0	—	—	—

7.23.3 myket / SoftAND* / $\gamma = 0.5$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.23.4 myket / SoftAND* / $\gamma = 0.75$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.23.5 myket / SoftAND* / $\gamma = 1$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.23.6 myket / SoftAND* / $\gamma = 2$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.23.7 myket / SoftAND* / $\gamma = 4$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.23.8 myket / SoftAND* / $\gamma = 10$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.23.9 myket / SoftAND* / $\gamma = 100$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). $\mathrm{DiD} = \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.24 myket / SoftThreshτ1.5

Grid cells: 9 (complete 0, partial 0, did not run 9); target $n = 40$.

7.24.1 myket / SoftThreshτ1.5 / $\gamma = 0$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.24.2 myket / SoftThreshτ1.5 / $\gamma = 0.25$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.24.3 myket / SoftThreshτ1.5 / $\gamma = 0.5$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.24.4 myket / SoftThreshτ1.5 / $\gamma = 0.75$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.24.5 myket / SoftThreshτ1.5 / $\gamma = 1$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.24.6 myket / SoftThreshτ1.5 / $\gamma = 2$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.24.7 myket / SoftThreshτ1.5 / $\gamma = 4$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.24.8 myket / SoftThreshτ1.5 / $\gamma = 10$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). DiD $= \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

7.24.9 myket / SoftThreshτ1.5 / $\gamma = 100$

Cell status: did not run.

Levels (greedy CTR %).

method	status	n	mean	CI lo	CI hi
OPC/DR	did not run	0	—	—	—
NLL	did not run	0	—	—	—
hybrid f=0.25	did not run	0	—	—	—
hybrid f=0.5	did not run	0	—	—	—
hybrid f=0.75	did not run	0	—	—	—
hybrid adapt	did not run	0	—	—	—

Contrasts (CTR points).

contrast	status	n	mean	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

DiD vs $\gamma = 0$ (CTR points). $\mathrm{DiD} = \Delta(\gamma) - \Delta(0)$.

contrast	status	n	DiD	CI lo	CI hi
$V_{\mathrm{OPC}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.25} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.5} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{f0.75} - V_{\mathrm{NLL}}$	did not run	0	—	—	—
$V_{\mathrm{adapt}} - V_{\mathrm{NLL}}$	did not run	0	—	—	—

8 Reproducibility

Tags live under `artifacts/full_study/run_*`. Full-grid queue: `logs/full_hybrid_grid_queue.txt`. Inventory: `_inventory_grid.py` → `hybrid_by_cell/study_inventory.json`. Analysis: `analyze_hybrid_by_cell.py` → `hybrid_by_cell/*.csv`. This PDF: `build_hybrid_results_pdf.py`.