


101-BCC					
AIR PREHEATER					
		AIR SIDE		FLUE GAS SIDE	
		IN	OUT	IN	OUT
DES./OPER.TEMP	°C	37	228.3	264	120
DES./OPER.PRESS	mmH2O	259	107	-68	-220
MATERIAL		CS		CS	
HEAT DUTY	Gcal/h	17.96			

1. FOR GENERAL NOTES AND SYMBOLS SEE DRAWING 4A, 4B.
2. SEE DWG. 13P FOR STEAM SIDE PIPING.
3. REFER TO WRITE-UP BY CONTROL SYSTEMS ENGINEERING FOR INTERLOCK DESCRIPTION.
4. DELETED.
5. HIC-1002 TO BE HIGHER THAN 15% OPENING



REVISIONS

PROJECT NAME : KALTIM-5 PROJECT 2500 MTPD AMMONIA AND 3500 MTPD UREA BONTANG, EAST KALIMANTAN, INDONESIA						
CLIENT NAME : <div style="text-align: center;">  </div> PT. PUPUK KALIMANTAN TIMUR						
<div style="display: flex; align-items: center; justify-content: space-between;">  <div style="text-align: right;"> Engineering Services by KBR Technical Services, Inc. </div> </div>						
<p><small>THIS DOCUMENT/ SOFTWARE CONTAINS TECHNICAL INFORMATION THAT IS SUBJECT TO U.S. EXPORT CONTROL REGULATIONS, INCLUDING RESTRICTIONS ON THE EXPORT, SALE OR TRANSFER OF U.S. ORIGIN TECH. KNOWLEDGE, TECHNOLOGY OR SOFTWARE TO SANCTIONED/ EMBARGOED COUNTRIES, ENTITIES OR PERSONS. IT MAY NOT BE EXPORTED OR RE-EXPORTED EXCEPT AS AUTHORIZED BY ANY APPLICABLE U.S. EXPORT CONTROL REGULATIONS.</small></p>						
<p><small>THIS DOCUMENT CONTAINS INFORMATION WHICH IS PROPRIETARY TO KALIMANTAN BROWN & ROOT. THIS INFORMATION IS TO BE HELD IN CONFIDENCE. NO DISCLOSURE, REPRODUCTION OR OTHER USE OF THIS DOCUMENT IS TO BE MADE WITHOUT THE PRIOR WRITTEN APPROVAL OF KALIMANTAN BROWN & ROOT.</small></p>						
<p><small>THIS DRAWING EMBODIES PROPRIETARY INFORMATION OF TOYO ENGINEERING CORPORATION. THE DRAWING OF THE MATERIAL DESCRIBED HEREIN MUST NOT BE COPIED OR DISCLOSED IN ANY FORM OR MEDIUM TO THIRD PARTIES WITHOUT THE PERMISSION FROM WHICH IT WAS BEING PROVIDED. WHOLE OR IN PART IN ANY MANNER EXCEPT AS EXPRESSLY PERMITTED BY TOYO ENGINEERING CORPORATION.</small></p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 5px;">ABR/ FOR ISSUE</td> </tr> <tr> <td style="padding: 5px;">V-CHEN</td> </tr> <tr> <td style="padding: 5px;">L-LEUNGSONG</td> </tr> <tr> <td style="padding: 5px;">S-SIT</td> </tr> <tr> <td style="padding: 5px;">V-KHENG</td> </tr> </table>	ABR/ FOR ISSUE	V-CHEN	L-LEUNGSONG	S-SIT	V-KHENG
ABR/ FOR ISSUE						
V-CHEN						
L-LEUNGSONG						
S-SIT						
V-KHENG						
CONTRACTOR : <div style="display: flex; align-items: center; margin-top: 5px;">   </div>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 5px;">ISSUE NAME</td> </tr> <tr> <td style="padding: 5px; text-align: center;">I</td> </tr> <tr> <td style="padding: 5px; text-align: right;">14/NOV/13</td> </tr> </table>	ISSUE NAME	I	14/NOV/13		
ISSUE NAME						
I						
14/NOV/13						
CONTRACTOR WORK NUMBER : 10107 / BA096300 / 11-018-01						
PIPING & INSTRUMENT FLOW DIAGRAM PRIMARY REFORMER FORCED DRAFT FAN AND INDUCED DRAFT FAN						
<table style="width: 100%;"> <tr> <td style="width: 33%;">SCALE 1/2"</td> <td style="width: 33%;">DWG. NO. K5-01-E1-PD-5E1-T</td> <td style="width: 33%;"></td> </tr> </table>		SCALE 1/2"	DWG. NO. K5-01-E1-PD-5E1-T			
SCALE 1/2"	DWG. NO. K5-01-E1-PD-5E1-T					
<table style="width: 100%;"> <tr> <td style="width: 33%;">DOC. NO. K5-01-E1-PD-008-T</td> <td style="width: 33%;">SHEET 008/073</td> <td style="width: 33%;">REV#</td> </tr> </table>		DOC. NO. K5-01-E1-PD-008-T	SHEET 008/073	REV#		
DOC. NO. K5-01-E1-PD-008-T	SHEET 008/073	REV#				