


110-LM		
αMDEA SOLUTION MIXER		
DES./OPER.TEMP	°C	140/20-37; 37
DES./OPER.PRESS	kg/cm2G	F.L/ATM
MATERIAL		304 SS
SPEED	RPM	BV
POWER	kW	2.2

115-F	
αMDEA SOLUTION SUMP	
DES./OPER.TEMP.	°C 140/37
DES./OPER.PRESS.	kg/cm2G F.L/ATM
INSULATION/THICK	mm NO/-
MATERIAL	CS
DIMENSION	(IDxH) mm 4000x3500
VOLUME	m3 4.2

NOTES

1. FOR GENERAL NOTES AND SYMBOLS SEE DRAWING 4A, 4B.



115-J	
aMDEA SUMP PUMP	
SEAL PLAN 02/61	
DESIGN CAPACITY	m ³ /h 30
SUCT./DISCH.	kg/cm ² G -0.01/2.9
HEAD/NPSHR	m 28/1.8
TYPE OF SEAL	MECH. SEAL
POWER	KW 6.4
MAT. CASING/IMPELL.	A351 GR CF3M

RE-ISSUED FOR CONSTRUCTION (AFC-3)	TS	ABA	DJ	HCB	AND	HK	UK	14/1/15
RE-ISSUED FOR CONSTRUCTION (AFC-2)	TS	ABA	DJ	HCB	AN	HK	UK	20/6/15
RE-ISSUED FOR CONSTRUCTION (AFC-1)	TS	ABA	DJ	HCB	AN	HK	UK	10/8/15
ISSUED FOR CONSTRUCTION (AFC)	CB	ABA	DJ	RK	AN	SH	UK	26/1/15
RE-ISSUED FOR APPROVAL (AFD-1)	CB	ABA	DJ	RK	UJ	SH	UK	27/6/15
ISSUED FOR APPROVAL (AFD)	CB	ABA	DJ	RK	UJ	SH	UK	22/6/15
ISSUED FOR DETAIL DESIGN (APP-2)	AB	ABA	DESH	UJ	SDP	NLN	SH	14/6/15
REV	DESCRIPTION	DRAWN	CHECKED	DESIGNED	APPROVED	AUTHN	SIGNATURE	DATE

REVISIONS

REVISIONS

PROJECT NAME : KALTIM-5 PROJECT
2500 MTPD AMMONIA AND 3500 MTPD UREA
BONTANG, EAST KALIMANTAN, INDONESIA

CLIENT NAME : **PUPUK KALTIM**
PT. PUPUK KALIMANTAN TIMUR

KBR Engineering Services by
KBR Technical Services, Inc.

THIS DOCUMENT/ SOFTWARE CONTAINS TECHNICAL INFORMATION THAT IS SUBJECT TO U.S. EXPORT CONTROL REGULATIONS, INCLUDING RESTRICTIONS ON THE EXPORT, SALE OR TRANSFER OF U.S. ORIGIN ITEMS (GOODS, TECHNOLOGY OR SOFTWARE) TO SANCTIONED/ EMBARGOED COUNTRIES, ENTITIES OR PERSONS. IT MAY NOT BE EXPORTED OR RE-EXPORTED EXCEPT AS AUTHORIZED UNDER APPLICABLE U.S. EXPORT CONTROL REQUIREMENTS.

THIS DOCUMENT CONTAINS INFORMATION WHICH IS PROPRIETARY TO KELLOGG BROWN & ROOT. THIS INFORMATION IS TO BE HELD IN CONFIDENCE. NO DISCLOSURE, REPRODUCTION OR OTHER USE OF THIS DOCUMENT IS TO BE MADE WITHOUT THE PRIOR WRITTEN CONSENT OF KELLOGG BROWN & ROOT.

THIS DRAWING EMBODIES PROPRIETARY INFORMATION OF TOYO ENGINEERING CORPORATION
THIS DRAWING OR THE MATERIAL DESCRIBED THEREON MAY NOT BE COPIED OR DISCLOSED
IN ANY FORM OR MEDIUM TO THIRD PARTIES, OR USED FOR OTHER THAN THE PURPOSE FOR
WHICH IT HAS BEEN PROVIDED, WHOLE OR IN PART IN ANY MANNER EXCEPT AS EXPRESSLY
PERMITTED BY TOYO ENGINEERING CORPORATION.

ABBR. FOR ISSU
C=CLIENT
L=LICENSEOR
S=SITE
V=VENDOR

ABBR. FOR ISSU
C=CLIENT
L=LICENSOR
S=SITE
V=VENDOR

CONTRACTOR :		ISSUE MARK
 PT. INTI KARYA PERSADA TEKNIK PT. INTI KARYA PERSADA TEKNIK		 Toyo ENGINEERING CORPORATION toyo engineering corporation

CONTRACTOR WORK NUMBER : 10107 / BA096300 / 11-018-01

PIPING & INSTRUMENT FLOW DIAGRAM
aMDEA SOLUTION SUMP

SCALE	\propto	DWG. NO.	K5-01-E1-PD-5AF-T
-------	-----------	----------	-------------------

DOC. NO. K5-01-E1-PD-033-T SHEET 033/073 REV.8