Process Table and Process Control Block (PCB)

Last Updated : 24 Jun, 2024

While creating a process, the operating system performs several operations. To identify the processes, it assigns a process identification number (PID) to each process. As the operating system supports multi-programming, it needs to keep track of all the processes. For this task, the process control block (PCB) is used to track the process's execution status. Each block of memory contains information about the process state, program counter, stack pointer, status of opened files, scheduling algorithms, etc.

All this information is required and must be saved when the process is switched from one state to another. When the process makes a transition from one state to another, the operating system must update information in the process's PCB. A process control block (PCB) contains information about the process, i.e. registers, quantum, priority, etc. The process table is an array of PCBs, which logically contains a PCB for all of the current processes in the system.

Structure of the Process Control Block

A Process Control Block (PCB) is a data structure used by the operating system to manage information about a process. The process control keeps track of many important pieces of information needed to manage processes efficiently. The diagram helps explain some of these key data items.



Process Control Block

- **Pointer:** It is a stack pointer that is required to be saved when the process is switched from one state to another to retain the current position of the process.
- **Process state:** It stores the respective state of the process.
- **Process number:** Every process is assigned a unique id known as process ID or PID which stores the process identifier.
- **Program counter:** Program Counter stores the counter, which contains the address of the next instruction that is to be executed for the process.
- **Register:** Registers in the PCB, it is a data structure. When a processes is running and it's time slice expires, the current value of process specific registers would be stored in the PCB and the process would be swapped out. When the process is scheduled to be run, the register values is read from the PCB and written to the CPU registers. This is the main purpose of the registers in the PCB.
- **Memory limits:** This field contains the information about memory management system used by the operating system. This may include page tables, segment tables, etc.
- **List of Open files:** This information includes the list of files opened for a process.



Process table and process control block

Additional Points to Consider for Process Control Block (PCB)

- **Interrupt Handling:** The PCB also contains information about the interrupts that a process may have generated and how they were handled by the operating system.
- **Context Switching:** The process of switching from one process to another is called context switching. The PCB plays a crucial role in context switching by saving the state of the current process and restoring the state of the next process.
- **Real-Time Systems:** Real-time operating systems may require additional information in the PCB, such as deadlines and priorities, to ensure that time-critical processes are executed in a timely manner.
- **Virtual Memory Management:** The PCB may contain information about a process's virtual memory management, such as page tables and page fault handling.
- **Inter-Process Communication:** The PCB can be used to facilitate inter-process communication by storing information about shared resources and communication channels between processes.
- **Fault Tolerance:** Some operating systems may use multiple copies of the PCB to provide fault tolerance in case of hardware failures or software errors.

Location of The Process Control Block

The Process Control Block (PCB) is stored in a special part of memory that normal users can't access. This is because it holds important information about the process. Some operating systems place the PCB at the start of the kernel stack for the process, as this is a safe and secure spot.

Advantages

- **Efficient Process Management:** The process table and PCB provide an efficient way to manage processes in an operating system. The process table contains all the information about each process, while

the PCB contains the current state of the process, such as the program counter and CPU registers.

- **Resource Management:** The process table and PCB allow the operating system to manage system resources, such as memory and CPU time, efficiently. By keeping track of each process's resource usage, the operating system can ensure that all processes have access to the resources they need.
- **Process Synchronization:** The process table and PCB can be used to synchronize processes in an operating system. The PCB contains information about each process's synchronization state, such as its waiting status and the resources it is waiting for.
- **Process Scheduling:** The process table and PCB can be used to schedule processes for execution. By keeping track of each process's state and resource usage, the operating system can determine which processes should be executed next.

Disadvantages

- **Overhead:** The process table and PCB can introduce overhead and reduce system performance. The operating system must maintain the process table and PCB for each process, which can consume system resources.
- **Complexity:** The process table and PCB can increase system complexity and make it more challenging to develop and maintain operating systems. The need to manage and synchronize multiple processes can make it more difficult to design and implement system features and ensure system stability.
- **Scalability:** The process table and PCB may not scale well for large-scale systems with many processes. As the number of processes increases, the process table and PCB can become larger and more difficult to manage efficiently.
- **Security:** The process table and PCB can introduce security risks if they are not implemented correctly. Malicious programs can

potentially access or modify the process table and PCB to gain unauthorized access to system resources or cause system instability.

- **Miscellaneous Accounting and Status Data** – This field includes information about the amount of CPU used, time constraints, jobs or process number, etc. The process control block stores the register content also known as execution content of the processor when it was blocked from running. This execution content architecture enables the operating system to restore a process's execution context when the process returns to the running state. When the process makes a transition from one state to another, the operating system updates its information in the process's PCB. The operating system maintains pointers to each process's PCB in a process table so that it can access the PCB quickly.

Conclusion

The Process Control Block (PCB) is essential for managing processes in an operating system. It stores crucial information about each process, like its unique ID, current state, and resource usage. The PCB enables smooth process switching, effective multitasking, and efficient resource allocation. By keeping detailed records of each process, the PCB helps maintain system stability and performance. Understanding the role and structure of PCBs is key to appreciating how operating systems handle multiple processes simultaneously.

Frequently Asked Questions on Process Table and Process Control Block – FAQs

What information does a Process Control Block (PCB) contain?

A process control board (PCB) stores various information about a process so that the operating system can manage it properly. A typical printed circuit board contains the following components:

Process ID (PID), Process Status, CPU Registers, Memory Management Information, I/O Information, etc.

Why is the PCB important?

The PCB is crucial because it helps the operating system keep track of all the processes, manage their states, and ensure efficient CPU scheduling and resource allocation.

How does the Process Control Block (PCB) facilitate context switching?

During process switching, the operating system saves the current process's state in its PCB and loads the next process's state from its PCB. This allows processes to resume execution from where they left off.

What is the role of the PCB in multitasking?

In multitasking, the PCB allows the operating system to manage multiple processes simultaneously by keeping track of each process's state and resources.

R Rajshree Srivastava 316

Previous Article

Introduction of Process Management

Next Article

Operations on Processes

Similar Reads

Process Control Block in OS

A Process Control Block (PCB) is a data structure that is used by an Operating System to manage and regulate how processes are carried out....

6 min read

Thread Control Block in Operating System

Very similar to Process Control Blocks (PCBs) which represents processes, Thread Control Blocks (TCBs) represents threads generated in the system...

1 min read

Difference between Flow Control and Congestion Control

Flow Control and Congestion Control are traffic controlling methods for different situations. The main difference between flow control and...

4 min read

Difference between Flow Control and Error Control

1. Flow Control : It is an important function of the Data Link Layer. It refers to a set of procedures that tells the sender how much data it can transmit...

3 min read

Difference Between Process, Parent Process, and Child Process

Running program is a process. From this process, another process can be created. There is a parent-child relationship between the two processes....

8 min read

View More Articles

Article Tags : GATE CS Operating Systems

GeeksforGeeks
Sanchhaya Education Private Limited
Corporate & Communications Address:- A-143, 9th Floor, Sovereign Corporate Tower, Sector- 136, Noida, Uttar Pradesh (201305) | Registered Address:- K 061, Tower K, Gulshan Vivante Apartment, Sector 137, Noida, Gautam Buddh Nagar, Uttar Pradesh, 201305