



Types of Operating Systems

Last Updated : 22 Jul, 2024

An Operating System performs all the basic tasks like managing files, processes, and memory. Thus operating system acts as the manager of all the resources, i.e. **resource manager**. Thus, the operating system becomes an interface between the user and the machine. It is one of the most required software that is present in the device.

Operating System is a type of software that works as an interface between the system program and the hardware. There are several types of Operating Systems many of which are mentioned below. Let's have a look at them.

Types of Operating Systems


There are several types of Operating Systems which are mentioned below.

- [Batch Operating System](#)
- [Multi-Programming System](#)
- [Multi-Processing System](#)
- [Multi-Tasking Operating System](#)
- [Time-Sharing Operating System](#)
- [Distributed Operating System](#)
- [Network Operating System](#)
- [Real-Time Operating System](#)

1. Batch Operating System

This type of operating system does not interact with the computer directly. There is an operator which takes similar jobs having the same requirements and groups them into batches. It is the responsibility of the

operator to sort jobs with similar needs. Batch Operating System is designed to manage and execute a large number of jobs efficiently by processing them in groups.

*Batch Operating System*

Advantages of Batch Operating System

- Multiple users can share the batch systems.
- The idle time for the batch system is very less.
- It is easy to manage large work repeatedly in batch systems.

Disadvantages of Batch Operating System


- Batch systems are hard to debug.
- It is sometimes costly.
- The other jobs will have to wait for an unknown time if any job fails.
- In batch operating system the processing time for jobs is commonly difficult to accurately predict while they are in the queue.
- It is difficult to accurately predict the exact time required for a job to complete while it is in the queue.

Examples of Batch Operating Systems: Payroll Systems, Bank Statements, etc.

2. Multi-Programming Operating System

Multiprogramming Operating Systems can be simply illustrated as more than one program is present in the main memory and any one of them can be kept in execution. This is basically used for better execution of resources.

Multiprogramming



MultiProgramming

Advantages of Multi-Programming Operating System

- Multi Programming increases the Throughput of the System.
- It helps in reducing the response time.


Disadvantages of Multi-Programming Operating System

- There is not any facility for user interaction of system resources with the system.

3. Multi-Processing Operating System

Multi-Processing Operating System is a type of Operating System in which more than one CPU is used for the execution of resources. It better the throughput of the System.

Multiprocessing



Multiprocessing Operating System

Advantages of Multi-Processing Operating System

- It increases the throughput of the system.
- As it has several processors, so, if one processor fails, we can proceed with another processor.

Disadvantages of Multi-Processing Operating System

- Due to the multiple CPU, it can be more complex and somehow difficult to understand.


4. Multi-Tasking Operating System

Multitasking Operating System is simply a multiprogramming Operating System with having facility of a Round-Robin Scheduling Algorithm. It can run multiple programs simultaneously.

There are two types of Multi-Tasking Systems which are listed below.

- [Preemptive Multi-Tasking](#)
- [Cooperative Multi-Tasking](#)

Multitasking



Multitasking Operating System

Advantages of Multi-Tasking Operating System


- Multiple Programs can be executed simultaneously in Multi-Tasking Operating System.
- It comes with proper memory management.

Disadvantages of Multi-Tasking Operating System

- The system gets heated in case of heavy programs multiple times.

5. Time-Sharing Operating Systems

Each task is given some time to execute so that all the tasks work smoothly. Each user gets the time of the CPU as they use a single system. These systems are also known as Multitasking Systems. The task can be from a single user or different users also. The time that each task gets to execute is called quantum. After this time interval is over OS switches over to the next task.

*Time-Sharing OS*

Advantages of Time-Sharing OS

- Each task gets an equal opportunity.
- Fewer chances of duplication of software.
- CPU idle time can be reduced.
- Resource Sharing: Time-sharing systems allow multiple users to share hardware resources such as the CPU, memory, and peripherals, reducing the cost of hardware and increasing efficiency.
- Improved Productivity: Time-sharing allows users to work concurrently, thereby reducing the waiting time for their turn to use the computer. This increased productivity translates to more work getting done in less time.
- Improved User Experience: Time-sharing provides an interactive environment that allows users to communicate with the computer in real time, providing a better user experience than batch processing.

Disadvantages of Time-Sharing OS

- Reliability problem.
- One must have to take care of the security and integrity of user programs and data.

- Data communication problem.
- High Overhead: Time-sharing systems have a higher overhead than other operating systems due to the need for scheduling, context switching, and other overheads that come with supporting multiple users.
- Complexity: Time-sharing systems are complex and require advanced software to manage multiple users simultaneously. This complexity increases the chance of bugs and errors.
- Security Risks: With multiple users sharing resources, the risk of security breaches increases. Time-sharing systems require careful management of user access, authentication, and authorization to ensure the security of data and software.


Examples of Time-Sharing OS with explanation

- **IBM VM/CMS:** IBM VM/CMS is a time-sharing operating system that was first introduced in 1972. It is still in use today, providing a virtual machine environment that allows multiple users to run their own instances of operating systems and applications.
- **TSO (Time Sharing Option):** TSO is a time-sharing operating system that was first introduced in the 1960s by IBM for the IBM System/360 mainframe computer. It allowed multiple users to access the same computer simultaneously, running their own applications.
- **Windows Terminal Services:** Windows Terminal Services is a time-sharing operating system that allows multiple users to access a Windows server remotely. Users can run their own applications and access shared resources, such as printers and network storage, in real-time.

6. Distributed Operating System

These types of operating system is a recent advancement in the world of computer technology and are being widely accepted all over the world and, that too, at a great pace. Various autonomous interconnected

computers communicate with each other using a shared communication network. Independent systems possess their own memory unit and CPU. These are referred to as loosely coupled systems or distributed systems. These systems' processors differ in size and function. The major benefit of working with these types of the operating system is that it is always possible that one user can access the files or software which are not actually present on his system but some other system connected within this network i.e., remote access is enabled within the devices connected in that network.



Advantages of Distributed Operating System

- Failure of one will not affect the other network communication, as all systems are independent of each other.
- Electronic mail increases the data exchange speed.
- Since resources are being shared, computation is highly fast and durable.
- Load on host computer reduces.
- These systems are easily scalable as many systems can be easily added to the network.
- Delay in data processing reduces.

Disadvantages of Distributed Operating System

- Failure of the main network will stop the entire communication.

- To establish distributed systems the language is used not well-defined yet.
- These types of systems are not readily available as they are very expensive. Not only that the underlying software is highly complex and not understood well yet.

Examples of Distributed Operating Systems are LOCUS, etc.


Issues With Distributed Operating Systems

- Networking causes delays in the transfer of data between nodes of a distributed system. Such delays may lead to an inconsistent view of data located in different nodes, and make it difficult to know the chronological order in which events occurred in the system.
- Control functions like scheduling, resource allocation, and deadlock detection have to be performed in several nodes to achieve computation speedup and provide reliable operation when computers or networking components fail.
- Messages exchanged by processes present in different nodes may travel over public networks and pass through computer systems that are not controlled by the distributed operating system. An intruder may exploit this feature to tamper with messages, or create fake messages to fool the authentication procedure and masquerade as a user of the system.

7. Network Operating System

These systems run on a server and provide the capability to manage data, users, groups, security, applications, and other networking functions. These types of operating systems allow shared access to files, printers, security, applications, and other networking functions over a small private network. One more important aspect of Network Operating Systems is that all the users are well aware of the underlying configuration, of all other users within the network, their individual

connections, etc. and that's why these computers are popularly known as tightly coupled systems.



Advantages of Network Operating System

- Highly stable centralized servers.
- Security concerns are handled through servers.
- New technologies and hardware up-gradation are easily integrated into the system.
- Server access is possible remotely from different locations and types of systems.

Disadvantages of Network Operating System

- Servers are costly.
- User has to depend on a central location for most operations.
- Maintenance and updates are required regularly.

Examples of Network Operating Systems are Microsoft Windows Server 2003, Microsoft Windows Server 2008, UNIX, Linux, Mac OS X, Novell NetWare, BSD, etc.

8. Real-Time Operating System

These types of OSs serve real-time systems. The time interval required to process and respond to inputs is very small. This time interval is called **response time**. **Real-time systems** are used when there are time requirements that are very strict like missile systems, air traffic control systems, robots, etc.

Types of Real-Time Operating Systems

- **Hard Real-Time Systems:** Hard Real-Time OSs are meant for applications where time constraints are very strict and even the shortest possible delay is not acceptable. These systems are built for saving life like automatic parachutes or airbags which are required to be readily available in case of an accident. Virtual memory is rarely found in these systems.
- **Soft Real-Time Systems:** These OSs are for applications where time-constraint is less strict.

For more, refer to the [Difference Between Hard Real-Time OS and Soft Real-Time OS](#).

Real-Time Operating System

Advantages of RTOS

- **Maximum Consumption:** Maximum utilization of devices and systems, thus more output from all the resources.
- **Task Shifting:** The time assigned for shifting tasks in these systems is very less. For example, in older systems, it takes about 10 microseconds in shifting from one task to another, and in the latest systems, it takes 3 microseconds.
- **Focus on Application:** Focus on running applications and less importance on applications that are in the queue.

- **Real-time operating system in the embedded system:** Since the size of programs is small, RTOS can also be used in embedded systems like in transport and others.
- **Error Free:** These types of systems are error-free.
- **Memory Allocation:** Memory allocation is best managed in these types of systems.

Disadvantages of RTOS

- **Limited Tasks:** Very few tasks run at the same time and their concentration is very less on a few applications to avoid errors.
- **Use heavy system resources:** Sometimes the system resources are not so good and they are expensive as well.
- **Complex Algorithms:** The algorithms are very complex and difficult for the designer to write on.
- **Device driver and interrupt signals:** It needs specific device drivers and interrupts signal to respond earliest to interrupts.
- **Thread Priority:** It is not good to set thread priority as these systems are very less prone to switching tasks.

Examples of Real-Time Operating Systems are Scientific experiments, medical imaging systems, industrial control systems, weapon systems, robots, air traffic control systems, etc.

Conclusion

Operating systems come in various types, each used for specific needs. Whether it's managing large batches of jobs, enabling multiple users to work simultaneously, coordinating networked computers, or ensuring timely execution in critical systems. Understanding these types helps in choosing the right operating system for the right job, ensuring efficiency and effectiveness.

Frequently Asked Questions on Types of Operating Systems – FAQs

What is a batch operating system?

A batch operating system processes batches of jobs without user interaction. It collects similar jobs, executes them without manual intervention, and is common in mainframe environments for tasks like payroll processing.

What is a time-sharing operating system?

A time-sharing OS allows multiple users to use a computer system simultaneously by dividing CPU time among multiple tasks or users. It provides efficient sharing of resources and is typical in interactive computing environments.

What are embedded operating systems?

Embedded OSs are designed for specific hardware and tasks in embedded systems like appliances, vehicles, and industrial machines. They are optimized for reliability, real-time processing, and often have limited user interfaces.

A akas...

Previous Article

Functions of Operating System

Next Article

Similar Reads

Operating Systems | Input Output Systems | Question 5

Which of the following is major part of time taken when accessing data on the disk? (A) Settle time (B) Rotational latency (C) Seek time (D) Waiting...

1 min read

Operating Systems - GATE CSE Previous Year Questions

Solving GATE Previous Year's Questions (PYQs) not only clears the concepts but also helps to gain flexibility, speed, accuracy, and...

4 min read

Operating Systems | Set 2

Following questions have been asked in GATE CS exam. 1. Consider a machine with 64 MB physical memory and a 32-bit virtual address space. ...

4 min read

Operating Systems | Set 4

Following questions have been asked in GATE CS exam. 1. Using a larger block size in a fixed block size file system leads to (GATE CS 2003) a)...

3 min read

Operating Systems | Set 5

Following questions have been asked in GATE 2012 exam. 1. A process executes the code `fork (); fork (); fork ();` The total number of child process...

3 min read

[View More Articles](#)

Article Tags :

[GATE CS](#)

[Operating Systems](#)

[School Programming](#)

[CBSE - Class 11](#)

[+1 More](#)

Corporate & Communications Address:- A-143, 9th Floor, Sovereign Corporate Tower, Sector- 136, Noida, Uttar Pradesh (201305)
| Registered Address:- K 061, Tower K, Gulshan Vivante Apartment, Sector 137, Noida, Gautam Buddh Nagar, Uttar Pradesh, 201305



Company

[About Us](#)
[Legal](#)
[In Media](#)
[Contact Us](#)
[Advertise with us](#)
[GFG Corporate Solution](#)
[Placement Training Program](#)
[GeeksforGeeks Community](#)

Languages

[Python](#)
[Java](#)
[C++](#)
[PHP](#)
[GoLang](#)
[SQL](#)
[R Language](#)
[Android Tutorial](#)
[Tutorials Archive](#)

DSA

- Data Structures
- Algorithms
- DSA for Beginners
- Basic DSA Problems
- DSA Roadmap
- Top 100 DSA Interview Problems
- DSA Roadmap by Sandeep Jain
- All Cheat Sheets

Web Technologies

- HTML
- CSS
- JavaScript
- TypeScript
- ReactJS
- NextJS
- Bootstrap
- Web Design

Computer Science

- Operating Systems
- Computer Network
- Database Management System
- Software Engineering
- Digital Logic Design
- Engineering Maths
- Software Development
- Software Testing

System Design

- High Level Design
- Low Level Design
- UML Diagrams
- Interview Guide
- Design Patterns
- OOAD
- System Design Bootcamp
- Interview Questions

School Subjects

- Mathematics
- Physics
- Chemistry

Data Science & ML

- Data Science With Python
- Data Science For Beginner
- Machine Learning Tutorial
- ML Maths
- Data Visualisation Tutorial
- Pandas Tutorial
- NumPy Tutorial
- NLP Tutorial
- Deep Learning Tutorial

Python Tutorial

- Python Programming Examples
- Python Projects
- Python Tkinter
- Web Scraping
- OpenCV Tutorial
- Python Interview Question
- Django

DevOps

- Git
- Linux
- AWS
- Docker
- Kubernetes
- Azure
- GCP
- DevOps Roadmap

Interview Preparation

- Competitive Programming
- Top DS or Algo for CP
- Company-Wise Recruitment Process
- Company-Wise Preparation
- Aptitude Preparation
- Puzzles

GeeksforGeeks Videos

- DSA
- Python
- Java

Biology	C++
Social Science	Web Development
English Grammar	Data Science
Commerce	CS Subjects
World GK	

@GeeksforGeeks, Sanchhaya Education Private Limited, All rights reserved