## **AEM FINAL TASK**

#### **IMPLEMENTATION STEPS:**

# 1. HEADER (OOTB component + navigation)

### Steps:

- 1. Use the OOTB Header component.
- 2. Add navigation links:
  - a. Home
  - b. News (dropdown)
    - i. News1
    - ii. News2
    - iii. News3...
  - c. About Me
  - d. Contact Me

### Implementation (HTL):

```
In your template:
```

```
<nav>
 <a href="/content/newsroom/home.html">Home</a>
   <a href="/content/newsroom/news.html">News</a>
    <a href="/content/newsroom/news/news1.html">News</a>
1</a>
      <a href="/content/newsroom/news/news2.html">News</a>
2</a>
      <!-- add more dynamically if needed -->
    <a href="/content/newsroom/about-me.html">About Me</a>
   <a href="/content/newsroom/contact-me.html">Contact</a>
Me</a>
```

Style using custom clientlibs.



## 2. FOOTER

#### **Sections:**

- About Me
- Contact Me
- Latest 5 News with hyperlinks (open in new tab)
- Social Media Links

### Implementation (HTL + Java for dynamic news links):

#### HTL:

```
<div class="footer">
 <div class="about">About Me: A passionate journalist...</div>
 <div class="contact">Contact: journalist@example.com</div>
 <div class="latest-news">
   <h4>Latest News</h4>
   <a href="${item.link}" target="_blank">${item.title}</a>
    </div>
 <div class="social">
   <a href="https://twitter.com/..." target="_blank">Twitter</a>
   <a href="https://linkedin.com/..." target="_blank">LinkedIn</a>
 </div>
</div>
```

#### Java Model (NewsListModel.java):

```
@Model(adaptables = Resource.class)
public class NewsListModel {
    @Inject
    private ResourceResolver resourceResolver;
    public List<NewsItem> getLatestNews() {
        List<NewsItem> newsItems = new ArrayList<>();
        PageManager pageManager =
resourceResolver.adaptTo(PageManager.class);
        Page newsRoot = pageManager.getPage("/content/newsroom/news");
        if (newsRoot != null) {
            Iterator<Page> children = newsRoot.listChildren();
            children.forEachRemaining(page -> {
                newsItems.add(new NewsItem(page.getTitle(),
page.getPath() + ".html"));
            });
        }
        return
newsItems.stream().limit(5).collect(Collectors.toList());
    }
    public class NewsItem {
        private String title, link;
        public NewsItem(String title, String link) { this.title =
title; this.link = link; }
        public String getTitle() { return title; }
        public String getLink() { return link; }
    }
}
```

About Us	Contact Us	Social	News Menu
Alex Carter is an award-winning investigative journalist with over a decade of experience in uncovering critical global issues. Specializing in political corruption, human rights, and environmenta reporting, Alex has worked with leading news organizations to bring impactful stories to light.	Get in Touch  Email: journalist@example.com  New Phone: +1 234 567 8901  Location: New York, USA	Follow Us  \$\mathcal{S}\$ Linkedin: linkedin.com/in/journalist}  \$\mathcal{S}\$ Twitter (X): \text{hvitter.com/journalist}  \$\mathcal{S}\$ Instagram: \text{instagram.com/journalist}	<ul> <li>article - 1</li> <li>article - 2</li> <li>article - 3</li> <li>article - 4</li> <li>article - 5</li> </ul>


### 3. HOME PAGE

- Template: OOTB Content Page
- Use Teaser component to display journalist award

### **Teaser Setup:**

Drag-and-drop Teaser in page editor:

- Image: Upload award image
- Title: "National Journalism Award 2024"
- Description: "Recognized for outstanding contributions to investigative journalism."
- CTA: Link to award detail page (e.g., /content/newsroom/news/award-details.html)



# 4. NEWS PAGE (Dynamic News Cards)

Page: /content/newsroom/news

**Custom Component: NewsRoom component** 

Sling Model (NewsRoomModel.java):

```
@Model(adaptables = SlingHttpServletRequest.class,
defaultInjectionStrategy = DefaultInjectionStrategy.OPTIONAL)
public class NewsRoomModel {
    @Inject
    private ResourceResolver resourceResolver;
    public List<NewsCard> getNewsCards() {
        List<NewsCard> cards = new ArrayList<>();
        PageManager pageManager =
resourceResolver.adaptTo(PageManager.class);
        Page parent = pageManager.getPage("/content/newsroom/news");
        if (parent != null) {
            Iterator<Page> children = parent.listChildren();
            while (children.hasNext()) {
                Page child = children.next();
                String title = child.getTitle();
                String image =
child.getContentResource().getChild("image").getValueMap().get("fileRe
ference", "");
                String description =
child.getContentResource().getChild("text").getValueMap().get("text",
"");
                cards.add(new NewsCard(title, description, image));
            }
        return cards;
    }
```

<div class="card" data-sly-list.card="\${model.newsCards}">


<img src="\${card.image}" alt="\${card.title}" />


<h3>\${card.title}</h3>

</div>

</div>

\${card.description}





# **5. ABOUT ME PAGE**


• Use only Journalist custom component.

## **Journalist Component HTL:**

```
<div class="journalist">
  <img src="${properties.image}" alt="Journalist" />
  <h2>${properties.name}</h2>
  ${properties.bio}
</div>
```

## **Dialog Fields:**

- Name
- Bio



## 6. CONTACT ME PAGE

• Use Text or Teaser component

## **Suggested Content:**

- Email ID
- Phone Number
- LinkedIn, Twitter links

