

Appendix S1. Metabolic rate data for eight species of size-polymorphic ants

Species	Temperature	Mass (mg)	Metabolic rate (μW)
Anoplolepis steinergroeveri	20	0.94	5.6
Anoplolepis steinergroeveri	20	0.98	1.8
Anoplolepis steinergroeveri	20	1.15	2.3
Anoplolepis steinergroeveri	20	1.17	3.6
Anoplolepis steinergroeveri	20	1.59	3.5
Anoplolepis steinergroeveri	20	1.90	3.7
Anoplolepis steinergroeveri	20	2.90	8.8
Anoplolepis steinergroeveri	20	3.32	7.7
Anoplolepis steinergroeveri	20	4.30	11.2
Anoplolepis steinergroeveri	20	4.64	6.9
Anoplolepis steinergroeveri	20	4.74	9.0
Anoplolepis steinergroeveri	20	4.87	9.1
Anoplolepis steinergroeveri	20	5.58	9.8
Anoplolepis steinergroeveri	20	6.02	13.0
Anoplolepis steinergroeveri	20	6.58	13.3
Anoplolepis steinergroeveri	20	6.60	12.0
Anoplolepis steinergroeveri	20	6.95	13.1
Anoplolepis steinergroeveri	20	6.97	7.9
Anoplolepis steinergroeveri	20	7.11	7.2
Anoplolepis steinergroeveri	20	7.28	9.1
Anoplolepis steinergroeveri	20	7.33	9.8
Anoplolepis steinergroeveri	20	7.48	6.9
Anoplolepis steinergroeveri	20	7.87	14.7
Anoplolepis steinergroeveri	20	8.30	16.4
Anoplolepis steinergroeveri	20	8.80	7.5
Anoplolepis steinergroeveri	20	8.90	9.7
Anoplolepis steinergroeveri	20	10.24	9.4
Anoplolepis steinergroeveri	20	10.48	12.5
Atta columbica	25	3.60	14.6
Atta columbica	25	4.50	8.6
Atta columbica	25	4.50	14.6
Atta columbica	25	4.90	13.3
Atta columbica	25	7.40	22.9
Atta columbica	25	8.30	13.2
Atta columbica	25	10.40	21.3
Atta columbica	25	10.40	23.6
Atta columbica	25	11.40	23.1
Atta columbica	25	12.00	17.9
Atta columbica	25	12.00	18.9
Atta columbica	25	12.30	48.9
Atta columbica	25	12.70	26.6
Atta columbica	25	13.50	26.4
Atta columbica	25	15.00	25.7
Atta columbica	25	16.00	16.7
Atta columbica	25	16.00	23.6
Atta columbica	25	17.60	29.9
Atta columbica	25	19.00	51.8
Atta columbica	25	19.20	36.2
Atta columbica	25	19.90	29.8
Atta columbica	25	21.50	33.7
Atta columbica	25	22.20	49.1

Atta columbica	25	23.50	52.5
Atta columbica	25	24.40	30.7
Atta columbica	25	26.70	41.2
Atta columbica	25	33.30	36.5
Camponotus fulvopilosus	25	10.85	17.9
Camponotus fulvopilosus	25	13.86	26.5
Camponotus fulvopilosus	25	14.48	25.7
Camponotus fulvopilosus	25	14.71	24.9
Camponotus fulvopilosus	25	22.15	30.7
Camponotus fulvopilosus	25	22.69	43.9
Camponotus fulvopilosus	25	23.38	44.5
Camponotus fulvopilosus	25	24.31	26.4
Camponotus fulvopilosus	25	24.38	43.5
Camponotus fulvopilosus	25	27.46	65.5
Camponotus fulvopilosus	25	27.62	39.7
Camponotus fulvopilosus	25	32.02	28.0
Camponotus fulvopilosus	25	33.51	48.9
Camponotus fulvopilosus	25	39.68	49.7
Camponotus fulvopilosus	25	47.92	63.2
Camponotus fulvopilosus	25	49.17	37.9
Camponotus fulvopilosus	25	53.90	79.3
Camponotus fulvopilosus	25	58.31	43.1
Camponotus fulvopilosus	25	59.49	48.9
Camponotus fulvopilosus	25	59.66	81.0
Camponotus fulvopilosus	25	84.74	84.9
Camponotus fulvopilosus	25	88.95	80.1
Camponotus fulvopilosus	25	106.06	86.1
Camponotus fulvopilosus	25	155.30	72.7
Camponotus maculatus	20	7.70	17.4
Camponotus maculatus	20	10.40	16.3
Camponotus maculatus	20	10.80	24.1
Camponotus maculatus	20	10.90	21.2
Camponotus maculatus	20	11.00	16.3
Camponotus maculatus	20	11.00	21.1
Camponotus maculatus	20	11.10	15.4
Camponotus maculatus	20	11.20	20.4
Camponotus maculatus	20	13.40	20.0
Camponotus maculatus	20	14.20	14.3
Camponotus maculatus	20	15.10	23.9
Camponotus maculatus	20	15.20	20.9
Camponotus maculatus	20	15.70	28.0
Camponotus maculatus	20	16.20	18.0
Camponotus maculatus	20	16.60	25.4
Camponotus maculatus	20	18.30	22.3
Camponotus maculatus	20	18.40	25.2
Camponotus maculatus	20	18.70	24.6
Camponotus maculatus	20	18.90	23.9
Camponotus maculatus	20	19.20	30.8
Camponotus maculatus	20	21.70	21.5
Camponotus maculatus	20	22.20	24.3
Camponotus maculatus	20	23.50	27.9
Camponotus maculatus	20	23.60	23.3
Camponotus maculatus	20	24.30	28.4
Camponotus maculatus	20	24.80	24.6

Camponotus maculatus	20	25.40	33.2
Camponotus maculatus	20	25.60	22.0
Camponotus maculatus	20	25.70	23.1
Camponotus maculatus	20	27.00	20.3
Camponotus maculatus	20	29.50	14.7
Camponotus maculatus	20	29.80	67.8
Camponotus maculatus	20	30.70	23.3
Camponotus maculatus	20	33.20	21.3
Camponotus maculatus	20	33.20	22.3
Camponotus maculatus	20	33.90	48.8
Camponotus maculatus	20	37.20	23.8
Camponotus maculatus	20	37.20	20.4
Camponotus maculatus	20	71.70	60.7
Camponotus maculatus	20	90.20	67.2
Camponotus maculatus	20	100.00	142.4
Camponotus maculatus	20	106.10	54.0
Camponotus maculatus	20	106.60	56.1
Camponotus maculatus	20	107.50	147.8
Camponotus maculatus	20	110.20	70.2
Camponotus maculatus	20	110.60	57.9
Camponotus maculatus	20	111.70	54.7
Camponotus maculatus	20	111.90	49.6
Camponotus maculatus	20	120.60	95.0
Camponotus maculatus	20	129.20	81.6
Eciton hamatum	28	2.06	12.8
Eciton hamatum	28	2.82	23.8
Eciton hamatum	28	4.53	18.0
Eciton hamatum	28	5.53	28.6
Eciton hamatum	28	5.63	25.0
Eciton hamatum	28	5.63	30.8
Eciton hamatum	28	6.00	33.6
Eciton hamatum	28	6.74	27.0
Eciton hamatum	28	8.03	17.8
Eciton hamatum	28	8.03	28.6
Eciton hamatum	28	8.24	24.7
Eciton hamatum	28	8.66	23.0
Eciton hamatum	28	9.08	19.1
Eciton hamatum	28	9.08	44.4
Eciton hamatum	28	9.23	24.4
Eciton hamatum	28	9.71	36.8
Eciton hamatum	28	11.64	43.1
Eciton hamatum	28	12.12	35.4
Eciton hamatum	28	14.03	45.6
Eciton hamatum	28	14.65	89.0
Eciton hamatum	28	14.87	56.0
Eciton hamatum	28	18.63	85.1
Eciton hamatum	28	22.50	110.7
Eciton hamatum	28	23.82	110.3
Eciton hamatum	28	23.88	94.8
Formica rufa	25	4.20	11.6
Formica rufa	25	5.40	15.5
Formica rufa	25	6.60	13.7
Formica rufa	25	6.60	14.9
Formica rufa	25	6.60	13.7

Formica rufa	25	6.80	12.4
Formica rufa	25	6.80	11.0
Formica rufa	25	7.00	17.4
Formica rufa	25	8.40	15.3
Formica rufa	25	10.90	19.1
Formica rufa	25	10.90	17.9
Formica rufa	25	12.90	23.5
Formica rufa	25	13.00	29.1
Formica rufa	25	13.10	25.7
Formica rufa	25	13.10	26.6
Formica rufa	25	13.80	24.0
Formica rufa	25	16.80	23.0
Formica rufa	25	16.90	31.4
Formica rufa	25	17.20	20.9
Formica rufa	25	19.30	34.2
Messor capensis	20	3.50	10.8
Messor capensis	20	4.50	3.7
Messor capensis	20	4.80	11.3
Messor capensis	20	5.90	8.5
Messor capensis	20	6.50	30.7
Messor capensis	20	6.60	6.4
Messor capensis	20	6.60	15.8
Messor capensis	20	7.10	5.1
Messor capensis	20	7.60	2.2
Messor capensis	20	8.10	4.4
Messor capensis	20	8.40	4.0
Messor capensis	20	9.20	28.8
Messor capensis	20	9.50	25.8
Messor capensis	20	9.90	6.3
Messor capensis	20	9.90	12.2
Messor capensis	20	9.90	15.6
Messor capensis	20	9.90	15.3
Messor capensis	20	10.40	9.7
Messor capensis	20	10.50	4.8
Messor capensis	20	10.70	7.0
Messor capensis	20	10.70	52.9
Messor capensis	20	10.90	5.1
Messor capensis	20	11.00	32.9
Messor capensis	20	11.00	15.7
Messor capensis	20	11.40	5.6
Messor capensis	20	11.60	21.8
Messor capensis	20	12.10	7.1
Messor capensis	20	12.20	27.0
Messor capensis	20	12.30	17.4
Messor capensis	20	12.60	4.3
Messor capensis	20	12.90	33.4
Messor capensis	20	13.60	33.5
Messor capensis	20	13.60	42.8
Messor capensis	20	13.70	10.8
Messor capensis	20	14.00	53.9
Messor capensis	20	15.80	69.4
Messor capensis	20	16.30	10.6
Messor capensis	20	18.40	77.1
Messor capensis	20	19.10	14.8

Messor capensis	20	19.50	23.1
Messor capensis	20	19.80	43.6
Messor capensis	20	21.40	74.2
Messor capensis	20	23.30	24.2
Messor capensis	20	23.60	50.3
Messor capensis	20	24.80	60.9
Messor capensis	20	25.50	37.0
Messor capensis	20	27.50	38.8
Messor capensis	20	32.20	80.1
Messor capensis	20	43.40	156.8
Messor pergandei	30	1.33	7.5
Messor pergandei	30	1.55	9.1
Messor pergandei	30	1.71	10.3
Messor pergandei	30	2.44	10.0
Messor pergandei	30	2.54	14.1
Messor pergandei	30	2.77	15.4
Messor pergandei	30	3.16	12.6
Messor pergandei	30	3.18	13.5
Messor pergandei	30	3.29	13.2
Messor pergandei	30	3.83	13.0
Messor pergandei	30	5.27	23.8
Messor pergandei	30	5.27	23.6
Messor pergandei	30	6.10	19.5
Messor pergandei	30	6.24	20.1
Messor pergandei	30	6.26	17.2
Messor pergandei	30	7.61	18.1
Messor pergandei	30	7.88	19.7
Messor pergandei	30	8.41	33.3
Messor pergandei	30	8.63	28.7
Messor pergandei	30	8.70	20.9
Messor pergandei	30	9.70	31.9

Temperature refers to experimental temperature. All metabolic rates estimated using flow-through respirometry.

Appendix S2. Metabolic rates and body masses of insects used in this study

Species	Family	Order	Method	Wing status [‡]	Mass (mg)	Metabolic rate (μW)
Unknown species*	Meinertellidae	Archaeognatha	Open	0	12.75	38.3
Species 1 (Sutherland)*	Lepismatidae	Thysanura	Open	0	23.04	36.9
Species 2 (Stellenbosch)*	Lepismatidae	Thysanura	Open	0	26.64	23.0
Species 3 (Cederberg)*	Lepismatidae	Thysanura	Open	0	17.80	42.3
<i>Anax junius</i> ¹	Aeschnidae	Odonata	Closed	1	1019.00	4148.4
<i>Brachymesia gravida</i> ¹	Libellulidae	Odonata	Closed	1	344.00	1555.6
<i>Erythemis simplicicollis</i> ¹	Libellulidae	Odonata	Closed	1	263.00	877.5
<i>Erythrodiplax berenice</i> ¹	Libellulidae	Odonata	Closed	1	125.00	438.8
<i>Erythrodiplax connata</i> ¹	Libellulidae	Odonata	Closed	1	52.00	191.5
<i>Libellula auripennis</i> ¹	Libellulidae	Odonata	Closed	1	464.00	1396.1
<i>Libellula needhami</i> ¹	Libellulidae	Odonata	Closed	1	518.00	1675.3
<i>Miathyria marcella</i> ¹	Libellulidae	Odonata	Closed	1	17.10	765.9
<i>Pachydiplax longipennis</i> ¹	Libellulidae	Odonata	Closed	1	200.00	1765.2
<i>Pantala flavescens</i> ¹	Libellulidae	Odonata	Closed	1	339.00	1675.3

<i>Perithemis tenera</i> ¹	Libellulidae	Odonata	Closed	1	61.00	331.1
<i>Tramea carolina</i> ¹	Libellulidae	Odonata	Closed	1	383.00	1795.0
<i>Coptotermes formosanus</i> ²	Rhinotermitidae	Isoptera	Open	0	2.95	8.1
<i>Heterotermes tenuior</i> ³	Rhinotermitidae	Isoptera	Closed	0	1.40	1.9
<i>Reticulitermes flavipes</i> ²	Rhinotermitidae	Isoptera	Open	0	2.97	12.0
<i>Schedorhinotermes javanicus</i> ³	Rhinotermitidae	Isoptera	Closed	0	2.70	2.9
<i>Schedorhinotermes sarawakensis</i> ³	Rhinotermitidae	Isoptera	Closed	0	8.30	17.9
<i>Labritermes kistneri</i> ³	Termitidae	Isoptera	Closed	0	0.70	2.0
<i>Dicuspiditermes nemorosus</i> ³	Termitidae	Isoptera	Closed	0	3.50	1.7
<i>Dicuspiditermes santschii</i> ³	Termitidae	Isoptera	Closed	0	2.60	0.6
<i>Homalotermes eleanorae</i> ³	Termitidae	Isoptera	Closed	0	2.20	1.5
<i>Pericapritermes nitobei</i> ³	Termitidae	Isoptera	Closed	0	1.20	1.2
<i>Pericapritermes semarangi</i> ³	Termitidae	Isoptera	Closed	0	1.30	0.8
<i>Procapritermes nr. sandakanensis</i> ³	Termitidae	Isoptera	Closed	0	5.90	2.4
<i>Syncapritermes</i> sp. A ³	Termitidae	Isoptera	Closed	0	6.70	3.1
<i>Termes borneensis</i> ³	Termitidae	Isoptera	Closed	0	3.00	2.1

<i>Globitermes globosus</i> ³	Termitidae	Isoptera	Closed	0	1.90	1.4
<i>Prohamitermes mirabilis</i> ³	Termitidae	Isoptera	Closed	0	3.50	1.9
<i>Aciculioiditermes</i> sp. A ³	Termitidae	Isoptera	Closed	0	1.80	1.8
<i>Bulbitermes</i> sp. C ³	Termitidae	Isoptera	Closed	0	2.80	2.3
<i>Havilanditermes atripennis</i> ³	Termitidae	Isoptera	Closed	0	8.00	8.0
<i>Hospitalitermes hospitalis</i> ³	Termitidae	Isoptera	Closed	0	7.70	5.6
<i>Nasutitermes longinasus</i> ³	Termitidae	Isoptera	Closed	0	2.60	1.5
<i>Proaciculitermes</i> sp. A ³	Termitidae	Isoptera	Closed	0	1.10	0.8
<i>Proaciculitermes</i> sp. E ³	Termitidae	Isoptera	Closed	0	2.70	1.4
<i>Hypotermites xenotermites</i> ³	Termitidae	Isoptera	Closed	0	2.60	2.9
<i>Macrotermes carbonarius</i> ⁴	Termitidae	Isoptera	Closed	0	11.93	51.8
<i>Macrotermes gilvus</i> ³	Termitidae	Isoptera	Closed	0	7.00	5.5
<i>Macrotermes malaccensis</i> ³	Termitidae	Isoptera	Closed	0	11.60	14.1
<i>Microcerotermes dubius</i> ³	Termitidae	Isoptera	Closed	0	2.20	2.9
<i>Microcerotermes serrula</i> ³	Termitidae	Isoptera	Closed	0	1.90	2.2
<i>Blatta orientalis</i> ⁵	Blattidae	Blattodea	Closed	0	325.00	555.9

<i>Eublabeus posticus</i> ⁶	Blattidae	Blattodea	Open	1	2200.00	4219.5
<i>Periplaneta americana</i> ⁷	Blattidae	Blattodea	Open	1	900.00	979.4
<i>Periplaneta orientalis</i> ⁸	Blattidae	Blattodea	Closed	1	165.00	307.9
<i>Blatella germanica</i> ⁹	Blattellidae	Blattodea	Closed	1	54.76	203.3
<i>Byrsotria fumagata</i> ⁶	Blattellidae	Blattodea	Open		4950.00	5584.6
<i>Gromphadorhina chopardi</i> ⁶	Blattellidae	Blattodea	Open	0	3400.00	2685.1
<i>Gromphadorhina portentosa</i> ¹⁰	Blattellidae	Blattodea	Open	0	4950.00	4747.0
<i>Parcoblatta</i> sp. ¹¹	Blattellidae	Blattodea	Closed		73.00	92.0
<i>Blaberus discoidalis</i> ⁶	Blaberidae	Blattodea	Open	1	4080.00	3912.6
<i>Blaberus giganteus</i> ¹²	Blaberidae	Blattodea	Open	1	4330.00	3646.4
<i>Leucophaea maderae</i> ¹³	Blaberidae	Blattodea		1	2800.00	2903.9
<i>Nauphoeta cinerea</i> ¹³	Blaberidae	Blattodea	Closed	1	510.00	732.2
<i>Perisphaeria</i> sp. ¹⁴	Blaberidae	Blattodea	Open	1	324.10	196.8
<i>Sphodromantis gastrica</i> *	Mantidae	Mantodea	Open	1	335.70	611.6
<i>Karoophasma biedouwensis</i> *	Austrophasmatidae	Mantophasmatodea	Open	0	103.95	317.9
<i>Oecanthus quadripunctatus</i> ¹⁵	Gryllidae	Orthoptera	Closed	1	50.00	134.3

<i>Enyaliopsis petersi</i> ¹⁶	Gryllidae	Orthoptera	Closed		750.00	1525.7
<i>Eugaster loricatus</i> ¹⁶	Gryllidae	Orthoptera	Closed		1580.00	1762.1
<i>Hophlosphyrum griseus</i> ¹⁷	Gryllidae	Orthoptera	Closed	1	36.20	79.9
<i>Pteronemobius fasciatus</i> ¹⁸	Gryllidae	Orthoptera	Closed		26.17	469.5
<i>Acheta domesticus</i> ¹⁹	Gryllidae	Orthoptera	Open	1	369.00	1138.6
<i>Teleogryllus commodus</i> ⁷	Gryllidae	Orthoptera	Open	1	950.00	5686.9
<i>Anurogryllis arboreus</i> ¹⁵	Gryllidae	Orthoptera	Closed	1	310.00	550.9
<i>Ceuthophilis fossor</i> ²⁰	Gryllacrididae	Orthoptera	Closed	0	70.15	817.6
<i>Ceuthophilis gracilipes</i> ¹¹	Gryllacrididae	Orthoptera	Closed	0	259.10	543.6
<i>Gryllotalpa australis</i> ²¹	Gryllotalpidae	Orthoptera	Closed	1	874.00	2235.6
<i>Conocephalus fasciatus</i> ¹⁸	Tettigoniidae	Orthoptera	Closed	1	51.37	717.1
<i>Euconocephalus nasutus</i> ²²	Tettigoniidae	Orthoptera	Closed	1	650.00	1026.7
<i>Insara covilleae</i> ²⁰	Tettigoniidae	Orthoptera	Closed	1	92.60	1633.1
<i>Neoconocephalus robustus</i> ²²	Tettigoniidae	Orthoptera	Closed	1	870.00	3729.9
<i>Requena verticalis</i> ¹⁵	Tettigoniidae	Orthoptera	Closed	1	370.00	683.0
<i>Anconia integra</i> ²⁰	Acrididae	Orthoptera	Closed	1	816.70	2644.1

<i>Boottettix punctatus</i> ²⁰	Acrididae	Orthoptera	Closed	1	47.01	364.7
<i>Encoptolophus s. costalis</i> ²³	Acrididae	Orthoptera	Closed	1	174.60	462.6
<i>Locusta migratoria migratorioides</i> ²⁴	Acrididae	Orthoptera	Closed	1	1500.00	4934.0
<i>Melanoplus bivittatus</i> ²⁵	Acrididae	Orthoptera	Open	1	1650.00	5057.0
<i>Melanoplus complanipes</i> ²⁰	Acrididae	Orthoptera	Closed	1	141.55	624.3
<i>Oedalis instillatus</i> ¹⁶	Acridiidae	Orthoptera	Closed	1	627.00	966.4
<i>Romalea guttata</i> ²⁶	Acrididae	Orthoptera	Open	1	2874.00	2696.1
<i>Taeniopoda eques</i> ²⁶	Acrididae	Orthoptera	Open	1	2043.00	2462.0
<i>Trimerotropis pallidipennis</i> ²⁷	Acrididae	Orthoptera	Closed	1	221.35	743.3
<i>Trimerotropis saxatilis</i> ²⁸	Acrididae	Orthoptera	Closed	1	155.00	321.8
<i>Trimerotropis</i> sp. ²⁰	Acrididae	Orthoptera	Closed	1	145.90	1007.5
<i>Trimerotropis suffusa</i> ²⁷	Acrididae	Orthoptera	Closed	1	297.50	906.2
<i>Xanthippus corallipes</i> ²⁹	Acrididae	Orthoptera	Closed	1	2302.20	7508.5
<i>Tanaocerus koebeli</i> ²⁰	Tanaoceridae	Orthoptera	Closed	0	102.50	625.9
<i>Xiphoceriana</i> sp. ¹⁶	Acridiidae	Orthoptera	Closed	1	1568.00	743.0
<i>Euborellia annulipes</i> *	Carcinophoridae	Dermaptera	Open	0	31.76	82.9

Unknown genus ²⁰	Psyllidae	Hemiptera	Closed	1	0.16	5.6
<i>Pseudococcus citri</i> ³⁰	Pseudococcidae	Hemiptera		0	1.30	11.3
<i>Neophilaenus lineatus</i> ³¹	Cercopidae	Hemiptera	Closed	1	1.91	30.6
<i>Philaenus spumarius</i> ³²	Cercopidae	Hemiptera	Closed	1	3.93	59.5
<i>Cystosoma saundersii</i> ³³	Cicadidae	Hemiptera	Closed	1	1158.00	2345.1
<i>Diceroprocta apache</i> ³⁴	Cicadidae	Hemiptera	Open	1	622.00	1605.2
<i>Fidicina mannifera</i> ³⁵	Cicadidae	Hemiptera	Open	1	2840.00	9689.906
<i>Multareoides bifurcatus</i> ²⁰	Membracidae	Hemiptera	Closed	1	1.34	15.2
<i>Hysteropterum</i> sp. ²⁰	Issidae	Hemiptera	Closed	0	1.71	40.3
<i>Phytocoris nigripubescens</i> ²⁰	Miridae	Hemiptera	Closed	1	1.27	30.8
<i>Slaterocoris</i> sp. ²⁰	Miridae	Hemiptera	Closed	1	0.86	17.2
Unknown genus ²⁰	Miridae	Hemiptera	Closed	1	0.51	12.0
Unknown genus ²⁰	Miridae	Hemiptera	Closed	1	3.56	72.9
Unknown genus ²⁰	Miridae	Hemiptera	Closed	1	3.85	35.0
<i>Rhodnius prolixus</i> ³⁶	Reduviidae	Hemiptera	Open	0	66.75	92.7
Unknown genus ²⁰	Nabidae	Hemiptera	Closed	1	1.89	25.9

<i>Dendrocoris contaminatus</i> ²⁰	Pentatomidae	Hemiptera	Closed	1	11.00	26.2
Unknown genus ²⁰	Coreidae	Hemiptera	Closed	1	66.70	410.5
<i>Lygus kalmii</i> ²⁰	Lygaeidae	Hemiptera	Closed	1	10.17	146.3
Unknown genus ²⁰	Neididae	Hemiptera	Closed	1	0.95	28.1
<i>Corydalis cornutus</i> ³⁷	Corydalidae	Megaloptera	Closed	1	326.00	4724.5
<i>Saprinus</i> sp. ²⁰	Histeridae	Coleoptera	Closed	1	8.21	65.4
<i>Sphaeridium lunatum</i> ³⁸	Hydrophilidae	Coleoptera	Closed	1	34.00	175.5
Species 3 ³⁹	Staphilinidae	Coleoptera	Closed	1	0.09	0.3
<i>Popilius disjunctus</i> ¹¹	Passalidae	Coleoptera	Closed	1	1630.50	1611.6
<i>Popilius</i> sp. ⁴⁰	Passalidae	Coleoptera	Closed	1	563.00	799.4
<i>Omorgus radula</i> ⁴¹	Trogidae	Coleoptera	Open	1	207.00	114.1
<i>Geotrupes</i> sp. ³⁹	Geotrupiidae	Coleoptera	Closed	1	160.30	679.8
<i>Geotrupes spiniger</i> ³⁸	Geotrupidae	Coleoptera	Closed	1	825.00	4946.1
<i>Aphodius contaminatus</i> ³⁸	Aphodiidae	Coleoptera	Closed	1	14.00	103.7
<i>Aphodius fossor</i> ⁴²	Aphodiidae	Coleoptera	Open	1	121.30	268.8
<i>Aphodius rufipes</i> ³⁸	Aphodiidae	Coleoptera	Closed	1	84.00	382.9

<i>Aphodius distinctus</i> ⁴³	Scarabaeidae	Coleoptera	Closed	1	7.80	104.9
<i>Aphodius fimetarius</i> ⁴³	Scarabaeidae	Coleoptera	Closed	1	30.90	187.3
<i>Aphodius prodromus</i> ⁴³	Scarabaeidae	Coleoptera	Closed	1	13.80	167.0
<i>Aphodius rufus</i> ⁴³	Scarabaeidae	Coleoptera	Closed	1	209.00	170.4
<i>Anomala</i> sp. ⁴⁰	Scarabaeidae	Coleoptera	Closed	1	100.00	137.0
<i>Pelidnota</i> sp. ⁴⁰	Scarabaeidae	Coleoptera	Closed	1	1091.50	1511.5
<i>Coeloesis biloba</i> ⁴⁰	Scarabaeidae	Coleoptera	Closed	1	3735.00	3724.2
<i>Strategus aloeus</i> ⁴⁰	Scarabaeidae	Coleoptera	Closed	1	5050.00	5149.6
<i>Cyclocephala</i> sp. ⁴⁰	Scarabaeidae	Coleoptera	Closed	1	246.00	592.5
<i>Dyscinetus</i> sp. ⁴⁰	Scarabaeidae	Coleoptera	Closed	1	390.00	469.6
<i>Phileurus</i> sp. ⁴⁰	Scarabaeidae	Coleoptera	Closed	1	3501.00	1562.6
<i>Sisiyphys fasciculatus</i> ⁴⁴	Scarabaeidae	Coleoptera	Open	1	136.00	375.1
<i>Anachalcos convexus</i> ⁴⁴	Scarabaeidae	Coleoptera	Open	1	1421.00	1539.8
<i>Circellium bacchus</i> ⁴⁴	Scarabaeidae	Coleoptera	Open	0	7285.00	4017.3
<i>Pachylomerus femoralis</i> ⁴⁵	Scarabaeidae	Coleoptera	Closed	1	4915.00	4282.2
<i>Scarabaeus flavicornis</i> ⁴⁴	Scarabaeidae	Coleoptera	Open	1	322.00	483.7

<i>Scarabaeus galenus</i> ⁴⁶	Scarabaeidae	Coleoptera	Open	1	1681.00	881.7
<i>Scarabaeus westwoodi</i> ⁴⁷	Scarabaeidae	Coleoptera	Open	1	1780.00	1324.7
<i>Scarabaeus rusticus</i> ⁴⁷	Scarabaeidae	Coleoptera	Open	1	1070.00	696.2
<i>Scarabaeus gariepinus</i> ⁴⁷	Scarabaeidae	Coleoptera	Open	0	1140.00	288.0
<i>Scarabaeus striatum</i> ⁴⁷	Scarabaeidae	Coleoptera	Open	0	790.00	282.6
<i>Scarabaeus hippocrates</i> ⁴⁷	Scarabaeidae	Coleoptera	Open	0	2010.00	622.1
<i>Pleocoma australis</i> ⁴⁸	Scarabaeidae	Coleoptera	Closed	0	940.00	3238.8
<i>Leucocelis elegans</i> ¹⁶	Scarabaeidae	Coleoptera	Closed		80.00	337.0
<i>Simplocaria metallica</i> ⁴⁹	Byrrhidae	Coleoptera	Closed	1	2.85	0.5
<i>Agrypnus bocandei</i> ¹⁶	Elateridae	Coleoptera	Closed		166.20	71.6
<i>Rhizopertha dominica</i> ⁵⁰	Bostrichidae	Coleoptera	Closed	1	1.40	14.8
<i>Melyrid</i> sp. ²⁰	Melyridae	Coleoptera	Closed	0	1.16	20.9
<i>Hippodamia convergens</i> ⁵¹	Coccinellidae	Coleoptera	Open	1	17.00	193.2
<i>Hydromedion sparsutum</i> ⁵²	Perimylopidae	Coleoptera	Closed	0	23.50	83.5
<i>Perimylops antarcticus</i> ⁵²	Perimylopidae	Coleoptera	Closed	0	14.50	48.6
<i>Adesmia baccata</i> ⁵³	Tenebrionidae	Coleoptera	Closed	0	407.00	179.2

<i>Anepsius brunneus</i> ²⁰	Tenebrionidae	Coleoptera		0	6.15	24.8
<i>Centrioptera muricata</i> ²⁰	Tenebrionidae	Coleoptera	Closed		132.60	468.6
<i>Erodium nanus</i> ⁵⁴	Tenebrionidae	Coleoptera	Closed	0	21.90	101.3
<i>Euschides luctata</i> ²⁰	Tenebrionidae	Coleoptera	Closed		83.80	464.8
<i>Peristepus</i> sp. ⁵³	Tenebrionidae	Coleoptera	Closed	0	55.00	54.5
<i>Phrynocolus auriculatus</i> ⁵³	Tenebrionidae	Coleoptera	Closed	0	193.00	169.1
<i>Phrynocolus petrosus</i> ⁵³	Tenebrionidae	Coleoptera	Closed	0	1109.00	355.7
<i>Phrynocolus</i> sp. ⁵³	Tenebrionidae	Coleoptera	Closed		204.00	191.4
<i>Physosterna cribripes</i> ⁵⁵	Tenebrionidae	Coleoptera	Open	0	1226.00	2443.7
<i>Physadesmia globosa</i> ⁵⁶	Tenebrionidae	Coleoptera	Open	0	516.00	599.6
<i>Sphaeriontis dilatata</i> ²⁰	Tenebrionidae	Coleoptera	Closed		46.00	150.7
<i>Blaps gigas</i> ⁵⁴	Tenebrionidae	Coleoptera	Closed	0	1776.00	4508.3
<i>Nyctobates procerus</i> ⁴⁰	Tenebrionidae	Coleoptera	Closed	1	2198.00	1753.3
<i>Pterohelaeus</i> sp. ⁵⁷	Tenebrionidae	Coleoptera	Open		245.00	481.6
<i>Tenebrio molitor</i> ³⁰	Tenebrionidae	Coleoptera		0	100.00	372.2
<i>Zophobas</i> sp. ⁴⁰	Tenebrionidae	Coleoptera	Closed	1	535.00	1269.6

<i>Tribolium castaneum</i> *	Tenebrionidae	Coleoptera	Open	0	2.40	13.0
<i>Tribolium confusum</i> ⁵⁸	Tenebrionidae	Coleoptera	Closed	0	2.01	16.3
<i>Trogoderus costatus</i> ²⁰	Tenebrionidae	Coleoptera	Closed		29.87	93.1
<i>Vieta bulbifera</i> ⁵³	Tenebrionidae	Coleoptera	Closed	0	479.00	538.8
<i>Vieta muscosa</i> ⁵³	Tenebrionidae	Coleoptera	Closed	0	140.00	135.4
<i>Cryptoglossa verrucosa</i> ⁵⁹	Tenebrionidae	Coleoptera	Closed	0	700.00	418.8
<i>Edrotes ventricosus</i> ²⁰	Tenebrionidae	Coleoptera	Closed	0	24.35	91.9
<i>Pimelia cenchronota</i> ⁵³	Tenebrionidae	Coleoptera	Closed	0	1474.00	620.9
<i>Pimelia grandis</i> ⁶⁰	Tenebrionidae	Coleoptera	Open	0	2098.00	3734.1
<i>Pimelia obsoleta</i> ⁵⁴	Tenebrionidae	Coleoptera	Closed	0	861.00	3011.3
<i>Rhytinota praelonga</i> ⁵³	Tenebrionidae	Coleoptera	Closed	0	105.00	100.0
<i>Triorophus laevis</i> ²⁰	Tenebrionidae	Coleoptera	Closed	0	8.46	107.7
<i>Helius waiti</i> ⁵⁷	Tenebrionidae	Coleoptera	Open		672.00	1675.1
<i>Cardiosis fairmarei</i> ⁵⁶	Tenebrionidae	Coleoptera	Open	0	32.00	29.6
<i>Zophosis orbicularis</i> ⁵⁶	Tenebrionidae	Coleoptera	Open		103.00	121.4
<i>Psammodes striatus</i> ⁵⁶	Tenebrionidae	Coleoptera	Open	0	3010.00	4271.5

<i>Epiphysa arenicola</i> ⁵⁶	Tenebrionidae	Coleoptera	Open	0	1237.00	469.4
<i>Onymacris plana</i> ⁵⁶	Tenebrionidae	Coleoptera	Open	0	767.00	925.9
<i>Onymacris laeviceps</i> ⁵⁶	Tenebrionidae	Coleoptera	Open	0	525.00	427.9
<i>Onymacris rugatipennis</i> ⁵⁶	Tenebrionidae	Coleoptera	Open	0	496.00	446.2
<i>Onymacris unguicularis</i> ⁶¹	Tenebrionidae	Coleoptera	Open	0	737.00	176.0
<i>Stenocara gracilipes</i> ⁵⁶	Tenebrionidae	Coleoptera	Open	0	268.00	476.3
<i>Eusattus dubius</i> ²⁰	Tenebrionidae	Coleoptera	Closed	0	27.22	282.6
<i>Eleodes armata</i> ⁵⁹	Tenebrionidae	Coleoptera	Closed	0	917.00	823.6
<i>Eleodes grandicollis</i> ²⁰	Tenebrionidae	Coleoptera	Closed	0	521.93	2537.0
<i>Eleodes</i> sp. ²⁰	Tenebrionidae	Coleoptera	Closed	0	88.85	356.2
<i>Eleodes tenebrosa</i> ²⁰	Tenebrionidae	Coleoptera	Closed	0	51.53	247.4
<i>Meloid</i> sp. ²⁰	Meloidae	Coleoptera	Closed	0	17.34	406.7
<i>Acanthoderes circumflexa</i> ⁴⁰	Cerambycidae	Coleoptera	Closed	0	139.00	241.8
<i>Acrocinus longimanus</i> ⁴⁰	Cerambycidae	Coleoptera	Closed	1	5383.00	16565.8
<i>Dryoctenes scrupulosa</i> ⁴⁰	Cerambycidae	Coleoptera	Closed	1	1823.00	2825.3
<i>Oncideres putator</i> ⁴⁰	Cerambycidae	Coleoptera	Closed	1	681.00	1095.9

<i>Taeinotes scalaris</i> ⁴⁰	Cerambycidae	Coleoptera	Closed	1	397.00	952.3
<i>Acanthophorus confinis</i> ¹⁶	Cerambycidae	Coleoptera	Closed		3490.00	6180.9
<i>Macrodontia dejeani</i> ⁴⁰	Cerambycidae	Coleoptera	Closed	1	4860.00	7799.2
<i>Stenodontes molaria</i> ⁴⁰	Cerambycidae	Coleoptera	Closed	1	2944.00	6393.9
<i>Stenodontes</i> sp. ⁴⁰	Cerambycidae	Coleoptera	Closed	1	1043.00	2040.6
<i>Trachysomus peregrinus</i> ⁴⁰	Cerambycidae	Coleoptera	Closed	1	547.00	603.8
<i>Brasilanus batus</i> ⁴⁰	Cerambycidae	Coleoptera	Closed	1	1965.00	6232.9
<i>Eburia</i> sp. ⁴⁰	Cerambycidae	Coleoptera	Closed	1	582.00	1493.2
<i>Nyssicus setosus</i> ⁴⁰	Cerambycidae	Coleoptera	Closed	1	996.00	715.5
<i>Phorocantha recurva</i> ⁶²	Cerambycidae	Coleoptera	Open	1	260.00	800.2
<i>Phorocantha semipunctata</i> ⁶²	Cerambycidae	Coleoptera	Open	1	300.00	701.7
<i>Xenambyx laticauda</i> ⁴⁰	Cerambycidae	Coleoptera	Closed	1	1217.00	1571.9
<i>Diplocapsis</i> sp. ²⁰	Chrysomelidae	Coleoptera	Closed	1	5.34	89.1
<i>Griburius</i> sp. 1 ²⁰	Chrysomelidae	Coleoptera	Closed	1	3.31	60.1
<i>Griburius</i> sp. 2 ²⁰	Chrysomelidae	Coleoptera	Closed	1	9.42	43.7
<i>Leptinotarsa decemlineata</i> ⁶³	Chrysomelidae	Coleoptera	Closed	1	150.00	693.9

<i>Monoxia</i> sp. ²⁰	Chrysomelidae	Coleoptera	Closed	1	4.63	79.2
<i>Smicronyx imbricata</i> ²⁰	Curculionidae	Coleoptera	Closed	1	0.32	3.6
<i>Ectemnorhinus marioni</i> ⁶⁴	Curculionidae	Coleoptera	Open	0	9.60	27.3
<i>Ectemnorhinus similis</i> ⁶⁴	Curculionidae	Coleoptera	Open	0	13.40	32.5
<i>Ips acuminatus</i> ⁶⁵	Scolytidae	Coleoptera	Closed	0	2.84	36.3
<i>Calandra oryzae</i> ⁵⁰	Curculionidae	Coleoptera	Closed		1.70	17.7
<i>Sitophilus granarius</i> ⁶⁶	Curculionidae	Coleoptera	Closed	0	3.68	139.6
<i>Microcerus</i> sp. ¹⁶	Curculionidae	Coleoptera	Closed		132.00	189.6
<i>Ophryastes varius</i> ²⁰	Curculionidae	Coleoptera	Closed	1	27.26	119.3
<i>Miloderes</i> sp. ²⁰	Curculionidae	Coleoptera	Closed		3.40	65.7
<i>Hylobius abietis</i> ⁶⁷	Curculionidae	Coleoptera	Closed	1	183.00	418.1
<i>Hipporhinus tenuegranosus</i> ¹⁶	Curculionidae	Coleoptera	Closed		1080.00	548.0
<i>Eucyllus vagans</i> ²⁰	Curculionidae	Coleoptera	Closed		7.43	31.8
<i>Eucyllus unicolor</i> ²⁰	Curculionidae	Coleoptera	Closed		2.59	13.2
<i>Bothrometopus randi</i> ⁶⁴	Curculionidae	Coleoptera	Open	0	24.60	51.1
<i>Bothrometopus parvulus</i> ⁶⁴	Curculionidae	Coleoptera	Open	0	3.60	19.4

<i>Bothrometopus elongatus</i> ⁶⁴	Curculionidae	Coleoptera	Open	0	1.70	15.2
<i>Palirhoeus eatoni</i> ⁶⁸	Curculionidae	Coleoptera	Open	0	6.70	24.3
<i>Lixus bisulcatus</i> ¹⁶	Curculionidae	Coleoptera	Closed		405.00	1357.0
<i>Rhynchaenus flagellum</i> ⁴⁹	Curculionidae	Coleoptera	Closed	1	0.51	0.2
<i>Rhytonomus isobellina</i> ⁵⁴	Curculionidae	Coleoptera	Closed	1	8.10	93.7
<i>Hypera postica</i> ⁶⁹	Curculionidae	Coleoptera	Closed	0	5.80	159.5
<i>Canonopsis sericeus</i> ⁶⁴	Curculionidae	Coleoptera	Open	0	58.90	175.1
<i>Cerotalis</i> sp. ⁵⁷	Carabidae	Coleoptera	Open		562.00	474.6
<i>Chilanthia cavernosa</i> ⁵³	Carabidae	Coleoptera	Closed	1	1026.00	1571.5
<i>Thermophilum babaulti</i> ⁵³	Carabidae	Coleoptera	Closed	0	1295.00	3223.9
<i>Thermophilum hexastictum</i> ⁵³	Carabidae	Coleoptera	Closed	0	2025.00	2423.2
<i>Triaenogeius scupturatus</i> ⁵³	Carabidae	Coleoptera	Closed		170.00	341.8
<i>Anthia fabricii</i> ⁷⁰	Carabidae	Coleoptera	Open	0	2250.00	1875.1
<i>Cypholoba bihamata</i> ⁵³	Carabidae	Coleoptera	Closed	0	245.00	961.6
<i>Cypholoba chanleri</i> ⁵³	Carabidae	Coleoptera	Closed	0	326.00	780.2
<i>Cypholoba</i> sp. ⁵³	Carabidae	Coleoptera	Closed		192.00	937.4

<i>Cypholoba tenuicollis</i> ⁵³	Carabidae	Coleoptera	Closed	0	59.00	245.7
<i>Cypholoba tetrastigma</i> ⁵³	Carabidae	Coleoptera	Closed	0	132.00	802.4
<i>Cypholoba trilunata</i> ⁵³	Carabidae	Coleoptera	Closed	0	213.00	530. 2
<i>Amara quenseli</i> ⁴⁹	Carabidae	Coleoptera	Closed	1	15.00	1.4
<i>Evarthrus sodalis</i> ¹¹	Carabidae	Coleoptera	Closed	0	164.10	186.7
<i>Carinum</i> sp. ⁵⁷	Carabidae	Coleoptera	Open		4240.00	2428.9
<i>Crepidogaster bioculata</i> ⁵³	Carabidae	Coleoptera	Closed	1	171.00	286.5
<i>Sphaeroderus stenostomus</i> ¹¹	Carabidae	Coleoptera	Closed		169.60	262.1
<i>Calosoma affine</i> ⁷	Carabidae	Coleoptera	Open	1	620.00	787.2
<i>Calosoma</i> sp. ²⁰	Carabidae	Coleoptera	Closed	1	151.23	838.6
<i>Campalita chlorostictum</i> ⁵³	Carabidae	Coleoptera	Closed		521.00	798.0
<i>Cicindela longilabris</i> ⁷¹	Cicindelidae	Coleoptera	Closed	1	124.30	269.6
<i>Cicindela repanda</i> ⁷²	Cicindelidae	Coleoptera	Closed	1	63.40	145.5
<i>Paractora dreuxi</i> ⁷³	Helcomyzidae	Diptera	Closed	0	19.17	243.9
<i>Paractora trichosterna</i> ⁷³	Helcomyzidae	Diptera	Closed	1	13.26	261.3
<i>Antrops truncipennis</i> ⁷³	Sphaeroceridae	Diptera	Closed	0	2.21	51.6

<i>Drosophila americana</i> ⁷⁴	Drosophilidae	Diptera	Closed	1	1.10	15.3
<i>Drosophila melanogaster</i> ⁷⁵	Drosophilidae	Diptera	Open	1	0.95	32.0
<i>Drosophila mimica</i> ⁷⁵	Drosophilidae	Diptera	Open	1	2.44	49.5
<i>Drosophila nikananu</i> ⁷⁵	Drosophilidae	Diptera	Open	1	0.49	19.4
<i>Drosophila repleta</i> ⁷⁶	Drosophilidae	Diptera	Closed	1	3.43	32.3
<i>Drosophila virilis</i> ⁷⁵	Drosophilidae	Diptera	Open	1	1.67	45.7
<i>Glossina morsitans</i> ⁷⁷	Glossinidae	Diptera	Closed	1	22.34	123.5
<i>Glossina pallidipes</i> ⁷⁸	Glossinidae	Diptera	Open	1	38.45	374.3
<i>Musca autumnalis</i> ⁷⁹	Muscidae	Diptera	Closed	1	22.00	360.8
<i>Musca domestica</i> ⁸⁰	Muscidae	Diptera	Open	1	18.00	587.6
<i>Phormia regina</i> ⁸¹	Calliphoridae	Diptera	Closed	1	50.00	541.5
<i>Protophormia terraenovae</i> ⁸²	Calliphoridae	Diptera	Open	1	25.00	225.2
<i>Pilica formidolosa</i> ⁸³	Asilidae	Diptera	Closed	1	200.00	789.8
<i>Promachus</i> sp. 2 ⁸³	Asilidae	Diptera	Closed	1	180.00	1447.4
<i>Tabanus affinis</i> ⁸⁴	Tabanidae	Diptera	Closed	1	161.70	114.5
<i>Pantophthalmus tabaninus</i> ⁸⁵	Pantophthalmidae	Diptera	Open	1	1746.00	3036.9

<i>Simulium venustum</i> ⁸⁴	Simuliidae	Diptera	Closed	1	2.53	86.0
<i>Chironomus riparius</i> ⁸⁶	Chironomidae	Diptera	Open	1	1.00	16.1
<i>Aedes campestris</i> ⁸⁴	Culicidae	Diptera	Closed	1	6.72	295.0
<i>Culex tarsalis</i> ⁸⁷	Culicidae	Diptera	Open	1	2.23	23.6
<i>Xenopsilla ramesis</i> ⁸⁸	Pulicidae	Siphonaptera	Open	0	0.16	0.6
<i>Vanessa io</i> ³⁰	Nymphalidae	Lepidoptera		1	230.00	922.2
<i>Thais cassandra</i> ³⁰	Papilionidae	Lepidoptera		1	130.00	3488.4
<i>Apetaloides firmiana</i> ⁸⁹	Notodontidae	Lepidoptera	Closed	1	169.00	828.3
<i>Hapigia simplex</i> ⁸⁹	Notodontidae	Lepidoptera	Closed	1	478.00	1584.0
<i>Lirimiris</i> sp. ⁸⁹	Notodontidae	Lepidoptera	Closed	1	564.00	1765.4
<i>Mamestra configurata</i> ⁹⁰	Noctuidae	Lepidoptera	Closed	1	139.05	465.3
<i>Bombyx mori</i> ³⁰	Bombicidae	Lepidoptera		0	490.00	3492.6
<i>Deilephila elpenor</i> ³⁰	Sphingidae	Lepidoptera		1	600.00	893.2
<i>Deilephila euphorbiae</i> ³⁰	Sphingidae	Lepidoptera		1	700.00	2347.9
<i>Xylophanes chiron</i> ⁸⁹	Sphingidae	Lepidoptera	Closed	1	708.00	1348.2
<i>Xylophanes libya</i> ⁸⁹	Sphingidae	Lepidoptera	Closed	1	559.00	2551.4

<i>Xylophanes pluto</i> ⁸⁹	Sphingidae	Lepidoptera	Closed	1	829.00	2258.2
<i>Enyo ocypete</i> ⁸⁹	Sphingidae	Lepidoptera	Closed	1	453.33	1148.7
<i>Erinnyis ello</i> ⁸⁹	Sphingidae	Lepidoptera	Closed	1	1210.00	4135.4
<i>Erinnyis oenotrus</i> ⁸⁹	Sphingidae	Lepidoptera	Closed	1	964.00	3615.5
<i>Madoryx oecclus</i> ⁸⁹	Sphingidae	Lepidoptera	Closed	1	1699.00	5368.8
<i>Oryba achemenides</i> ⁸⁹	Sphingidae	Lepidoptera	Closed	1	2808.50	6058.0
<i>Pachygonia drucei</i> ⁸⁹	Sphingidae	Lepidoptera	Closed	1	702.00	1481.3
<i>Pachylia ficus</i> ⁸⁹	Sphingidae	Lepidoptera	Closed	1	3225.00	5114.9
<i>Perigonia lusca</i> ⁸⁹	Sphingidae	Lepidoptera	Closed	1	558.33	2265.2
<i>Metopsilus porcellus</i> ³⁰	Sphingidae	Lepidoptera		1	285.00	1361.8
<i>Mimas tiliae</i> ³⁰	Sphingidae	Lepidoptera		1	320.00	1666.8
<i>Protambulyx strigilis</i> ⁸⁹	Sphingidae	Lepidoptera	Closed	1	1095.33	2251.1
<i>Manduca corallina</i> ⁸⁹	Sphingidae	Lepidoptera	Closed	1	1618.25	3239.1
<i>Manduca lefeburei</i> ⁸⁹	Sphingidae	Lepidoptera	Closed	1	571.00	925.0
<i>Manduca rustica</i> ⁸⁹	Sphingidae	Lepidoptera	Closed	1	2810.00	6704.9
<i>Sphinx ligustri</i> ³⁰	Sphingidae	Lepidoptera		1	1400.00	7513.4

<i>Adeloneivaia boisduvalii</i> ⁸⁹	Saturniidae	Lepidoptera	Closed	1	1034.00	1795.6
<i>Adeloneivaia subungulata</i> ⁸⁹	Saturniidae	Lepidoptera	Closed	1	487.00	1850.1
<i>Eacles imperialis</i> ⁸⁹	Saturniidae	Lepidoptera	Closed	1	1105.00	3282.9
<i>Sphingicampa quadrilineata</i> ⁸⁹	Saturniidae	Lepidoptera	Closed	1	818.00	2134.2
<i>Syssphinx molina</i> ⁸⁹	Saturniidae	Lepidoptera	Closed	1	1757.00	4431.7
<i>Antheraea pernyi</i> ³⁰	Saturniidae	Lepidoptera		1	1210.00	6134.5
<i>Automerina auletes</i> ⁸⁹	Saturniidae	Lepidoptera	Closed	1	720.00	1813.8
<i>Automeris fieldi</i> ⁸⁹	Saturniidae	Lepidoptera	Closed	1	394.00	1088.3
<i>Automeris hamata</i> ⁸⁹	Saturniidae	Lepidoptera	Closed	1	564.00	1995.2
<i>Automeris jacunda</i> ⁸⁹	Saturniidae	Lepidoptera	Closed	1	653.25	1549.3
<i>Automeris zugana</i> ⁸⁹	Saturniidae	Lepidoptera	Closed	1	539.75	1103.4
<i>Dirphea agis</i> ⁸⁹	Saturniidae	Lepidoptera	Closed	1	197.00	483.7
<i>Hylesia praeda</i> ⁸⁹	Saturniidae	Lepidoptera	Closed	1	146.00	816.2
<i>Hylesia</i> sp. ⁸⁹	Saturniidae	Lepidoptera	Closed	1	239.14	682.3
<i>Hyperchirica nausica</i> ⁸⁹	Saturniidae	Lepidoptera	Closed	1	199.50	786.0
<i>Artace</i> sp. ⁸⁹	Lasiocampidae	Lepidoptera	Closed	1	132.00	332.5

<i>Euglyphis</i> sp. ⁸⁹	Lasiocampidae	Lepidoptera	Closed	1	87.00	411.1
<i>Odonestis pruni</i> ³⁰	Lasiocampidae	Lepidoptera		1	250.00	1130.0
<i>Galleria mellonella</i> ⁹¹	Pyrilidae	Lepidoptera	Closed	1	53.60	635.0
<i>Ostrinia nubilalis</i> ⁹²	Pyrilidae	Lepidoptera	Closed	1	48.40	484.2
<i>Neocossus</i> sp. ⁸⁹	Cossidae	Lepidoptera	Closed	1	1771.63	4008.5
<i>Megalpyge</i> sp. ⁸⁹	Megalpygidae	Lepidoptera	Closed	1	627.00	1559.9
<i>Apis mellifera ligustica</i> ⁹³	Apidae	Hymenoptera	Open	1	94.40	606.9
<i>Bombus terrestris</i> ⁹⁴	Apidae	Hymenoptera	Open	1	740.00	821.8
<i>Xylocopa capitata</i> ⁹⁵	Xylocopidae	Hymenoptera	Open	1	1300.00	6835.4
<i>Dasylabris</i> sp. ¹⁶	Mutillidae	Hymenoptera	Closed	0	86.50	37.3
<i>Dasymutilla gloriosa</i> ⁹⁶	Mutillidae	Hymenoptera	Open	0	76.45	1869.5
Unknown genus ²⁰	Pompilidae	Hymenoptera	Closed	1	14.14	202.0
<i>Leptothorax acerovorum</i> ⁹⁷	Formicidae	Hymenoptera	Closed	0	0.37	5.1
<i>Leptothorax unifasciatus</i> ⁹⁸	Formicidae	Hymenoptera	Closed	0	0.49	2.4
<i>Atta laevigata</i> ⁹⁹	Formicidae	Hymenoptera	Closed	0	15.00	35.2
<i>Atta sexdens</i> ¹⁰⁰	Formicidae	Hymenoptera	Closed	0	15.00	43.1

<i>Myrmica alaskensis</i> ⁹⁷	Formicidae	Hymenoptera	Closed	0	0.91	10.7
<i>Myrmica rubra</i> ¹⁰¹	Formicidae	Hymenoptera	Closed	0	2.76	6.8
<i>Pogonomyrmex californicus</i> ¹⁰²	Formicidae	Hymenoptera	Open	0	5.92	9.3
<i>Pogonomyrmex maricopa</i> ¹⁰³	Formicidae	Hymenoptera	Closed	0	11.07	40.6
<i>Pogonomyrmex occidentalis</i> ¹⁰²	Formicidae	Hymenoptera	Open	0	7.96	12.8
<i>Pogonomyrmex rugosus</i> ¹⁰²	Formicidae	Hymenoptera	Open	0	14.30	27.6
<i>Pogonomyrmex</i> sp. ²⁰	Formicidae	Hymenoptera	Closed	0	3.74	12.6
<i>Aphaenogaster cockerelli</i> ⁹⁷	Formicidae	Hymenoptera	Closed	0	4.72	82.5
<i>Messor capensis</i> *	Formicidae	Hymenoptera	Open	0	13.70	38.3
<i>Messor capitatus</i> ¹⁰⁴	Formicidae	Hymenoptera	Closed	0	3.14	16.2
<i>Messor julianus</i> ¹⁰⁵	Formicidae	Hymenoptera	Open	0	5.09	7.1
<i>Messor pergandei</i> ¹⁰⁵	Formicidae	Hymenoptera	Open	0	7.19	14.0
<i>Chelaner rothsteini</i> ¹⁰⁶	Formicidae	Hymenoptera		0	0.25	1.1
<i>Solenopsis invicta</i> ¹⁰⁷	Formicidae	Hymenoptera	Open	0	2.96	5.6
<i>Tetramorium caespitum</i> ¹⁰¹	Formicidae	Hymenoptera	Closed	0	0.69	2.4
<i>Camponotus detritus</i> ¹⁰⁸	Formicidae	Hymenoptera	Open	0	42.90	78.0

<i>Camponotus fulvopilosus</i> ¹⁰⁹	Formicidae	Hymenoptera	Open	0	43.00	63.4
<i>Camponotus laevigatus</i> ⁹⁷	Formicidae	Hymenoptera	Closed	0	19.15	117.8
<i>Camponotus maculatus</i> *	Formicidae	Hymenoptera	Open	0	42.49	51.1
<i>Camponotus sericeiventris</i> ¹¹⁰	Formicidae	Hymenoptera	Closed	0	40.20	73.2
<i>Camponotus</i> sp. ⁹⁷	Formicidae	Hymenoptera	Closed	0	15.41	78.2
<i>Camponotus vafer</i> ⁹⁷	Formicidae	Hymenoptera	Closed	0	4.51	58.8
<i>Camponotus vicinus</i> ¹¹¹	Formicidae	Hymenoptera	Open	0	107.00	143.5
<i>Cataglyphis bicolor</i> ¹¹²	Formicidae	Hymenoptera	Open	0	34.00	37.8
<i>Formica exsecta</i> ¹⁰¹	Formicidae	Hymenoptera	Closed	0	4.05	21.9
<i>Formica fusca</i> ⁹⁷	Formicidae	Hymenoptera	Closed	0	1.35	31.3
<i>Formica occulta</i> ⁹⁷	Formicidae	Hymenoptera	Closed	0	1.30	19.5
<i>Formica pratensis</i> ¹⁰¹	Formicidae	Hymenoptera	Closed	0	7.17	31.4
<i>Lasius alienus</i> ¹⁰¹	Formicidae	Hymenoptera	Closed	0	1.38	6.0
<i>Lasius flavus</i> ¹⁰¹	Formicidae	Hymenoptera	Closed	0	2.58	11.5
<i>Lasius niger</i> ¹⁰¹	Formicidae	Hymenoptera	Closed	0	1.74	6.1
<i>Lasius sitiens</i> ⁹⁷	Formicidae	Hymenoptera	Closed	0	0.29	3.2

<i>Forelius foetidus</i> ⁹⁷	Formicidae	Hymenoptera	Closed	0	0.10	1.3
<i>Anoplolepis steinergroeveri</i> *	Formicidae	Hymenoptera	Open	0	4.94	14.1
<i>Leptogenys attenuata</i> ¹¹³	Formicidae	Hymenoptera	Open	0	4.00	12.3
<i>Leptogenys nitida</i> ¹¹³	Formicidae	Hymenoptera	Open	0	1.72	5.2
<i>Leptogenys schwabi</i> ¹¹³	Formicidae	Hymenoptera	Open	0	8.96	21.0
<i>Paraponera clavata</i> ¹¹⁴	Formicidae	Hymenoptera	Open	0	190.00	430.8
<i>Eciton hamatum</i> ¹¹⁵	Formicidae	Hymenoptera	Open	0	6.00	25.3
Unknown genus ²⁰	Braconidae	Hymenoptera	Closed	0	1.70	27.8
Unknown genus ²⁰	Chalcidoidea	Hymenoptera	Closed	0	0.16	3.5

* Chown lab, unpublished data.

‡ Wing status: 1 = winged; 0 = no wings

References

1. May, M. L. Energy metabolism of dragonflies (Odonata: Anisoptera) at rest and during endothermic warm-up. *Journal of Experimental Biology* **83**, 79-94 (1979).
2. Shelton, T. G. & Appel, A. G. Carbon dioxide release in *Coptotermes formosanus* Shiraki and *Reticulitermes flavipes* (Kollar): effects of caste, mass, and movement. *Journal of Insect Physiology* **47**, 213-224 (2001).
3. Jeeva, D., Bignell, D. E., Eggleton, P. & Maryati, M. Respiratory gas exchanges of termites from the Sabah (Borneo) assemblage. *Physiological Entomology* **24**, 11-17 (1999).
4. McComie, L. D. & Dhanarjan, G. Respiratory rate and energy utilization by *Macrotermes carbonarius* (Hagen) (Isoptera, Termitidae, Macrotermitinae) in Penang, Malaysia. *Insect Science and its Applications* **11**, 197-204 (1990).
5. Gunn, D. L. Oxygen consumption of the cockroach in relation to moulting. *Nature* **125**, 434-435 (1935).
6. Herreid, C. F. & Full, R. J. Cockroaches on a treadmill: aerobic running. *Journal of Insect Physiology* **30**, 395-403 (1984).
7. Full, R. J., Zuccarello, D. A. & Tullis, A. Effect of variation in form on the cost of terrestrial locomotion. *Journal of Experimental Biology* **150**, 233-246 (1990).
8. Slater, W. K. The aerobic and anaerobic metabolism of the common cockroach (*Periplaneta orientalis*). *Biochemical Journal* **21**, 198-203 (1927).
9. Harvey, G. T. & Brown, A. W. A. The effect of insecticide on the rate of oxygen consumption in *Blattella*. *Canadian Journal of Zoology* **29**, 42-53 (1951).
10. Herreid, C. F., Full, R. J. & Prawel, D. A. Energetics of cockroach locomotion. *Journal of Experimental Biology* **94**, 189-202 (1981).
11. Reichle, D. E. Relation of body size to food intake, oxygen consumption, and trace element metabolism in forest floor arthropods. *Ecology* **49**, 538-542 (1968).
12. Bartholomew, G. A. & Lighton, J. R. B. Ventilation and oxygen consumption during rest and locomotion in a tropical cockroach, *Blaberus giganteus*. *Journal of Experimental Biology* **118**, 449-454 (1985).
13. Coelho, J. R. & Moore, A. J. Allometry of resting metabolic rate in cockroaches. *Comparative Biochemistry and Physiology A* **94**, 587-590 (1989).
14. Marais, E. & Chown, S. L. Repeatability of standard metabolic rate and gas exchange characteristics in a highly variable cockroach, *Perisphaeria* sp. *Journal of Experimental Biology* **206**, 4565-4574 (2003).
15. Bailey, C. G., Withers, P. C., Endersby, M. & Gaull, K. The energetic costs of calling in the bushcricket *Requena verticalis* (Orthoptera: Tettigoniidae: Llistroscolidinae). *Journal of Experimental Biology* **178**, 21-37 (1993).
16. Zachariassen, K. E., Andersen, J., Kamau, J. M. Z. & Maloiy, G. M. O. Water loss in insects from arid and humid habitats in East Africa. *Acta Entomologica Bohemoslovaca* **85**, 81-93 (1988).
17. Nespolo, R. F., Lardies, M. A. & Bozinovic, F. Intra-populational variation in the standard metabolic rate of insects: repeatability, thermal dependence and sensitivity (Q₁₀) of oxygen consumption in a cricket. *Journal of Experimental Biology* **206**, 4309-4315 (2003).
18. Van Hook, R. I. Energy and nutrient dynamics of spider and Orthopteran populations in a grassland ecosystems. *Ecological Monographs* **41**, 1-26 (1971).
19. Hack, M. A. The effects of mass and age on standard metabolic rate in house crickets. *Physiological Entomology* **22**, 325-331 (1997).
20. Mispagel, M. E. Relation of oxygen consumption to size and temperature in desert arthropods. *Ecological Entomology* **6**, 423-431 (1981).
21. Kavanagh, M. W. The efficiency of sound production on two cricket species, *Gryllotalpa australis* and *Teleogryllus commodus* (Orthoptera: Grylloidea). *Journal of Experimental Biology* **130**, 107-119 (1987).
22. Stevens, E. D. & Josephson, R. K. Metabolic rate and body temperature in singing katydids. *Physiological Zoology* **50**, 31-42 (1977).
23. Bailey, C. G. & Riegert, P. W. Energy dynamics of *Encyrtolophus sordidus costalis* (Scudder) (Orthoptera: Acrididae) in a grassland ecosystem. *Canadian Journal of Zoology* **51**, 91-100 (1973).

24. Loveridge, J. P. & Bursell, E. Studies on the water relations of adult locusts (Orthoptera, Acrididae) I. Respiration and the production of metabolic water. *Bulletin of Entomological Research* **65**, 13-20 (1975).
25. Harrison, J. F., Philips, J. E. & Gleeson, T. T. Activity physiology of the two-striped grasshopper, *Melanoplus bivittatus*: gas exchange, hemolymph acid-base status, lactate production, and the effect of temperature. *Physiological Zoology* **64**, 451-472 (1991).
26. Quinlan, M. C. & Hadley, N. F. Gas exchange, ventilatory patterns, and water loss in two lubber grasshoppers: quantifying cuticular and respiratory transpiration. *Physiological Zoology* **66**, 628-642 (1993).
27. Massion, D. D. An altitudinal comparison of water and metabolic relations in two acridid grasshoppers (Orthoptera). *Comparative Biochemistry and Physiology A* **74**, 101-105 (1983).
28. Duke, K. M. & Crossley, D. A. Population energetics and ecology of the rock grasshopper, *Trimerotropis saxatilis*. *Ecology* **56**, 1106-1117 (1975).
29. Ashby, P. D. Conservation of mass-specific metabolic rate among high- and low-elevation populations of the acridid grasshopper *Xanthippus corallipes*. *Physiological Zoology* **70**, 701-711 (1997).
30. Keister, M. & Buck, J. in *Physiology of Insecta Volume 3* (ed. Rockstein, M.) 617-658 (Academic Press, New York, 1964).
31. Hinton, J. M. Energy flow in a natural population of *Neophilaenus lineatus* (Homoptera). *Oikos* **22**, 155-171 (1971).
32. Wiegert, R. G. Population energetics of meadow spittlebugs (*Philaenus spumarius* L.) as affected by migration and habitat. *Ecological Monographs* **34**, 217-241 (1964).
33. Mac Nally, R. C. & Doolan, J. M. Comparative reproductive energetics of the sexes in the cicada *Cystosoma saundersii*. *Oikos* **39**, 179-186 (1982).
34. Hadley, N. F., Quinlan, M. C. & Kennedy, M. L. Evaporative cooling in the desert cicada: thermal efficiency and water/metabolic costs. *Journal of Experimental Biology* **159**, 269-283 (1991).
35. Bartholomew, G. A. & Barnhart, M. C. Tracheal gases, respiratory gas exchange, body temperature and flight in some tropical cicadas. *Journal of Experimental Biology* **111**, 131-144 (1984).
36. Bradley, T. J., Brethorst, L., Robinson, S. & Hetz, S. Changes in the rate of CO₂ release following feeding in the insect *Rhodnius prolixus*. *Physiological and Biochemical Zoology* **76**, 302-309 (2003).
37. Brown, A. V. & Fitzpatrick, L. C. Life history and population energetics of the dobson fly, *Corydalus cornutus*. *Ecology* **59**, 1091-1108 (1978).
38. Holter, P. & Spangenberg, A. Oxygen uptake in coprophilous beetles (*Aphodius*, *Geotrupes*, *Sphaeridium*) at low oxygen and high carbon dioxide concentrations. *Physiological Entomology* **22**, 339-343 (1997).
39. Engelmann, M. D. The role of soil arthropods in the energetics of an old field community. *Ecological Monographs* **31**, 221-238 (1961).
40. Bartholomew, G. A. & Casey, T. M. Body temperature and oxygen consumption during rest and activity in relation to body size in some tropical beetles. *Journal of Thermal Biology* **2**, 173-176 (1977).
41. Bosch, M., Chown, S. L. & Scholtz, C. H. Discontinuous gas exchange and water loss in the keratin beetle *Omorgus radula*: further evidence against the water conservation hypothesis? *Physiological Entomology* **25**, 309-314 (2000).
42. Chown, S. L. & Holter, P. Discontinuous gas exchange cycles in *Aphodius fossor* (Scarabaeidae): a test of hypotheses concerning origins and mechanisms. *Journal of Experimental Biology* **203**, 397-403 (2000).
43. Holter, P. Resource utilization and local coexistence in a guild of scarabaeid dung beetles (*Aphodius* spp.). *Oikos* **39**, 213-227 (1982).
44. Duncan, F. D. & Byrne, M. J. Discontinuous gas exchange in dung beetles: patterns and ecological implications. *Oecologia* **122**, 452-458 (2000).
45. Chown, S. L., Scholtz, C. H., Klok, C. J., Joubert, F. J. & Coles, K. Ecophysiology, range contraction and survival of a geographically restricted African dung beetle (Coleoptera: Scarabaeidae). *Functional Ecology* **9**, 30-39 (1995).

46. Chown, S. L. & Davis, A. L. V. Discontinuous gas exchange and the significance of respiratory water loss in scarabaeine beetles. *Journal of Experimental Biology* **206**, 3547-3556 (2003).
47. Davis, A. L. V., Chown, S. L., McGeoch, M. A. & Scholtz, C. H. A comparative analysis of metabolic rate in six *Scarabaeus* species (Coleoptera : Scarabaeidae) from southern Africa: further caveats when inferring adaptation. *Journal of Insect Physiology* **46**, 553-562 (2000).
48. Morgan, K. R. Temperature regulation, energy metabolism and mate-searching in rain beetles (*Pleocoma* spp.), winter-active, endothermic scarabs (Coleoptera). *Journal of Experimental Biology* **128**, 107-122 (1987).
49. Strømme, J. A., Ngari, T. W. & Zachariassen, K. E. Physiological adaptations in Coleoptera on Spitzbergen. *Polar Research* **4**, 199-204 (1986).
50. Birch, L. C. The oxygen consumption of the small strain of *Calandra oryzae* L. and *Rhizopertha dominica* Fab. as affected by temperature and humidity. *Ecology* **28**, 17-25 (1947).
51. Acar, E. B., Smith, B. N., Hansen, L. D. & Booth, G. M. Use of calorimetry to determine effects of temperature on metabolic efficiency of an insect. *Environmental Entomology* **30**, 811-816 (2001).
52. Sømme, L., Ring, R. A., Block, W. & Worland, M. R. Respiratory metabolism of *Hydromedion sparsutum* and *Perimylops antarcticus* (Col., Perimylopidae) from South Georgia. *Polar Biology* **10**, 135-139 (1989).
53. Zachariassen, K. E., Anderson, J., Maloiy, G. M. O. & Kamau, J. M. Z. Transpiratory water loss and metabolism of beetles from arid areas in East Africa. *Comparative Biochemistry and Physiology A* **86**, 403-408 (1987).
54. Heatwole, H., Muir, R. & Davison, E. Oxygen consumption of some terrestrial invertebrates from the Pre-Saharan steppe of Tunisia. *Journal of Arid Environments* **11**, 219-226 (1986).
55. Bartholomew, G. A., Lighton, J. R. B. & Louw, G. N. Energetics of locomotion and patterns of respiration in tenebrionid beetles from the Namib Desert. *Journal of Comparative Physiology B* **155**, 155-162 (1985).
56. Lighton, J. R. B. Ventilation in Namib desert tenebrionid beetles: mass scaling and evidence of a novel quantized flutter-phase. *Journal of Experimental Biology* **159**, 249-268 (1991).
57. Duncan, F. D. & Dickman, C. R. Respiratory patterns and metabolism in tenebrionid and carabid beetles from the Simpson Desert, Australia. *Oecologia* **129**, 509-517 (2001).
58. Edwards, D. K. Effects of acclimatization and sex on respiration and thermal resistance in *Tribolium* (Coleoptera: Tenebrionidae). *Canadian Journal of Zoology* **36**, 363-382 (1958).
59. Cooper, P. D. Field metabolic rates and cost of activity in two tenebrionid beetles from the Mojave Desert of North America. *Journal of Arid Environments* **24**, 165-175 (1993).
60. Duncan, F. D., Krasnov, B. & McMaster, M. Novel case of a tenebrionid beetle using discontinuous gas exchange cycle when dehydrated. *Physiological Entomology* **27**, 79-83 (2002).
61. Louw, G. N., Nicolson, S. W. & Seely, M. K. Respiration beneath desert sand: carbon dioxide diffusion and respiratory patterns in a tenebrionid beetle. *Journal of Experimental Biology* **120**, 443-447 (1986).
62. Chappell, M. A. & Rogowitz, G. L. Mass, temperature and metabolic effects on discontinuous gas exchange cycles in *Eucalyptus*-boring beetles (Coleoptera: Cerambycidae). *Journal of Experimental Biology* **203**, 3809-3820 (2000).
63. Gromadzka, J. Respiratory metabolism of the Colorado beetle (*Leptinotarsa decemlineata* Say). *Ekologia Polska A* **16**, 1-9 (1968).
64. Klok, C. J. & Chown, S. L. Temperature- and body mass-related variation in cyclic gas exchange characteristics and metabolic rates of seven weevil species: broader implications. *Journal of Insect Physiology* (in press).
65. Gehrken, U. Physiology of diapause in the adult bark beetle, *Ips acuminatus* Gyll., studied in relation to cold hardiness. *Journal of Insect Physiology* **31(12)**, 909-916 (1985).

66. Campbell, A., Singh, N. B. & Sinha, R. N. Bioenergetics of the granary weevil, *Sitophilus granarius* (L.) (Coleoptera: Curculionidae). *Canadian Journal of Zoology* **54**, 786-798 (1976).
67. Sibul, I., Kuusik, A. & Voolma, K. Monitoring of gas exchange cycles and ventilatory movements in the pine weevil *Hylobius abietis*: respiratory failures evoked by a botanical insecticide. *Entomologia Experimentalis et Applicata* **110**, 173-179 (2004).
68. Chown, S. L., Van Der Merwe, M. & Smith, V. R. The influence of habitat and altitude on oxygen uptake in sub-antarctic weevils. *Physiological Zoology* **70**, 116-124 (1997).
69. Tombes, A. Respiratory and compositional study on the aestivating insect, *Hypera postica* (Gyll.) (Curculionidae). *Journal of Insect Physiology* **10**, 997-1003 (1964).
70. Lighton, J. R. B. Minimum cost of transport and ventilatory patterns in three African beetles. *Physiological Zoology* **58**, 390-399 (1985).
71. Schultz, T. D., Quinlan, M. C. & Hadley, N. F. Preferred body temperature, metabolic physiology, and water balance of adult *Cicindela longilabris*: A comparison of populations from boreal habitats and climatic refugia. *Physiological Zoology* **65**, 226-242 (1992).
72. May, M. L., Pearson, D. L. & Casey, T. M. Oxygen consumption of active and inactive adult tiger beetles. *Physiological Entomology* **11**, 171-179 (1986).
73. Chown, S. L. Thermal sensitivity of oxygen uptake of Diptera from sub-Antarctic South Georgia and Marion Island. *Polar Biology* **17**, 81-86 (1997).
74. Chadwick, L. E. The respiratory quotient of *Drosophila* in flight. *Biological Bulletin* **93**, 229-239 (1947).
75. Lehmann, F.-O., Dickinson, M. H. & Staunton, J. The scaling of carbon dioxide release and respiratory water loss in flying fruit flies (*Drosophila* spp.). *Journal of Experimental Biology* **203**, 1613-1624 (2000).
76. Chadwick, L. E. & Gilmour, D. Respiration during flight in *Drosophila repleta* Wollaston: the oxygen consumption considered in relation to the wing-rate. *Physiological Zoology* **13**, 398-410 (1940).
77. Rajagopal, P. K. & Bursell, E. The respiratory metabolism of resting tsetse flies. *Journal of Insect Physiology* **12**, 287-297 (1966).
78. Terblanche, J. S., Klok, C. J. & Chown, S. L. Metabolic rate variation in *Glossina pallidipes* (Diptera : Glossinidae): gender, ageing and repeatability. *Journal of Insect Physiology* **50**, 419-428 (2004).
79. Guerra, A. A. & Cochran, D. G. Respiration during the life cycle of the face fly. *Journal of Economic Entomology* **63**, 918-921 (1970).
80. Montooth, K. L. & Gibbs, A. G. Cuticular pheromones and water balance in the house fly, *Musca domestica*. *Comparative Biochemistry and Physiology A* **135**, 457-465 (2003).
81. Buck, J. B. & Keister, M. L. Respiration and water loss in the adult blowfly, *Phormia regina*, and their relation to the physiological action of DDT. *Biological Bulletin* **97**, 64-81 (1949).
82. Berrigan, D. & Lighton, J. R. B. Energetics of pedestrian locomotion in adult male blowflies, *Protophormia terraenovae* (Diptera: Calliphoridae). *Physiological Zoology* **67**, 1140-1153 (1994).
83. Morgan, K. R., Shelly, T. E. & Kimsey, L. S. Body temperature regulation, energy metabolism, and foraging in light-seeking and shade-seeking robber flies. *Journal of Comparative Physiology B* **155**, 561-570 (1985).
84. Hocking, B. The intrinsic range and speed of flight of insects. *Transactions of the Royal Entomological Society of London* **104**, 223-345 (1953).
85. Bartholomew, G. A. & Lighton, J. R. B. Endothermy and energy metabolism of a giant tropical fly, *Pantophthalmus tabaninus* Thunberg. *Journal of Comparative Physiology B* **156**, 461-467 (1986).
86. Penttinen, O.-P. & Holopainen, I. J. Physiological energetics of a midge, *Chironomus riparius* Meigen (Insecta, Diptera): normoxic heat output over the whole life cycle and response of larva to hypoxia and anoxia. *Oecologia* **103**, 419-424 (1995).
87. Gray, E. M. & Bradley, T. J. Metabolic rate in female *Culex tarsalis* (Diptera : Culicidae): Age, size, activity, and feeding effects. *Journal of Medical Entomology* **40**, 903-911 (2003).
88. Fielden, L. J., Krasnov, B. R., Khokhlova, I. S. & Arakelyan, M. S. Respiratory gas exchange in the desert flea *Xenopsylla ramesis* (Siphonaptera : Pulicidae): response

- to temperature and blood-feeding. *Comparative Biochemistry and Physiology A* **137**, 557-565 (2004).
89. Bartholomew, G. A. & Casey, T. M. Oxygen consumption of moths during rest, pre-flight warm-up, and flight in relation to body size and wing morphology. *Journal of Experimental Biology* **76**, 11-25 (1978).
 90. Bailey, C. G. & Singh, N. B. An energy budget for *Mamestra configurata* (Lepidoptera: Noctuidae). *Canadian Entomology* **109**, 687-693 (1977).
 91. Burkett, B. N. Respiration of *Galleria mellonella* in relation to temperature and oxygen. *Entomologia Experimentalis et Applicata* **5**, 305-312 (1962).
 92. Lewis, L. C., Mutchmor, J. A. & Lynch, R. E. Effect of *Perezia pyraustae* on oxygen consumption by the European corn borer, *Ostrinia nubilalis*. *Journal of Insect Physiology* **17**, 2457-2468 (1971).
 93. Lighton, J. R. B. & Lovegrove, B. G. A temperature-induced switch from diffusive to convective ventilation in the honeybee. *Journal of Experimental Biology* **154**, 509-516 (1990).
 94. Beekman, M. & Van Stratum, P. Respiration in bumblebee queens: effect of life phase on the discontinuous ventilation cycle. *Entomologia Experimentalis et Applicata* **92**, 295-298 (1999).
 95. Gäde, G. & Auerswald, L. Flight metabolism in carpenter bees and primary structure of their hypertrehalosaemic peptide. *Experimental Biology Online* **3** (1998).
 96. Duncan, F. D. & Lighton, J. R. B. Discontinuous ventilation and energetics of locomotion in the desert-dwelling female mutillid wasp, *Dasymutilla gloriosa*. *Physiological Entomology* **22**, 310-315 (1997).
 97. Nielsen, M. G. Respiratory rates of ants from different climatic areas. *Journal of Insect Physiology* **32**, 125-131 (1986).
 98. Martin, P. J. Respiration of the ant *Leptothorax unifasciatus* (Hymenoptera, Formicidae) at individual and society levels. *Journal of Insect Physiology* **37**, 311-318 (1991).
 99. Beraldo, M. J. A. H. & Mendes, E. G. The influence of temperature on oxygen consumption rates of workers of two leaf cutting ants, *Atta laevigata* (F. Smith, 1958) and *Atta sexdens rubropilosa* (Forel, 1908). *Comparative Biochemistry and Physiology A* **71**, 419-424 (1982).
 100. Hebling, M. J. A., Penteado, C. H. S. & Mendes, E. G. Respiratory regulation in workers of the leaf cutting ant *Atta sexdens rubropilosa* Forel, 1908. *Comparative Biochemistry and Physiology A* **101**, 319-322 (1992).
 101. Jensen, T. F. & Nielsen, M. G. The influence of body size and temperature on worker ant respiration. *Natura Jutlandica* **18**, 21-25 (1975).
 102. Quinlan, M. C. & Lighton, J. R. B. Respiratory physiology and water relations of three species of *Pogonomyrmex* harvester ants (Hymenoptera: Formicidae). *Physiological Entomology* **24**, 293-302 (1999).
 103. Ettershank, G. & Whitford, W. G. Oxygen consumption of two species of *Pogonomyrmex* harvester ants (Hymenoptera: Formicidae). *Comparative Biochemistry and Physiology A* **46**, 605-611 (1973).
 104. Nielsen, M. G. & Baroni-Urbani, C. Energetics and foraging behaviour of the European seed harvesting ant *Messor capitatus* I. Respiratory metabolism and energy consumption of unloaded and loaded workers during locomotion. *Physiological Entomology* **15**, 441-448 (1990).
 105. Lighton, J. R. B. & Berrigan, D. Questioning paradigms: caste-specific ventilation in harvester ants, *Messor pergandei* and *M. julianus* (Hymenoptera: Formicidae). *Journal of Experimental Biology* **198**, 521-530 (1995).
 106. Davison, E. A. Respiration and energy flow in two Australian species of desert harvester ants, *Chelaner rothsteini* and *Chelaner whitei*. *Journal of Arid Environments* **12**, 61-82 (1987).
 107. Vogt, J. T. & Appel, A. G. Standard metabolic rate of the fire ant, *Solenopsis invicta* Buren: effects of temperature, mass, and caste. *Journal of Insect Physiology* **45**, 655-666 (1999).
 108. Lighton, J. R. B. Slow discontinuous ventilation in the Namib dune-sea ant *Camponotus detritus* (Hymenoptera, Formicidae). *Journal of Experimental Biology* **151**, 71-82 (1990).

109. Lighton, J. R. B. Individual and whole-colony respiration in an African formicine ant. *Functional Ecology* **3**, 523-230 (1989).
110. Lighton, J. R. B. & Gillespie, R. G. The energetics of mimicry: the cost of pedestrian transport in a formicine ant and its mimic, a clubionid spider. *Physiological Entomology* **14**, 173-177 (1989).
111. Lighton, J. R. B. & Garrigan, D. Ant breathing: testing regulation mechanism hypotheses with hypoxia. *Journal of Experimental Biology* **198**, 1613-1620 (1995).
112. Lighton, J. R. B. & Wehner, R. Ventilation and respiratory metabolism in the thermophilic desert ant, *Cataglyphis bicolor* (Hymenoptera, Formicidae). *Journal of Comparative Physiology B* **163**, 11-17 (1993).
113. Duncan, F. D. & Crewe, R. M. A comparison of the energetics of foraging of three species of *Leptogenys* (Hymenoptera, Formicidae). *Physiological Entomology* **18**, 372-378 (1993).
114. Fewell, J. H., Harrison, J. F., Lighton, J. R. B. & Breed, M. D. Foraging energetics of the ant, *Paraponera clavata*. *Oecologia* **105**, 419-427 (1996).
115. Bartholomew, G. A., Lighton, J. R. B. & Feener, D. H. Energetics of trail running, load carriage, and emigration in the column-rading army ant *Eciton hamatum*. *Physiological Zoology* **61**, 57-68 (1988).