

Electronic Supplement 1
Temperature, Body Mass, and Mortality data with Sources

* Mortality rates for some species differ from the original source due to conversions described in text.. Dry mass was calculated as ¼*wet mass.

Group	Species	Dry mass (g)	Temp. °C	*Mortality (y ⁻¹)	Ref.
Bird	<i>Accipiter cooperii</i>	1.098E+02	40	0.213	1,2
Bird	<i>Accipiter cooperii</i>	1.323E+02	40	0.244	1,2
Bird	<i>Accipiter cooperii</i>	1.323E+02	40	0.345	1,2
Bird	<i>Accipiter gentilis</i>	2.561E+02	40	0.133	1,2
Bird	<i>Accipiter gentilis</i>	2.561E+02	40	0.133	1,2
Bird	<i>Accipiter gentilis</i>	2.561E+02	40	0.196	1,2
Bird	<i>Accipiter gentilis</i>	2.843E+02	40	0.196	1,2
Bird	<i>Accipiter gentilis</i>	2.843E+02	40	0.199	1,2
Bird	<i>Accipiter nisus</i>	5.050E+01	40	0.201	3
Bird	<i>Accipiter nisus</i>	5.938E+01	40	0.169	1,2
Bird	<i>Accipiter n. nisus</i>	5.938E+01	40	0.164	1,2
Bird	<i>Accipiter striatus</i>	4.350E+01	40	0.262	1,2
Bird	<i>Acridotheres cristatellus</i>	2.825E+01	40	0.228	1,2
Bird	<i>Aechmophorus accidentalis</i>	3.693E+02	40	0.394	1,2
Bird	<i>Aechmophorus occidentalis</i>	3.693E+02	40	0.182	1,2
Bird	<i>Aegolius acadicus</i>	2.071E+01	40	0.350	1,2
Bird	<i>Aegolius acadicus</i>	2.071E+01	40	0.355	1,2
Bird	<i>Aegolius acadicus</i>	2.071E+01	40	0.370	1,2
Bird	<i>Aegolius funereus</i>	3.350E+01	40	0.233	1,2
Bird	<i>Aegolius funereus</i>	3.350E+01	40	0.794	1,2
Bird	<i>Aeronautes sexatilis</i>	8.025E+00	40	0.459	1,2
Bird	<i>Aethia cristatella</i>	6.600E+01	40	0.340	1,2
Bird	<i>Aethia pusilla</i>	2.100E+01	40	0.602	1,2
Bird	<i>Agelaius phoeniceus</i>	1.590E+01	40	0.161	1,2
Bird	<i>Aimophila aestivalis</i>	4.913E+00	40	0.909	1,2
Bird	<i>Aimophila quinquestriata</i>	4.763E+00	40	0.667	1,2
Bird	<i>Aimophila ruficeps</i>	4.675E+00	40	0.847	1,2
Bird	<i>Aix sponsa</i>	6.200E+01	40	0.112	1,2
Bird	<i>Aix sponsa</i>	6.200E+01	40	0.144	1,2
Bird	<i>Alca torda</i>	1.798E+02	40	0.407	1,2
Bird	<i>Alca torda</i>	1.798E+02	40	0.420	1,2
Bird	<i>Ammodramus caudacutus</i>	4.450E+00	40	0.435	1,2
Bird	<i>Ammodramus caudacutus</i>	5.175E+00	40	0.256	1,2
Bird	<i>Ammodramus maritimus</i>	5.575E+00	40	0.286	1,2

Predicting Mortality Rates

McCoy & Gillooly

Bird	<i>Ammodramus maritimus</i>	5.813E+00	40	0.289	1,2
Bird	<i>Ammodramus maritimus</i>	6.050E+00	40	0.286	1,2
Bird	<i>Ammodramus savannarum</i>	4.250E+00	40	0.877	1,2
Bird	<i>Amphispiza bilineata</i>	3.375E+00	40	0.435	1,2
Bird	<i>Anas acuta</i>	2.588E+02	40	0.119	1,2
Bird	<i>Anas acuta</i>	2.588E+02	40	0.123	1,2
Bird	<i>Anas americana</i>	1.798E+02	40	0.119	1,2
Bird	<i>Anas americana</i>	1.980E+02	40	0.286	1,2
Bird	<i>Anas clypeata</i>	1.590E+02	40	0.153	1,2
Bird	<i>Anas crecca</i>	7.950E+01	40	0.123	1,2
Bird	<i>Anas crecca</i>	9.100E+01	40	0.125	1,2
Bird	<i>Anas cyanoptera</i>	1.020E+02	40	0.198	1,2
Bird	<i>Anas discors</i>	9.075E+01	40	0.113	1,2
Bird	<i>Anas discors</i>	1.023E+02	40	0.146	1,2
Bird	<i>Anas fulvigula</i>	2.420E+02	40	0.196	1,2
Bird	<i>Anas fulvigula</i>	2.575E+02	40	0.190	1,2
Bird	<i>Anas laysanensis</i>	1.068E+02	40	0.216	1,2
Bird	<i>Anas penelope</i>	2.048E+02	40	0.299	1,2
Bird	<i>Anas platyrhynchos</i>	2.705E+02	40	0.087	1,2
Bird	<i>Anas platyrhynchos</i>	2.705E+02	40	0.108	1,2
Bird	<i>Anas platyrhynchos</i>	2.705E+02	40	0.123	1,2
Bird	<i>Anas rubripes</i>	3.500E+02	40	0.096	1,2
Bird	<i>Anas strepera</i>	2.475E+02	40	0.130	1,2
Bird	<i>Anas strepera</i>	2.475E+02	40	0.143	1,2
Bird	<i>Anhinga anhinga</i>	3.088E+02	40	0.215	1,2
Bird	<i>Anous minutus</i>	2.975E+01	40	0.116	1,2
Bird	<i>Anous stolidus</i>	4.950E+01	40	0.101	1,2
Bird	<i>Anous tenuirostris</i>	2.775E+01	40	0.158	1,2
Bird	<i>Anser albifrons</i>	6.140E+02	40	0.113	1,2
Bird	<i>Anser albifrons</i>	6.140E+02	40	0.125	1,2
Bird	<i>Anser albifrons</i>	6.758E+02	40	0.113	1,2
Bird	<i>Anser brachyrhynchus</i>	6.613E+02	40	0.115	1,2
Bird	<i>Anser caerulescens</i>	6.576E+02	40	0.095	1,2
Bird	<i>Anser caerulescens</i>	6.576E+02	40	0.103	1,2
Bird	<i>Anser caerulescens</i>	6.576E+02	40	0.130	1,2
Bird	<i>Anser canagica</i>	6.858E+02	40	0.286	1,2
Bird	<i>Anser canagica</i>	6.858E+02	40	0.413	1,2
Bird	<i>Anser rossii</i>	4.198E+02	40	0.118	1,2
Bird	<i>Anser rossii</i>	4.198E+02	40	0.129	1,2
Bird	<i>Anthus rubescens</i>	5.213E+00	40	0.515	1,2

Predicting Mortality Rates

McCoy & Gillooly

Bird	<i>Anthus spinoletta</i>	5.975E+00	40	0.515	1,2
Bird	<i>Aphelocoma coerulescens</i>	2.005E+01	40	0.161	1,2
Bird	<i>Aphelocoma ultramarina</i>	3.100E+01	40	0.133	1,2
Bird	<i>Aphelocoma ultramarina</i>	3.100E+01	40	0.144	1,2
Bird	<i>Aphelocoma ultramarina</i>	3.100E+01	40	0.237	1,2
Bird	<i>Aquila audax</i>	8.750E+02	40	0.442	1,2
Bird	<i>Aquila chrysaetos</i>	8.693E+02	40	0.148	1,2
Bird	<i>Aquila chrysaetos</i>	1.049E+03	40	0.066	1,2
Bird	<i>Aquila chrysaetos</i>	1.049E+03	40	0.098	1,2
Bird	<i>Aquila chrysaetos</i>	1.049E+03	40	0.246	1,2
Bird	<i>Aquila pomarina</i>	3.425E+02	40	0.097	1,2
Bird	<i>Aquila wahlbergi</i>	1.600E+02	40	0.216	1,2
Bird	<i>Archilochus colubris</i>	7.875E-01	40	0.286	1,2
Bird	<i>Archilochus colubris</i>	8.250E-01	40	0.413	1,2
Bird	<i>Ardea herodias</i>	5.975E+02	40	0.108	1,2
Bird	<i>Arenaria interpres</i>	2.875E+01	40	0.178	1,2
Bird	<i>Asio flammeus</i>	8.663E+01	40	0.198	1,2
Bird	<i>Asio otus</i>	6.550E+01	40	0.091	1,2
Bird	<i>Athene cunicularia</i>	3.875E+01	40	0.296	1,2
Bird	<i>Auriparus flaviceps</i>	1.700E+00	40	0.467	1,2
Bird	<i>Aythya affinis</i>	2.125E+02	40	0.139	1,2
Bird	<i>Aythya americana</i>	2.053E+02	40	0.118	1,2
Bird	<i>Aythya collaris</i>	1.825E+02	40	0.124	1,2
Bird	<i>Aythya collaris</i>	1.825E+02	40	0.157	1,2
Bird	<i>Aythya marila</i>	2.330E+02	40	0.139	1,2
Bird	<i>Aythya valisineria</i>	1.858E+02	40	0.113	1,2
Bird	<i>Bartramia longicauda</i>	3.763E+01	40	0.505	1,2
Bird	<i>Bombycilla cedrorum</i>	7.963E+00	40	0.370	1,2
Bird	<i>Bombycilla garrulus</i>	1.410E+01	40	0.450	1,2
Bird	<i>Bonasa umbellus</i>	1.330E+02	40	0.303	1,2
Bird	<i>Bonasa umbellus</i>	1.441E+02	40	0.340	1,2
Bird	<i>Botaurus lentiginosus</i>	1.765E+02	40	0.311	1,2
Bird	<i>Botaurus lentiginosus</i>	1.765E+02	40	0.323	1,2
Bird	<i>Branta bernicla</i>	3.250E+02	40	0.153	1,2
Bird	<i>Branta bernicla hrota</i>	3.075E+02	40	0.117	1,2
Bird	<i>Branta bernicla nigricans</i>	3.425E+02	40	0.098	1,2
Bird	<i>Branta canadensis</i>	8.285E+02	40	0.108	1,2
Bird	<i>Branta canadensis</i>	9.535E+02	40	0.104	1,2

Predicting Mortality Rates

McCoy & Gillooly

Bird	<i>Bubo virginianus</i>	3.858E+02	40	0.123	1,2
Bird	<i>Bubo virginianus</i>	3.858E+02	40	0.147	1,2
Bird	<i>Bubulcus ibis</i>	8.450E+01	40	0.110	1,2
Bird	<i>Bubulcus ibis</i>	8.450E+01	40	0.149	1,2
Bird	<i>Bucephala albeola</i>	8.350E+01	40	0.222	1,2
Bird	<i>Bucephala albeola</i>	1.183E+02	40	0.171	1,2
Bird	<i>Bucephala albeola</i>	1.183E+02	40	0.204	1,2
Bird	<i>Bucephala clangula</i>	2.000E+02	40	0.213	1,2
Bird	<i>Bucephala clangula</i>	2.250E+02	40	0.178	1,2
Bird	<i>Bucephala clangula</i>	2.500E+02	40	0.233	1,2
Bird	<i>Bucephala islandica</i>	2.725E+02	40	0.166	1,2
Bird	<i>Bulweria bulwerii</i>	2.475E+01	40	0.115	1,2
Bird	<i>Butastur indicus indicus</i>	9.925E+01	40	0.303	1,2
Bird	<i>Buteo buteo</i>	2.188E+02	40	0.101	1,2
Bird	<i>Buteo buteo buteo</i>	2.188E+02	40	0.100	1,2
Bird	<i>Buteo jamaicensis</i>	2.815E+02	40	0.118	1,2
Bird	<i>Buteo jamaicensis</i>	2.815E+02	40	0.118	1,2
Bird	<i>Buteo jamaicensis</i>	2.815E+02	40	0.128	1,2
Bird	<i>Buteo lagopus</i>	2.390E+02	40	0.141	1,2
Bird	<i>Buteo lagopus</i>	2.390E+02	40	0.235	1,2
Bird	<i>Buteo lagopus</i>	2.663E+02	40	0.142	1,2
Bird	<i>Buteo lineatus</i>	1.398E+02	40	0.127	1,2
Bird	<i>Buteo lineatus</i>	1.398E+02	40	0.127	1,2
Bird	<i>Buteo regalis</i>	2.863E+02	40	0.127	1,2
Bird	<i>Buteo regalis</i>	2.863E+02	40	0.160	1,2
Bird	<i>Buteo swainsoni</i>	2.471E+02	40	0.159	1,2
Bird	<i>Buteo swainsoni</i>	2.471E+02	40	0.160	1,2
Bird	<i>Buteogallus anthracinus</i>	2.490E+02	40	0.189	1,2
Bird	<i>Butorides striatus</i>	5.300E+01	40	0.327	1,2
Bird	<i>Calamospiza melanocorys</i>	9.400E+00	40	0.667	1,2
Bird	<i>Calcarius lapponicus</i>	6.825E+00	40	0.526	1,2
Bird	<i>Calcarius pictus</i>	6.250E-01	40	0.526	1,2
Bird	<i>Calcarius pictus</i>	6.075E+00	40	0.667	1,2
Bird	<i>Calidris alba</i>	1.425E+01	40	0.195	1,2
Bird	<i>Calidris alba</i>	1.425E+01	40	0.495	1,2
Bird	<i>Calidris alpina</i>	2.300E+01	40	0.206	1,2
Bird	<i>Calidris alpina</i>	2.300E+01	40	0.276	1,2
Bird	<i>Calidris canutus</i>	3.425E+01	40	0.251	1,2
Bird	<i>Calidris canutus</i>	3.425E+01	40	0.420	1,2
Bird	<i>Calidris fuscicollis</i>	8.675E+00	40	0.370	1,2
Bird	<i>Calidris mauri</i>	5.825E+00	40	0.279	1,2
Bird	<i>Calidris melanotos</i>	2.035E+01	40	0.442	1,2
Bird	<i>Calidris minutilla</i>	5.800E+00	40	0.159	1,2

Predicting Mortality Rates

McCoy & Gillooly

Bird	<i>Calidris minutilla</i>	5.800E+00	40	0.159	1,2
Bird	<i>Calidris minutilla</i>	5.800E+00	40	0.226	1,2
Bird	<i>Calidris ptilocnemis</i>	1.991E+01	40	0.355	1,2
Bird	<i>Calidris pusilla</i>	7.825E+00	40	0.213	1,2
Bird	<i>Callipepla californica</i>	4.325E+01	40	0.376	1,2
Bird	<i>Callipepla gambelii</i>	4.250E+01	40	0.350	1,2
Bird	<i>Calothorax lucifer</i>	8.250E-01	40	0.667	1,2
Bird	<i>Calypte anna</i>	1.000E+00	40	0.435	1,2
Bird	<i>Calypte anna</i>	1.050E+00	40	0.413	1,2
Bird	<i>Camptostoma imberbe</i>	1.850E+00	40	0.549	1,2
Bird	<i>Campylorhynchus brunneicapillus</i>	9.725E+00	40	0.413	1,2
Bird	<i>Caprimulgus vociferus</i>	1.324E+01	40	0.667	1,2
Bird	<i>Cardellina rubrifrons</i>	2.450E+00	40	0.909	1,2
Bird	<i>Cardinalis cardinalis</i>	1.098E+01	40	0.161	1,2
Bird	<i>Cardinalis sinuatus</i>	9.175E+00	40	0.450	1,2
Bird	<i>Carduelis flammea</i>	3.250E+00	40	0.450	1,2
Bird	<i>Carduelis hornemanni</i>	3.175E+00	40	0.575	1,2
Bird	<i>Carduelis pinus</i>	3.650E+00	40	0.273	1,2
Bird	<i>Carduelis psaltria</i>	2.375E+00	40	0.459	1,2
Bird	<i>Carduelis tristis</i>	3.225E+00	40	0.233	1,2
Bird	<i>Carduelis tristis</i>	3.225E+00	40	0.276	1,2
Bird	<i>Carpodacus cassinii</i>	6.625E+00	40	0.370	1,2
Bird	<i>Carpodacus mexicanus</i>	5.350E+00	40	0.220	1,2
Bird	<i>Carpodacus mexicanus</i>	5.350E+00	40	2.941	1,2
Bird	<i>Carpodacus purpureus</i>	6.225E+00	40	0.216	1,2
Bird	<i>Cathartes aura</i>	3.668E+03	40	0.151	1,2
Bird	<i>Catharus fuscescens</i>	7.800E+00	40	0.254	1,2
Bird	<i>Catharus guttatus</i>	7.750E+00	40	0.296	1,2
Bird	<i>Catharus minimus</i>	8.200E+00	40	0.355	1,2
Bird	<i>Catharus ustulatus</i>	7.700E+00	40	0.254	1,2
Bird	<i>Catoptrophorus semipalmatus</i>	5.375E+01	40	0.289	1,2
Bird	<i>Cepphus columba</i>	1.218E+02	40	0.182	1,2
Bird	<i>Cepphus columba</i>	1.218E+02	40	0.216	1,2
Bird	<i>Cepphus columba</i>	1.218E+02	40	0.276	1,2
Bird	<i>Cepphus grylle</i>	1.013E+02	40	0.211	1,2

Predicting Mortality Rates

McCoy & Gillooly

Bird	<i>Cerorhinca monocerata</i>	1.300E+02	40	0.350	1,2
Bird	<i>Cerorhinca monocerata</i>	1.300E+02	40	0.420	1,2
Bird	<i>Certhia familiaris</i>	2.250E+00	40	0.575	1,2
Bird	<i>Chaertura vaux</i>	4.275E+00	40	0.515	1,2
Bird	<i>Chaetura pelagica</i>	5.900E+00	40	0.182	1,2
Bird	<i>Charadrius alexandrinus</i>	1.035E+01	40	0.169	1,2
Bird	<i>Charadrius alexandrinus</i>	1.035E+01	40	0.233	1,2
Bird	<i>Charadrius alexandrinus</i>	1.035E+01	40	0.370	1,2
Bird	<i>Charadrius melodus</i>	1.380E+01	40	0.182	1,2
Bird	<i>Charadrius melodus</i>	1.380E+01	40	0.233	1,2
Bird	<i>Charadrius semipalmatus</i>	1.169E+01	40	0.314	1,2
Bird	<i>Charadrius vociferus</i>	2.414E+01	40	0.235	1,2
Bird	<i>Chlidonias niger</i>	1.633E+01	40	0.147	1,2
Bird	<i>Chlidonias niger</i>	1.633E+01	40	0.307	1,2
Bird	<i>Chondestes grammacus</i>	7.250E+00	40	0.331	1,2
Bird	<i>Chordeiles minor</i>	1.538E+01	40	0.286	1,2
Bird	<i>Ciconia ciconia</i>	8.683E+02	40	0.076	1,2
Bird	<i>Ciconia nigra</i>	7.500E+02	40	0.141	1,2
Bird	<i>Cinclus mexicanus</i>	1.525E+01	40	0.515	1,2
Bird	<i>Circaetus cinereus</i>	5.120E+02	40	0.382	1,2
Bird	<i>Circaetus gallicus</i>	4.258E+02	40	0.147	1,2
Bird	<i>Circaetus gallicus</i>	4.258E+02	40	0.149	1,2
Bird	<i>Circus aeruginosus</i>	1.569E+02	40	0.152	1,2
Bird	<i>Circus aeruginosus</i>	1.569E+02	40	0.155	1,2
Bird	<i>Circus aeruginosus approximans</i>	1.569E+02	40	0.139	1,2
Bird	<i>Circus cyaneus</i>	1.089E+02	40	0.155	1,2
Bird	<i>Circus cyaneus</i>	1.089E+02	40	0.159	1,2
Bird	<i>Circus macroarar</i>	9.713E+01	40	0.189	1,2
Bird	<i>Circus pygargus</i>	7.888E+01	40	0.156	1,2
Bird	<i>Circus pygargus</i>	7.888E+01	40	0.159	1,2
Bird	<i>Clangula hyemalis</i>	2.035E+02	40	0.163	1,2
Bird	<i>Clangula hyemalis</i>	2.330E+02	40	0.166	1,2
Bird	<i>Coccyzus americanus</i>	1.600E+01	40	0.526	1,2
Bird	<i>Coccyzus erythrophthalmus</i>	1.278E+01	40	0.526	1,2
Bird	<i>Colaptes auratus</i>	3.300E+01	40	0.204	1,2

Predicting Mortality Rates

McCoy & Gillooly

Bird	<i>Colaptes auratus</i> <i>ssp.</i>	3.300E+01	40	0.279	1,2
Bird	<i>Colaptes auratus</i> <i>ssp.</i>	3.300E+01	40	0.340	1,2
Bird	<i>Colaptes auratus</i> <i>ssp.</i>	3.300E+01	40	0.388	1,2
Bird	<i>Colinus</i> <i>virginianus</i>	4.450E+01	40	0.407	1,2
Bird	<i>Columba fasciata</i>	8.563E+01	40	0.137	1,2
Bird	<i>Columba fasciata</i>	8.563E+01	40	0.164	1,2
Bird	<i>Columba</i> <i>leucocephala</i>	6.175E+01	40	0.177	1,2
Bird	<i>Columba</i> <i>leucocephala</i>	6.175E+01	40	0.209	1,2
Bird	<i>Columba</i> <i>leucocephala</i>	6.175E+01	40	0.311	1,2
Bird	<i>Columba livia</i>	8.863E+01	40	0.435	1,2
Bird	<i>Columbina inca</i>	1.188E+01	40	0.331	1,2
Bird	<i>Columbina</i> <i>passerina</i>	7.525E+00	40	0.360	1,2
Bird	<i>Columbina</i> <i>passerina</i>	7.525E+00	40	0.427	1,2
Bird	<i>Contopus borealis</i>	8.025E+00	40	0.365	1,2
Bird	<i>Contopus borealis</i>	8.025E+00	40	0.442	1,2
Bird	<i>Contopus</i> <i>sordidulus</i>	3.200E+00	40	0.427	1,2
Bird	<i>Contopus virens</i>	3.525E+00	40	0.365	1,2
Bird	<i>Coragyps atratus</i>	5.201E+02	40	0.099	1,2
Bird	<i>Corvus</i> <i>brachyrhynchos</i>	1.120E+02	40	0.174	1,2
Bird	<i>Corvus</i> <i>brachyrhynchos</i>	1.120E+02	40	0.185	1,2
Bird	<i>Corvus caurinus</i>	9.788E+01	40	0.199	1,2
Bird	<i>Corvus corax</i>	2.998E+02	40	0.192	1,2
Bird	<i>Corvus</i> <i>cryptoleucus</i>	1.335E+02	40	0.204	1,2
Bird	<i>Corvus ossifragus</i>	7.125E+01	40	0.175	1,2
Bird	<i>Cyanocitta cristata</i>	2.170E+01	40	0.139	1,2
Bird	<i>Cyanocitta cristata</i>	2.170E+01	40	0.156	1,2
Bird	<i>Cyanocitta stelleri</i>	3.200E+01	40	0.158	1,2
Bird	<i>Cyanocitta stelleri</i>	3.200E+01	40	0.233	1,2
Bird	<i>Cyanocorax yncas</i>	1.963E+01	40	0.239	1,2
Bird	<i>Cygnus buccinator</i>	2.713E+03	40	0.105	1,2
Bird	<i>Cygnus buccinator</i>	2.850E+03	40	0.106	1,2
Bird	<i>Cygnus c.</i> <i>columbianus</i>	1.550E+03	40	0.129	1,2
Bird	<i>Cygnus</i> <i>columbianus</i>	1.425E+03	40	0.009	3
Bird	<i>Cygnus</i> <i>columbianus</i>	1.550E+03	40	0.157	1,2

Predicting Mortality Rates

McCoy & Gillooly

Bird	<i>Cygnus columbianus</i>	1.600E+03	40	0.036	3
Bird	<i>Cygnus columbianus</i>	1.663E+03	40	0.120	1,2
Bird	<i>Cygnus olor</i>	2.418E+03	40	0.192	1,2
Bird	<i>Cygnus olor</i>	2.684E+03	40	0.120	1,2
Bird	<i>Cygnus olor</i>	2.950E+03	40	0.094	1,2
Bird	<i>Cypseloides niger</i>	1.140E+01	40	0.435	1,2
Bird	<i>Daption capense</i>	1.070E+02	40	0.127	1,2
Bird	<i>Dendragapus canadensis</i>	1.140E+02	40	0.495	1,2
Bird	<i>Dendragapus canadensis</i>	1.230E+02	40	0.196	1,2
Bird	<i>Dendragapus obscurus</i>	2.228E+02	40	0.233	1,2
Bird	<i>Dendragapus obscurus</i>	2.970E+02	40	0.235	1,2
Bird	<i>Dendragapus obscurus</i>	2.995E+02	40	0.182	1,2
Bird	<i>Dendrocygna autumnalis</i>	2.123E+02	40	0.314	1,2
Bird	<i>Dendrocygna bicolor</i>	1.775E+02	40	0.400	1,2
Bird	<i>Dendroica caerulescens</i>	2.450E+00	40	0.323	1,2
Bird	<i>Dendroica caerulescens</i>	2.538E+00	40	0.265	1,2
Bird	<i>Dendroica castanea</i>	3.138E+00	40	0.794	1,2
Bird	<i>Dendroica coronata sp.</i>	3.025E+00	40	0.394	1,2
Bird	<i>Dendroica coronata sp.</i>	3.138E+00	40	0.376	1,2
Bird	<i>Dendroica discolor</i>	2.000E+00	40	0.249	1,2
Bird	<i>Dendroica dominica</i>	2.350E+00	40	0.515	1,2
Bird	<i>Dendroica fusca</i>	2.500E+00	40	0.314	1,2
Bird	<i>Dendroica kirtlandii</i>	3.425E+00	40	0.286	1,2
Bird	<i>Dendroica kirtlandii</i>	3.450E+00	40	0.323	1,2
Bird	<i>Dendroica magnolia</i>	2.175E+00	40	0.376	1,2
Bird	<i>Dendroica palmarum hypochrysea</i>	2.575E+00	40	0.450	1,2
Bird	<i>Dendroica palmarum palmarum</i>	2.575E+00	40	0.394	1,2
Bird	<i>Dendroica pensylvanica</i>	2.400E+00	40	0.376	1,2

Predicting Mortality Rates

McCoy & Gillooly

Bird	<i>Dendroica petechia</i>	2.450E+00	40	0.289	1,2
Bird	<i>Dendroica pinus</i>	2.975E+00	40	0.382	1,2
Bird	<i>Dendroica striata</i>	3.250E+00	40	0.617	1,2
Bird	<i>Dendroica striata</i>	3.250E+00	40	0.794	1,2
Bird	<i>Dendroica tigrina</i>	2.750E+00	40	0.617	1,2
Bird	<i>Dendroica townsendi</i>	2.213E+00	40	0.746	1,2
Bird	<i>Dendroica virens</i>	2.200E+00	40	0.442	1,2
Bird	<i>Diomedea amsterdamensis</i>	1.568E+03	40	0.063	1,2
Bird	<i>Diomedea chlororhynchos</i>	6.150E+02	40	0.068	1,2
Bird	<i>Diomedea chrysostoma</i>	8.769E+02	40	0.084	1,2
Bird	<i>Diomedea epomophora</i>	2.050E+03	40	0.043	1,2
Bird	<i>Diomedea exulans</i>	1.913E+03	40	0.063	1,2
Bird	<i>Diomedea immutabilis</i>	7.666E+02	40	0.047	1,2
Bird	<i>Diomedea immutabilis</i>	7.666E+02	40	0.067	1,2
Bird	<i>Diomedea irrorata</i>	8.488E+02	40	0.063	1,2
Bird	<i>Diomedea melanophris</i>	8.910E+02	40	0.074	1,2
Bird	<i>Diomedea nigripes</i>	7.870E+02	40	0.091	1,2
Bird	<i>Diomedea nigripes</i>	7.870E+02	40	0.093	1,2
Bird	<i>Diomedea exulans</i>	1.913E+03	40	0.020	3
Bird	<i>Dolichonyx oryzivorus</i>	1.051E+01	40	0.286	1,2
Bird	<i>Dolichonyx oryzivorus</i>	1.051E+01	40	0.318	1,2
Bird	<i>Dryocopus pileatus</i>	6.650E+01	40	0.259	1,2
Bird	<i>Dryocopus pileatus</i>	7.175E+01	40	0.259	1,2
Bird	<i>Dryocopus pileatus</i>	7.175E+01	40	0.286	1,2
Bird	<i>Dumetella carolinensis</i>	9.225E+00	40	0.235	1,2
Bird	<i>Egretta caerulea</i>	8.488E+01	40	0.183	1,2
Bird	<i>Egretta rufescens</i>	1.125E+02	40	0.207	1,2
Bird	<i>Egretta thula</i>	9.275E+01	40	0.144	1,2
Bird	<i>Egretta thula</i>	9.275E+01	40	0.226	1,2
Bird	<i>Elanus caeruleus axillaris</i>	8.325E+01	40	0.435	1,2
Bird	<i>Empidonax difficilis</i>	2.500E+00	40	0.435	1,2
Bird	<i>Empidonax flaviventris</i>	2.900E+00	40	0.685	1,2

Predicting Mortality Rates

McCoy & Gillooly

Bird	<i>Empidonax fulvifrons</i>	1.975E+00	40	1.429	1,2
Bird	<i>Empidonax minimus</i>	2.575E+00	40	0.323	1,2
Bird	<i>Empidonax minimus</i>	2.575E+00	40	0.442	1,2
Bird	<i>Empidonax oberholseri</i>	2.600E+00	40	0.286	1,2
Bird	<i>Empidonax oberholseri</i>	2.600E+00	40	0.314	1,2
Bird	<i>Empidonax oberholseri</i>	2.600E+00	40	0.323	1,2
Bird	<i>Empidonax oberholseri</i>	2.600E+00	40	0.435	1,2
Bird	<i>Empidonax traillii</i>	3.350E+00	40	0.370	1,2
Bird	<i>Empidonax virescens</i>	3.225E+00	40	0.235	1,2
Bird	<i>Eremophila alpestris</i>	7.838E+00	40	0.323	1,2
Bird	<i>Eremophila alpestris</i>	7.838E+00	40	0.327	1,2
Bird	<i>Eremophila alpestris</i>	7.975E+00	40	0.365	1,2
Bird	<i>Eudocimus albus</i>	2.250E+02	40	0.156	1,2
Bird	<i>Eudiptula minor</i>	2.763E+02	40	0.195	3
Bird	<i>Euphagus carolinus</i>	1.494E+01	40	0.292	1,2
Bird	<i>Euphagus cyanocephalus</i>	1.566E+01	40	0.233	1,2
Bird	<i>Falco berigora</i>	1.374E+02	40	0.244	1,2
Bird	<i>Falco columbarius</i>	4.763E+01	40	0.331	1,2
Bird	<i>Falco eleonora</i>	9.750E+01	40	0.435	1,2
Bird	<i>Falco mexicanus</i>	1.385E+02	40	0.282	1,2
Bird	<i>Falco mexicanus</i>	2.158E+02	40	0.242	1,2
Bird	<i>Falco naumanni</i>	3.813E+01	40	0.420	1,2
Bird	<i>Falco peregrinus</i>	1.954E+02	40	0.207	1,2
Bird	<i>Falco rupicoloides</i>	6.500E+01	40	0.400	1,2
Bird	<i>Falco sparverius</i>	3.000E+01	40	0.220	1,2
Bird	<i>Falco subbuteo longipennis</i>	6.325E+01	40	0.244	1,2
Bird	<i>Falco subbuteo subbuteo</i>	6.000E+01	40	0.237	1,2
Bird	<i>Falco tinnunculus</i>	5.038E+01	40	0.159	1,2
Bird	<i>Falco vespertinus vespertinus</i>	4.138E+01	40	0.207	1,2
Bird	<i>Ficedula hypoleuca</i>	3.000E+00	40	0.748	3
Bird	<i>Ficedula hypoleuca</i>	3.000E+00	40	0.656	3
Bird	<i>Fratercula arctica</i>	9.525E+01	40	0.127	1,2
Bird	<i>Fratercula arctica</i>	9.525E+01	40	0.193	1,2

Predicting Mortality Rates

McCoy & Gillooly

Bird	<i>Fratercula cirrhata</i>	1.948E+02	40	0.435	1,2
Bird	<i>Fregata ariel</i>	1.885E+02	40	0.149	1,2
Bird	<i>Fregata ariel</i>	2.015E+02	40	0.108	1,2
Bird	<i>Fregata minor</i>	2.638E+02	40	0.074	1,2
Bird	<i>Fregata minor</i>	2.958E+02	40	0.084	1,2
Bird	<i>Fulica americana</i>	1.400E+02	40	0.113	1,2
Bird	<i>Fulica americana</i>	1.605E+02	40	0.130	1,2
Bird	<i>Fulmarus glacialis</i>	1.360E+02	40	0.052	1,2
Bird	<i>Fulmarus glacialis</i>	1.360E+02	40	0.355	1,2
Bird	<i>Gallinago gallinago</i>	3.050E+01	40	0.276	1,2
Bird	<i>Gallinula chloropus</i>	7.563E+01	40	0.244	1,2
Bird	<i>Gavia arctica</i>	8.388E+02	40	0.090	1,2
Bird	<i>Gavia immer</i>	1.034E+03	40	0.127	1,2
Bird	<i>Gavia immer</i>	1.034E+03	40	0.331	1,2
Bird	<i>Gavia stellata</i>	3.878E+02	40	0.110	1,2
Bird	<i>Geococcyx californianus</i>	9.400E+01	40	0.704	1,2
Bird	<i>Geothlypis trichas</i>	2.475E+00	40	0.259	1,2
Bird	<i>Grus americana</i>	1.457E+03	40	0.084	1,2
Bird	<i>Grus americana</i>	1.457E+03	40	0.355	1,2
Bird	<i>Grus canadensis</i>	7.915E+02	40	0.118	1,2
Bird	<i>Grus canadensis</i>	7.915E+02	40	0.131	1,2
Bird	<i>Grus canadensis</i>	7.915E+02	40	0.139	1,2
Bird	<i>Guiraca caerulea</i>	7.325E+00	40	0.442	1,2
Bird	<i>Gygis alba</i>	2.775E+01	40	0.142	1,2
Bird	<i>Gymnogyps californianus</i>	2.526E+03	40	0.056	1,2
Bird	<i>Gymnorhinus cyanocephalus</i>	2.575E+01	40	0.233	1,2
Bird	<i>Gymnorhinus cyanocephalus</i>	2.575E+01	40	0.292	1,2
Bird	<i>Gyps coprotheres</i>	2.044E+03	40	0.227	1,2
Bird	<i>Haematopus bachmani</i>	1.620E+02	40	0.159	1,2
Bird	<i>Haematopus bachmani</i>	1.620E+02	40	0.420	1,2
Bird	<i>Haematopus ostralegus</i>	1.315E+02	40	0.070	1,2
Bird	<i>Haematopus palliatus</i>	1.580E+02	40	0.149	1,2
Bird	<i>Haematopus palliatus</i>	1.580E+02	40	0.182	1,2
Bird	<i>Haliaeetus albicilla</i>	1.198E+03	40	0.120	1,2
Bird	<i>Haliaeetus leucocephalus</i>	1.185E+03	40	0.246	1,2
Bird	<i>Haliastur sphenarus</i>	2.000E+02	40	0.235	1,2
Bird	<i>Helmitheros vermivorus</i>	3.250E+00	40	0.365	1,2

Predicting Mortality Rates

McCoy & Gillooly

Bird	<i>Hieraaetus morphnoides</i>	2.098E+02	40	0.249	1,2
Bird	<i>Himantopus mexicanus knudsensi</i>	4.150E+01	40	0.505	1,2
Bird	<i>Himatione sanguinea</i>	6.275E+00	40	0.407	1,2
Bird	<i>Hirundo fulva</i>	5.100E+00	40	0.276	1,2
Bird	<i>Hirundo fulva</i>	5.100E+00	40	0.549	1,2
Bird	<i>Hirundo pyrrhonota</i>	5.400E+00	40	0.233	1,2
Bird	<i>Hirundo pyrrhonota</i>	5.400E+00	40	0.256	1,2
Bird	<i>Hirundo pyrrhonota</i>	5.400E+00	40	0.286	1,2
Bird	<i>Hirundo rustica</i>	3.950E+00	40	0.318	1,2
Bird	<i>Hydrobates pelagicus</i>	6.300E+00	40	0.127	1,2
Bird	<i>Icteria virens</i>	6.325E+00	40	0.289	1,2
Bird	<i>Icterus cucullatus</i>	6.075E+00	40	0.435	1,2
Bird	<i>Icterus galbula</i> ssp.	8.400E+00	40	0.394	1,2
Bird	<i>Icterus galbula</i> ssp.	8.575E+00	40	0.220	1,2
Bird	<i>Icterus parisorum</i>	9.350E+00	40	0.407	1,2
Bird	<i>Icterus pectoralis</i>	1.113E+01	40	0.220	1,2
Bird	<i>Icterus spurius</i>	4.900E+00	40	0.267	1,2
Bird	<i>Icterus spurius</i>	4.900E+00	40	0.276	1,2
Bird	<i>Ictinia mississippiensis</i>	6.950E+01	40	0.323	1,2
Bird	<i>Junco hyemalis</i> ssp.	4.900E+00	40	0.237	1,2
Bird	<i>Junco hyemalis</i> ssp.	4.900E+00	40	0.239	1,2
Bird	<i>Junco hyemalis</i> ssp.	4.900E+00	40	0.262	1,2
Bird	<i>Junco hyemalis</i> ssp.	4.900E+00	40	0.394	1,2
Bird	<i>Junco phaeonotus</i> ssp.	5.100E+00	40	0.394	1,2
Bird	<i>Lagopus leucurus</i>	8.775E+01	40	0.213	1,2
Bird	<i>Lagopus leucurus</i>	8.975E+01	40	0.169	1,2
Bird	<i>Lamprolaima rhami</i>	1.525E+00	40	0.323	1,2
Bird	<i>Lanius excubitor</i>	1.640E+01	40	0.820	1,2
Bird	<i>Lanius ludovicianus</i>	1.185E+01	40	0.204	1,2
Bird	<i>Lanius ludovicianus</i>	1.185E+01	40	0.427	1,2
Bird	<i>Larus argentatus</i>	2.838E+02	40	0.084	1,2
Bird	<i>Larus argentatus</i>	2.838E+02	40	0.090	1,2

Predicting Mortality Rates

McCoy & Gillooly

Bird	<i>Larus argentatus</i>	2.838E+02	40	0.092	1,2
Bird	<i>Larus argentatus</i>	2.838E+02	40	0.133	1,2
Bird	<i>Larus atricilla</i>	8.125E+01	40	0.168	1,2
Bird	<i>Larus californicus</i>	1.516E+02	40	0.192	1,2
Bird	<i>Larus canus</i>	1.009E+02	40	0.139	1,2
Bird	<i>Larus canus</i>	1.010E+02	40	0.098	3
Bird	<i>Larus delawarensis</i>	1.296E+02	40	0.079	1,2
Bird	<i>Larus delawarensis</i>	1.296E+02	40	0.101	1,2
Bird	<i>Larus glaucescens</i>	2.525E+02	40	0.079	1,2
Bird	<i>Larus glaucescens</i>	2.525E+02	40	0.111	1,2
Bird	<i>Larus glaucescens</i>	2.525E+02	40	0.114	1,2
Bird	<i>Larus marinus</i>	4.146E+02	40	0.108	1,2
Bird	<i>Larus occidentalis</i>	2.528E+02	40	0.091	1,2
Bird	<i>Larus occidentalis</i>	2.528E+02	40	0.101	1,2
Bird	<i>Larus pipixcan</i>	7.000E+01	40	0.273	1,2
Bird	<i>Larus pipixcan</i>	7.000E+01	40	0.286	1,2
Bird	<i>Laterallus jamicensis</i>	8.475E+00	40	1.163	1,2
Bird	<i>Leptotila verreauxi</i>	3.825E+01	40	0.299	1,2
Bird	<i>Leucosticte arctoa atrata</i>	6.625E+00	40	0.459	1,2
Bird	<i>Leucosticte arctoa ssp.</i>	6.725E+00	40	0.394	1,2
Bird	<i>Limnodromus griseus</i>	2.825E+01	40	0.192	1,2
Bird	<i>Limnodromus griseus</i>	2.825E+01	40	0.340	1,2
Bird	<i>Limnodromus scolopaceus</i>	2.613E+01	40	0.311	1,2
Bird	<i>Limnothlypis swainsonii</i>	4.725E+00	40	0.331	1,2
Bird	<i>Limosa fedoa</i>	9.263E+01	40	0.299	1,2
Bird	<i>Limosa lapponica</i>	8.450E+01	40	0.685	1,2
Bird	<i>Lophodytes cucullatus</i>	1.350E+02	40	0.226	1,2
Bird	<i>Lophodytes cucullatus</i>	1.525E+02	40	0.249	1,2
Bird	<i>Lophoictinia isura</i>	1.253E+02	40	0.149	1,2
Bird	<i>Loxia curvirostra</i>	1.015E+01	40	0.633	1,2
Bird	<i>Melanerpes aurifrons</i>	2.135E+01	40	0.459	1,2
Bird	<i>Melanerpes carolinus</i>	1.680E+01	40	0.211	1,2
Bird	<i>Melanerpes erythrocephalus</i>	1.790E+01	40	0.259	1,2
Bird	<i>Melanerpes formicivorus</i>	1.953E+01	40	0.169	1,2
Bird	<i>Melanerpes formicivorus</i>	2.073E+01	40	0.159	1,2

Predicting Mortality Rates

McCoy & Gillooly

Bird	<i>Melanerpes uropygialis</i>	1.743E+01	40	0.331	1,2
Bird	<i>Melanitta deglandi</i>	3.000E+02	40	0.218	1,2
Bird	<i>Melanitta fusca</i>	4.393E+02	40	0.163	1,2
Bird	<i>Melanitta fusca</i>	4.393E+02	40	0.213	1,2
Bird	<i>Meleagris gallopavo</i>	1.056E+03	40	0.196	1,2
Bird	<i>Meleagris gallopavo</i>	1.453E+03	40	0.204	1,2
Bird	<i>Melospiza georgiana</i>	4.250E+00	40	0.549	1,2
Bird	<i>Melospiza lincolnii</i>	4.350E+00	40	0.340	1,2
Bird	<i>Melospiza melodia</i>	5.188E+00	40	0.226	1,2
Bird	<i>Mergus merganser</i>	3.080E+02	40	0.190	1,2
Bird	<i>Mergus serrator</i>	2.554E+02	40	0.485	1,2
Bird	<i>Merops bullockoides</i>	8.700E+00	40	0.370	1,2
Bird	<i>Micrathene whitneyi</i>	1.025E+01	40	0.538	1,2
Bird	<i>Micropalama himantopus</i>	1.434E+01	40	0.282	1,2
Bird	<i>Milvus migrans</i>	2.068E+02	40	0.107	1,2
Bird	<i>Milvus migrans</i>	2.068E+02	40	0.110	1,2
Bird	<i>Milvus milvus</i>	2.700E+02	40	0.097	1,2
Bird	<i>Milvus milvus</i>	2.700E+02	40	0.098	1,2
Bird	<i>Mimus polyglottos</i>	1.213E+01	40	0.127	1,2
Bird	<i>Mniotilta varia</i>	2.650E+00	40	0.226	1,2
Bird	<i>Molothrus aeneus</i>	1.668E+01	40	0.746	1,2
Bird	<i>Molothrus ater</i>	1.098E+01	40	0.150	1,2
Bird	<i>Molothrus ater</i>	1.225E+01	40	0.161	1,2
Bird	<i>Morus bassanus</i>	7.499E+02	40	0.125	1,2
Bird	<i>Mycteria americana</i>	5.940E+02	40	0.400	1,2
Bird	<i>Myiarchus cinerascens</i>	6.800E+00	40	0.286	1,2
Bird	<i>Myiarchus cinerascens</i>	6.800E+00	40	0.538	1,2
Bird	<i>Myiarchus crinitus</i>	8.375E+00	40	0.183	1,2
Bird	<i>Myiarchus tyrannulus</i>	1.095E+01	40	0.259	1,2
Bird	<i>Myiarchus tyrannulus</i>	1.095E+01	40	0.323	1,2
Bird	<i>Myioborus pictus</i>	1.975E+00	40	0.394	1,2
Bird	<i>Myioborus pictus</i>	1.975E+00	40	0.617	1,2
Bird	<i>Nucifraga columbiana</i>	3.375E+01	40	0.146	1,2
Bird	<i>Numenius arquata</i>	2.014E+02	40	0.080	1,2
Bird	<i>Numenius phaeopus</i>	1.010E+02	40	0.233	1,2

Predicting Mortality Rates

McCoy & Gillooly

Bird	<i>Numenius tahitiensis</i>	1.084E+02	40	0.216	1,2
Bird	<i>Nyctea scandiaca</i>	5.106E+02	40	0.273	1,2
Bird	<i>Nyctea scandiaca</i>	5.698E+02	40	0.237	1,2
Bird	<i>Nycticorax nycticorax</i>	2.208E+02	40	0.120	1,2
Bird	<i>Nycticorax nycticorax</i>	2.208E+02	40	0.120	1,2
Bird	<i>Nycticorax violaceus</i>	1.706E+02	40	0.413	1,2
Bird	<i>Oceanodroma furcata</i>	1.383E+01	40	0.286	1,2
Bird	<i>Oceanodroma furcata</i>	1.383E+01	40	0.435	1,2
Bird	<i>Oceanodroma homochroa</i>	9.225E+00	40	0.323	1,2
Bird	<i>Oceanodroma leucorhoa</i>	9.950E+00	40	0.081	1,2
Bird	<i>Oceanodroma leucorhoa</i>	9.950E+00	40	0.087	1,2
Bird	<i>Oceanodroma leucorhoa</i>	9.950E+00	40	0.105	1,2
Bird	<i>Oceanodroma tristrami</i>	2.100E+01	40	0.262	1,2
Bird	<i>Oporornis tolmiei</i>	2.600E+00	40	0.649	1,2
Bird	<i>Oporornis agilis</i>	3.800E+00	40	0.617	1,2
Bird	<i>Oporornis formosus</i>	3.575E+00	40	0.435	1,2
Bird	<i>Oporornis philadelphia</i>	3.250E+00	40	0.327	1,2
Bird	<i>Oporornis tolmiei</i>	2.600E+00	40	0.649	1,2
Bird	<i>Otus asio</i>	4.513E+01	40	0.179	1,2
Bird	<i>Otus flammeolus</i>	1.389E+01	40	0.318	1,2
Bird	<i>Otus kennicottii</i>	4.225E+01	40	0.198	1,2
Bird	<i>Oxyura jamaicensis</i>	1.475E+02	40	0.187	1,2
Bird	<i>Pagodroma nivea</i>	6.700E+01	40	0.127	1,2
Bird	<i>Pagophila eburnea</i>	1.540E+02	40	0.149	1,2
Bird	<i>Pagophila eburnea</i>	1.540E+02	40	0.323	1,2
Bird	<i>Pandion haliaetus</i>	3.714E+02	40	0.115	1,2
Bird	<i>Parabuteo unicinctus</i>	2.158E+02	40	0.233	1,2
Bird	<i>Parabuteo unicinctus</i>	2.158E+02	40	0.256	1,2
Bird	<i>Parabuteo unicinctus</i>	2.206E+02	40	0.202	1,2
Bird	<i>Parula americana</i>	2.150E+00	40	0.538	1,2
Bird	<i>Parus atricapillus</i>	2.700E+00	40	0.206	1,2
Bird	<i>Parus atricapillus</i>	2.750E+00	40	0.361	3

Predicting Mortality Rates

McCoy & Gillooly

Bird	<i>Parus bicolor ssp.</i>	5.400E+00	40	0.192	1,2
Bird	<i>Parus bicolor ssp.</i>	5.400E+00	40	0.549	1,2
Bird	<i>Parus carolinensis</i>	2.538E+00	40	0.235	1,2
Bird	<i>Parus cinctus</i>	3.100E+00	40	0.370	1,2
Bird	<i>Parus gambeli</i>	2.875E+00	40	0.254	1,2
Bird	<i>Parus hudsonicus</i>	2.450E+00	40	0.562	1,2
Bird	<i>Parus inornatus</i>	4.375E+00	40	0.323	
Bird	<i>Parus major</i>	4.750E+00	40	0.756	3
Bird	<i>Parus major</i>	4.750E+00	40	0.989	3
Bird	<i>Parus rufescens</i>	2.425E+00	40	0.331	1,2
Bird	<i>Parus sclateri</i>	2.750E+00	40	0.526	1,2
Bird	<i>Parus wollweberi</i>	2.600E+00	40	0.394	1,2
Bird	<i>Passer domesticus</i>	6.925E+00	40	0.192	1,2
Bird	<i>Passer montanus</i>	5.500E+00	40	0.667	1,2
Bird	<i>Passerculus sandwichensis</i>	4.280E+00	40	0.427	1,2
Bird	<i>Passerella iliaca</i>	8.075E+00	40	0.265	1,2
Bird	<i>Passerina amoena</i>	3.875E+00	40	0.289	1,2
Bird	<i>Passerina amoena</i>	4.000E+00	40	0.538	1,2
Bird	<i>Passerina ciris</i>	3.750E+00	40	0.244	1,2
Bird	<i>Passerina cyanea</i>	3.525E+00	40	0.233	1,2
Bird	<i>Passerina cyanea</i>	3.725E+00	40	0.233	1,2
Bird	<i>Passerina cyanea</i>	3.750E+00	40	0.429	3
Bird	<i>Passerina cyanea</i>	3.750E+00	40	0.454	3
Bird	<i>Pelecanus erythrorhynchos</i>	1.750E+03	40	0.096	1,2
Bird	<i>Pelecanus erythrorhynchos</i>	1.750E+03	40	0.159	1,2
Bird	<i>Pelecanus occidentalis</i>	8.595E+02	40	0.129	1,2
Bird	<i>Perdix perdix</i>	9.738E+01	40	0.508	1,2
Bird	<i>Perisoreus canadensis</i>	1.825E+01	40	0.132	1,2
Bird	<i>Perisoreus canadensis</i>	1.825E+01	40	0.159	1,2
Bird	<i>Perisoreus canadensis</i>	1.825E+01	40	0.182	1,2
Bird	<i>Pernis apivorus</i>	1.895E+02	40	0.087	1,2
Bird	<i>Phalacrocorax auritus</i>	4.185E+02	40	0.142	1,2
Bird	<i>Phalacrocorax carbo</i>	5.274E+02	40	0.141	1,2
Bird	<i>Phalacrocorax carbo</i>	5.274E+02	40	0.178	1,2
Bird	<i>Phalacrocorax pelagicus</i>	4.670E+02	40	0.142	1,2
Bird	<i>Phalacrocorax penicillatus</i>	5.258E+02	40	0.273	1,2
Bird	<i>Phalaenoptilus nuttallii</i>	1.290E+01	40	0.909	1,2

Predicting Mortality Rates

McCoy & Gillooly

Bird	<i>Phalaropus tricolor</i>	1.499E+01	40	0.256	1,2
Bird	<i>Pheucticus ludovicianus</i>	1.140E+01	40	0.355	1,2
Bird	<i>Pheucticus melanocephalus</i>	1.045E+01	40	0.282	1,2
Bird	<i>Phoenicopterus ruber</i>	7.588E+02	40	0.076	1,2
Bird	<i>Phoenicopterus ruber</i>	7.588E+02	40	0.193	1,2
Bird	<i>Phylloscopus borealis</i>	2.650E+00	40	0.877	1,2
Bird	<i>Pica nuttalli</i>	3.600E+01	40	0.259	1,2
Bird	<i>Pica nuttalli</i>	3.975E+01	40	0.256	1,2
Bird	<i>Pica pica</i>	4.438E+01	40	0.442	1,2
Bird	<i>Pica pica</i>	4.438E+01	40	0.526	1,2
Bird	<i>Picoides borealis</i>	1.090E+01	40	0.185	1,2
Bird	<i>Picoides borealis</i>	1.090E+01	40	0.213	1,2
Bird	<i>Picoides pubescens</i>	6.750E+00	40	0.224	1,2
Bird	<i>Picoides scalaris</i>	7.575E+00	40	0.588	1,2
Bird	<i>Picoides villosus</i>	1.563E+01	40	0.161	1,2
Bird	<i>Pinicola enucleator</i>	1.410E+01	40	0.265	1,2
Bird	<i>Pipilo aberti</i>	1.149E+01	40	0.299	1,2
Bird	<i>Pipilo chlorurus</i>	7.350E+00	40	0.336	1,2
Bird	<i>Pipilo erythrophthalmus</i>	1.043E+01	40	0.207	1,2
Bird	<i>Pipilo erythrophthalmus ssp.</i>	1.043E+01	40	0.239	1,2
Bird	<i>Pipilo fuscus</i>	1.110E+01	40	0.199	1,2
Bird	<i>Piranga ludoviciana</i>	7.025E+00	40	0.327	1,2
Bird	<i>Piranga olivacea</i>	7.150E+00	40	0.254	1,2
Bird	<i>Piranga rubra</i>	7.050E+00	40	0.355	1,2
Bird	<i>Piranga rubra</i>	7.050E+00	40	0.435	1,2
Bird	<i>Platalea leucorodia</i>	4.730E+02	40	0.090	1,2
Bird	<i>Plectrophenax hyperboreus</i>	1.363E+01	40	0.549	1,2
Bird	<i>Plectrophenax nivalis</i>	1.055E+01	40	0.292	1,2
Bird	<i>Plegadis chihi</i>	1.554E+02	40	0.175	1,2
Bird	<i>Pluvialis dominica</i>	3.625E+01	40	0.549	1,2
Bird	<i>Pluvialis squatarola</i>	5.500E+01	40	0.125	1,2
Bird	<i>Pluvialis squatarola</i>	5.500E+01	40	0.201	1,2
Bird	<i>Podiceps auritus</i>	1.133E+02	40	0.505	1,2
Bird	<i>Podiceps grisegena</i>	2.558E+02	40	0.549	1,2

Predicting Mortality Rates

McCoy & Gillooly

Bird	<i>Podiceps nigricollis</i>	7.300E+01	40	0.505	1,2
Bird	<i>Polioptila caerulea</i>	1.500E+00	40	0.633	1,2
Bird	<i>Polyborus plancus</i>	2.234E+02	40	0.289	1,2
Bird	<i>Polysticta stelleri</i>	1.933E+02	40	0.207	1,2
Bird	<i>Polysticta stelleri</i>	2.105E+02	40	0.178	1,2
Bird	<i>Pooecetes gramineus</i>	6.425E+00	40	0.327	1,2
Bird	<i>Pooecetes gramineus</i>	6.425E+00	40	0.376	1,2
Bird	<i>Procellaria parkinsoni</i>	1.688E+02	40	0.149	1,2
Bird	<i>Procelsterna cerulea</i>	1.325E+01	40	0.182	1,2
Bird	<i>Procelsterna cerulea</i>	1.325E+01	40	0.233	1,2
Bird	<i>Progne subis</i>	1.235E+01	40	0.185	1,2
Bird	<i>Protonotaria citrea</i>	3.750E+00	40	0.538	1,2
Bird	<i>Pterodroma alba</i>	6.800E+01	40	0.226	1,2
Bird	<i>Pterodroma hypoleuca</i>	4.400E+01	40	0.239	1,2
Bird	<i>Pterodroma leucoptera</i>	3.125E+01	40	0.127	1,2
Bird	<i>Pterodroma macroptera</i>	1.331E+02	40	0.141	1,2
Bird	<i>Pterodroma phaeopygia</i>	1.085E+02	40	0.370	1,2
Bird	<i>Ptychoramphus aleuticus</i>	4.700E+01	40	0.251	1,2
Bird	<i>Ptychoramphus aleuticus</i>	4.700E+01	40	0.435	1,2
Bird	<i>Ptychoramphus aleuticus</i>	4.700E+01	40	0.459	1,2
Bird	<i>Puffinus auricularis</i>	8.075E+01	40	0.515	1,2
Bird	<i>Puffinus gravis</i>	2.123E+02	40	0.365	1,2
Bird	<i>Puffinus lherminieri</i>	4.200E+01	40	0.133	1,2
Bird	<i>Puffinus nativitatis</i>	8.900E+01	40	0.237	1,2
Bird	<i>Puffinus pacificus</i>	9.700E+01	40	0.151	1,2
Bird	<i>Puffinus pacificus</i>	9.700E+01	40	0.182	1,2
Bird	<i>Puffinus puffinus</i>	1.133E+02	40	0.084	1,2
Bird	<i>Puffinus puffinus</i>	1.133E+02	40	0.549	1,2
Bird	<i>Puffinus tenuirostris</i>	1.358E+02	40	0.084	1,2
Bird	<i>Puffinus tenuirostris</i>	1.358E+02	40	0.080	3
Bird	<i>Pycnonotus jocusus</i>	6.850E+00	40	0.667	1,2
Bird	<i>Pyrocephalus rubinus</i>	3.600E+00	40	0.476	1,2

Predicting Mortality Rates

McCoy & Gillooly

Bird	<i>Quiscalus major</i>	4.163E+01	40	0.215	1,2
Bird	<i>Quiscalus mexicanus</i>	4.775E+01	40	0.204	1,2
Bird	<i>Quiscalus quiscula</i>	3.175E+01	40	0.121	1,2
Bird	<i>Rallus longirostris</i>	8.075E+01	40	0.345	1,2
Bird	<i>Recurvirostra americana</i>	7.900E+01	40	0.286	1,2
Bird	<i>Regulus calendula</i>	1.663E+00	40	0.467	1,2
Bird	<i>Regulus satrapa</i>	1.575E+00	40	0.495	1,2
Bird	<i>Rhynchops niger</i>	7.538E+01	40	0.127	1,2
Bird	<i>Riparia riparia</i>	3.650E+00	40	0.323	1,2
Bird	<i>Rissa brevirostris</i>	9.775E+01	40	0.667	1,2
Bird	<i>Rissa tridactyla</i>	9.825E+01	40	0.135	3
Bird	<i>Rissa tridactyla</i>	1.018E+02	40	0.370	1,2
Bird	<i>Rissa tridactyla</i>	1.018E+02	40	0.526	1,2
Bird	<i>Rissa tridactyla</i>	1.053E+02	40	0.196	3
Bird	<i>Rostrhamus sociabilis</i>	9.450E+01	40	0.149	1,2
Bird	<i>Rostrhamus sociabilis</i>	9.450E+01	40	0.370	1,2
Bird	<i>Sayornis nigricans</i>	4.663E+00	40	0.323	1,2
Bird	<i>Sayornis nigricans</i>	4.663E+00	40	0.909	1,2
Bird	<i>Sayornis phoebe</i>	4.950E+00	40	0.282	1,2
Bird	<i>Scolopax minor</i>	5.475E+01	40	0.226	1,2
Bird	<i>Scolopax minor</i>	5.475E+01	40	0.276	1,2
Bird	<i>Seiurus aurocapillus</i>	4.850E+00	40	0.286	1,2
Bird	<i>Seiurus motacilla</i>	5.075E+00	40	0.323	1,2
Bird	<i>Seiurus novaeboracensis</i>	4.450E+00	40	0.289	1,2
Bird	<i>Selasphorus platycercus</i>	8.750E-01	40	0.365	1,2
Bird	<i>Selasphorus platycercus</i>	8.875E-01	40	0.323	1,2
Bird	<i>Selasphorus platycercus</i>	9.000E-01	40	0.209	1,2
Bird	<i>Selasphorus platycercus</i>	9.000E-01	40	0.211	1,2
Bird	<i>Selasphorus rufus</i>	8.750E-01	40	0.649	1,2
Bird	<i>Selasphorus sasin</i>	7.875E-01	40	0.667	1,2
Bird	<i>Selasphorus sasin</i>	8.000E-01	40	0.685	1,2
Bird	<i>Setophaga ruticilla</i>	2.125E+00	40	0.256	1,2
Bird	<i>Sialia currucoides</i>	7.400E+00	40	0.549	1,2
Bird	<i>Sialia mexicanus</i>	7.250E+00	40	0.617	1,2
Bird	<i>Sialia sialis</i>	7.900E+00	40	0.323	1,2
Bird	<i>Sitta canadensis</i>	2.450E+00	40	0.345	1,2
Bird	<i>Sitta carolinensis</i>	5.275E+00	40	0.262	1,2
Bird	<i>Sitta pusilla</i>	2.550E+00	40	0.450	1,2
Bird	<i>Sitta pygmaea</i>	2.650E+00	40	0.314	1,2
Bird	<i>Somateria mollissima</i>	4.788E+02	40	0.119	1,2

Predicting Mortality Rates

McCoy & Gillooly

Bird	<i>Somateria mollissima</i>	4.788E+02	40	0.172	1,2
Bird	<i>Somateria mollissima</i>	5.166E+02	40	0.110	1,2
Bird	<i>Somateria spectabilis</i>	3.918E+02	40	0.134	1,2
Bird	<i>Spheniscus magellanicus</i>	1.125E+03	40	0.196	1,2
Bird	<i>Sphyrapicus varius</i>	1.258E+01	40	0.382	1,2
Bird	<i>Spiza americana</i>	7.325E+00	40	0.667	1,2
Bird	<i>Spizella arborea</i>	5.025E+00	40	0.254	1,2
Bird	<i>Spizella breweri</i>	2.725E+00	40	0.505	1,2
Bird	<i>Spizella pallida</i>	3.000E+00	40	0.515	1,2
Bird	<i>Spizella passerina</i>	3.075E+00	40	0.262	1,2
Bird	<i>Spizella pusilla</i>	3.125E+00	40	0.292	1,2
Bird	<i>Spizella pusilla</i>	3.125E+00	40	0.331	1,2
Bird	<i>Sporophila torqueola</i>	2.175E+00	40	0.218	1,2
Bird	<i>Stelgidopteryx ruficollis</i>	3.800E+00	40	0.442	1,2
Bird	<i>Stellula calliope</i>	6.625E-01	40	0.435	1,2
Bird	<i>Stellula calliope</i>	7.000E-01	40	0.427	1,2
Bird	<i>Stercorarius longicaudus</i>	7.413E+01	40	0.318	1,2
Bird	<i>Sterna albifrons</i>	1.425E+01	40	0.120	1,2
Bird	<i>Sterna antillarum</i>	1.078E+01	40	0.105	1,2
Bird	<i>Sterna caspia</i>	1.638E+02	40	0.096	1,2
Bird	<i>Sterna dougallii</i>	2.750E+01	40	0.182	1,2
Bird	<i>Sterna dougallii</i>	2.750E+01	40	0.211	1,2
Bird	<i>Sterna elegans</i>	6.425E+01	40	0.289	1,2
Bird	<i>Sterna forsteri</i>	3.950E+01	40	0.213	1,2
Bird	<i>Sterna forsteri</i>	3.950E+01	40	0.249	1,2
Bird	<i>Sterna fuscata</i>	4.500E+01	40	0.079	1,2
Bird	<i>Sterna lunata</i>	3.650E+01	40	0.141	1,2
Bird	<i>Sterna lunata</i>	3.650E+01	40	0.157	1,2
Bird	<i>Sterna maxima</i>	1.175E+02	40	0.114	1,2
Bird	<i>Sterna maxima</i>	1.175E+02	40	0.149	1,2
Bird	<i>Sterna nilotica</i>	5.825E+01	40	0.159	1,2
Bird	<i>Sterna nilotica</i>	5.825E+01	40	0.413	1,2
Bird	<i>Sterna paradisaea</i>	2.750E+01	40	0.074	1,2
Bird	<i>Sterna sandvicensis</i>	5.200E+01	40	0.158	1,2
Bird	<i>Streptopelia chinensis</i>	3.975E+01	40	0.336	1,2
Bird	<i>Strix nebulosa</i>	2.435E+02	40	0.286	1,2
Bird	<i>Strix nebulosa</i>	2.898E+02	40	0.196	1,2
Bird	<i>Strix occidentalis</i>	1.524E+02	40	0.149	1,2
Bird	<i>Strix varia</i>	1.791E+02	40	0.139	1,2
Bird	<i>Strix varia</i>	2.003E+02	40	0.254	1,2
Bird	<i>Sturnella magna</i>	2.225E+01	40	0.286	1,2

Predicting Mortality Rates

McCoy & Gillooly

Bird	<i>Sturnus vulgaris</i>	2.058E+01	40	0.119	1,2
Bird	<i>Sula (= Morus) bassanus</i>	7.499E+02	40	0.101	1,2
Bird	<i>Sula (= Morus) bassanus</i>	7.499E+02	40	0.124	1,2
Bird	<i>Sula dactylatra</i>	4.381E+02	40	0.100	1,2
Bird	<i>Sula dactylatra</i>	4.381E+02	40	0.110	1,2
Bird	<i>Sula leucogaster</i>	3.455E+02	40	0.103	1,2
Bird	<i>Sula leucogaster</i>	3.455E+02	40	0.158	1,2
Bird	<i>Sula serrator</i>	5.875E+02	40	0.076	1,2
Bird	<i>Sula sula</i>	2.508E+02	40	0.110	1,2
Bird	<i>Sula sula</i>	2.508E+02	40	0.115	1,2
Bird	<i>Synthliboramphus antiquus</i>	5.150E+01	40	0.526	1,2
Bird	<i>Synthliboramphus antiquus</i>	5.150E+01	40	0.602	1,2
Bird	<i>Synthliboramphus hypoleucus</i>	4.175E+01	40	0.169	1,2
Bird	<i>Synthliboramphus hypoleucus</i>	4.175E+01	40	0.262	1,2
Bird	<i>Tachybaptus ruficollis</i>	5.025E+01	40	0.196	1,2
Bird	<i>Tachycineta bicolor</i>	5.025E+00	40	0.233	1,2
Bird	<i>Tachycineta bicolor</i>	5.025E+00	40	0.289	1,2
Bird	<i>Tachycineta thalassina</i>	3.600E+00	40	0.382	1,2
Bird	<i>Telespyza cantans</i>	8.200E+00	40	0.435	1,2
Bird	<i>Threskiornis aethiopicus</i>	3.745E+02	40	0.120	1,2
Bird	<i>Thryomanes bewickii</i>	2.475E+00	40	0.323	1,2
Bird	<i>Thryomanes bewickii</i>	2.475E+00	40	0.340	1,2
Bird	<i>Thryothorus ludovicianus</i>	4.675E+00	40	0.427	1,2
Bird	<i>Toxostoma bendirei</i>	1.555E+01	40	0.633	1,2
Bird	<i>Toxostoma curvirostre</i>	1.985E+01	40	0.237	1,2
Bird	<i>Toxostoma lecontei</i>	1.548E+01	40	0.459	1,2
Bird	<i>Toxostoma longirostre</i>	1.748E+01	40	0.355	1,2
Bird	<i>Toxostoma redivivum</i>	2.110E+01	40	0.376	1,2
Bird	<i>Toxostoma rufum</i>	1.720E+01	40	0.199	1,2
Bird	<i>Tringa flavipes</i>	2.025E+01	40	0.549	1,2
Bird	<i>Tringa macularia</i>	1.010E+01	40	0.213	1,2
Bird	<i>Troglodytes aedon</i>	2.725E+00	40	0.365	1,2

Predicting Mortality Rates

McCoy & Gillooly

Bird	<i>Troglodytes troglodytes</i>	2.225E+00	40	0.649	1,2
Bird	<i>Turdoides squamiceps</i>	1.850E+01	40	0.297	3
Bird	<i>Turdoides squamiceps</i>	1.850E+01	40	0.097	3
Bird	<i>Turdus migratorius</i>	1.933E+01	40	0.183	1,2
Bird	<i>Tympanuchus cupido</i>	2.214E+02	40	2.000	1,2
Bird	<i>Tympanuchus pallidicinctus</i>	1.889E+02	40	0.189	1,2
Bird	<i>Tympanuchus phasianellus</i>	2.089E+02	40	0.413	1,2
Bird	<i>Tyrannus tyrannus</i>	1.090E+01	40	0.259	1,2
Bird	<i>Tyrannus verticalis</i>	9.900E+00	40	0.376	1,2
Bird	<i>Uria aalge</i>	2.481E+02	40	0.096	1,2
Bird	<i>Uria lomvia</i>	2.410E+02	40	0.111	1,2
Bird	<i>Vermivora celata</i>	2.250E+00	40	0.382	1,2
Bird	<i>Vermivora chrysoptera</i>	2.175E+00	40	0.327	1,2
Bird	<i>Vermivora luciae</i>	1.650E+00	40	0.450	1,2
Bird	<i>Vermivora peregrina</i>	2.450E+00	40	0.407	1,2
Bird	<i>Vermivora pinus</i>	2.100E+00	40	0.327	1,2
Bird	<i>Vermivora ruficapilla</i>	2.150E+00	40	0.355	1,2
Bird	<i>Vermivora virginiae</i>	1.950E+00	40	0.649	1,2
Bird	<i>Vermivora virginiae</i>	1.950E+00	40	0.847	1,2
Bird	<i>Vireo atricapillus</i>	2.125E+00	40	0.370	1,2
Bird	<i>Vireo bellii</i>	2.125E+00	40	0.376	1,2
Bird	<i>Vireo flavifrons</i>	4.500E+00	40	0.427	1,2
Bird	<i>Vireo gilvus</i>	3.700E+00	40	0.195	1,2
Bird	<i>Vireo griseus</i>	2.850E+00	40	0.355	1,2
Bird	<i>Vireo huttoni</i>	2.900E+00	40	0.400	1,2
Bird	<i>Vireo olivaceus</i>	4.175E+00	40	0.256	1,2
Bird	<i>Vireo philadelphicus</i>	3.050E+00	40	0.292	1,2
Bird	<i>Vireo solitarius</i>	4.150E+00	40	0.350	1,2
Bird	<i>Wilsonia canadensis</i>	2.550E+00	40	0.327	1,2
Bird	<i>Wilsonia canadensis</i>	2.625E+00	40	0.323	1,2
Bird	<i>Wilsonia citrina</i>	2.613E+00	40	0.323	1,2
Bird	<i>Wilsonia pusilla</i>	1.825E+00	40	0.382	1,2
Bird	<i>Xanthocephalus xanthocephalus</i>	1.993E+01	40	0.235	1,2
Bird	<i>Zenaida asiatica</i>	3.825E+01	40	0.116	1,2
Bird	<i>Zenaida macroura</i>	2.975E+01	40	0.131	1,2

Predicting Mortality Rates

McCoy & Gillooly

Bird	<i>Zonotrichia albicollis</i>	6.475E+00	40	0.265	1,2
Bird	<i>Zonotrichia atricapilla</i>	7.450E+00	40	0.244	1,2
Bird	<i>Zonotrichia leucophrys</i> ssp.	7.350E+00	40	0.192	1,2
Bird	<i>Zonotrichia querula</i>	9.063E+00	40	0.218	1,2
Bird	<i>Zosterops japonicus</i>	2.500E+00	40	0.515	1,2
Fish	<i>Abramis brama</i>	3.980E+02	8	0.165	5
Fish	<i>Acipenser transmontanus</i>	2.420E+04	10	0.050	5
Fish	<i>Acipenser transmontanus</i>	4.250E+04	22	0.030	5
Fish	<i>Acipenser fulvescens</i>	9.000E+03	8	0.010	5
Fish	<i>Ammodytes marinus</i>	8.030E+00	11	1.240	5
Fish	<i>Ammodytes tobianus</i>	3.750E+00	11	1.290	5
Fish	<i>Aphinius fasciatus</i>	6.250E-01	15	2.600	5
Fish	<i>Aphinius fasciatus</i>	1.000E+00	15	1.800	5
Fish	<i>Apsilus dentatus</i>	1.000E+03	27	0.830	5
Fish	<i>Apsilus dentatus</i>	1.130E+03	27	1.900	5
Fish	<i>Bajacalifornia burraei</i>	2.450E+00	4	0.250	7
Fish	<i>Balistes vetula</i>	7.300E+02	27	2.610	5
Fish	<i>Bathylagus milleri</i>	7.500E+00	5.5	0.200	7
Fish	<i>Benthosema glaciale</i>	5.600E-01	13	0.250	6
Fish	<i>Benthosema glaciale</i>	1.400E+00	7	1.750	5
Fish	<i>Benthosema glaciale</i>	1.430E+00	7	0.740	5
Fish	<i>Blennius pholis</i>	1.350E+01	17	0.900	5
Fish	<i>Borostomias panamensis</i>	1.250E+01	5.5	0.200	7
Fish	<i>Brevoortia tyrannus</i>	3.530E+01	23	1.000	5
Fish	<i>Brevoortia tyrannus</i>	2.160E+02	13	0.500	5
Fish	<i>Callionymus lyra</i>	1.950E+00	12	0.960	5
Fish	<i>Callionymus lyra</i>	6.750E+00	12	0.860	5
Fish	<i>Caranx ruber</i>	6.230E+02	27	1.510	5
Fish	<i>Centengraulis mysticetus</i>	1.400E+01	24	2.400	5
Fish	<i>Cephalopholis fulva</i>	1.600E+02	27	0.550	5
Fish	<i>Cetorhinus maximus</i>	3.450E+06	10	0.046	5

Predicting Mortality Rates

McCoy & Gillooly

Fish	<i>Chelodactylus macropterus</i>	3.480E+02	14	0.080	5
Fish	<i>Clupea harengus</i>	1.380E+01	8	0.350	5
Fish	<i>Clupea harengus</i>	4.000E+01	9	0.360	5
Fish	<i>Clupea harengus</i>	4.830E+01	12	0.200	5
Fish	<i>Clupea harengus</i>	5.000E+01	11	0.250	5
Fish	<i>Clupea harengus</i>	8.750E+01	8	0.160	5
Fish	<i>Clupea pallasii</i>	5.230E+01	10	0.500	5
Fish	<i>Clupea pallasii</i>	1.310E+02	12	0.200	5
Fish	<i>Cololabis aira</i>	4.730E+01	12	1.600	5
Fish	<i>Coregonus clupeaformis</i>	6.750E+00	5	1.300	5
Fish	<i>Coregonus clupeaformis</i>	7.080E+02	5	0.150	5
Fish	<i>Coregonus clupeaformis</i>	1.050E+03	5	1.350	5
Fish	<i>Coregonus clupeaformis</i>	1.560E+03	5	0.170	5
Fish	<i>Coryphaenoides acrolepis</i>	4.500E+02	3.2	0.018	9,14
Fish	<i>Coryphaenoides rupestris</i>	2.390E+02	9.5	0.016	9,13
Fish	<i>Cottus gobio</i>	1.080E+00	9	1.100	5
Fish	<i>Cottus gobio</i>	1.080E+00	9	0.800	5
Fish	<i>Cottus gobio</i>	1.480E+00	9	1.100	5
Fish	<i>Cottus gobio</i>	1.530E+00	9	0.900	5
Fish	<i>Cyclothone braueri</i>	1.310E-01	10	0.800	6
Fish	<i>Cynoglossus macrolepidus</i>	4.250E+01	27	0.490	5
Fish	<i>Cynolebias adloffii</i>	3.750E-01	22	1.058	4
Fish	<i>Cynolebias adloffii</i>	6.250E-01	16	0.579	4
Fish	<i>Cynolebias bellottii</i>	6.500E-01	15	0.644	4
Fish	<i>Cynolebias bellottii</i>	6.500E-01	20	0.869	4
Fish	<i>Cynolebias wolterstarfii</i>	1.250E+00	15.5	0.566	4
Fish	<i>Cynolebias wolterstarfii</i>	1.250E+00	20	0.973	4
Fish	<i>Cynoscion analis</i>	3.680E+02	18	0.400	5
Fish	<i>Cynoscion macdonaldi</i>	4.450E+03	27	0.300	5
Fish	<i>Cynoscion nobilis</i>	6.980E+03	24	0.300	5
Fish	<i>Dicentrarchus labrax</i>	1.720E+03	10	0.100	5
Fish	<i>Engraulis anchoita</i>	1.250E+01	16	0.900	5
Fish	<i>Engraulis anchoita</i>	5.300E+01	16	1.420	5
Fish	<i>Engraulis encrasicholus</i>	6.000E+00	15	1.800	5
Fish	<i>Engraulis japonicus</i>	9.000E+00	20	1.630	5

Predicting Mortality Rates

McCoy & Gillooly

Fish	<i>Engraulis mordax</i>	5.250E+00	15	1.700	5
Fish	<i>Engraulis ringens</i>	6.000E+00	16	1.520	5
Fish	<i>Engraulis ringens</i>	9.250E+00	16	1.000	5
Fish	<i>Eopsetta jordani</i>	9.930E+02	9	0.200	5
Fish	<i>Eopsetta jordani</i>	1.140E+03	9	0.250	5
Fish	<i>Epinephelus guttatus</i>	4.700E+02	27	0.680	5
Fish	<i>Epinephelus striatus</i>	3.230E+03	27	0.240	5
Fish	<i>Esox lucius</i>	8.230E+02	9	0.240	5
Fish	<i>Esox lucius</i>	2.200E+03	9	0.260	5
Fish	<i>Gadus minitus</i>	1.490E+01	12	1.100	5
Fish	<i>Gadus minitus</i>	3.950E+01	12	0.900	5
Fish	<i>Gadus morhua</i>	7.500E+02	8	0.180	5
Fish	<i>Gadus morhua</i>	2.040E+03	6	0.440	5
Fish	<i>Gadus morhua</i>	2.700E+03	5	0.310	5
Fish	<i>Gadus morhua</i>	2.750E+03	7	0.330	5
Fish	<i>Gadus morhua</i>	2.930E+03	6	0.200	5
Fish	<i>Gadus morhua</i>	3.750E+03	6	0.100	5
Fish	<i>Gadus morhua</i>	4.100E+03	8	0.170	5
Fish	<i>Gadus morhua</i>	5.000E+03	8	0.200	5
Fish	<i>Gadus morhua</i>	6.000E+03	5	0.100	5
Fish	<i>Gasterosteus aculeatus</i>	4.500E-01	10	0.900	5
Fish	<i>Haemulon album</i>	1.330E+03	27	0.790	5
Fish	<i>Haemulon plumieri</i>	3.400E+02	27	1.770	5
Fish	<i>Haplochromis anaphyrmus</i>	2.780E+01	26	1.450	5
Fish	<i>Haplochromis mloto</i>	1.850E+01	26	0.920	5
Fish	<i>Hippoglossoides platessoides</i>	1.730E+02	11	0.300	5
Fish	<i>Hippoglossoides platessoides</i>	3.100E+02	15	0.270	5
Fish	<i>Hippoglossoides platessoides</i>	4.150E+02	14	0.250	5
Fish	<i>Hippoglossoides platessoides</i>	5.100E+02	7	0.260	5
Fish	<i>Hippoglossoides platessoides</i>	5.150E+02	11	0.220	5
Fish	<i>Hippoglossoides platessoides</i>	5.450E+02	15	0.180	5
Fish	<i>Hippoglossoides platessoides</i>	7.130E+02	14	0.230	5
Fish	<i>Hippoglossoides platessoides</i>	9.550E+02	7	0.180	5
Fish	<i>Hoplostethus atlanticus</i>	5.400E+02	4	0.008	9,12
Fish	<i>Hypomesus olidus</i>	3.750E+00	16	2.450	5
Fish	<i>Katsuwonus pelamis</i>	2.530E+03	25	0.650	5

Predicting Mortality Rates

McCoy & Gillooly

Fish	<i>Katsuwonus pelamis</i>	8.080E+03	25	1.680	5
Fish	<i>Lamna nasus</i>	4.180E+04	7	0.180	5
Fish	<i>Lampanyctus macdonaldi</i>	7.250E-01	10.25	0.167	6
Fish	<i>Lampanyctus regalis</i>	7.250E-01	6	0.222	7
Fish	<i>Latimeria chalumnae</i>	2.000E+04	16	0.020	8,9
Fish	<i>Leiognathus splendens</i>	1.600E+01	28	1.800	5
Fish	<i>Lethrinops longispinis</i>	3.050E+01	26	1.690	5
Fish	<i>Lethrinops parvidens</i>	3.300E+01	26	1.200	5
Fish	<i>Leucichthys artedi</i>	1.750E+01	8	1.100	5
Fish	<i>Leucichthys artedi</i>	2.380E+01	8	1.200	5
Fish	<i>Leucichthys artedi</i>	1.500E+02	8	0.350	5
Fish	<i>Leucichthys sardinella</i>	1.380E+02	5	0.600	5
Fish	<i>Limanda ferruginea</i>	2.950E+02	10	0.150	5
Fish	<i>Lithrinus enigmaticus</i>	7.300E+02	27	0.200	5
Fish	<i>Lutjanus apodus</i>	9.500E+02	27	0.540	5
Fish	<i>Lutjanus buccanella</i>	4.730E+02	27	1.830	5
Fish	<i>Lutjanus buccanella</i>	8.000E+02	27	2.240	5
Fish	<i>Lutjanus purpureus</i>	2.930E+03	27	0.370	5
Fish	<i>Mallotus villosus</i>	1.500E+01	11	1.300	5
Fish	<i>Maurolicus muelleri</i>	1.250E-01	13	0.800	6
Fish	<i>Melanogrammus aeglefinus</i>	5.380E+02	5	0.200	5
Fish	<i>Merluccius angustimanus</i>	6.380E+01	20	0.840	5
Fish	<i>Merluccius gayi</i>	1.460E+03	14	0.370	5
Fish	<i>Merluccius merluccius</i>	1.560E+02	15	0.600	5
Fish	<i>Merluccius merluccius</i>	3.950E+02	15	0.500	5
Fish	<i>Merluccius productus</i>	3.180E+02	12	0.560	5
Fish	<i>Mugil cephalus</i>	6.130E+02	20	0.310	5
Fish	<i>Mulloidichthys martinicus</i>	9.000E+01	27	1.730	5
Fish	<i>Mulloidichthys martinicus</i>	1.300E+02	27	1.700	5

Predicting Mortality Rates

McCoy & Gillooly

Fish	<i>Mycteroperca venenosa</i>	2.080E+03	27	0.420	5
Fish	<i>Myctophum punctatum</i>	1.650E+00	15	0.730	5
Fish	<i>Nemipterus bleekeri</i>	7.500E+01	28	1.120	5
Fish	<i>Nemipterus delagoe</i>	6.000E+01	28	1.620	5
Fish	<i>Nemipterus hexodon</i>	5.380E+01	28	0.880	5
Fish	<i>Nemipterus japonicus</i>	6.380E+01	28	1.880	5
Fish	<i>Nemipterus marginatus</i>	5.250E+01	28	1.730	5
Fish	<i>Nemipterus marginatus</i>	5.750E+01	28	1.140	5
Fish	<i>Nemipterus mesoprion</i>	1.880E+01	28	1.080	5
Fish	<i>Nemipterus nematophorus</i>	5.000E+01	28	1.630	5
Fish	<i>Nemipterus nemurus</i>	6.130E+01	28	1.030	5
Fish	<i>Nemipterus peronii</i>	6.430E+01	28	1.050	5
Fish	<i>Nemipterus sp.</i>	1.020E+02	28	0.530	5
Fish	<i>Nemipterus tolu</i>	5.750E+01	28	0.410	5
Fish	<i>Notothenia neglecta</i>	5.450E+02	16	0.360	5
Fish	<i>Ocyurus chrysurus</i>	9.000E+02	27	0.620	5
Fish	<i>Perca fluviatilis</i>	1.090E+02	6	0.290	5
Fish	<i>Perca fluviatilis</i>	1.580E+02	6	0.160	5
Fish	<i>Phoxinus phoxinus</i>	2.050E+00	9	1.100	5
Fish	<i>Platichthys flesus</i>	2.600E+02	8	0.180	5
Fish	<i>Pleuronectes platessa</i>	2.280E+02	7	0.220	5
Fish	<i>Pleuronectes platessa</i>	8.580E+02	7	0.120	5
Fish	<i>Pneumatophorus japonicus</i>	2.030E+02	15	0.900	5
Fish	<i>Pollachius virens</i>	2.900E+03	6	0.150	5
Fish	<i>Pollachius virens</i>	4.130E+03	5	0.300	5
Fish	<i>Pollachius virens</i>	5.030E+03	5	0.300	5
Fish	<i>Pomatoschistus minutus</i>	1.000E+00	10	3.300	5
Fish	<i>Poromitra crassiceps</i>	3.530E+00	6.5	0.114	7
Fish	<i>Pseudopleuronectes americanus</i>	3.450E+02	5	0.400	5
Fish	<i>Pseudosciaena diacanthus</i>	4.350E+03	27	0.800	5

Predicting Mortality Rates

McCoy & Gillooly

Fish	<i>Pseudotolithus elongatus</i>	1.790E+02	26	0.340	5
Fish	<i>Pseudoupeneus macularus</i>	9.000E+01	27	1.890	5
Fish	<i>Pungitius pungitius</i>	1.000E-01	10	1.100	5
Fish	<i>Restrelliger kanagurta</i>	3.850E+01	27	7.800	5
Fish	<i>Restrelliger kanagurta</i>	4.000E+01	28	4.440	5
Fish	<i>Restrelliger neglectus</i>	2.100E+01	28	4.200	5
Fish	<i>Restrelliger neglectus</i>	2.750E+01	28	7.220	5
Fish	<i>Restrelliger neglectus</i>	5.130E+01	28	4.560	5
Fish	<i>Salmo trutta</i>	7.500E+01	9	0.940	5
Fish	<i>Salmo trutta</i>	1.250E+02	5	0.310	5
Fish	<i>Salvelinus alpinus</i>	1.250E+03	7	0.170	5
Fish	<i>Sardinella longiceps</i>	1.580E+01	27	0.670	5
Fish	<i>Sardinella longiceps</i>	1.650E+01	27	1.120	5
Fish	<i>Sardinops caerrula</i>	5.630E+01	15	0.450	5
Fish	<i>Sardinops caerrula</i>	8.430E+01	15	0.400	5
Fish	<i>Sardinops melanosticta</i>	5.230E+01	15	0.500	5
Fish	<i>Saurida tumbil</i>	5.880E+02	17	0.460	5
Fish	<i>Sebastes aleutianus</i>	9.380E+03	4.5	0.005	9,10,11
Fish	<i>Sebastes alutus</i>	2.000E+02	5	0.193	5
Fish	<i>Sebastes alutus</i>	2.700E+02	6	0.271	5
Fish	<i>Sebastes alutus</i>	3.400E+02	8	0.227	5
Fish	<i>Sebastes alutus</i>	1.420E+03	4.5	0.010	9,10,11
Fish	<i>Sebastes babcocki</i>	1.960E+03	5.5	0.009	9,10,11
Fish	<i>Sebastes borealis</i>	9.300E+03	4.5	0.006	9,10,11
Fish	<i>Sebastes brevispinis</i>	1.960E+03	7	0.012	9,10,11
Fish	<i>Sebastes caurinus</i>	7.780E+02	6.5	0.018	9,10,11
Fish	<i>Sebastes chlorostictus</i>	5.450E+02	7	0.030	9,10,11
Fish	<i>Sebastes ciliatus</i>	1.030E+03	6	0.015	9,10,11
Fish	<i>Sebastes constellatus</i>	4.100E+02	7	0.031	9,10,11
Fish	<i>Sebastes crameri</i>	7.780E+02	5.5	0.015	9,10,11
Fish	<i>Sebastes dalli</i>	7.680E+01	7	0.083	9,10,11
Fish	<i>Sebastes diploproa</i>	1.140E+03	6	0.012	9,10,11

Predicting Mortality Rates

McCoy & Gillooly

Fish	<i>Sebastes elongatus</i>	3.430E+02	6	0.24	9,10,11
Fish	<i>Sebastes entomelas</i>	8.150E+02	5.5	0.017	9,10,11
Fish	<i>Sebastes flavidus</i>	1.110E+03	6	0.016	9,10,11
Fish	<i>Sebastes goodei</i>	7.050E+02	6.5	0.037	9,10,11
Fish	<i>Sebastes helvomaculatus</i>	1.050E+03	6	0.012	9,10,11
Fish	<i>Sebastes jordani</i>	1.520E+02	6.5	0.032	9,10,11
Fish	<i>Sebastes levis</i>	2.930E+03	6.5	0.018	9,10,11
Fish	<i>Sebastes maliger</i>	1.790E+03	7	0.011	9,10,11
Fish	<i>Sebastes melanops</i>	1.020E+03	6.5	0.020	9,10,11
Fish	<i>Sebastes miniatus</i>	1.640E+03	6.5	0.023	9,10,11
Fish	<i>Sebastes mystinus</i>	6.080E+02	6	0.023	9,10,11
Fish	<i>Sebastes nigrocinctus</i>	5.400E+03	7	0.009	9,10,11
Fish	<i>Sebastes ovalis</i>	7.050E+02	6.5	0.027	9,10,11
Fish	<i>Sebastes paucipinis</i>	2.930E+03	6	0.028	9,10,11
Fish	<i>Sebastes pinniger</i>	1.970E+03	7	0.01	9,10,11
Fish	<i>Sebastes polyspinis</i>	1.030E+03	5.5	0.018	9,10,11
Fish	<i>Sebastes reedi</i>	1.280E+03	6.5	0.010	9,10,11
Fish	<i>Sebastes rosaceus</i>	2.100E+02	7	0.071	9,10,11
Fish	<i>Sebastes rosenblatti</i>	7.050E+02	6.5	0.020	9,10,11
Fish	<i>Sebastes ruberrinus</i>	4.200E+03	6	0.009	9,10,11
Fish	<i>Sebastes rubrivinctus</i>	1.020E+03	6.5	0.056	9,10,11
Fish	<i>Sebastes rufus</i>	5.450E+02	7	0.019	9,10,11
Fish	<i>Sebastes saxicola</i>	3.000E+02	6	0.026	9,10,11
Fish	<i>Sebastes variegatus</i>	2.260E+02	5.5	0.021	9,10,11
Fish	<i>Sebastes wilsoni</i>	6.100E+01	7	0.042	9,10,11
Fish	<i>Sebastes zacentrus</i>	5.330E+02	6	0.017	9,10,11
Fish	<i>Sebastolobus alascanus</i>	2.470E+03	2.8	0.016	9,10,11
Fish	<i>Sebastolobus altivelis</i>	2.430E+02	2.4	0.037	9,10,11
Fish	<i>Soela vulgaris</i>	1.210E+02	7	0.250	5
Fish	<i>Sprattus sprattus</i>	5.100E+00	9	0.700	5
Fish	<i>Sprattus sprattus</i>	5.750E+00	8	0.530	5
Fish	<i>Stolothrissa tanganicae</i>	1.500E+00	27	5.200	5
Fish	<i>Stizostedion canadensis</i>	1.540E+02	5	0.440	5

Predicting Mortality Rates

McCoy & Gillooly

Fish	<i>Thunnus alalunga</i>	1.290E+03	26	0.200	5
Fish	<i>Thunnus alalunga</i>	1.470E+04	25	0.230	5
Fish	<i>Thunnus albacares</i>	2.480E+04	25	0.770	5
Fish	<i>Thunnus albacares</i>	3.450E+04	26	0.800	5
Fish	<i>Thunnus albacares</i>	3.600E+04	25	0.800	5
Fish	<i>Thunnus albacares</i>	4.980E+04	25	0.900	5
Fish	<i>Thunnus atlanticus</i>	2.440E+03	26	0.670	5
Fish	<i>Thunnus germi</i>	9.230E+03	25	0.220	5
Fish	<i>Thunnus macoyi</i>	4.900E+04	26	0.200	5
Fish	<i>Tilapia esculenta</i>	1.880E+02	25	1.750	5
Fish	<i>Trachurus japonicus</i>	2.980E+02	20	0.990	5
Fish	<i>Trisopterus esmarkii</i>	1.130E+01	9	1.600	5
Fish	<i>Trisopterus esmarkii</i>	1.200E+01	9	0.600	5
Invertebrate	<i>Acanthochitona crinita</i>	3.330E-01	13.85	4.440	25
Invertebrate	<i>Acanthocyclops robustus</i>	1.130E-05	5	3.202	4
Invertebrate	<i>Acanthocyclops robustus</i>	1.130E-05	10	3.668	4
Invertebrate	<i>Acanthocyclops robustus</i>	1.130E-05	15	7.374	4
Invertebrate	<i>Acanthocyclops robustus</i>	1.130E-05	20	9.359	4
Invertebrate	<i>Acanthocyclops robustus</i>	1.130E-05	25	14..600	4
Invertebrate	<i>Aega antarctica</i>	5.600E+00	-1.15	0.130	25
Invertebrate	<i>Amphicteis gunneri</i>	3.650E-01	3.35	1.083	25
Invertebrate	<i>Ancylus fluviatilis</i>	6.650E-02	11.85	3.900	25
Invertebrate	<i>Ancylus fluviatilis</i>	1.080E-01	7.85	3.200	25
Invertebrate	<i>Anodonta grandis</i>	2.880E+01	5.85	0.183	25
Invertebrate	<i>Anodonta grandis</i>	1.370E+02	8.85	0.218	25
Invertebrate	<i>Anodonta piscinalis</i>	9.980E+00	12.85	0.265	25
Invertebrate	<i>Arctica islandica</i>	1.650E+02	6.85	0.350	25
Invertebrate	<i>Aulacomya ater</i>	3.000E+00	15.35	1.459	25
Invertebrate	<i>Boreomysis microps</i>	5.750E-03	9.5	0.667	6
Invertebrate	<i>Bovallia gigantea f</i>	5.930E+00	-0.95	0.889	25
Invertebrate	<i>Bovallia gigantea f</i>	1.530E+01	-0.95	0.729	25
Invertebrate	<i>Bovallia gigantea</i>	1.510E+00	-0.95	1.385	25
Invertebrate	<i>Bovallia gigantea</i>	4.750E+00	-0.95	0.801	25

Predicting Mortality Rates

McCoy & Gillooly

Invertebrate	<i>Brachycentrus spinae</i>	6.130E-03	10.85	6.205	25
Invertebrate	<i>Calyptogenia magnifica</i>	2.430E-01	17	0.286	22
Invertebrate	<i>Calyptogenia magnifica</i>	6.850E+00	7.8	0.053	24
Invertebrate	<i>Cardium edule</i>	3.800E+00	11.85	0.860	25
Invertebrate	<i>Cardium edule</i>	5.650E+00	11.85	0.590	25
Invertebrate	<i>Cardium edule</i>	9.250E+00	11.85	0.440	25
Invertebrate	<i>Cardium edule</i>	9.900E+00	9.85	0.727	25
Invertebrate	<i>Cassidulus mitis</i>	9.500E-01	22.15	0.812	25
Invertebrate	<i>Chamelea gallina</i>	1.350E+00	24.85	4.687	25
Invertebrate	<i>Chione cancellata</i>	5.230E+00	25.85	0.553	25
Invertebrate	<i>Chorismus antarcticus</i>	1.270E+01	-1.15	0.731	25
Invertebrate	<i>Corbicula fluminea</i>	4.500E-01	21.35	4.390	25
Invertebrate	<i>Corbicula fluminea</i>	6.380E-01	21.85	1.739	25
Invertebrate	<i>Cyclops strenuus</i>	3.750E-05	15	3.125	4
Invertebrate	<i>Cyclops strenuus</i>	3.750E-05	20	4.024	4
Invertebrate	<i>Cyclops vicinus</i>	3.800E-05	5	2.552	4
Invertebrate	<i>Cyclops vicinus</i>	3.800E-05	10	2.626	4
Invertebrate	<i>Cyclops vicinus</i>	3.800E-05	15	7.157	4
Invertebrate	<i>Daphnia ambigua</i>	7.550E-07	5	4.056	4
Invertebrate	<i>Daphnia ambigua</i>	7.550E-07	10	5.984	4
Invertebrate	<i>Daphnia magna</i>	4.430E-05	14	4.162	4
Invertebrate	<i>Daphnia magna</i>	4.430E-05	19	5.812	4
Invertebrate	<i>Daphnia magna</i>	4.430E-05	24	8.568	4
Invertebrate	<i>Daphnia magna</i>	4.430E-05	29	14.147	4
Invertebrate	<i>Donax incarnatus</i>	9.050E-01	27.85	7.483	25
Invertebrate	<i>Dosinia hepatica</i>	1.850E+00	19.85	0.568	25
Invertebrate	<i>Echinosigra phiale</i>	1.820E-01	2.85	0.275	25
Invertebrate	<i>Echinus acutus</i> <i>var. norvegicus</i>	6.500E+00	7	0.048	23
Invertebrate	<i>Echinus affinis</i>	8.430E+00	2.85	0.236	25
Invertebrate	<i>Echinus elegans</i>	1.470E+01	7	0.091	23
Invertebrate	<i>Egeria radiata</i>	1.940E+02	28.85	2.030	25
Invertebrate	<i>Ephemerella subvaria</i>	4.150E-02	14.85	6.597	25
Invertebrate	<i>Epitheca spp.</i>	7.580E-01	16.85	2.950	25
Invertebrate	<i>Eucyclops serrulatus</i>	1.280E-05	10	3.904	4
Invertebrate	<i>Eucyclops serrulatus</i>	1.280E-05	15	5.313	4
Invertebrate	<i>Eucyclops serrulatus</i>	1.280E-05	20	6.013	4
Invertebrate	<i>Eucyclops serrulatus</i>	1.280E-05	25	17.548	4
Invertebrate	<i>Euphausia krohni</i>	4.000E-03	13	0.857	6,26
Invertebrate	<i>Eurhomalea exalbida</i>	2.300E+02	6.45	0.145	25
Invertebrate	<i>Filinia pejlari</i>	1.250E-08	5	14.600	4

Predicting Mortality Rates

McCoy & Gillooly

Invertebrate	<i>Filinia pejeri</i>	1.250E-08	10	21.471	4
Invertebrate	<i>Filinia pejeri</i>	1.250E-08	15	28.077	4
Invertebrate	<i>Filinia pejeri</i>	1.250E-08	20	48.667	4
Invertebrate	<i>Filinia pejeri</i>	1.250E-08	25	60.833	4
Invertebrate	<i>Filinia terminalis</i>	1.250E-08	5	14.600	4
Invertebrate	<i>Filinia terminalis</i>	1.250E-08	10	21.471	4
Invertebrate	<i>Filinia terminalis</i>	1.250E-08	15	28.077	4
Invertebrate	<i>Filinia terminalis</i>	1.250E-08	20	48.667	4
Invertebrate	<i>Filinia terminalis</i>	1.250E-08	25	60.833	4
Invertebrate	<i>Gammarus fossarum</i>	1.280E-02	12	1.259	4
Invertebrate	<i>Gammarus fossarum</i>	1.280E-02	16.1	0.913	4
Invertebrate	<i>Gammarus fossarum</i>	1.280E-02	20.2	0.635	4
Invertebrate	<i>Gammarus roeseli</i>	1.810E-02	12	1.259	4
Invertebrate	<i>Gammarus roeseli</i>	1.810E-02	16.1	.913	4
Invertebrate	<i>Gammarus roeseli</i>	1.810E-02	20.2	0.635	4
Invertebrate	<i>Gennadas elegans</i>	1.090E-01	10.5	0.333	6
Invertebrate	<i>Gnathophausia zoea</i>	9.500E-01	9.5	0.250	6
Invertebrate	<i>Haliotis iris</i>	3.630E+02	12.15	0.077	25
Invertebrate	<i>Hiatella arctica</i>	1.450E+01	-0.15	0.280	25
Invertebrate	<i>Hiatella byssifera</i>	1.130E+01	1.85	0.280	25
Invertebrate	<i>Holothuria atra</i>	8.800E+02	25.95	0.549	25
Invertebrate	<i>Hyaella azteca</i>	5.780E-03	15.95	4.716	25
Invertebrate	<i>Hydrobia acuta</i>	1.210E-02	9.85	3.482	25
Invertebrate	<i>Keratella cochlearis</i>	1.750E-08	5	13.321	4
Invertebrate	<i>Keratella cochlearis</i>	1.750E-08	10	16.441	4
Invertebrate	<i>Keratella cochlearis</i>	1.750E-08	15	23.701	4
Invertebrate	<i>Keratella cochlearis</i>	1.750E-08	20	40.110	4
Invertebrate	<i>Keratella cochlearis</i>	1.750E-08	25	54.478	4
Invertebrate	<i>Laeonereis fragilis</i>	1.130E+00	21.85	6.658	25
Invertebrate	<i>Laevilacunaria antarctica</i>	1.230E-01	-0.95	1.832	25
Invertebrate	<i>Laevilacunaria antarctica</i>	1.290E-01	-0.95	1.647	25
Invertebrate	<i>Lamellibranchia</i>	3.430E+00	7	0.005	15
Invertebrate	<i>Ledella pustulosa</i>	1.180E-02	2.65	0.426	25
Invertebrate	<i>Lissarca miliaris</i>	3.100E-02	-0.95	0.597	25
Invertebrate	<i>Lissarca notorcadensis</i>	5.600E-02	-1.15	0.319	25
Invertebrate	<i>Lissarca notorcadensis</i>	9.530E-02	-1.15	0.297	25
Invertebrate	<i>Littorina africana</i>	1.150E-01	13.85	2.027	25

Predicting Mortality Rates

McCoy & Gillooly

Invertebrate	<i>Lumbrinereis fragilis</i>	8.630E+00	6.85	0.744	25
Invertebrate	<i>Lymnaea peregra</i>	1.750E+00	9.85	2.526	25
Invertebrate	<i>Macoma balthica</i>	1.440E-01	8.85	1.139	25
Invertebrate	<i>Macoma balthica</i>	1.960E-01	8.85	0.463	25
Invertebrate	<i>Macoma balthica</i>	7.330E-01	12.85	1.290	25
Invertebrate	<i>Macoma balthica</i>	3.330E+00	9.85	0.570	25
Invertebrate	<i>Macoma balthica</i>	1.080E+01	5.85	1.067	25
Invertebrate	<i>Meganyctiphanes norvegica</i>	1.450E-02	13	0.857	6,26
Invertebrate	<i>Mercenaria mercenaria</i>	3.830E+01	11.85	0.448	25
Invertebrate	<i>Mesocyclops leuckarti</i>	8.130E-06	10	3.004	4
Invertebrate	<i>Mesocyclops leuckarti</i>	8.130E-06	15	6.348	4
Invertebrate	<i>Mesocyclops leuckarti</i>	8.130E-06	20	8.202	4
Invertebrate	<i>Mesocyclops leuckarti</i>	8.130E-06	25	1.587	4
Invertebrate	<i>Mesodesma arctatum</i>	1.170E+01	5.35	0.263	25
Invertebrate	<i>Mesodesma donacium</i>	3.100E+01	16.85	2.500	25
Invertebrate	<i>Moira atropes</i>	3.330E+01	25.85	0.830	25
Invertebrate	<i>Mya arenaria</i>	9.050E+00	8.85	0.640	25
Invertebrate	<i>Mya truncata</i>	6.780E+00	1.85	0.250	25
Invertebrate	<i>Mya truncata</i>	7.330E+00	-0.15	0.100	25
Invertebrate	<i>Mya truncata</i>	8.480E+01	1.85	0.140	25
Invertebrate	<i>Mytilid sp.</i>	9.680E+00	17	0.0526	21
Invertebrate	<i>Nacella concinna</i>	5.950E+00	-0.95	0.196	25
Invertebrate	<i>Nacella delesserti</i>	3.880E+01	4.85	0.343	25
Invertebrate	<i>Nematobranchion boopis</i>	6.500E-03	10.25	0.667	6,26
Invertebrate	<i>Nematoscelis megalops</i>	7.500E-03	13	0.667	6,26
Invertebrate	<i>Nephtys incisa</i>	2.800E-01	11.65	2.155	25
Invertebrate	<i>Nereis diversicolor</i>	1.220E+00	8.85	3.790	25
Invertebrate	<i>Nereis virens</i>	2.680E+00	8.85	1.440	25
Invertebrate	<i>Notholca caudata</i>	1.750E-08	5	14.777	4
Invertebrate	<i>Notholca caudata</i>	1.750E-08	10	17.217	4
Invertebrate	<i>Notholca caudata</i>	1.750E-08	15	31.739	4
Invertebrate	<i>Notholca caudata</i>	1.750E-08	20	52.143	4
Invertebrate	<i>Notoacmaea scutum</i>	6.230E+00	11.85	2.050	25
Invertebrate	<i>Nucella lapillus</i>	2.060E+01	6.85	0.350	25
Invertebrate	<i>Nucula proxima</i>	1.070E-02	9.85	0.490	25
Invertebrate	<i>Nucula turgida</i>	4.480E-01	11.85	0.599	25
Invertebrate	<i>Ophiecten gracilis</i>	2.500E-02	9.5	0.0.143	9,27
Invertebrate	<i>Ophiecten gracilis</i>	8.330E-02	2.85	0.811	25
Invertebrate	<i>Ophiecten</i>	5.000E-02	9	0.222	22

Predicting Mortality Rates

McCoy & Gillooly

Invertebrate	<i>hastatum</i> <i>Ophionephthys</i> <i>limicola</i>	8.150E+00	24.85	1.966	25
Invertebrate	<i>Ophionotus</i> <i>hexactis</i>	1.690E+00	1.35	0.597	25
Invertebrate	<i>Ophiura Ijungmani</i>	2.730E-02	2.85	1.148	25
Invertebrate	<i>Ophiura Ijungmani</i>	2.180E-01	2.85	0.334	25
Invertebrate	<i>Pachygrapsus</i> <i>gracilis</i>	2.700E+00	27.85	5.400	25
Invertebrate	<i>Parvicardium</i> <i>exiguum</i>	3.680E-01	15.65	4.088	25
Invertebrate	<i>Pectinaria</i> <i>hyperborea</i>	2.390E-01	5.85	2.263	25
Invertebrate	<i>Pectinaria koreni</i>	3.580E-02	11.85	8.522	25
Invertebrate	<i>Perna perna</i>	3.980E+00	20.85	4.799	25
Invertebrate	<i>Perna perna</i>	6.630E+00	20.85	4.618	25
Invertebrate	<i>Philine gibba</i>	9.530E+00	1.35	0.671	25
Invertebrate	<i>Pontoporeia</i> <i>femorata</i>	9.050E-02	5.85	4.233	25
Invertebrate	<i>Prochaetoderma</i> <i>yongei</i>	2.730E-04	3.35	1.714	18
Invertebrate	<i>Reticulammina</i> <i>labyrinthica</i>	1.130E-02	2.5	1.254	17
Invertebrate	<i>Scolecopsis gaucha</i>	4.380E-03	19.85	11.354	25
Invertebrate	<i>Scolecopsis</i> <i>squamata</i>	2.440E-02	21.85	4.020	25
Invertebrate	<i>Serolis polita</i>	1.150E+00	-0.85	0.626	25
Invertebrate	<i>Siliqua patula</i>	9.300E+00	10.3	0.274	30
Invertebrate	<i>Siliqua patula</i>	1.050E+01	10.3	0.161	30
Invertebrate	<i>Siliqua patula</i>	1.140E+01	14.4	0.280	30
Invertebrate	<i>Siliqua patula</i>	1.460E+01	12.2	0.171	30
Invertebrate	<i>Siliqua patula</i>	1.490E+01	10.3	0.199	30
Invertebrate	<i>Siliqua patula</i>	1.500E+01	8	0.138	30
Invertebrate	<i>Siliqua patula</i>	2.380E+01	5	0.050	30
Invertebrate	<i>Siliqua patula</i>	2.420E+01	5.9	0.069	30
Invertebrate	<i>Siliqua patula</i>	2.600E+01	5.9	0.075	30
Invertebrate	<i>Siliqua patula</i>	2.900E+01	4.6	0.066	30
Invertebrate	<i>Spisula</i> <i>sachalinesis</i>	1.810E+02	13.85	0.609	25
Invertebrate	<i>Sterechinus</i> <i>antarcticus</i>	1.310E+01	-1.15	0.070	25
Invertebrate	<i>Strongylocentr.</i> <i>droeb.</i>	5.200E-01	5.85	0.799	25
Invertebrate	<i>Strongylocentr.</i> <i>franciscanus</i>	4.000E+02	16.05	0.106	25
Invertebrate	<i>Strongylocentr.</i> <i>franciscanus</i>	6.480E+02	16.05	0.083	25
Invertebrate	<i>Strongylocentr</i> <i>purpuratus</i>	8.200E-01	14.85	1.227	25
Invertebrate	<i>Strongylocentr</i>	4.500E+00	14.05	0.204	25

Predicting Mortality Rates

McCoy & Gillooly

	<i>purpuratus</i>				
Invertebrate	<i>Strongylocentr</i> <i>purpuratus</i>	5.180E+00	15.25	0.317	25
Invertebrate	<i>Strongylocentr</i> <i>purpuratus</i>	8.800E+00	8.85	0.119	25
Invertebrate	<i>Strongylocentrotus</i> <i>pallidus</i>	3.080E+01	0.85	0.082	25
Invertebrate	<i>Tapes</i> <i>philippinarum</i>	4.730E+00	24.05	2.406	25
Invertebrate	<i>Tellina fabula</i>	6.150E-02	9.85	1.990	25
Invertebrate	<i>Tellina fabula</i>	1.530E-01	9.85	1.723	25
Invertebrate	<i>Tellina</i> <i>martinicensis</i>	1.260E+00	25.85	1.686	25
Invertebrate	<i>Terebellides</i> <i>stroemi</i>	6.250E-02	-0.15	0.475	25
Invertebrate	<i>Theora lubrica</i>	2.380E-02	16.85	4.236	25
Invertebrate	<i>Thysanopoda</i> <i>acutifrons</i>	1.980E-02	10.25	0.444	6,26
Invertebrate	<i>Tindaria</i> <i>callistiformis</i>	1.440E-03	3.5	0.250	20
Invertebrate	<i>Turbo sarmaticus</i>	1.630E+02	16.85	0.810	25
Invertebrate	<i>Tysanoessa</i> <i>longicaudata</i>	1.500E-03	13	1.411	6,26
Invertebrate	<i>Uca cumulanta</i>	1.570E+00	27.85	10.600	25
Invertebrate	<i>Uca maracoani</i>	7.850E+00	27.85	5.300	25
Invertebrate	<i>Uca maracoani</i>	1.430E+01	27.85	5.300	25
Invertebrate	<i>Uca rapax</i>	6.850E+00	27.85	4.900	25
Invertebrate	<i>Uca vocator</i>	8.900E+00	27.85	2.800	25
Invertebrate	<i>Unio tumidis</i>	5.350E+00	12.55	0.352	25
Invertebrate	<i>Venerupis aurea</i>	5.200E+00	11.85	0.370	25
Invertebrate	<i>Venerupis aurea</i>	5.450E+00	11.85	0.350	25
Invertebrate	<i>Venus antiqua</i>	4.050E+01	11.55	0.664	25
Invertebrate	<i>Vesicomyid sp.</i>	2.380E-03	21	0.037	19
Invertebrate	<i>Yoldia eightsi</i>	5.200E+00	-0.95	0.130	25
Invertebrate	<i>Yoldia eightsi</i>	5.480E+00	-0.95	0.114	25
Invertebrate	<i>Yoldia limatula</i>	4.930E+00	8.85	0.803	25
Invertebrate	<i>Zygochlamys</i> <i>patagonica</i>	7.530E+01	7.85	1.039	25
Mammal	<i>Acinonyx jubatus</i>	1.250E+04	38	0.213	1,28
Mammal	<i>Acinonyx jubatus</i>	1.250E+04	38	0.169	1,28
Mammal	<i>Acrobates</i> <i>pygmaeus</i>	3.000E+00	38	0.667	1,28
Mammal	<i>Aepyceros</i> <i>melampus</i>	1.313E+04	38	0.196	1,28
Mammal	<i>Aepyceros</i> <i>melampus</i>	1.313E+04	38	0.169	1,28
Mammal	<i>Aepyprymnus</i> <i>rufescens</i>	8.125E+02	38	0.435	1,28
Mammal	<i>Ailuropoda</i> <i>melanoleuca</i>	3.000E+04	38	0.097	1,28
Mammal	<i>Ailurus fulgens</i>	8.750E+02	38	0.182	1,28

Predicting Mortality Rates

McCoy & Gillooly

Mammal	<i>Alcelaphus buselaphus</i>	4.275E+04	38	0.127	1,28
Mammal	<i>Alces alces</i>	8.975E+04	38	0.159	1,28
Mammal	<i>Alces alces</i>	8.975E+04	38	0.093	1,28
Mammal	<i>Allenopithecus nigroviridis</i>	1.187E+03	38	0.110	1,28
Mammal	<i>Alopex lagopus</i>	8.625E+02	38	0.256	1,28
Mammal	<i>Alouatta palliata</i>	1.819E+03	38	0.127	1,28
Mammal	<i>Alouatta palliata</i>	1.819E+03	38	0.127	1,28
Mammal	<i>Alouatta palliata</i>	1.819E+03	38	0.101	1,28
Mammal	<i>Alouatta palliata</i>	1.819E+03	38	0.101	1,28
Mammal	<i>Alouatta seniculus</i>	1.536E+03	38	0.101	1,28
Mammal	<i>Ammotragus lervia</i>	2.094E+04	38	0.256	1,28
Mammal	<i>Antechinus flavipes</i>	1.125E+01	38	3.333	1,28
Mammal	<i>Antechinus flavipes</i>	1.125E+01	38	1.429	1,28
Mammal	<i>Antechinus stuartii</i>	6.875E+00	38	3.846	1,28
Mammal	<i>Antechinus stuartii</i>	6.875E+00	38	0.909	1,28
Mammal	<i>Antidorcas marsupialis</i>	9.762E+03	38	0.127	1,28
Mammal	<i>Antilocapra americana</i>	1.152E+04	38	0.256	1,28
Mammal	<i>Antilocapra americana</i>	1.152E+04	38	0.256	1,28
Mammal	<i>Antilope cervicapra</i>	9.250E+03	38	0.169	1,28
Mammal	<i>Antilope cervicapra</i>	9.250E+03	38	0.141	1,28
Mammal	<i>Aotus trivirgatus</i>	2.250E+02	38	0.213	1,28
Mammal	<i>Aotus trivirgatus</i>	2.250E+02	38	0.127	1,28
Mammal	<i>Aplodontia rufa</i>	2.510E+02	38	0.435	1,28
Mammal	<i>Aplodontia rufa</i>	2.510E+02	38	0.256	1,28
Mammal	<i>Apodemus sylvaticus</i>	6.250E+00	38	3.333	1,28
Mammal	<i>Arctictis binturong</i>	2.875E+03	38	0.141	1,28
Mammal	<i>Arctocebus calabarensis</i>	5.250E+01	38	0.270	1,28
Mammal	<i>Arctocephalus galapagoensis</i>	6.750E+03	38	0.115	1,28
Mammal	<i>Arctocephalus gazella</i>	2.438E+04	38	0.196	1,28
Mammal	<i>Arctocephalus gazella</i>	2.438E+04	38	0.110	1,28
Mammal	<i>Arctocephalus pusillus</i>	4.463E+04	38	0.141	1,28
Mammal	<i>Arctogalidia trivirgata</i>	5.625E+02	38	0.213	1,28
Mammal	<i>Arvicola terrestris</i>	5.000E+01	38	1.111	1,28
Mammal	<i>Ateles paniscus</i>	1.975E+03	38	0.127	1,28
Mammal	<i>Babyrousa</i>	2.500E+04	38	0.105	1,28

Predicting Mortality Rates

McCoy & Gillooly

	<i>babyrussa</i>				
Mammal	<i>Balaena mysticetus</i>	1.725E+07	38	0.084	1,28
Mammal	<i>Balaena mysticetus</i>	1.725E+07	38	0.063	1,28
Mammal	<i>Balaenoptera acutorostrata</i>	2.500E+06	38	0.056	1,28
Mammal	<i>Balaenoptera acutorostrata</i>	2.500E+06	38	0.053	1,28
Mammal	<i>Balaenoptera acutorostrata</i>	2.500E+06	38	0.050	1,28
Mammal	<i>Balaenoptera borealis</i>	5.000E+06	38	0.036	1,28
Mammal	<i>Balaenoptera borealis</i>	5.000E+06	38	0.034	1,28
Mammal	<i>Balaenoptera edeni</i>	4.000E+06	38	0.035	1,28
Mammal	<i>Balaenoptera musculus</i>	3.750E+07	38	0.056	1,28
Mammal	<i>Balaenoptera musculus</i>	3.750E+07	38	0.050	1,28
Mammal	<i>Balaenoptera musculus</i>	3.750E+07	38	0.039	1,28
Mammal	<i>Balaenoptera musculus</i>	3.750E+07	38	0.023	1,28
Mammal	<i>Balaenoptera physalus</i>	1.125E+07	38	0.022	1,28
Mammal	<i>Balaenoptera physalus</i>	1.125E+07	38	0.022	1,28
Mammal	<i>Bassaricyon gabbii</i>	3.125E+02	38	0.105	1,28
Mammal	<i>Bassariscus astutus</i>	2.824E+02	38	0.159	1,28
Mammal	<i>Bassariscus sumichrasti</i>	2.250E+02	38	0.110	1,28
Mammal	<i>Berardius bairdii</i>	2.845E+06	38	0.035	1,28
Mammal	<i>Bison bison</i>	1.448E+05	38	0.101	1,28
Mammal	<i>Bison bison</i>	1.448E+05	38	0.076	1,28
Mammal	<i>Bison bonasus</i>	2.000E+05	38	0.093	1,28
Mammal	<i>Blarina brevicauda</i>	3.787E+00	38	1.111	1,28
Mammal	<i>Bos grunniens</i>	2.500E+05	38	0.101	1,28
Mammal	<i>Bradypus torquatus</i>	9.750E+02	38	0.213	1,28
Mammal	<i>Burramys parvus</i>	1.038E+01	38	0.667	1,28
Mammal	<i>Cacajao calvus</i>	1.449E+03	38	0.141	1,28
Mammal	<i>Cacajao melanocephalus</i>	9.500E+02	38	0.213	1,28
Mammal	<i>Callithrix jacchus</i>	7.300E+01	38	0.256	1,28
Mammal	<i>Callithrix jacchus</i>	7.300E+01	38	0.256	1,28
Mammal	<i>Callorhinus</i>	2.500E+04	38	0.101	1,28

Predicting Mortality Rates

McCoy & Gillooly

	<i>ursinus</i>				
Mammal	<i>Callorhinus ursinus</i>	2.500E+04	38	0.084	1,28
Mammal	<i>Callorhinus ursinus</i>	6.250E+04	38	0.051	3
Mammal	<i>Camelus dromedarius</i>	2.000E+05	38	0.063	1,28
Mammal	<i>Canis latrans</i>	3.352E+03	38	0.175	1,28
Mammal	<i>Canis latrans</i>	3.352E+03	38	0.175	1,28
Mammal	<i>Canis latrans</i>	3.352E+03	38	0.120	1,28
Mammal	<i>Canis lupus</i>	4.200E+03	38	0.256	1,28
Mammal	<i>Canis lupus</i>	4.200E+03	38	0.186	1,28
Mammal	<i>Canis lupus</i>	4.200E+03	38	0.159	1,28
Mammal	<i>Canis lupus</i>	7.069E+03	38	0.256	1,28
Mammal	<i>Canis lupus</i>	7.069E+03	38	0.186	1,28
Mammal	<i>Canis lupus</i>	7.069E+03	38	0.159	1,28
Mammal	<i>Canis rufus</i>	5.746E+03	38	0.159	1,28
Mammal	<i>Capra cylindricornis</i>	2.000E+04	38	0.115	1,28
Mammal	<i>Capra falconeri</i>	2.375E+04	38	0.213	1,28
Mammal	<i>Capra falconeri</i>	2.375E+04	38	0.196	1,28
Mammal	<i>Capreolus capreolus</i>	7.500E+03	38	0.169	1,28
Mammal	<i>Castor canadensis</i>	3.604E+03	38	0.169	1,28
Mammal	<i>Castor fiber</i>	6.250E+03	38	0.149	1,28
Mammal	<i>Cavia porcellus</i>	1.820E+02	38	0.172	1,28
Mammal	<i>Cebus albifrons</i>	6.572E+02	38	0.063	1,28
Mammal	<i>Cebus apella</i>	6.250E+02	38	0.063	1,28
Mammal	<i>Cephalophus monticola</i>	1.562E+03	38	0.213	1,28
Mammal	<i>Cephalorhynchus commersonii</i>	1.250E+04	38	0.141	1,28
Mammal	<i>Ceratotherium simum</i>	7.375E+05	38	0.070	1,28
Mammal	<i>Ceratotherium simum</i>	7.375E+05	38	0.056	1,28
Mammal	<i>Ceratotherium simum</i>	7.375E+05	38	0.050	1,28
Mammal	<i>Cercocebus torquatus</i>	1.937E+03	38	0.123	1,28
Mammal	<i>Cercocebus torquatus</i>	1.937E+03	38	0.084	1,28
Mammal	<i>Cercopithecus diana</i>	1.044E+03	38	0.072	1,28
Mammal	<i>Cercopithecus mona</i>	1.156E+03	38	0.084	1,28
Mammal	<i>Cervus elaphus</i>	1.250E+04	38	0.050	3
Mammal	<i>Cervus elaphus</i>	1.250E+04	38	0.025	3
Mammal	<i>Cervus elaphus</i>	2.988E+04	38	0.127	1,28
Mammal	<i>Cervus elaphus</i>	2.988E+04	38	0.094	1,28
Mammal	<i>Cervus elaphus</i>	3.906E+04	38	0.127	1,28

Predicting Mortality Rates

McCoy & Gillooly

Mammal	<i>Cervus elaphus</i>	3.906E+04	38	0.094	1,28
Mammal	<i>Cervus elaphus</i>	5.444E+04	38	0.127	1,28
Mammal	<i>Cervus elaphus</i>	5.444E+04	38	0.094	1,28
Mammal	<i>Chinchilla lanigera</i>	1.212E+02	38	0.256	1,28
Mammal	<i>Chinchilla lanigera</i>	1.212E+02	38	0.226	1,28
Mammal	<i>Chiropotes albinasus</i>	7.250E+02	38	0.149	1,28
Mammal	<i>Chiropotes satanas</i>	7.500E+02	38	0.141	1,28
Mammal	<i>Civettictis civetta</i>	3.000E+03	38	0.169	1,28
Mammal	<i>Coendou prehensilis</i>	1.100E+03	38	0.149	1,28
Mammal	<i>Colobus polykomos</i>	2.459E+03	38	0.097	1,28
Mammal	<i>Colobus polykomos</i>	2.459E+03	38	0.083	1,28
Mammal	<i>Cricetus cricetus</i>	1.250E+02	38	0.667	1,28
Mammal	<i>Crocidura leucodon</i>	2.455E+00	38	0.909	1,28
Mammal	<i>Crocidura russula</i>	1.600E+00	38	0.847	1,28
Mammal	<i>Crocota crocuta</i>	1.575E+04	38	0.101	1,28
Mammal	<i>Ctenomys talarum</i>	3.308E+01	38	0.909	1,28
Mammal	<i>Cystophora cristata</i>	5.000E+04	38	0.074	1,28
Mammal	<i>Cystophora cristata</i>	5.000E+04	38	0.072	1,28
Mammal	<i>Cystophora cristata</i>	5.000E+04	38	0.072	1,28
Mammal	<i>Dactylopsila trivirgata</i>	1.058E+02	38	0.526	1,28
Mammal	<i>Dama dama</i>	1.213E+04	38	0.101	1,28
Mammal	<i>Damaliscus korrigum</i>	2.450E+04	38	0.182	3
Mammal	<i>Damaliscus korrigum</i>	2.450E+04	38	0.166	3
Mammal	<i>Dasycercus cristicauda</i>	2.500E+01	38	0.435	1,28
Mammal	<i>Dasyprocta punctata</i>	6.687E+02	38	0.256	1,28
Mammal	<i>Dasyprocta punctata</i>	6.687E+02	38	0.256	1,28
Mammal	<i>Dasypus novemcinctus</i>	1.051E+03	38	0.169	1,28
Mammal	<i>Dasypus novemcinctus</i>	1.051E+03	38	0.169	1,28
Mammal	<i>Dasyurus viverrinus</i>	2.725E+02	38	0.526	1,28
Mammal	<i>Delanymys brooksi</i>	1.250E+00	38	1.429	1,28
Mammal	<i>Delphinapterus</i>	3.500E+05	38	0.147	1,28

	<i>leucas</i>				
Mammal	<i>Delphinapterus leucas</i>	3.500E+05	38	0.084	1,28
Mammal	<i>Delphinapterus leucas</i>	3.500E+05	38	0.063	1,28
Mammal	<i>Delphinus delphis</i>	1.625E+04	38	0.127	1,28
Mammal	<i>Dendrohyrax arboreus</i>	7.375E+02	38	0.256	1,28
Mammal	<i>Dendrolagus matschiei</i>	1.740E+03	38	0.323	1,28
Mammal	<i>Dicerorhinus sumatrensis</i>	3.500E+05	38	0.079	1,28
Mammal	<i>Dicerorhinus sumatrensis</i>	3.500E+05	38	0.072	1,28
Mammal	<i>Diceros bicornis</i>	2.951E+05	38	0.063	1,28
Mammal	<i>Dugong dugon</i>	1.050E+05	38	0.046	1,28
Mammal	<i>Dugong dugon</i>	1.050E+05	38	0.046	1,28
Mammal	<i>Dugong dugon</i>	1.050E+05	38	0.036	1,28
Mammal	<i>Echinops telfairi</i>	4.500E+01	38	2.632	1,28
Mammal	<i>Elaphurus davidianus</i>	4.375E+04	38	0.141	1,28
Mammal	<i>Elaphurus davidianus</i>	4.375E+04	38	0.108	1,28
Mammal	<i>Elephantulus myurus</i>	1.310E+01	38	2.941	1,28
Mammal	<i>Elephantulus rufescens</i>	9.375E+00	38	0.435	1,28
Mammal	<i>Elephas maximus</i>	1.250E+06	38	0.063	1,28
Mammal	<i>Elephas maximus</i>	1.250E+06	38	0.042	1,28
Mammal	<i>Elephas maximus</i>	1.250E+06	38	0.036	1,28
Mammal	<i>Elephas maximus</i>	1.250E+06	38	0.032	1,28
Mammal	<i>Enhydra lutris</i>	7.500E+03	38	0.110	1,28
Mammal	<i>Enhydra lutris</i>	7.500E+03	38	0.084	1,28
Mammal	<i>Equus asinus</i>	4.125E+04	38	0.127	1,28
Mammal	<i>Equus asinus</i>	8.125E+04	38	0.127	1,28
Mammal	<i>Equus burchelli</i>	5.943E+04	38	0.057	3
Mammal	<i>Equus caballus</i>	6.250E+04	38	0.040	1,28
Mammal	<i>Equus grevyi</i>	1.020E+05	38	0.127	1,28
Mammal	<i>Equus hemionus</i>	5.750E+04	38	0.127	1,28
Mammal	<i>Equus zebra</i>	7.175E+04	38	0.127	1,28
Mammal	<i>Equus zebra</i>	7.175E+04	38	0.105	1,28
Mammal	<i>Erethizon dorsatum</i>	1.771E+03	38	0.149	1,28
Mammal	<i>Erethizon dorsatum</i>	1.771E+03	38	0.141	1,28
Mammal	<i>Erignathus barbatus</i>	7.500E+04	38	0.101	1,28
Mammal	<i>Erignathus barbatus</i>	7.500E+04	38	0.081	1,28
Mammal	<i>Erignathus</i>	7.500E+04	38	0.081	1,28

Predicting Mortality Rates

McCoy & Gillooly

	<i>barbatus</i>				
Mammal	<i>Erinaceus europaeus</i>	2.058E+02	38	0.370	1,28
Mammal	<i>Erinaceus europaeus</i>	2.058E+02	38	0.323	1,28
Mammal	<i>Erinaceus europaeus</i>	2.058E+02	38	0.182	1,28
Mammal	<i>Erythrocebus patas</i>	1.817E+03	38	0.120	1,28
Mammal	<i>Eschrichtius robustus</i>	7.500E+06	38	0.036	1,28
Mammal	<i>Eschrichtius robustus</i>	7.500E+06	38	0.033	1,28
Mammal	<i>Eumetopias jubatus</i>	1.500E+05	38	0.110	1,28
Mammal	<i>Eumetopias jubatus</i>	1.500E+05	38	0.084	1,28
Mammal	<i>Felis nigripes</i>	3.250E+02	38	0.213	1,28
Mammal	<i>Felis silvestris</i>	1.063E+03	38	0.169	1,28
Mammal	<i>Felis silvestris</i>	1.063E+03	38	0.141	1,28
Mammal	<i>Felis silvestris</i>	1.162E+03	38	0.169	1,28
Mammal	<i>Felis silvestris</i>	1.162E+03	38	0.141	1,28
Mammal	<i>Galea musteloides</i>	1.200E+02	38	2.381	1,28
Mammal	<i>Gazella dorcas</i>	5.750E+03	38	0.204	1,28
Mammal	<i>Gazella gazella</i>	5.625E+03	38	0.213	1,28
Mammal	<i>Georychus capensis</i>	4.525E+01	38	0.909	1,28
Mammal	<i>Gerbillus pyramidum</i>	1.022E+01	38	0.323	1,28
Mammal	<i>Giraffa camelopardalis</i>	2.250E+05	38	0.101	1,28
Mammal	<i>Giraffa camelopardalis</i>	2.250E+05	38	0.097	1,28
Mammal	<i>Giraffa camelopardalis</i>	2.250E+05	38	0.069	1,28
Mammal	<i>Gorilla gorilla</i>	3.106E+04	38	0.053	1,28
Mammal	<i>Gorilla gorilla</i>	3.106E+04	38	0.050	1,28
Mammal	<i>Gymnobelideus leadbeateri</i>	3.175E+01	38	0.345	1,28
Mammal	<i>Halichoerus grypus</i>	6.250E+04	38	0.081	1,28
Mammal	<i>Halichoerus grypus</i>	6.250E+04	38	0.063	1,28
Mammal	<i>Halichoerus grypus</i>	6.250E+04	38	0.055	1,28
Mammal	<i>Halichoerus grypus</i>	6.250E+04	38	0.055	1,28
Mammal	<i>Hemibelideus lemuroides</i>	2.381E+02	38	0.667	1,28
Mammal	<i>Hemicentetes</i>	2.800E+01	38	1.020	1,28

Predicting Mortality Rates

McCoy & Gillooly

	<i>semispinosus</i>				
Mammal	<i>Hemitragus jemlahicus</i>	2.250E+04	38	0.256	1,28
Mammal	<i>Herpestes ichneumon</i>	7.125E+02	38	0.213	1,28
Mammal	<i>Heterohyrax brucei</i>	6.563E+02	38	0.182	1,28
Mammal	<i>Hippopotamus amphibius</i>	3.000E+05	38	0.030	3
Mammal	<i>Hippopotamus amphibius</i>	3.544E+05	38	0.056	1,28
Mammal	<i>Hippopotamus amphibius</i>	3.544E+05	38	0.050	1,28
Mammal	<i>Hippopotamus amphibius</i>	3.544E+05	38	0.046	1,28
Mammal	<i>Hydropotes inermis</i>	3.375E+03	38	0.213	1,28
Mammal	<i>Hydrurga leptonyx</i>	9.000E+04	38	0.110	1,28
Mammal	<i>Hydrurga leptonyx</i>	9.000E+04	38	0.097	1,28
Mammal	<i>Hydrurga leptonyx</i>	9.000E+04	38	0.097	1,28
Mammal	<i>Hyemoschus aquaticus</i>	2.713E+03	38	0.196	1,28
Mammal	<i>Hyemoschus aquaticus</i>	2.713E+03	38	0.182	1,28
Mammal	<i>Hylobates agilis</i>	1.250E+03	38	0.101	1,28
Mammal	<i>Hylobates lar</i>	1.250E+03	38	0.101	1,28
Mammal	<i>Hylobates syndactylus</i>	2.750E+03	38	0.101	1,28
Mammal	<i>Hylobates syndactylus</i>	2.750E+03	38	0.084	1,28
Mammal	<i>Hyperoodon ampullatus</i>	6.250E+05	38	0.068	1,28
Mammal	<i>Isodon macrourus</i>	4.000E+02	38	3.333	1,28
Mammal	<i>Isodon macrourus</i>	4.000E+02	38	0.909	1,28
Mammal	<i>Kobus ellipsiprymnus</i>	5.250E+04	38	0.137	1,28
Mammal	<i>Kobus kob</i>	2.938E+04	38	0.206	3
Mammal	<i>Kobus leche</i>	2.769E+04	38	0.169	1,28
Mammal	<i>Kobus megaceros</i>	2.188E+04	38	0.256	1,28
Mammal	<i>Lagenorhynchus acutus</i>	5.000E+04	38	0.115	1,28
Mammal	<i>Lagenorhynchus acutus</i>	5.000E+04	38	0.093	1,28
Mammal	<i>Lagostrophus fasciatus</i>	4.250E+02	38	0.667	1,28
Mammal	<i>Lama guanicoe</i>	2.125E+04	38	0.127	1,28
Mammal	<i>Lemur catta</i>	5.000E+02	38	0.093	1,28
Mammal	<i>Leptailurus serval</i>	3.000E+03	38	0.110	1,28
Mammal	<i>Lepus americanus</i>	4.275E+02	38	0.526	1,28

Predicting Mortality Rates

McCoy & Gillooly

Mammal	<i>Lepus europaeus</i>	9.500E+02	38	0.213	1,28
Mammal	<i>Lepus timidus</i>	6.250E+02	38	0.286	1,28
Mammal	<i>Liomys adspersus</i>	1.625E+01	38	2.000	1,28
Mammal	<i>Litocranius walleri</i>	9.500E+03	38	0.323	1,28
Mammal	<i>Litocranius walleri</i>	9.500E+03	38	0.213	1,28
Mammal	<i>Lobodon</i> <i>carcinophagus</i>	5.625E+04	38	0.110	1,28
Mammal	<i>Lobodon</i> <i>carcinophagus</i>	5.625E+04	38	0.084	1,28
Mammal	<i>Lobodon</i> <i>carcinophagus</i>	5.625E+04	38	0.070	1,28
Mammal	<i>Lobodon</i> <i>carcinophagus</i>	5.625E+04	38	0.065	1,28
Mammal	<i>Loxodonta</i> <i>africana</i>	9.850E+05	38	0.042	1,28
Mammal	<i>Loxodonta</i> <i>africana</i>	9.850E+05	38	0.036	1,28
Mammal	<i>Loxodonta</i> <i>africana</i>	1.652E+06	38	0.040	3
Mammal	<i>Lycaon pictus</i>	5.513E+03	38	0.256	1,28
Mammal	<i>Lycaon pictus</i>	5.513E+03	38	0.233	1,28
Mammal	<i>Macaca arctoides</i>	2.500E+03	38	0.084	1,28
Mammal	<i>Macaca mulatta</i>	1.150E+03	38	0.087	3
Mammal	<i>Macaca mulatta</i>	2.500E+03	38	0.084	1,28
Mammal	<i>Macaca</i> <i>nemestrina</i>	2.500E+03	38	0.084	1,28
Mammal	<i>Macaca radiata</i>	2.500E+03	38	0.127	1,28
Mammal	<i>Macaca silenus</i>	2.500E+03	38	0.084	1,28
Mammal	<i>Macaca sinica</i>	1.000E+03	38	0.084	1,28
Mammal	<i>Macaca sylvanus</i>	1.750E+03	38	0.127	1,28
Mammal	<i>Macaca sylvanus</i>	1.750E+03	38	0.115	1,28
Mammal	<i>Macropus agilis</i>	3.750E+03	38	0.256	1,28
Mammal	<i>Macropus</i> <i>antilopinus</i>	6.813E+03	38	0.159	1,28
Mammal	<i>Macropus dorsalis</i>	2.813E+03	38	0.169	1,28
Mammal	<i>Macropus eugenii</i>	1.625E+03	38	0.182	1,28
Mammal	<i>Macropus</i> <i>fuliginosus</i>	5.500E+03	38	0.127	1,28
Mammal	<i>Macropus</i> <i>giganteus</i>	6.469E+03	38	0.128	1,28
Mammal	<i>Macropus</i> <i>giganteus</i>	6.469E+03	38	0.127	1,28
Mammal	<i>Macropus parma</i>	1.125E+03	38	0.370	1,28
Mammal	<i>Macropus parma</i>	1.125E+03	38	0.323	1,28
Mammal	<i>Macropus parryi</i>	3.375E+03	38	0.256	1,28
Mammal	<i>Macropus</i> <i>robustus</i>	5.316E+03	38	0.137	1,28
Mammal	<i>Macropus</i> <i>rufogriseus</i>	4.213E+03	38	0.169	1,28
Mammal	<i>Macropus</i>	4.213E+03	38	0.137	1,28

	<i>rufogriseus</i>				
Mammal	<i>Macropus rufus</i>	1.156E+04	38	0.127	1,28
Mammal	<i>Macropus rufus</i>	1.156E+04	38	0.115	1,28
Mammal	<i>Macropus rufus</i>	1.156E+04	38	0.084	1,28
Mammal	<i>Marmota marmota</i>	1.313E+03	38	0.169	1,28
Mammal	<i>Martes martes</i>	3.250E+02	38	0.256	1,28
Mammal	<i>Martes zibellina</i>	2.950E+02	38	0.280	3
Mammal	<i>Mazama americana</i>	5.700E+03	38	0.213	1,28
Mammal	<i>Mazama americana</i>	5.700E+03	38	0.213	1,28
Mammal	<i>Megaptera novaeangliae</i>	7.500E+06	38	0.033	1,28
Mammal	<i>Megaptera novaeangliae</i>	7.500E+06	38	0.026	1,28
Mammal	<i>Mellivora capensis</i>	2.000E+03	38	0.096	1,28
Mammal	<i>Mephitis mephitis</i>	5.213E+02	38	0.435	1,28
Mammal	<i>Mesocricetus auratus</i>	2.625E+01	38	0.909	1,28
Mammal	<i>Mesocricetus auratus</i>	2.625E+01	38	0.256	1,28
Mammal	<i>Microgale dobsoni</i>	9.750E+00	38	0.467	1,28
Mammal	<i>Microgale talazaci</i>	1.250E+01	38	0.450	1,28
Mammal	<i>Micromys minutus</i>	1.500E+00	38	2.000	1,28
Mammal	<i>Microtus agrestis</i>	1.000E+01	38	1.852	1,28
Mammal	<i>Microtus oeconomus</i>	8.055E+00	38	2.174	1,28
Mammal	<i>Miopithecus talapoin</i>	3.125E+02	38	0.090	1,28
Mammal	<i>Mirounga angustirostris</i>	6.000E+05	38	0.182	1,28
Mammal	<i>Mirounga angustirostris</i>	6.000E+05	38	0.182	1,28
Mammal	<i>Mirounga angustirostris</i>	6.000E+05	38	0.182	1,28
Mammal	<i>Mirounga leonina</i>	4.000E+05	38	0.141	1,28
Mammal	<i>Mirounga leonina</i>	4.000E+05	38	0.127	1,28
Mammal	<i>Mirounga leonina</i>	4.000E+05	38	0.127	1,28
Mammal	<i>Mirounga leonina</i>	4.000E+05	38	0.110	1,28
Mammal	<i>Monodon monoceros</i>	2.250E+05	38	0.063	1,28
Mammal	<i>Mus musculus</i>	4.125E+00	38	0.435	1,28
Mammal	<i>Mus musculus</i>	5.375E+00	38	0.435	1,28
Mammal	<i>Musccardinus avellanarius</i>	7.500E+00	38	0.667	1,28
Mammal	<i>Mustela lutreola</i>	1.100E+02	38	0.256	1,28
Mammal	<i>Mustela putorius</i>	2.750E+02	38	0.435	1,28
Mammal	<i>Mustela putorius</i>	2.750E+02	38	0.256	1,28
Mammal	<i>Mustela vison</i>	2.362E+02	38	0.256	1,28
Mammal	<i>Myocastor coypus</i>	1.734E+03	38	0.435	1,28
Mammal	<i>Myopus</i>	6.250E+00	38	3.333	1,28

Predicting Mortality Rates

McCoy & Gillooly

	<i>schisticolor</i>				
Mammal	<i>Myosorex varius</i>	2.850E+00	38	3.333	1,28
Mammal	<i>Napaeozapus insignis</i>	5.575E+00	38	0.667	1,28
Mammal	<i>Nasua nasua</i>	9.485E+02	38	0.182	1,28
Mammal	<i>Nasua nasua</i>	9.485E+02	38	0.182	1,28
Mammal	<i>Neomys anomalus</i>	4.000E+00	38	1.429	1,28
Mammal	<i>Neomys fodiens</i>	3.750E+00	38	0.909	1,28
Mammal	<i>Neophocaena phocaenoides</i>	7.500E+03	38	0.110	1,28
Mammal	<i>Neotoma floridana</i>	6.119E+01	38	0.909	1,28
Mammal	<i>Ningui timealeyi</i>	1.425E+00	38	1.429	1,28
Mammal	<i>Nyctereutes procyonoides</i>	1.500E+03	38	0.233	1,28
Mammal	<i>Ochotona collaris</i>	3.225E+01	38	0.435	1,28
Mammal	<i>Ochotona dalli</i>	1.825E+04	38	0.107	3
Mammal	<i>Ochotona princeps</i>	3.941E+01	38	0.435	1,28
Mammal	<i>Ochotona princeps</i>	3.941E+01	38	0.370	1,28
Mammal	<i>Odobenus rosmarus</i>	3.000E+05	38	0.151	1,28
Mammal	<i>Odobenus rosmarus</i>	3.000E+05	38	0.063	1,28
Mammal	<i>Odobenus rosmarus</i>	3.000E+05	38	0.063	1,28
Mammal	<i>Odobenus rosmarus</i>	3.000E+05	38	0.063	1,28
Mammal	<i>Odocoileus virginianus</i>	1.388E+04	38	0.256	1,28
Mammal	<i>Odocoileus virginianus</i>	1.388E+04	38	0.256	1,28
Mammal	<i>Ondatra zibethicus</i>	2.454E+02	38	0.909	1,28
Mammal	<i>Ondatra zibethicus</i>	2.454E+02	38	0.667	1,28
Mammal	<i>Orcinus orca</i>	1.375E+06	38	0.050	1,28
Mammal	<i>Orcinus orca</i>	1.375E+06	38	0.028	1,28
Mammal	<i>Orcinus orca</i>	1.375E+06	38	0.025	1,28
Mammal	<i>Oreamnos americanus</i>	1.813E+04	38	0.182	1,28
Mammal	<i>Oreamnos americanus</i>	1.813E+04	38	0.141	1,28
Mammal	<i>Oreamnos americanus</i>	1.813E+04	38	0.141	1,28
Mammal	<i>Ornithorhynchus anatinus</i>	3.711E+02	38	0.149	1,28
Mammal	<i>Orycteropus afer</i>	1.309E+04	38	0.110	1,28
Mammal	<i>Oryctolagus cuniculus</i>	3.950E+02	38	0.286	1,28
Mammal	<i>Oryctolagus cuniculus</i>	3.950E+02	38	0.256	1,28
Mammal	<i>Oryctolagus cuniculus</i>	3.950E+02	38	0.141	1,28

	<i>cuniculus</i>				
Mammal	<i>Oryctolagus cuniculus</i>	5.375E+02	38	0.286	1,28
Mammal	<i>Oryctolagus cuniculus</i>	5.375E+02	38	0.256	1,28
Mammal	<i>Oryctolagus cuniculus</i>	5.375E+02	38	0.141	1,28
Mammal	<i>Otaria byronia</i>	6.125E+04	38	0.127	1,28
Mammal	<i>Ovibos moschatus</i>	9.213E+04	38	0.105	1,28
Mammal	<i>Ovis ammon</i>	3.500E+04	38	0.196	1,28
Mammal	<i>Ovis canadensis</i>	1.866E+04	38	0.105	1,28
Mammal	<i>Ovis dalli</i>	1.825E+04	38	0.049	3
Mammal	<i>Paguma hispida</i>	1.625E+04	38	0.032	3
Mammal	<i>Paguma larvata</i>	1.100E+03	38	0.141	1,28
Mammal	<i>Pan paniscus</i>	8.500E+03	38	0.127	1,28
Mammal	<i>Pan troglodytes</i>	9.750E+03	38	0.055	3
Mammal	<i>Pan troglodytes</i>	1.125E+04	38	0.056	1,28
Mammal	<i>Pan troglodytes</i>	1.125E+04	38	0.050	1,28
Mammal	<i>Pan troglodytes</i>	1.125E+04	38	0.049	1,28
Mammal	<i>Pan troglodytes</i>	1.125E+04	38	0.042	1,28
Mammal	<i>Panthera leo</i>	3.900E+04	38	0.032	3
Mammal	<i>Panthera leo</i>	4.037E+04	38	0.169	1,28
Mammal	<i>Panthera leo</i>	4.037E+04	38	0.169	1,28
Mammal	<i>Panthera leo</i>	4.037E+04	38	0.087	1,28
Mammal	<i>Panthera pardus</i>	1.375E+04	38	0.213	1,28
Mammal	<i>Panthera tigris</i>	5.000E+04	38	0.169	1,28
Mammal	<i>Panthera tigris</i>	5.000E+04	38	0.097	1,28
Mammal	<i>Panthera tigris</i>	5.000E+04	38	0.096	1,28
Mammal	<i>Papio hamadryas</i>	5.313E+03	38	0.068	1,28
Mammal	<i>Paradoxurus hermaphroditus</i>	7.500E+02	38	0.115	1,28
Mammal	<i>Parantechinus apicalis</i>	1.719E+01	38	0.909	1,28
Mammal	<i>Parantechinus bilarni</i>	6.875E+00	38	0.909	1,28
Mammal	<i>Parascalops breweri</i>	1.275E+01	38	0.667	1,28
Mammal	<i>Parascalops breweri</i>	1.275E+01	38	0.526	1,28
Mammal	<i>Pelea capreolus</i>	5.000E+03	38	0.256	1,28
Mammal	<i>Peponocephala electra</i>	5.150E+04	38	0.053	1,28
Mammal	<i>Petauroides volans</i>	3.250E+02	38	0.435	1,28
Mammal	<i>Petaurus australis</i>	1.438E+02	38	0.256	1,28
Mammal	<i>Petaurus breviceps</i>	3.188E+01	38	0.182	1,28
Mammal	<i>Phacochoerus aethiopicus</i>	1.775E+04	38	0.169	1,28
Mammal	<i>Phacochoerus</i>	1.775E+04	38	0.135	1,28

	<i>aethiopicus</i>				
Mammal	<i>Phascolarctos cinereus</i>	2.563E+03	38	0.196	1,28
Mammal	<i>Phascolarctos cinereus</i>	2.563E+03	38	0.149	1,28
Mammal	<i>Phoca caspica</i>	2.150E+04	38	0.072	1,28
Mammal	<i>Phoca caspica</i>	2.150E+04	38	0.053	1,28
Mammal	<i>Phoca caspica</i>	2.150E+04	38	0.050	1,28
Mammal	<i>Phoca caspica</i>	2.150E+04	38	0.050	1,28
Mammal	<i>Phoca fasciata</i>	2.250E+04	38	0.110	1,28
Mammal	<i>Phoca fasciata</i>	2.250E+04	38	0.084	1,28
Mammal	<i>Phoca fasciata</i>	2.250E+04	38	0.081	1,28
Mammal	<i>Phoca groenlandica</i>	3.000E+04	38	0.087	1,28
Mammal	<i>Phoca groenlandica</i>	3.000E+04	38	0.084	1,28
Mammal	<i>Phoca groenlandica</i>	3.000E+04	38	0.084	1,28
Mammal	<i>Phoca hispida</i>	1.625E+04	38	0.063	3
Mammal	<i>Phoca hispida</i>	2.500E+04	38	0.063	1,28
Mammal	<i>Phoca hispida</i>	2.500E+04	38	0.058	1,28
Mammal	<i>Phoca hispida</i>	2.500E+04	38	0.058	1,28
Mammal	<i>Phoca hispida</i>	2.500E+04	38	0.055	1,28
Mammal	<i>Phoca sibirica</i>	2.500E+04	38	0.048	1,28
Mammal	<i>Phoca sibirica</i>	2.500E+04	38	0.045	1,28
Mammal	<i>Phoca sibirica</i>	2.500E+04	38	0.045	1,28
Mammal	<i>Phoca vitulina</i>	2.500E+04	38	0.097	1,28
Mammal	<i>Phoca vitulina</i>	2.500E+04	38	0.079	1,28
Mammal	<i>Phoca vitulina</i>	2.500E+04	38	0.074	1,28
Mammal	<i>Phoca vitulina</i>	2.500E+04	38	0.063	1,28
Mammal	<i>Phocoena phocoena</i>	1.250E+04	38	0.196	1,28
Mammal	<i>Phocoenoides dalli</i>	2.500E+04	38	0.149	1,28
Mammal	<i>Phocoenoides dalli</i>	2.500E+04	38	0.115	1,28
Mammal	<i>Physeter catodon</i>	1.000E+07	38	0.033	1,28
Mammal	<i>Pithecia pithecia</i>	3.439E+02	38	0.182	1,28
Mammal	<i>Pongo pygmaeus</i>	1.250E+04	38	0.072	1,28
Mammal	<i>Pongo pygmaeus</i>	1.250E+04	38	0.043	1,28
Mammal	<i>Pontoporia blainvillei</i>	1.000E+04	38	0.159	1,28
Mammal	<i>Potamochoerus porcus</i>	1.750E+04	38	0.169	1,28
Mammal	<i>Potamochoerus porcus</i>	1.750E+04	38	0.127	1,28
Mammal	<i>Potos flavus</i>	4.088E+02	38	0.087	1,28
Mammal	<i>Potos flavus</i>	4.088E+02	38	0.087	1,28
Mammal	<i>Priodontes maximus</i>	1.134E+04	38	0.169	1,28
Mammal	<i>Prionailurus</i>	1.250E+03	38	0.169	1,28

Predicting Mortality Rates

McCoy & Gillooly

	<i>bengalensis</i>				
Mammal	<i>Procapra capensis</i>	7.575E+02	38	0.303	1,28
Mammal	<i>Procapra capensis</i>	7.575E+02	38	0.182	1,28
Mammal	<i>Procyon</i>				
Mammal	<i>cancrivorus</i>	1.737E+03	38	0.182	1,28
Mammal	<i>Procyon lotor</i>	1.381E+03	38	0.127	1,28
Mammal	<i>Proechimys</i>				
Mammal	<i>semispinosus</i>	9.013E+01	38	1.429	1,28
Mammal	<i>Pseudocheirus</i>				
Mammal	<i>peregrinus</i>	2.250E+02	38	0.526	1,28
Mammal	<i>Pseudocheirus</i>				
Mammal	<i>peregrinus</i>	2.250E+02	38	0.435	1,28
Mammal	<i>Pseudoris nayaur</i>	1.600E+04	38	0.105	1,28
Mammal	<i>Pseudorca</i>				
Mammal	<i>crassidens</i>	3.400E+05	38	0.115	1,28
Mammal	<i>Rangifer tarandus</i>	2.151E+04	38	0.323	1,28
Mammal	<i>Rangifer tarandus</i>	2.151E+04	38	0.256	1,28
Mammal	<i>Rangifer tarandus</i>	2.151E+04	38	0.169	1,28
Mammal	<i>Rangifer tarandus</i>	2.625E+04	38	0.076	3
Mammal	<i>Rangifer tarandus</i>	2.625E+04	38	0.076	3
Mammal	<i>Redunca</i>				
Mammal	<i>fulvorufula</i>	7.375E+03	38	0.213	1,28
Mammal	<i>Rhinoceros</i>				
Mammal	<i>unicornis</i>	4.000E+05	38	0.063	1,28
Mammal	<i>Rhinoceros</i>				
Mammal	<i>unicornis</i>	4.000E+05	38	0.056	1,28
Mammal	<i>Rhinoceros</i>				
Mammal	<i>unicornis</i>	4.000E+05	38	0.051	1,28
Mammal	<i>Rhynchocyon</i>				
Mammal	<i>chrysopygus</i>	1.350E+02	38	0.667	1,28
Mammal	<i>Rupicapra</i>				
Mammal	<i>rupicapra</i>	8.500E+03	38	0.219	3
Mammal	<i>Rupicapra</i>				
Mammal	<i>rupicapra</i>	8.750E+03	38	0.127	1,28
Mammal	<i>Saguinus caffer</i>	1.173E+05	38	0.026	3
Mammal	<i>Saguinus caffer</i>	1.173E+05	38	0.092	3
Mammal	<i>Saguinus caffer</i>	1.173E+05	38	0.030	3
Mammal	<i>Saguinus</i>				
Mammal	<i>nigricollis</i>	1.155E+02	38	0.256	1,28
Mammal	<i>Saiga tatarica</i>	1.000E+04	38	0.256	1,28
Mammal	<i>Saiga tatarica</i>	1.000E+04	38	0.213	1,28
Mammal	<i>Saimiri sciureus</i>	1.858E+02	38	0.120	1,28
Mammal	<i>Scalopus</i>				
Mammal	<i>aquaticus</i>	2.281E+01	38	0.909	1,28
Mammal	<i>Sciurus</i>				
Mammal	<i>carolinensis</i>	1.266E+02	38	0.204	1,28
Mammal	<i>Sciurus</i>				
Mammal	<i>carolinensis</i>	1.266E+02	38	0.108	1,28
Mammal	<i>Sciurus</i>				
Mammal	<i>carolinensis</i>	1.266E+02	38	0.107	1,28
Mammal	<i>Sciurus vulgaris</i>	7.500E+01	38	0.213	1,28

Predicting Mortality Rates

McCoy & Gillooly

Mammal	<i>Setonix brachyurus</i>	8.125E+02	38	0.256	1,28
Mammal	<i>Setonix brachyurus</i>	8.125E+02	38	0.256	1,28
Mammal	<i>Sicista betulina</i>	2.500E+00	38	0.769	1,28
Mammal	<i>Sminthopsis crassicaudata</i>	3.750E+00	38	2.381	1,28
Mammal	<i>Sminthopsis crassicaudata</i>	3.750E+00	38	2.000	1,28
Mammal	<i>Sorex alpinus</i>	1.950E+00	38	2.381	1,28
Mammal	<i>Sorex araneus</i>	2.500E+00	38	1.429	1,28
Mammal	<i>Sorex fumeus</i>	1.925E+00	38	3.333	1,28
Mammal	<i>Sorex minutus</i>	1.125E+00	38	1.429	1,28
Mammal	<i>Sorex vagrans</i>	1.106E+00	38	2.381	1,28
Mammal	<i>Spilocuscus maculatus</i>	1.600E+03	38	0.233	1,28
Mammal	<i>Stenella attenuata</i>	2.500E+04	38	0.055	1,28
Mammal	<i>Stenella coeruleoalba</i>	2.500E+04	38	0.050	1,28
Mammal	<i>Suncus etruscus</i>	4.500E-01	38	2.381	1,28
Mammal	<i>Suncus etruscus</i>	4.500E-01	38	1.429	1,28
Mammal	<i>Suncus murinus</i>	2.166E+01	38	1.111	1,28
Mammal	<i>Sundamys muelleri</i>	1.060E+02	38	10.000	1,28
Mammal	<i>Sus scrofa</i>	2.156E+04	38	0.127	1,28
Mammal	<i>Sus scrofa</i>	2.156E+04	38	0.120	1,28
Mammal	<i>Sylvilagus floridanus</i>	2.932E+02	38	0.526	1,28
Mammal	<i>Sylvilagus floridanus</i>	2.932E+02	38	0.526	1,28
Mammal	<i>Sylvilagus floridanus</i>	3.025E+02	38	1.225	3
Mammal	<i>Syncerus caffer</i>	1.173E+05	38	0.026	3
Mammal	<i>Syncerus caffer</i>	1.450E+05	38	0.141	1,28
Mammal	<i>Syncerus caffer</i>	1.450E+05	38	0.097	1,28
Mammal	<i>Syncerus caffer</i>	1.450E+05	38	0.085	1,28
Mammal	<i>Talpa europaea</i>	2.250E+01	38	0.909	1,28
Mammal	<i>Talpa europaea</i>	2.250E+01	38	0.667	1,28
Mammal	<i>Tamias striatus</i>	2.798E+01	38	0.909	1,28
Mammal	<i>Tamiasciurus hudsonicus</i>	4.750E+01	38	0.437	3
Mammal	<i>Tapirus indicus</i>	5.000E+04	38	0.084	1,28
Mammal	<i>Tapirus terrestris</i>	5.188E+04	38	0.084	1,28
Mammal	<i>Tapirus terrestris</i>	5.188E+04	38	0.072	1,28
Mammal	<i>Tarsipes rostratus</i>	2.250E+00	38	1.429	1,28
Mammal	<i>Tarsius bancanus</i>	3.000E+01	38	0.323	1,28
Mammal	<i>Taxidea taxus</i>	1.777E+03	38	0.182	1,28
Mammal	<i>Taxidea taxus</i>	1.777E+03	38	0.182	1,28
Mammal	<i>Taxidea taxus</i>	1.777E+03	38	0.097	1,28
Mammal	<i>Tayassu pecari</i>	8.058E+03	38	0.192	1,28
Mammal	<i>Tayassu pecari</i>	8.058E+03	38	0.192	1,28

Predicting Mortality Rates

McCoy & Gillooly

Mammal	<i>Tetracerus quadricornis</i>	4.750E+03	38	0.256	1,28
Mammal	<i>Theropithecus gelada</i>	4.262E+03	38	0.127	1,28
Mammal	<i>Thomomys talpoides</i>	3.252E+01	38	1.852	1,28
Mammal	<i>Thryonomys swinderianus</i>	1.015E+03	38	0.617	1,28
Mammal	<i>Tragelaphus imberbis</i>	2.039E+04	38	0.256	1,28
Mammal	<i>Tragelaphus imberbis</i>	2.039E+04	38	0.169	1,28
Mammal	<i>Trichechus inunguis</i>	1.000E+05	38	0.084	1,28
Mammal	<i>Trichechus manatus</i>	6.250E+04	38	0.084	1,28
Mammal	<i>Trichosurus caninus</i>	8.750E+02	38	0.213	1,28
Mammal	<i>Trichosurus caninus</i>	8.750E+02	38	0.149	1,28
Mammal	<i>Trichosurus caninus</i>	8.750E+02	38	0.149	1,28
Mammal	<i>Trichosurus vulpecula</i>	6.625E+02	38	0.196	1,28
Mammal	<i>Trichosurus vulpecula</i>	6.625E+02	38	0.196	1,28
Mammal	<i>Tupaia glis</i>	3.750E+01	38	0.213	1,28
Mammal	<i>Tursiops truncatus</i>	4.375E+04	38	0.101	1,28
Mammal	<i>Tursiops truncatus</i>	4.375E+04	38	0.101	1,28
Mammal	<i>Tursiops truncatus</i>	4.375E+04	38	0.101	1,28
Mammal	<i>Ursus arctos</i>	3.486E+04	38	0.101	1,28
Mammal	<i>Ursus arctos</i>	3.486E+04	38	0.084	1,28
Mammal	<i>Vicugna vicugna</i>	1.187E+04	38	0.127	1,28
Mammal	<i>Vombatus ursinus</i>	6.500E+03	38	0.526	1,28
Mammal	<i>Vombatus ursinus</i>	6.500E+03	38	0.097	1,28
Mammal	<i>Vulpes cana</i>	2.500E+02	38	0.256	1,28
Mammal	<i>Vulpes chama</i>	7.388E+02	38	0.256	1,28
Mammal	<i>Vulpes pallida</i>	7.000E+02	38	0.256	1,28
Mammal	<i>Vulpes vulpes</i>	1.033E+03	38	0.370	1,28
Mammal	<i>Vulpes vulpes</i>	1.033E+03	38	0.213	1,28
Mammal	<i>Vulpes vulpes</i>	1.488E+03	38	0.370	1,28
Mammal	<i>Vulpes vulpes</i>	1.488E+03	38	0.213	1,28
Mammal	<i>Vulpes vulpes</i>	1.500E+03	38	0.370	1,28
Mammal	<i>Vulpes vulpes</i>	1.500E+03	38	0.213	1,28
Mammal	<i>Wallabia bicolor</i>	3.750E+03	38	0.213	1,28
Mammal	<i>Wallabia bicolor</i>	3.750E+03	38	0.169	1,28
Mammal	<i>Zalophus californianus</i>	6.250E+04	38	0.149	1,28
Multicellular plant	<i>Acacia victoriae</i>	4.000E+02	19	0.028	29
Multicellular	<i>Acacia victoriae</i>	4.000E+02	19	0.201	29

plant					
Multicellular	<i>Acacia victoriae</i>	4.600E+02	19	0.135	29
plant					
Multicellular	<i>Acacia victoriae</i>	5.100E+02	19	0.073	29
plant					
Multicellular	<i>Acacia victoriae</i>	5.400E+02	19	0.128	29
plant					
Multicellular	<i>Accer saccharum</i>	2.100E+06	11	0.003	29
plant					
Multicellular	<i>Aesculu soctandra</i>	1.800E+06	11	0.001	29
plant					
Multicellular	<i>Alchornea</i>	5.100E+05	28	0.030	29
plant	<i>costaricensis</i>				
Multicellular	<i>Allium tricoccum</i>	1.100E+00	4	0.131	29
plant					
Multicellular	<i>Allium tricoccum</i>	1.300E+00	4	0.091	29
plant					
Multicellular	<i>Allium tricoccum</i>	1.400E+00	4	0.336	29
plant					
Multicellular	<i>Allium tricoccum</i>	1.500E+00	4	0.219	29
plant					
Multicellular	<i>Alseis blackiana</i>	4.100E+05	28	0.006	29
plant					
Multicellular	<i>Amphibolis</i>	3.300E-01	19	0.584	29
plant	<i>antarctica</i>				
Multicellular	<i>Amphibolis griffithii</i>	6.700E-01	19	1.095	29
plant					
Multicellular	<i>Antarctic</i>	2.100E-11	1	2.482	29
plant	<i>phytoplanktonic</i>				
Multicellular	<i>Antarctic</i>	5.100E-10	1	0.438	29
plant	<i>phytoplanktonic</i>				
Multicellular	<i>Arisae</i>	1.200E-01	8	2.555	29
plant	<i>matriphyllum</i>				
Multicellular	<i>Arisae</i>	1.200E-01	8	4.745	29
plant	<i>matriphyllum</i>				
Multicellular	<i>Arisae</i>	2.200E-01	8	1.606	29
plant	<i>matriphyllum</i>				
Multicellular	<i>Arisae</i>	2.200E-01		0.329	29
plant	<i>matriphyllum</i>				
Multicellular	<i>Arisae</i>	2.400E-01	8	0.402	29
plant	<i>matriphyllum</i>				
Multicellular	<i>Arisae</i>	2.500E-01	8	2.957	29
plant	<i>matriphyllum</i>				
Multicellular	<i>Arisae</i>	3.400E-01	8	0.584	29
plant	<i>matriphyllum</i>				
Multicellular	<i>Arisae</i>	3.400E-01	8	0.803	29
plant	<i>matriphyllum</i>				
Multicellular	<i>Arisae</i>	3.700E-01	8	0.730	29
plant	<i>matriphyllum</i>				
Multicellular	<i>Arisae</i>	3.700E-01	8	2.263	29

Predicting Mortality Rates

McCoy & Gillooly

plant	<i>matriphyllum</i>				
Multicellular	<i>Arisae</i>	4.700E-01	8	1.570	29
plant	<i>matriphyllum</i>				
Multicellular	<i>Arisae</i>	4.900E-01	8	1.022	29
plant	<i>matriphyllum</i>				
Multicellular	<i>Arisae</i>	4.900E-01		1.679	29
plant	<i>matriphyllum</i>				
Multicellular	<i>Arisae</i>	6.100E-01	8	0.621	29
plant	<i>matriphyllum</i>				
Multicellular	<i>Arisae</i>	6.200E-01	8	0.840	29
plant	<i>matriphyllum</i>				
Multicellular	<i>Arisae</i>	7.300E-01	8	1.022	29
plant	<i>matriphyllum</i>				
Multicellular	<i>Arisae</i>	7.400E-01	8	0.329	29
plant	<i>matriphyllum</i>				
Multicellular	<i>Ascophyllum</i>	1.700E+01	10	0.475	29
plant	<i>nodosum</i>				
Multicellular	<i>Ascophyllum</i>	2.300E+01	10	0.124	29
plant	<i>nodosum</i>				
Multicellular	<i>Ascophyllum</i>	2.800E+01	10	0.584	29
plant	<i>nodosum</i>				
Multicellular	<i>Ascophyllum</i>	3.600E+01		0.080	29
plant	<i>nodosum</i>				
Multicellular	<i>Ascophyllum</i>	3.700E+01	10	0.767	29
plant	<i>nodosum</i>				
Multicellular	<i>Ascophyllum</i>	4.300E+01	10	0.475	29
plant	<i>nodosum</i>				
Multicellular	<i>Avicennia alba</i>	6.500E+00	28	0.329	29
plant					
Multicellular	<i>Avicennia alba</i>	6.500E+00	28	0.332	29
plant					
Multicellular	<i>Avicennia alba</i>	6.500E+00	28	1.278	29
plant					
Multicellular	<i>Avicennia alba</i>	6.500E+00	28	1.278	29
plant					
Multicellular	<i>Avicennia alba</i>	6.500E+00	28	2.409	29
plant					
Multicellular	<i>Avicennia alba</i>	6.500E+00		0.913	29
plant					
Multicellular	<i>Avicennia marina</i>	3.900E+01	28	0.164	29
plant					
Multicellular	<i>Avicennia</i>	1.300E+01		0.102	29
plant	<i>officinalis</i>				
Multicellular	<i>Betula</i>	1.100E+06		0.006	29
plant	<i>alleghaniensis</i>				
Multicellular	<i>Brachypodium</i>	2.700E-01	10	1.533	29
plant	<i>pinnatum</i>				
Multicellular	<i>Brachypodium</i>	2.900E-01	10	1.314	29
plant	<i>pinnatum</i>				
Multicellular	<i>Brachypodium</i>	3.200E-01	10	0.511	29

Predicting Mortality Rates

McCoy & Gillooly

plant	<i>pinnatum</i>				
Multicellular plant	<i>Bruguiera cylindrica</i>	2.200E+00	28	0.511	29
Multicellular plant	<i>Camelia japonica</i>	2.500E+05	19	0.005	29
Multicellular plant	<i>Camelia japonica</i>	5.100E+05	19	0.009	29
Multicellular plant	<i>Camelia sasnqua</i>	2.200E+05	19	0.005	29
Multicellular plant	<i>Camelia sasnqua</i>	5.600E+05	19	0.012	29
Multicellular plant	<i>Camellia japonica</i>	5.000E+05	19	0.008	29
Multicellular plant	<i>Camellia sasanqua</i>	5.300E+05	19	0.012	29
Multicellular plant	<i>Carex flacca</i>	1.900E-01	10	0.080	29
Multicellular plant	<i>Carex flacca</i>	2.000E-01	10	0.548	29
Multicellular plant	<i>Carex flacca</i>	2.300E-01	10	0.223	29
Multicellular plant	<i>Carnegiea gigantea</i>	4.400E+02	20	0.012	29
Multicellular plant	<i>Carnegiea gigantea</i>	7.100E+02	20	0.009	29
Multicellular plant	<i>Carnegiea gigantea</i>	4.200E+03	20	0.011	29
Multicellular plant	<i>Carnegiea gigantea</i>	6.100E+03	20	0.013	29
Multicellular plant	<i>Carpophyllum maschalocarpum</i>	1.100E-02	18	0.402	29
Multicellular plant	<i>Carpophyllum maschalocarpum</i>	4.000E+00	18	1.460	29
Multicellular plant	<i>Carulerpa prolifera</i>	5.000E-02	21	0.876	29
Multicellular plant	<i>Carulerpa racemosa</i>	1.600E-03	21	21.170	29
Multicellular plant	<i>Carulerpa taxifolia</i>	3.200E-02	21	2.811	29
Multicellular plant	<i>Catopsisssp.</i>	2.300E-02	19	0.270	29
Multicellular plant	<i>Cecropia obtusifolia</i>	6.200E+04	25	0.055	29
Multicellular plant	<i>Cecropia obtusifolia</i>	9.600E+04	25	0.237	29
Multicellular plant	<i>Cecropia obtusifolia</i>	2.200E+05	25	0.032	29
Multicellular plant	<i>Cecropia obtusifolia</i>	5.000E+05	25	0.066	29
Multicellular	<i>Cecropia</i>	9.400E+05	25	0.204	29

Predicting Mortality Rates

McCoy & Gillooly

plant	<i>obtusifolia</i>				
Multicellular	<i>Cephalanthus</i>	1.600E+01		0.840	29
plant	<i>occidentalis</i>				
Multicellular	<i>Ceriops tagal</i>	3.400E+00	28	0.321	29
plant					
Multicellular	<i>Clethra</i>	4.000E+04	19	0.006	29
plant	<i>occidentalis</i>				
Multicellular	<i>Cleyera japonica</i>	4.200E+05	19	0.005	29
plant					
Multicellular	<i>Cleyera japonica</i>	5.900E+05	19	0.011	29
plant					
Multicellular	<i>Cleyera japonica</i>	6.300E+05		0.009	29
plant					
Multicellular	<i>Codium bursa</i>	4.200E+00	17	1.862	29
plant					
Multicellular	<i>Codium bursa</i>	4.200E+00	17	2.044	29
plant					
Multicellular	<i>Codium bursa</i>	4.200E+00	17	0.091	29
plant					
Multicellular	<i>Codium fragile</i>	7.300E+00	15	2.665	29
plant					
Multicellular	<i>Cordia alliodora</i>	6.200E+05	28	0.047	29
plant					
Multicellular	<i>Costaria costaria</i>	3.900E+01	11	8.760	29
plant					
Multicellular	<i>Cymodocea</i>	7.000E-03	19	1.387	29
plant	<i>nodosa</i>				
Multicellular	<i>Cymodocea</i>	1.100E-02	17	0.657	29
plant	<i>nodosa</i>				
Multicellular	<i>Cymodocea</i>	1.300E-02	19	2.373	29
plant	<i>nodosa</i>				
Multicellular	<i>Cymodocea</i>	1.800E-02	19	2.519	29
plant	<i>nodosa</i>				
Multicellular	<i>Cymodocea</i>	1.800E-02	19	1.241	29
plant	<i>nodosa</i>				
Multicellular	<i>Cymodocea</i>	1.900E-02	19	1.059	29
plant	<i>nodosa</i>				
Multicellular	<i>Cymodocea</i>	1.900E-02	19	2.336	29
plant	<i>nodosa</i>				
Multicellular	<i>Cymodocea</i>	2.200E-02	17	0.694	29
plant	<i>nodosa</i>				
Multicellular	<i>Cymodocea</i>	2.200E-02	19	5.110	29
plant	<i>nodosa</i>				
Multicellular	<i>Cymodocea</i>	2.300E-02	19	0.365	29
plant	<i>nodosa</i>				
Multicellular	<i>Cymodocea</i>	2.800E-02	19	0.803	29
plant	<i>nodosa</i>				
Multicellular	<i>Cymodocea</i>	3.000E-02	20	0.402	29
plant	<i>nodosa</i>				
Multicellular	<i>Cymodocea</i>	3.000E-02	20	0.986	29

Predicting Mortality Rates

McCoy & Gillooly

plant	<i>nodosa</i>				
Multicellular	<i>Cymodocea</i>	3.000E-02	20	1.205	29
plant	<i>nodosa</i>				
Multicellular	<i>Cymodocea</i>	3.300E-02		0.767	29
plant	<i>nodosa</i>				
Multicellular	<i>Cymodocea</i>	3.800E-02	19	2.701	29
plant	<i>nodosa</i>				
Multicellular	<i>Cymodocea</i>	4.000E-02	20	0.694	29
plant	<i>nodosa</i>				
Multicellular	<i>Cymodocea</i>	4.100E-02	20	1.387	29
plant	<i>nodosa</i>				
Multicellular	<i>Cymodocea</i>	4.900E-02	20	0.621	29
plant	<i>nodosa</i>				
Multicellular	<i>Cymodocea</i>	5.000E-02	20	1.241	29
plant	<i>nodosa</i>				
Multicellular	<i>Cymodocea</i>	5.200E-02	19	0.584	29
plant	<i>nodosa</i>				
Multicellular	<i>Cymodocea</i>	5.300E-02	19	0.511	29
plant	<i>nodosa</i>				
Multicellular	<i>Cymodocea</i>	7.000E-02	20	1.314	29
plant	<i>nodosa</i>				
Multicellular	<i>Cymodocea</i>	1.000E-01	19	1.460	29
plant	<i>nodosa</i>				
Multicellular	<i>Cymodocea</i>	1.300E-01	17	1.205	29
plant	<i>nodosa</i>				
Multicellular	<i>Cymodocea</i>	1.300E-01	19	2.446	29
plant	<i>nodosa</i>				
Multicellular	<i>Cymodocea</i>	1.300E-01	20	0.949	29
plant	<i>nodosa</i>				
Multicellular	<i>Cymodocea</i>	1.300E-01	22	3.103	29
plant	<i>nodosa</i>				
Multicellular	<i>Cymodocea</i>	1.800E-01	17	1.387	29
plant	<i>nodosa</i>				
Multicellular	<i>Cymodocea</i>	2.000E-01	20	0.876	29
plant	<i>nodosa</i>				
Multicellular	<i>Cymodocea</i>	2.500E-01	20	1.643	29
plant	<i>nodosa</i>				
Multicellular	<i>Cymodocea</i>	2.700E-01	17	1.059	29
plant	<i>nodosa</i>				
Multicellular	<i>Cymodocea</i>	2.900E-01	17	3.650	29
plant	<i>nodosa</i>				
Multicellular	<i>Cymodocea</i>	3.200E-01	17	1.022	29
plant	<i>nodosa</i>				
Multicellular	<i>Cymodocea</i>	1.200E-01	28	0.803	29
plant	<i>rotundata</i>				
Multicellular	<i>Cymodocea</i>	1.500E-01	28	2.884	29
plant	<i>serrulata</i>				
Multicellular	<i>Cynoglossum</i>	2.100E+00	10	0.767	29
plant	<i>officinale</i>				
Multicellular	<i>Cynoglossum</i>	2.800E+00	10	0.069	29

Predicting Mortality Rates

McCoy & Gillooly

plant	<i>officinale</i>				
Multicellular plant	<i>Cynoglossum officinale</i>	3.800E+00	10	0.343	29
Multicellular plant	<i>Cystoseira humilis</i>	3.100E-01	18	1.497	29
Multicellular plant	<i>Distylim racemosum</i>	6.900E+06	19	0.008	29
Multicellular plant	<i>Distylim racemosum</i>	8.300E+06	19	0.010	29
Multicellular plant	<i>Distylim racemosum</i>	1.100E+07	19	0.008	29
Multicellular plant	<i>Dityllum brightwellii</i>	8.300E-08		87.600	29
Multicellular plant	<i>Dityllum brightwellii</i>	8.300E-08		21.900	29
Multicellular plant	<i>Drepanocladusex annulatus</i>	1.600E-02	12	0.245	29
Multicellular plant	<i>Drepanocladusex annulatus</i>	1.800E-02	6	0.511	29
Multicellular plant	<i>Drepanocladusex annulatus</i>	1.900E-02	9	0.511	29
Multicellular plant	<i>Drymis winteri</i>	9.500E+03		0.010	29
Multicellular plant	<i>Drymis winteri</i>	1.700E+04		0.010	29
Multicellular plant	<i>Dryobalanops lanceolata</i>	2.200E+05	26	0.011	29
Multicellular plant	<i>Enhalusa coroides</i>	2.500E+00	28	0.234	29
Multicellular plant	<i>Eurya japonica</i>	5.200E+04	19	0.030	29
Multicellular plant	<i>Eurya japonica</i>	9.000E+04	19	0.022	29
Multicellular plant	<i>Eurya japonica</i>	9.400E+04	19	0.020	29
Multicellular plant	<i>Excoecaria agallocha</i>	2.200E+00	28	1.022	29
Multicellular plant	<i>Fagus grandifolia</i>	1.000E+06	11	0.012	29
Multicellular plant	<i>Faramea juveniles</i>	2.800E-05	28		29
Multicellular plant	<i>Fucus distichus</i>	7.300E-04	11	3.030	29
Multicellular plant	<i>Fucus distichus</i>	6.700E-03	11	2.117	29
Multicellular plant	<i>Fucus distichus</i>	1.300E-02	11	1.679	29
Multicellular plant	<i>Fucus distichus</i>	4.000E-02	11	2.446	29
Multicellular plant	<i>Fucus distichus</i>	3.500E-01	11	1.424	29

Predicting Mortality Rates

McCoy & Gillooly

plant					
Multicellular	<i>Fucus gardneri</i>	2.200E-01	13	0.511	29
plant					
Multicellular	<i>Fucus gardneri</i>	1.200E+00	13	0.657	29
plant					
Multicellular	<i>Guarea glabra</i>	4.000E+05	28	0.010	29
plant					
Multicellular	<i>Guatteria dumetorum</i>	1.200E+06	28	0.005	29
plant					
Multicellular	<i>Gustavia superba</i>	2.400E+05	28	0.003	29
plant					
Multicellular	<i>Halesia carolina</i>	8.900E+05	11	0.005	29
plant					
Multicellular	<i>Halodule uninervis</i>	5.000E-02	28	1.825	29
plant					
Multicellular	<i>Halodule wrightii</i>	3.000E-02		3.577	29
plant					
Multicellular	<i>Hasseltia floribunda</i>	2.200E+05	28	0.026	29
plant					
Multicellular	<i>Hedyosmum arborescens</i>	1.100E+04	19	0.016	29
plant					
Multicellular	<i>Heisterai concinna</i>	1.800E+05	28	0.011	29
plant					
Multicellular	<i>Heterozostera tasmanica</i>	5.000E-02	19	3.650	29
plant					
Multicellular	<i>Hirtella triandra</i>	2.000E+05	28	0.011	29
plant					
Multicellular	<i>Hura crepitans</i>	1.600E+06	28	0.005	29
plant					
Multicellular	<i>Illicium anisatum</i>	3.200E+05	19	0.018	29
plant					
Multicellular	<i>Illicium anisatum</i>	3.900E+05	19	0.024	29
plant					
Multicellular	<i>Illicium anisatum</i>	4.800E+05	19	0.020	29
plant					
Multicellular	<i>Impatiens capensis</i>	1.500E-01	8	2.117	29
plant					
Multicellular	<i>Impatiens pallida</i>	7.500E-01		8.030	29
plant					
Multicellular	<i>Impatiens pallida</i>	1.100E+00	6	6.570	29
plant					
Multicellular	<i>Iris pseudacorus</i>	1.300E+00		0.212	29
plant					
Multicellular	<i>Iris pseudacorus</i>	3.800E+01		0.080	29
plant					
Multicellular	<i>Iris pseudacorus</i>	6.700E+01		0.153	29
plant					
Multicellular	<i>Iris pseudacorus</i>	1.200E+02		0.084	29
plant					
Multicellular	<i>Jacaranda copaia</i>	2.200E+06	28	0.058	29

Predicting Mortality Rates

McCoy & Gillooly

plant					
Multicellular plant	<i>Laminaria longicruris</i>	1.500E+03	10	1.059	29
Multicellular plant	<i>Laminaria saccharina</i>	5.800E+00	12	4.015	29
Multicellular plant	<i>Laminaria saccharina</i>	1.000E+01	12	3.468	29
Multicellular plant	<i>Laminaria saccharina</i>	1.200E+01	12	5.475	29
Multicellular plant	<i>Leathesia difformis</i>	1.400E-02	10	4.380	29
Multicellular plant	<i>Litsea acuminata</i>	2.000E+06	19	0.020	29
Multicellular plant	<i>Litsea acuminata</i>	2.300E+06	19	0.019	29
Multicellular plant	<i>Litsea acuminata</i>	2.500E+06	19	0.019	29
Multicellular plant	<i>Lyonia octandra</i>	1.100E+04	19	0.006	29
Multicellular plant	<i>Macaranga beccariana</i>	4.100E+05	27	0.002	29
Multicellular plant	<i>Macaranga gigantea</i>	1.900E+06	27	0.001	29
Multicellular plant	<i>Macaranga hosei</i>	2.300E+06	27	0.001	29
Multicellular plant	<i>Macaranga hullettii</i>	4.600E+05	27	0.001	29
Multicellular plant	<i>Macaranga hypoleuca</i>	8.800E+05	27	0.000	29
Multicellular plant	<i>Macaranga lamellata</i>	2.800E+05	27	0.000	29
Multicellular plant	<i>Macaranga trachyphylla</i>	7.800E+05	27	0.001	29
Multicellular plant	<i>Macaranga triloba</i>	8.700E+05	27	0.000	29
Multicellular plant	<i>Macaranga winkleri</i>	7.800E+05	27	0.003	29
Multicellular plant	<i>Mercurialis perennis</i>	3.700E-01	10	0.767	29
Multicellular plant	<i>Micromona spusilla</i>	1.900E-12		182.500	29
Multicellular plant	<i>Myrsinese guinii</i>	4.500E+04	19	0.002	29
Multicellular plant	<i>Myrsinese guinii</i>	2.900E+05	19	0.004	29
Multicellular plant	<i>Myrsinese guinii</i>	3.200E+05	19	0.008	29
Multicellular plant	<i>Neolitsea aciculata</i>	9.800E+05		0.022	29
Multicellular plant	<i>Neolitsea</i>	1.500E+06	19	0.019	29

Predicting Mortality Rates

McCoy & Gillooly

plant	<i>aciculata</i>				
Multicellular	<i>Neolitsea</i>	1.600E+06	19	0.023	29
plant	<i>aciculata</i>				
Multicellular	<i>Nereocystis</i>	4.200E+01	11	13.140	29
plant	<i>luetkeana</i>				
Multicellular	<i>Nothofagus</i>	1.800E+04		0.010	29
plant	<i>betuloides</i>				
Multicellular	<i>Nothofagus</i>	6.200E+04		0.005	29
plant	<i>betuloides</i>				
Multicellular	<i>Nothofagus</i>	2.700E+05		0.005	29
plant	<i>betuloides</i>				
Multicellular	<i>Nothofagus</i>	2.700E+05		0.004	29
plant	<i>betuloides</i>				
Multicellular	<i>Nothofagus</i>	7.500E+05		0.004	29
plant	<i>betuloides</i>				
Multicellular	<i>Nothofagus</i>	2.400E+05		0.005	29
plant	<i>pumilio</i>				
Multicellular	<i>Nothofagus</i>	3.200E+05		0.005	29
plant	<i>pumilio</i>				
Multicellular	<i>Nyssa aquatica</i>	1.300E+01		1.898	29
plant					
Multicellular	<i>Ormosia coccinea</i>	4.700E+05	28	0.044	29
plant					
Multicellular	<i>Palmaria palmata</i>	6.000E-02	16	2.336	29
plant					
Multicellular	<i>Panax</i>	4.300E-01	12	0.102	29
plant	<i>quinquefolium</i>				
Multicellular	<i>Parashorea</i>	2.400E+05	26	0.026	29
plant	<i>macrophylla</i>				
Multicellular	<i>Pelvetia fastigiata</i>	6.900E+02	17	1.132	29
plant					
Multicellular	<i>Phaeocystis</i>	5.100E-11		292.000	29
plant	<i>pouchetii</i>				
Multicellular	<i>Phaeodactyllum</i>	1.900E-11	18	6.570	29
plant	<i>tricornutum</i>				
Multicellular	<i>Phaeodactyllum</i>	1.900E-11	18	2.920	29
plant	<i>tricornutum</i>				
Multicellular	<i>Piceaen gelmanii</i>	1.000E+04	11	0.009	29
plant					
Multicellular	<i>Pinus sylvestris</i>	3.100E+04	9	0.018	29
plant					
Multicellular	<i>Podocarpus nagi</i>	2.400E+05	19	0.022	29
plant					
Multicellular	<i>Podocarpus nagi</i>	1.200E+06	19	0.019	29
plant					
Multicellular	<i>Podocarpus nagi</i>	1.200E+06	19	0.022	29
plant					
Multicellular	<i>Podocarpus</i>	1.100E+04	19	0.006	29
plant	<i>urbanii</i>				
Multicellular	<i>Populus</i>	2.500E+02	7	0.332	29

Predicting Mortality Rates

McCoy & Gillooly

plant	<i>tremuloides</i>				
Multicellular plant	<i>Populus tremuloides</i>	4.400E+02	7	0.347	29
Multicellular plant	<i>Posidonia angustifolia</i>	3.700E-01	19	1.241	29
Multicellular plant	<i>Posidonia australis</i>	4.000E-01	19	0.365	29
Multicellular plant	<i>Posidonia sinuosa</i>	2.300E-01	19	0.511	29
Multicellular plant	<i>Posidonia sinuosa</i>	3.000E-01	17	0.475	29
Multicellular plant	<i>Posidonica oceanica</i>	1.900E-01	19	0.172	29
Multicellular plant	<i>Posidonica oceanica</i>	2.200E-01	19	0.204	29
Multicellular plant	<i>Posidonica oceanica</i>	2.700E-01		0.102	29
Multicellular plant	<i>Posidonica oceanica</i>	2.800E-01	19	0.475	29
Multicellular plant	<i>Posidonica oceanica</i>	2.900E-01	19	0.153	29
Multicellular plant	<i>Posidonica oceanica</i>	3.200E-01	19	0.183	29
Multicellular plant	<i>Posidonica oceanica</i>	4.100E-01	17	0.183	29
Multicellular plant	<i>Posidonica oceanica</i>	4.500E-01	19	0.183	29
Multicellular plant	<i>Posidonica oceanica</i>	4.900E-01	19	0.475	29
Multicellular plant	<i>Posidonica oceanica</i>	5.100E-01	19	0.245	29
Multicellular plant	<i>Posidonica oceanica</i>	5.200E-01	17	0.475	29
Multicellular plant	<i>Posidonica oceanica</i>	5.500E-01	19	0.069	29
Multicellular plant	<i>Posidonica oceanica</i>	5.600E-01	17	0.069	29
Multicellular plant	<i>Posidonica oceanica</i>	5.700E-01	17		29
Multicellular plant	<i>Posidonica oceanica</i>	5.800E-01	17	0.080	29
Multicellular plant	<i>Posidonica oceanica</i>	5.800E-01	19	0.548	29
Multicellular plant	<i>Posidonica oceanica</i>	6.300E-01	17	0.234	29
Multicellular plant	<i>Posidonica oceanica</i>	6.300E-01	19	0.161	29
Multicellular plant	<i>Posidonica oceanica</i>	6.500E-01	17	0.080	29
Multicellular	<i>Posidonica</i>	6.800E-01	17	0.183	29

Predicting Mortality Rates

McCoy & Gillooly

plant	<i>oceanica</i>				
Multicellular plant	<i>Posidonica oceanica</i>	7.200E-01	19	0.069	29
Multicellular plant	<i>Posidonica oceanica</i>	7.300E-01	19	0.263	29
Multicellular plant	<i>Posidonica oceanica</i>	8.000E-01	19	0.080	29
Multicellular plant	<i>Posidonica oceanica</i>	8.200E-01	19	0.336	29
Multicellular plant	<i>Posidonica oceanica</i>	9.400E-01	19	0.080	29
Multicellular plant	<i>Posidonica oceanica</i>	1.300E+00	17	0.062	29
Multicellular plant	<i>Posidonica oceanica</i>	1.300E+00	19	0.062	29
Multicellular plant	<i>Posidonica oceanica</i>	1.300E+00	19	0.274	29
Multicellular plant	<i>Posidonica oceanica</i>	1.300E+00	19	0.263	29
Multicellular plant	<i>Potentilla matsumurae</i>	1.100E+00	15	0.365	29
Multicellular plant	<i>Potentilla matsumurae</i>	1.800E+00	15	4.380	29
Multicellular plant	<i>Poulsenia armata</i>	1.100E+06	28	0.035	29
Multicellular plant	<i>Pterocarpus rohrii</i>	9.400E+05	28	0.062	29
Multicellular plant	<i>Quararibea asterolepsis</i>	2.800E+06	28	0.006	29
Multicellular plant	<i>Quercuss sp.</i>	5.000E+05	10	0.011	29
Multicellular plant	<i>Quercuss sp.</i>	5.000E+05	10	0.004	29
Multicellular plant	<i>Quercuss sp.</i>	5.000E+05	11	0.011	29
Multicellular plant	<i>Quercuss sp.</i>	5.000E+05	11	0.004	29
Multicellular plant	<i>Quercuss sp.</i>	5.000E+05	12	0.004	29
Multicellular plant	<i>Quercuss sp.</i>	5.000E+05	12	0.004	29
Multicellular plant	<i>Quercuss sp.</i>	5.000E+05	13	0.007	29
Multicellular plant	<i>Quercuss sp.</i>	5.000E+05	13	0.007	29
Multicellular plant	<i>Quercuss sp.</i>	5.000E+05	14	0.009	29
Multicellular plant	<i>Quercuss sp.</i>	5.000E+05	14	0.006	29
Multicellular plant	<i>Quercuss sp.</i>	5.000E+05	16	0.005	29

plant					
Multicellular	<i>Quercuss sp.</i>	5.000E+05	16	0.005	29
plant					
Multicellular	<i>Quercuss sp.</i>	5.000E+05		0.008	29
plant					
Multicellular	<i>Quercuss sp.</i>	5.000E+05		0.002	29
plant					
Multicellular	<i>Rhizophora</i>	1.800E+01	28	0.358	29
plant	<i>apiculata</i>				
Multicellular	<i>Rhizophora</i>	2.300E+02	27	0.153	29
plant	<i>apiculata BL.</i>				
Multicellular	<i>Rhizophora</i>	3.200E+02	27	0.088	29
plant	<i>apiculata BL.</i>				
Multicellular	<i>Rhizophor</i>	7.000E+00	28	0.062	29
plant	<i>amucronata</i>				
Multicellular	<i>Rhizophor</i>	7.000E+00	28	0.193	29
plant	<i>amucronata</i>				
Multicellular	<i>Rhizophor</i>	7.000E+00	28	0.186	29
plant	<i>amucronata</i>				
Multicellular	<i>Rhizophor</i>	7.000E+00	28	0.088	29
plant	<i>amucronata</i>				
Multicellular	<i>Rhizophor</i>	7.000E+00	28	0.183	29
plant	<i>amucronata</i>				
Multicellular	<i>Rhizophor</i>	7.000E+00	28	0.949	29
plant	<i>amucronata</i>				
Multicellular	<i>Rhizophor</i>	5.700E+01	28	0.402	29
plant	<i>amucronata</i>				
Multicellular	<i>Rhododendron</i>	1.600E+05	19	0.030	29
plant	<i>tashiroi</i>				
Multicellular	<i>Rhododendron</i>	1.600E+05	19	0.007	29
plant	<i>tashiroi</i>				
Multicellular	<i>Rhododendron</i>	2.300E+05	19	0.022	29
plant	<i>tashiroi</i>				
Multicellular	<i>Salicornia europea</i>	1.800E-02	10	1.460	29
plant					
Multicellular	<i>Salicornia europea</i>	7.000E-02	10	1.570	29
plant					
Multicellular	<i>Salix nigra</i>	2.900E+01		1.314	29
plant					
Multicellular	<i>Sargassum</i>	3.800E-02	18	2.081	29
plant	<i>sinclairii</i>				
Multicellular	<i>Sargassum</i>	2.200E+01	18	3.066	29
plant	<i>sinclairii</i>				
Multicellular	<i>Sargassum spp.</i>	3.800E+00	20	2.701	29
plant					
Multicellular	<i>Solidago</i>	1.400E-01	7	0.803	29
plant	<i>canadensis</i>				
Multicellular	<i>Solidago</i>	1.900E-01	7	1.643	29
plant	<i>canadensis</i>				
Multicellular	<i>Sonneratia</i>	6.400E-01	28	3.249	29

Predicting Mortality Rates

McCoy & Gillooly

plant	<i>caseolaris</i>				
Multicellular plant	<i>Sonneratia caseolaris</i>	6.400E-01	28	1.022	29
Multicellular plant	<i>Sonneratia caseolaris</i>	6.400E-01	28	4.380	29
Multicellular plant	<i>Sonneratia caseolaris</i>	6.400E-01	28	2.336	29
Multicellular plant	<i>Sonneratia caseolaris</i>	6.400E-01	28	1.716	29
Multicellular plant	<i>Sonneratia caseolaris</i>	6.400E-01	28	5.110	29
Multicellular plant	<i>Sonneratia caseolaris</i>	6.500E+00	28	0.009	29
Multicellular plant	<i>Spartina alterniflora</i>	1.900E-01	14	0.694	29
Multicellular plant	<i>Spartina alterniflora</i>	3.300E-01	14	0.767	29
Multicellular plant	<i>Spartina alterniflora</i>	3.500E-01	14	0.840	29
Multicellular plant	<i>Spartina alterniflora</i>	4.100E-01	14	0.767	29
Multicellular plant	<i>Sphagnum subsecundum</i>	1.600E-02	9	0.913	29
Multicellular plant	<i>Sphagnum subsecundum</i>	1.700E-02	12	1.022	29
Multicellular plant	<i>Sphagnum subsecundum</i>	2.800E-02	9	0.730	29
Multicellular plant	<i>Sphagnum subsecundum</i>	3.300E-02	6	0.548	29
Multicellular plant	<i>Symphoricarpos occidentalis</i>	3.500E+01	0	0.099	29
Multicellular plant	<i>Symplocos glauca</i>	1.600E+05	19	0.080	29
Multicellular plant	<i>Symplocos glauca</i>	1.700E+05	19	0.066	29
Multicellular plant	<i>Symplocos glauca</i>	1.800E+05	19	0.044	29
Multicellular plant	<i>Symplocos prunifolia</i>	7.300E+05	19	0.051	29
Multicellular plant	<i>Symplocos prunifolia</i>	1.200E+06	19	0.036	29
Multicellular plant	<i>Symplocos prunifolia</i>	1.400E+06	19	0.058	29
Multicellular plant	<i>Symplocos tanakae</i>	1.100E+05	19	0.033	29
Multicellular plant	<i>Symplocos tanakae</i>	1.100E+05	19	0.037	29
Multicellular plant	<i>Symplocos tanakae</i>	1.500E+05	19	0.047	29
Multicellular	<i>Syringodium</i>	6.000E-02	26	2.081	29

Predicting Mortality Rates

McCoy & Gillooly

plant	<i>filiforme</i>				
Multicellular plant	<i>Syringodium filiforme</i>	1.900E-01	27	1.168	29
Multicellular plant	<i>Syringodium isoetifolium</i>	9.000E-02	28	2.482	29
Multicellular plant	<i>Taxodium distichum</i>	1.100E+01		0.986	29
Multicellular plant	<i>Tetragastris panamensis</i>	7.400E+05	28	0.019	29
Multicellular plant	<i>Thalassia hemprichii</i>	2.600E-01	28	0.475	29
Multicellular plant	<i>Thalassia testudinum</i>	4.400E-01	26	1.387	29
Multicellular plant	<i>Thalassia testudinum</i>	4.600E-01	26	1.022	29
Multicellular plant	<i>Thalassia testudinum</i>	5.700E-01	26	0.876	29
Multicellular plant	<i>Thalassodendron ciliatum</i>	4.400E-01	26	0.730	29
Multicellular plant	<i>Thalassodendron pachyrrizum</i>	5.800E-01	17	0.438	29
Multicellular plant	<i>Tila heterophylla</i>	2.000E+06	11	0.010	29
Multicellular plant	<i>Tillandsia sp</i>	1.700E-01	19	0.270	29
Multicellular plant	<i>Trichilia tuberculata</i>	4.100E+05	28	0.017	29
Multicellular plant	<i>Trifolium repens</i>	9.000E-02	8	0.876	29
Multicellular plant	<i>Trifolium repens</i>	1.700E-01	8	0.730	29
Multicellular plant	<i>Trifolium repens</i>	2.100E-01	8	0.949	29
Multicellular plant	<i>Trifolium repens</i>	4.100E-01	8	0.621	29
Multicellular plant	<i>Tsuga canadensis</i>	2.500E+06	11	0.007	29
Multicellular plant	<i>Typha latifolia</i>	3.100E+01	9	1.387	29
Multicellular plant	<i>Urtica dioica</i>	3.000E+00	8	3.504	29
Multicellular plant	<i>Viola blanda</i>	7.600E-01	9	0.318	29
Phytoplankton	<i>Tropical Atlantic phytoplankton communities</i>	7.600E-15	29	226.300	29
Phytoplankton	<i>Tropical Atlantic phytoplankton communities</i>	7.800E-15	29	365.000	29
Phytoplankton	<i>Tropical Atlantic</i>	7.900E-15	29	135.050	29

Predicting Mortality Rates

McCoy & Gillooly

Phytoplankton	<i>phytoplankton communities Tropical Atlantic</i>	1.300E-14	29	233.600	29
Phytoplankton	<i>phytoplankton communities Tropical Atlantic</i>	2.100E-14	27	156.950	29
Phytoplankton	<i>phytoplankton communities Tropical Atlantic</i>	4.300E-14	29	94.900	29
Phytoplankton	<i>phytoplankton communities Tropical Atlantic</i>	6.100E-14	20	36.500	29
Phytoplankton	<i>phytoplankton communities Tropical Atlantic</i>	1.100E-13	24	365.000	29
Phytoplankton	<i>phytoplankton communities Tropical Atlantic</i>	1.300E-13	17	3.650	29
Phytoplankton	<i>phytoplankton communities Tropical Atlantic</i>	1.900E-13	24	25.915	29
Phytoplankton	<i>phytoplankton communities Tropical Atlantic</i>	2.000E-13	24	295.650	29
Phytoplankton	<i>phytoplankton communities Tropical Atlantic</i>	2.800E-13	18	14.600	29
Phytoplankton	<i>phytoplankton communities Tropical Atlantic</i>	3.000E-13	25	693.500	29
Phytoplankton	<i>phytoplankton communities Tropical Atlantic</i>	3.700E-13	20	31.755	29
Phytoplankton	<i>phytoplankton communities Tropical Atlantic</i>	4.900E-13	24	912.500	29
Phytoplankton	<i>phytoplankton communities Tropical Atlantic</i>	6.100E-13	18	20.440	29
Phytoplankton	<i>phytoplankton communities Tropical Atlantic</i>	7.300E-13	20	25.185	29
Phytoplankton	<i>phytoplankton communities Tropical Atlantic</i>	1.200E-12	21	18.250	29
Phytoplankton	<i>Tropical Atlantic</i>	1.600E-12	21	80.300	29

	<i>phytoplankton communities Tropical Atlantic</i>				
Phytoplankton	<i>phytoplankton communities Tropical Atlantic</i>	1.800E-12	20	62.050	29
Phytoplankton	<i>phytoplankton communities Tropical Atlantic</i>	1.800E-12	22	51.100	29
Phytoplankton	<i>phytoplankton communities Tropical Atlantic</i>	1.900E-12	23	113.150	29
Phytoplankton	<i>phytoplankton communities Tropical Atlantic</i>	2.500E-12	22	7.300	29
Phytoplankton	<i>phytoplankton communities Tropical Atlantic</i>	3.200E-12	17	20.805	29
Phytoplankton	<i>phytoplankton communities Tropical Atlantic</i>	3.200E-12	25	109.500	29
Phytoplankton	<i>phytoplankton communities Tropical Atlantic</i>	4.500E-12	18	33.215	29
Phytoplankton	<i>phytoplankton communities Tropical Atlantic</i>	4.500E-12	19	58.400	29
Phytoplankton	<i>phytoplankton communities Tropical Atlantic</i>	4.700E-12	20	65.700	29
Phytoplankton	<i>phytoplankton communities Tropical Atlantic</i>	3.400E-11	22	8.030	29
Phytoplankton	<i>phytoplankton communities Tropical Atlantic</i>	3.200E-10	22	32.485	29
Phytoplankton	<i>phytoplankton communities Tropical Atlantic</i>	6.400E-10	28	215.350	29
Phytoplankton	<i>Mediterranean phytoplankton</i>	5.600E-13	25	204.400	29
Phytoplankton	<i>Mediterranean phytoplankton</i>	1.100E-12	17	193.450	29
Phytoplankton	<i>Mediterranean phytoplankton</i>	3.800E-12		313.900	29

Data for *Fregata magnificens* was excluded from the data set because the longevity estimate from reference 1 was much too low.

Data References

1. Carey JR, Judge DS (2000) Longevity Records: Life Spans of Mammals, Birds, Amphibians, Reptiles, and Fish. Odense: Odense University Press. 241 p.

2. Dunning JB (1993) CRC Handbook of Avian Body Masses. Boca Raton: CRC Press.
3. Ricklefs RE (1998) Evolutionary theories of aging: Confirmation of a fundamental prediction, with implications for the genetic basis and evolution of life span. *American Naturalist* 152(1): 24-44.
4. Gillooly JF, Brown JH, West GB, Savage VM, Charnov EL (2001) Effects of Size and Temperature on Metabolic Rate. *Science* 293(5538): 2248-2251
5. Pauly D (1980) On the interrelationships between natural mortality, growth parameters, and mean environmental temperature in 175 fish stocks. *ICES Journal of Marine Science* 39(2): 175-192.
6. Mauchline J (1988) Growth and breeding of meso-and bathypelagic organisms of the Rockall Trough, northeastern Atlantic Ocean and evidence of seasonality. *Marine Biology* 98(3): 387-393.
7. Childress JJ, Taylor SM, Cailliet GM, Price MH (1980) Patterns of growth, energy utilization and reproduction in some meso-and bathypelagic fishes off Southern California. *Marine Biology* 61(1): 27-40.
8. Froese R. and M.D. Palomares (2000) Growth, natural mortality, length–weight relationship, maximum length and length-at-first-maturity of the coelacanth *Latimeria chalumnae* *Environmental Biology of Fishes* 58: 45-52.9. Stephens C, Antonov II, Boyer TP, Conkright ME, Locarnini RA et al. (2002) World Ocean Atlas 2001, Volume 1: Temperature. NOAA Atlas NESDIS 49.
10. Cailliet GM, Andrews AH, Burton EJ, Watters DL, Kline DE et al. (2001) Age determination and validation studies of marine fishes: do deep-dwellers live longer? *Experimental Gerontology* 36(4-6): 739-764.
11. Orr JW, Brown MA, Baker DC, Alaska Fisheries Science C (1998) Guide to Rockfishes (Scorpaenidae) of the Genera *Sebastes*, *Sebastolobus*, and *Adelosebastes* of the Northeast Pacific Ocean: Available through National Technical Information Service.
12. Smith DC, Fenton GE, Robertson SG, Short SA (1995) Age determination and growth of orange roughy (*Hoplostethus atlanticus*): a comparison of annulus counts with radiometric ageing. *Canadian Journal of Fisheries and Aquatic Sciences* 52(2): 391-401.
13. Kelly CJ, Connolly PL, Bracken JJ (1997) Age estimation, growth, maturity and distribution of the roundnose grenadier from the Rockall trough. *Journal of Fish Biology* 50(1): 1-17.
14. Andrews AH, Cailliet GM, Coale KH (1999) Age and growth of the Pacific grenadier (*Coryphaenoides acrolepis*) with age estimate validation using an improved radiometric ageing technique. *Canadian Journal of Fisheries and Aquatic Sciences* 56(8): 1339-1350.
15. Bergquist DC, Williams FM, Fisher CR (2000) Longevity record for a deep-sea invertebrate. *Nature* 403: 499-500.
16. Fisher CR, Urcuyo IA, Simpkins MA, Nix E (1997) Life in the slow lane: Growth and longevity of cold-seep vestimentiferans. *Marine ecology* 18(1): 83-94.
17. Gooday AJ, Bett BJ, Pratt DN (1993) Direct observation of episodic growth in an abyssal xenophyophore (Protista). *Deep-sea research Part 1 Oceanographic research papers* 40(11-12): 2131-2143.

18. Scheltema AH (1987) Reproduction and rapid growth in a deep-sea aplacophoran mollusc, *Prochaetoderma yongei*. Marine Ecology Progress Series 37: 171-180.
19. Turekian KK, Cochran JK, Bennett JT (1983) Growth rate of a vesicomyid clam from the 21° N East Pacific Rise hydrothermal area. Nature 303(5912): 55-56.
20. Turekian KK, Cochran JK (1981) Growth Rate of a Vesicomyid Clam from the Galapagos Spreading Center. Science 214(4523): 909-911.
21. Turekian KK, Cochran JK, Nozaki Y (1979) Growth rate of a clam from the Galapagos Rise hot spring field using natural radionuclide ratios. Nature 280(5721): 385-387.
22. Rhoads DC, Lutz RA, Revelas EC, Cerrato RM (1981) Growth of bivalves at deep-sea hydrothermal vents along the galapagos rift. Science 214(4523): 911-913.
23. Gage JD, Tyler PA, Nichols D (1986) Reproduction and growth of *Echinus acutus* var. *norvegicus* Dueben and Koren and *E. elegans* Dueben and Koren on the continental slope off Scotland. Journal of Experimental Marine Biology and Ecology 101(1): 61-83.
24. Turner RD, Lutz RA (1984) Growth and distribution of mollusks at deep-sea vents and seeps. Oceanus 27(3): 55-62.
25. Brey T (2001) Population dynamics in benthic invertebrates. Available: <http://www.awi-bremerhaven.de/Benthic/Ecosystem/FoodWeb/Handbook/main.html>.
26. Mauchline J (1985) Growth and production of Euphausiacea (Crustacea) in the Rockall Trough. Marine Biology 90(1): 19-26.
27. Gage JD (2003) Growth and production of *Ophiocten gracilis* (Ophiuroidea: Echinodermata) on the Scottish continental slope. Marine Biology 143(1): 85-97.
28. Smith FA, Lyons SK, Ernest SKM, Jones KE, Kaufman DM et al. (2003) Body mass of late quaternary mammals. Ecology 84(12): 3403-3403.
29. Marba N, Duarte CM, Agusti S (2007) Allometric scaling of Multicellular plant life history. Proceedings of the National Academy of Sciences 104(40): 15777-15780.
30. Taylor, C.C. (1959) Temperature and growth - The pacific razor clam. ICES Journal of Marine Science 25: 93-101