

KNOWLEDGE FABRIC

User Manual

Create, Refine, and Operate with Your
Ontology

ENGLISH EDITION

Empower your organization with AI-driven Ontology

Platform Highlights

Knowledge Fabric turns ontology into a practical operating layer for business work.

01

AI-Driven Ontology Building

Guide AI to ingest materials, extract knowledge, verify structure, and refine the ontology through a conversational workflow.

02

Ontology-Based Business Execution

Use approved ontology knowledge to run real business tasks, review execution results, and confirm system evidence.

Create New Knowledge

Knowledge Fabric

+ New Chat

My Knowledge

Resource Library

Run History

Data Sources

My Favorites

Recent Activity

No activity yet

J jenna fu

What can I help you build?

Start building new knowledge or continue an existing one.

Create new Knowledge

Ask about Knowledge

Run a task

Ingest new Resources

Send a message or type "/" for commands

+🔍📖

🔊⬆

KNOWLEDGE FABRIC / SECTION 00

03

Import materials from different sources and start ingesting

The screenshot displays the Knowledge Fabric interface, divided into three main sections: Knowledge Fabric, Building Knowledge, and a central workspace.

Knowledge Fabric (Left Sidebar):

- Knowledge Fabric**
 - + New Chat
 - My Knowledge
 - Resource Library
 - Run History
 - Data Sources
- My Favorites**
- Recent Activity**
 - I want to create a new ...
Untitled Knowled... just now
- User: J jenna fu

Building Knowledge (Right Panel):

- Progress:** Bootstrap (active), Ingest, Verify, Review.
- COVERAGE DOMAIN:**
Example: core business objects, key flows, rule constraints, and common questions
- SOURCE MATERIALS:**
No materials yet


Central Workspace:

- Untitled Knowledge Base**
- around the actual system rather than a generic vims outline. For example.

 - product docs
 - SOPs or process docs
 - API specs
 - database or entity definitions
 - requirement docs
 - architecture diagrams
 - sample reports or operational rules

- Once those are in, I'll turn that into a concrete knowledge structure.
- Actions: Copy, Download, Share
- Context Menu (Open):**
 - Upload files
 - Upload folder
 - From Resource Library** (highlighted by a cursor)
- Text input: "se SOPs and API specs as the initial scope"
- Text input: "and shipping"
- Text input: "mmands"
- Bottom bar: +, Link icon, Untitled Knowledge..., Microphone, Upload icon

Select existing Resource Library materials for import



Send materials to AI for parsing and knowledge extraction

The screenshot displays the Knowledge Fabric interface, which is divided into several sections:

- Knowledge Fabric (Left Sidebar):** Contains navigation options: New Chat, My Knowledge, Resource Library, Run History, and Data Sources. Below these are sections for My Favorites and Recent Activity, with a recent activity entry: "I want to create a new ... Untitled Knowled... just now".
- Untitled Knowledge Base (Main Content Area):** Shows a list of materials: requirement docs, architecture diagrams, and sample reports or operational rules. Below the list is a text input field with the placeholder "Send a message or type '/' for commands". A button labeled "here" is positioned to the right of the input field. A file icon labeled "wms-ym-s-api.md Text" is also visible.
- Building Knowledge (Right Sidebar):** Features a progress bar with four stages: Bootstrap (active), Ingest, Verify, and Review. Below the progress bar is a section titled "COVERAGE DOMAIN" with a text input field containing the example: "Example: core business objects, key flows, rule constraints, and common questions". Below this is a section titled "SOURCE MATERIALS" with the text "No materials yet".

Add documents or folders to Resource Library

Knowledge Fabric

+ New Chat

My Knowledge

Resource Library

Run History

Data Sources

My Favorites

Knowledge

CSR Operational Ontology old


WMS & YMS Outbound Operations Knowledge Base

美国关税政策知识库

Resource Library

File	Linked Knowledge	Size	Updated	Actions
csms_64649265	美国关税政策知识库	680 KB	2026-07-28 22:32	
csms_64648875	美国关税政策知识库	1 KB	2026-07-28 22:26	
csms_64639013	美国关税政策知识库	39 KB	2026-07-28 22:20	
csms_64634444	美国关税政策知识库	64 KB	2026-07-28 22:15	
csms_64624801	美国关税政策知识库	78 KB	2026-07-28 22:11	
team-weekly-report-management Bitbucket · Code repository · main	Unlinked	94 KB	2026-08-25 15:20	
mp-agent Bitbucket · Code repository · stage	Unlinked	13.9 MB	2026-08-24 18:50	
marketplace-web Bitbucket · Code repository · stage	Unlinked	14.2 MB	2026-08-24 18:48	
wms-yms-api-copy.md	Unlinked	15 KB	2026-08-24 18:02	
wms-yms-api-copy.md	Unlinked	15 KB	2026-08-23 00:43	
managed-agents.md	3767a872-3d37-426c-8d78-98	4 KB	2026-08-15 19:48	
a-practical-guide-to-building-agents.md	3767a872-3d37-426c-8d78-98	29 KB	2026-08-15 19:48	

Import local files or folders, Bitbucket repositories, and videos



Let AI guide the full knowledge-building process

Knowledge Fabric

+ New Chat

My Knowledge

Resource Library

Run History

Data Sources

My Favorites

Recent Activity

I want to create a new ...
Warehouse Man... 10:08

J jenna fu

Warehouse Management System Knowledge Base

Read pending_review/drafts/ingest-wms-yms-api-2026-08-24-5e6b/knowledge/business_objects/Appointment.md

Read pending_review/drafts/ingest-wms-yms-api-2026-08-24-5e6b/knowledge/sources/wms-yms-api.md

Write verify/wms-yms-api-2026-08-24-5e6b/knowledge-answers.json

Read verify/wms-yms-api-2026-08-24-5e6b/knowledge-answers.json

Write verify/wms-yms-api-2026-08-24-5e6b/results.json

Bash python - <<'PY' from pathlib import Path root=Path('pending_review/drafts/ingest-wms-yms-api-2026-08-24-5e6b/knowledge') for p in sorted(root.rglob('*.*md')): re...

Write pending_review/drafts/ingest-wms-yms-api-2026-08-24-5e6b/meta.json

Write ingest-plans/wms-yms-api-2026-08-24-5e6b.json

Update journey done · review · verify

Got it — initializing your knowledge structure now.
Batch 1/1 completed.

Send a message or type "/" for commands

+ Warehouse Manag...

Building Knowledge

Bootstrap

Ingest

Verify

Review

Knowledge Structure

business_capabilities/

OutboundShipping.md

business_flows/

CreateOutboundAppointment.md

business_objects/

Appointment.md

Load.md

OutboundOrder.md

interfaces/

WMSAPI.md

Write All

KNOWLEDGE FABRIC / SECTION 02

09

Automatically Build Ontology from Knowledge

AI Marketplace Platform Knowledge

- 某个规则写得像结论、不像约束
- 某个能力其实只是规划，不该写成已上线

你直接指出来，我会继续按同一批草稿往下修。

Knowledge 已写入，已根据本次变更启动 Ontology 同步。

14 steps

我建议先按这 3 个业务判断场景来建初始本体，并按这个顺序处理：

1. Checkout购买资格与下单执行

- 决策问题：当前购物车是否允许继续提交订单，以及应走哪条 checkout 分支
- 目标对象：Cart 与 OrderSubmission

2. 运营审批决策与权限

- 决策问题：当前用户是否有权查看/处理审批，以及审批项能否被批准、拒绝或取消
- 目标对象：Approval Request 与 Ops User Permission

3. 客户项目进度可见性与里程碑加载

- 决策问题：某个项目在项目页应展示哪些进度节点、里程碑和最新动态
- 目标对象：CustomerProject 与 ProjectMilestone

这样排的原因是：

- checkout 这条链路证据最完整，既有对象、规则、接口，也有明确分支判断，适合作为初始 ontology slice；
- ops 审批其次，具备权限、状态、动作和人工决策；
- 项目进度更偏只读判断，但也适合补出对象关系和实例。

如果你没有要调整优先级，我就按这个顺序直接开始第一个场景建模。


Send a message or type "/" for commands

AI Marketplace Pla...

KNOWLEDGE FABRIC / ONTOLOGY

10

Ontology Graph



Mention documents or folders for discussion

Warehouse Management System Knowledge Base

safely add new object instances or links beyond the previously modeled example set.

Validation

- Ran: `python3 tools/validate_ontology.py ontology --stage final`
- Result: **passed**

Uncertain impact / gaps

- The **PLANNED** vs **COMMITTED/PARTIAL_COMMITTED** status conflict is now reflected as a **candidate/conflicted rule surface**, not a confirmed replacement rule.
- The SharePoint logging and communication artifacts are modeled structurally, but no concrete approved instance values were added because the new knowledge is SOP-oriented rather than record-oriented.

Send a message or type "/" for commands

+ Warehouse Manag...

Explore Knowledge Ontology

Warehouse Management System Knowledge Base

- business_capabilities
- OutboundShipping.md** @
- business_flows
- business_objects
- interfaces
- rules
- sources
- syntheses
- glossary.md
- index.md
- log.md
- overview.md

> Pending Writes 0

Just say how you want to modify

The screenshot displays the Knowledge Fabric interface, which is divided into several sections:

- Knowledge Fabric (Left Sidebar):** Contains links to 'New Chat', 'My Knowledge', 'Resource Library', 'Run History', and 'Data Sources'. Below these are 'My Favorites' and 'Recent Activity' sections. A recent activity entry reads: 'I want to create a new ... Warehouse Man... 10:21'.
- Warehouse Management System Knowledge Base (Main Content Area):**
 - Validation:** Shows a command run: `python3 tools/validate_ontology.py ontology --stage final` with the result: **passed**.
 - Uncertain impact / gaps:** Lists two points:
 - The **PLANNED** vs **COMMITTED/PARTIAL_COMMITTED** status conflict is now reflected as a **candidate/conflicted rule surface**, not a confirmed replacement rule.
 - The SharePoint logging and communication artifacts are modeled structurally, but no concrete approved instance values were added because the new knowledge is SOP-oriented rather than record-oriented.
 - OutboundShipping.md:** A file tab is active, showing the text 'remove the purpose part'.
 - Warehouse Manag...:** A resource tab is active, showing a '+' icon, a link icon, and a microphone icon.
- Explore (Right Sidebar):** Contains a list of knowledge base components: business_capabilities, business_flows, business_objects, interfaces, rules, sources, syntheses, glossary.md, index.md, log.md, and overview.md. A 'Pending Writes' section at the bottom shows a count of 0.

Use slash commands in the chat box to trigger precise shortcuts

The screenshot displays the 'Warehouse Management System Knowledge Base' interface. On the left, a sidebar titled 'Knowledge Fabric' includes links for 'New Chat', 'My Knowledge', 'Resource Library', 'Run History', and 'Data Sources'. Below these are sections for 'My Favorites' and 'Recent Activity', with a recent entry 'I want to create a new ... Warehouse Man...' at 10:33. The user 'jenna fu' is logged in.

The main chat area shows a conversation with the message 'I want to create a new knowledge base' at 10:33. Below the message is a list of slash commands:

- /query**: Ask about knowledge content, business logic, or definitions
- /operate**: Execute a concrete business task from knowledge and ontolo...
- /ingest**: Ingest documents, folders, or code repositories
- /ontology-distill**: Distill the full ontology from knowledge

At the bottom is a chat input box with a cursor, a plus icon, a link icon, and a tab labeled 'Warehouse Manag...'. To the right, an 'Explore' panel shows a tree view of the knowledge base structure:

- business_capabilities
- business_flows
- business_objects
- interfaces
- rules
- sources
- syntheses
- glossary.md
- index.md
- log.md
- overview.md

At the bottom of the Explore panel is a 'Pending Writes' section with a count of 0.

Select your target Ontology

Knowledge Fabric

+ New Chat

My Knowledge

Resource Library

Run History

Data Sources

My Favorites

Knowledge

CSR Operational Ontology old

WMS & YMS Outbound Operations Knowledge Base

US Tax Ontology

D Development User

My Knowledge

All

Active

Designing

Created by me

2 Knowledge bases you own and manage

+ Create new knowledge

CSR Operational Ontology old

WMS/YMS domain models, business processes, API...

2026-08-25 ☆

US Tax Ontology

US Tax Policies & News

2026-08-25

Search

Grid

Menu


Most recent

+ Create new


KNOWLEDGE FABRIC / SECTION 05

15

Continue a previous conversation or start a new one



Run real business operations guided by Ontology



Confirm successful execution with API evidence

← Back

title

appointment create.json

type

Plain text

tags

—

sources

operations/op_20260817-103420Z__create-load-appointment__d28y1a/artifacts/appointment-create.json

updated

24 lines

```
{
  "code": 0,
  "msg": "OK",
  "success": true,
  "data": {
    "id": 6899,
    "appointmentId": "APPT-32",
    "appointmentType": "OUTBOUND",
    "carrierId": "ORG-379041",
    "appointmentTime": "2026-08-19T15:30:00",
    "appointmentStatus": "NEW",
    "customerIds": ["ORG-594369"],
    "entryId": "ET-91",
    "referenceCode": "5CZT1Q",
    "serviceTypes": ["Live Load"],
    "verificationStatus": "PENDING_DRIVER_ASSIGNMENT"
  }
}
```