


END-USER GUIDE / VERSION 1.1

End-User *Manual*

Work clearly. Verify confidently.

An illustrated guide to signing in, working with conversations and agents, handling files, and sharing results safely.



AUDIENCE

End users and business operators

LAST VERIFIED

July 31, 2026

PRODUCT URL

itemgpt.item.com

About the screenshots: These screens were captured with Playwright from the current ItemGPT interface. Authenticated screens use the synthetic user **Alex Taylor** and synthetic business data. No production chat, customer, account, or credential data is shown. Available models and controls may vary by role, account, and ItemGPT setup.

1. Purpose

This SOP explains how to use ItemGPT safely and consistently for everyday work. It covers the normal end-user workflow from sign-in through completing a request, saving or sharing the result, and ending the session.

2. Before You Start


Confirm that you have:

- An approved company account with ItemGPT access.
- A current desktop browser, preferably Chrome or Edge.
- Permission to access any business system or data required for the task.
- Permission to upload or share the data involved in your request.
- A clear task, time range, and expected output format.

Do not upload passwords, access keys, other secrets, or data that is not approved for use in ItemGPT.

3. Sign In


1. Open `https://itemgpt.item.com`.
2. Select **Login**.
3. Complete your company's sign-in steps.
4. Complete multi-factor authentication if requested.
5. After ItemGPT opens, confirm your name in the lower-left corner.



If sign-in returns you to the login screen, see [Troubleshooting](#).

4. Workspace Overview

After sign-in, ItemGPT opens a new conversation workspace.



CALLOUT	CONTROL	PURPOSE
1	Model selector	Select the available AI model for the conversation.
2	New Connection	Start a clean conversation without relying on an earlier chat.
3	Agent	Open the agent library and select a specialist.

Other important areas:

- **Active Connections** in the left sidebar lists your saved conversations.
- **Try asking** cards provide example requests. Selecting a card places its text in the message box; review it before sending.
- **Agents** shows quick access to built-in and personal agents.
- The message box at the bottom accepts instructions, pasted content, and supported files.
- Upper-right controls can include notifications, theme, usage information, and other optional settings. What you see depends on your account.

5. Start a Conversation

Use **New Connection** when you begin a new topic, change the task or data source, or no longer want the previous conversation to influence the answer.

Procedure

1. Select **New Connection**.
2. Confirm the model and, when needed, select the appropriate Agent.
3. Enter a specific request in the message box.
4. Add a file if the task depends on a document or image.
5. Review the request for sensitive data and ambiguous instructions.
6. Press **Enter** or select the send button.
7. Wait for the answer and any tool activity to complete.
8. Verify important facts before using the result.

Keyboard behavior:

- **Enter** sends the request.
- **Shift+Enter** inserts a new line.
- **Escape** stops generation while a response is running.

Keep related follow-up questions in the same conversation. Start a new connection when the subject or business context changes.

6. Write an Effective Request

Use this structure:

```
Task: What do you want ItemGPT to do?
Context: Which document, system, business scope, date range, or process is involved?
Constraints: What must ItemGPT include, exclude, or avoid changing?
Output: What format, level of detail, and language do you need?
Verification: What facts or source references should ItemGPT show?
```


Example:

```
Task: Summarize the attached project status note.
Context: This is for the weekly operations review.
Constraints: Do not infer missing dates or owners. Flag unclear statements.
Output: Give me a five-bullet executive summary followed by the three
highest-priority follow-up actions, with an owner placeholder for each.
Verification: Quote the source line that supports each action.
```

Good requests identify the object, time range, units, source, and desired output. For example, prefer "Summarize the attached July 1-7 support report, grouped by category and showing totals" over "Show recent activity."

7. Select a Model

1. Select the model name in the upper-left area of the workspace.
2. Review the available models and any guidance shown for them.
3. Select the model appropriate for the task.
4. Continue the conversation.




The models you see depend on your ItemGPT setup. Some models show optional controls for response depth or length. Keep the default settings unless your task needs something different.

Changing models can change response style and capability. Re-check critical outputs after a model change.

8. Attach a File

You can attach files by selecting the paperclip, dragging files into the message area, or pasting a copied file or screenshot.



CALLOUT	ACTION
1	Select the paperclip and choose one or more files.
2	Explain exactly how ItemGPT should use the attachment.
3	Review the selected file and request, then send.

ItemGPT accepts images and common document, spreadsheet, presentation, text, data, and ZIP formats, including PDF, DOCX, PPTX, XLSX, CSV, TXT, Markdown, JSON, XML, YAML, and YML. The upload limit is 100 MB per file, although some workflows may accept smaller files only.

Before sending:

- Confirm the filename and remove any unintended attachment with its **X** control.
- State whether ItemGPT should summarize, extract, compare, validate, or transform the file.
- Specify the required output format.
- Remove secrets and unnecessary personal or customer data.

9. Review a Response

ItemGPT may answer directly or use agents and tools. Tool or activity cards can appear while work is in progress.


1. Wait until the response and tool activity stop updating.

2. Read warnings, assumptions, and missing-data notices.
3. Check identifiers, dates, units, the named business scope, and source evidence.
4. If ItemGPT requests confirmation for an external action, verify every field before confirming.
5. Ask a follow-up question when evidence or reasoning is unclear.
6. Stop the response if it is working on the wrong task, then restate the request more narrowly.

Treat generated content as a work product to review, not as an automatically approved business decision.

10. Manage Conversation History

Saved chats appear under **Active Connections**.



Reopen a conversation

Select its title in the sidebar. Continue only if the old context is still relevant.

Open conversation actions

Hover over a conversation and select the three-dot menu:

- **Share** creates a link to the shared conversation view.
- **Clone** copies the conversation so you can continue without altering the original thread.
- **Edit** renames the conversation.


- The trash icon deletes the conversation after confirmation.

The selection control beside **Active Connections** supports multi-select deletion. Deletion is irreversible, so review the selected conversations before confirming.

Use descriptive titles such as `Weekly Operations Review - 2026-07-29` instead of generic titles such as `Question`.

11. Share a Conversation

1. Open the conversation's three-dot menu.
2. Select **Share**.
3. Choose an expiration period: 1 day, 3 days, 7 days, or never.
4. Select **Create Link**.
5. Copy the generated link and send it only to approved recipients.




Anyone who receives an active link may be able to view the shared conversation. Before sharing:

- Remove or avoid chats containing credentials, personal data, confidential customer data, or restricted operational details.
- Prefer the shortest practical expiration period.
- Use **Never** only when the business owner has approved persistent access.
- Recheck the conversation after any later edits before sending the link again.
- Replace or disable an existing link when access should no longer continue.

12. Understand Agents, Skills, and MCP

Agents, Skills, and MCP servers solve different parts of a task. They are related, but they are not interchangeable.




LAYER	QUESTION IT ANSWERS	WHAT IT CONTAINS OR PROVIDES	WHAT THE USER SHOULD VERIFY
Agent	Who should handle this task?	Purpose, instructions, model, tools, Skills, and optional helper Agents	The Agent's purpose matches the task and its capabilities are appropriate.
Skill	How should the task be performed?	Reusable instructions, output patterns, templates, and supporting files	The Skill is active, current, approved, and suitable for the requested process.
MCP	Which approved system tools can be used?	A connection to systems such as WMS, BI, Jira, or document services	The connection is approved and active, the data source is correct, and your account has access.

A Skill does not give you access to a business system. An active MCP connection does not approve every action. An Agent can use only the tools and data available to your account.


12.1 Find and use an Agent

Select **Agent** in the left sidebar to open the Agent library.



1. Search by Agent ID, name, or purpose.
2. Filter by **All**, **Public**, or **Private** when needed.
3. Select an Agent card to review its details.
4. Check the description, instructions, model, tools, and attached Skills.
5. Use the chat action to start an Agent-specific conversation.
6. Use the task action to view scheduled tasks for that Agent, if available.

Built-in Agents are provided by ItemGPT. Personal Agents are created by users and may have different tools, Skills, helper Agents, and data access.



ItemGPT Agent detail showing instructions, tools, and Skills

When reviewing Agent details:

- **Purpose** explains the work the Agent is intended to handle.
- **System Prompt** is the Agent's main set of instructions.
- **Tools** let the Agent perform tasks such as looking up inventory or working with a document.
- **Skills** provide reusable methods, rules, and output formats.
- **Chat** opens a conversation using that Agent.

Do not select an Agent only because its name sounds relevant. Review its description and capabilities, especially before a request that can read confidential data or perform an external action.

Agent example

For an executive briefing, select an approved **Presentation Agent** rather than a general-purpose Agent, then ask:

Task: Create a six-slide outline from the attached approved project review.
Context: This is for the monthly leadership meeting.
Constraints: Use only the attachment. Do not invent metrics, owners, or dates.
Output: Title, executive summary, progress, risks, decisions, and next steps.
Verification: Add the supporting page reference to every factual slide.

Before using the result, confirm that the Agent followed the requested slide structure and that every factual statement is supported by the approved source.

Creating a personal Agent

New Agent lets an authorized user define the Agent's name, purpose, instructions, model, tools, attached Skills, and optional helper Agents.

- Create a personal Agent only for a stable, repeated use case.
- Give it the minimum tools and data access required.
- Write a clear purpose and clear limits.
- Test it with non-sensitive data before broader use.
- Do not publish or share it until its instructions, Skills, tools, and permitted data have been reviewed.

12.2 Find and use a Skill

A Skill is a reusable set of instructions. It can tell an Agent how to review exceptions, create a weekly brief, preserve evidence, or follow a required output template. It may also include supporting files or templates.

From the Agent page, select **Skills**.

The screenshot displays the 'Skills' management page in the ItemGPT workspace. The left sidebar shows 'Active Connections' with 'No active connections'. The main area is titled 'Skills' and includes a subtitle 'Manage your dynamic skills, create new ones or upload skill packages'. A top navigation bar contains filters: 'All', 'Public', 'Private', and 'Learned', along with a search bar 'Search by name or description'. A 'Create' button is highlighted with annotation 3, with a note 'Create only when a reusable process is needed'. The skills list has columns: Source, Category, Scripts, Files, Status, and Actions. Four skills are listed: 'Weekly Operations Brief' (Public, Reporting, 0 Scripts, 1 File, Active), 'Inventory Exception Review' (Private, Warehouse, 1 Script, 2 Files, Active), 'Evidence-First Summary' (Public, Quality, 0 Scripts, 1 File, Active), and 'Preferred Action Table' (Private, Learned, 0 Scripts, 1 File, Active). Annotations 1 and 2 point to the filter and search options respectively. The bottom of the list shows 'Showing 1 to 4 of 4 entries' and a pagination control.

Source	Category	Scripts	Files	Status	Actions
Public	Reporting	0	1	Active	View Details
Private	Warehouse	1	2	Active	View Details
Public	Quality	0	1	Active	View Details
Private	Learned	0	1	Active	View Details

1. Filter by **All**, **Public**, **Private**, or **Learned**.
2. Search by Skill name or description.
3. Review the Skill's source, description, category, supporting files, and status.
4. Open **View Details** to inspect its instructions and required tools.
5. Confirm the Skill is **Active** and appropriate for the current task.
6. When creating or editing a personal Agent, use **Attached Skills** to select the approved Skill.
7. Start an Agent chat and state the desired result; do not assume the Skill removes the need for a clear request.

Skill types shown in the current interface include:

SKILL TYPE	MEANING	NORMAL USER ACTION
Public	Shared Skill provided for approved reuse	Review its details and change personal settings only when instructed.
Private	User-managed Skill	View, edit, export, or delete only when you own and understand it.
Learned	Skill produced from an assistant interaction or review process	Inspect the learned instructions carefully before reusing or attaching it.

Create, **Upload Zip**, and **Export** are mainly for Skill owners. Use them only when you understand the Skill and are responsible for maintaining it. Never place passwords, access keys, or unapproved customer data in Skill instructions or files.

Skill example

An **Evidence-First Summary** Skill could require every conclusion to include its supporting source and could label unsupported statements as assumptions. A request can still specify the business goal:


```
Use the Evidence-First Summary Skill for the attached incident report.
Give me five verified findings and a separate list of open questions.
For each finding, cite the page or source line. Do not convert assumptions
into facts.
```

The Skill defines the repeatable method; the request defines the current task, document, and expected result.

12.3 Understand MCP servers

MCP stands for Model Context Protocol. In ItemGPT, MCP is an approved connection that lets an Agent use tools from another system. For example, it may let an Agent read a report, look up a Jira issue, or retrieve WMS data. MCP provides the connection; the Agent still decides how to complete your request.

From the Agent page, select **MCP**.



1. Filter by **Built-in**, **Public**, or **Private**.
2. Search by server name or description.
3. Check the connection's name, purpose, status, and available tools.
4. Use **View Details** to learn what the connection is for.
5. If you are instructed to enter personal connection settings, use **MCP Parameters**. Do not paste passwords or access keys into chat.
6. Return to the relevant Agent and submit the business request.
7. Review tool activity and verify the returned records, context, and timestamps.

If you do not manage MCP connections, you can ignore the technical connection details shown in the table. Focus on the connection's purpose, status, and available tools.

MCP TYPE	WHO MANAGES IT	WHAT USERS SHOULD DO
Built-in	Managed by ItemGPT and view-only	Review its purpose and use it through an approved Agent.
Public	Shared connection; personal settings may be available	Enter only settings you have been instructed to use and never share them in chat or screenshots.
Private	User-managed connection	Create, edit, disable, or delete it only when you are responsible for the connection.

MCP example

An approved analytics MCP connection might let a BI Agent find a metric definition and run a saved report for a request such as:

```
Task: Compare resolved-ticket volume with the prior four weeks.
Context: Demo Service Operations, approved weekly report, week ending July 30, 2026.
Constraints: Read-only. Use the approved resolved-ticket metric definition.
Output: A weekly comparison table and three evidence-based observations.
Verification: Show the report name, filter values, and retrieval timestamp.
```

Seeing an MCP connection marked **Active** means it is available in ItemGPT. It does not guarantee that the connected system is currently reachable, that the selected Agent can use it, or that your account can access every record.

Creating a Private MCP connection

Create Private is intended for people who own or maintain an approved system connection. Most users should use an existing Built-in or Public connection.

- Create or change a Private connection only when you are responsible for it and have approval.
- Keep passwords and access keys only in the protected fields provided for them.
- Test with non-sensitive data and view-only access first.
- Do not activate or share the connection until its owner has reviewed it.

13. Practical Examples

The names below are illustrative. Select the approved Agent, Skill, and MCP options available in your ItemGPT setup.

SCENARIO	SUGGESTED AGENT	HELPFUL SKILL	MCP OR TOOL NEED	EXAMPLE OUTCOME
Summarize an attached policy document	ItemGPT Agent	Evidence-First Summary	No MCP is normally needed for the attached file alone	Findings with page references and open questions
Investigate inventory exceptions	WMS Agent	Inventory Exception Review	Approved WMS read-only tools	Exception table with source timestamps
Prepare a weekly KPI brief	BI Agent	Weekly Operations Brief	Approved analytics catalog or reporting tools	KPI comparison, drivers, and follow-up owners
Build a presentation from approved results	Presentation Agent	Approved presentation or brand Skill	Only the approved document or analytics tools required by the source data	Slide outline or presentation with cited inputs

Example A: Attached-document review without MCP

1. Start a **New Connection**.
2. Select the general ItemGPT Agent or approved document-review Agent.
3. Attach the document.
4. Use this request:

Summarize the attached policy in plain English. Separate mandatory rules from recommendations. Cite the page for every mandatory rule and list any terms that are not defined in the document. Do not use external systems.

5. Confirm that the answer relies on the attachment and that no external tool was needed.

Example B: Agent, Skill, and MCP together

1. If the WMS **Facility** selector is available, confirm the intended warehouse. This step applies only to this WMS example.
2. Open the approved WMS Agent.
3. Review its details and confirm an exception-review Skill and read-only WMS tools are available.
4. Ask:

Use the approved inventory-exception process to review negative available quantities at Demo Facility as of July 30, 2026. Read-only. Group results by item and location, cite the returned record timestamp, and flag any row with missing source fields. Do not propose an adjustment transaction.

5. Watch the tool or activity cards to confirm which capability was used.
6. Verify the selected WMS Facility, item IDs, units, timestamps, and missing-data flags.

In this example, the **Agent** handles the warehouse task and safety rules, the **Skill** provides the review method, and the **MCP tools** retrieve the approved records. The Facility selector tells the WMS Agent which warehouse to use by default.


Example C: Weekly business brief

Task: Prepare the weekly operations brief.
Context: Week ending July 30, 2026, Demo Operations.
Constraints: Use only approved KPI definitions. Separate verified drivers from hypotheses. Do not hide missing source groups or incomplete coverage.
Output: Executive summary, KPI table, top three risks, and an action table with Owner and Due Date placeholders.
Verification: Include each report name, filter, and retrieval timestamp.

After ItemGPT responds, compare the KPI values with the source report and confirm that every group reported by the approved source is represented.

14. Memory, Knowledge Base, and Logout

Select the three-dot menu beside your identity in the lower-left corner.



- **Memory** lets you review or manage information retained for agent continuity.
- **Knowledge Base** lets you manage reference documents available to supported workflows.
- **Logout** ends the ItemGPT session.

Do not store secrets in memory or knowledge-base content. Remove outdated or incorrect information so it does not influence later answers. Always log out on a shared computer.

15. Optional Company and WMS Settings

ItemGPT is a general Agent platform. Company and Facility selectors are optional and are not shown to every user.

CONTROL	WHO SEES IT	WHAT IT DOES
Company	Users who can access more than one company	Switches the company used for relevant work. Most users with one company do not see this control.
Facility	Users who have access to Item WMS warehouses	Selects the default warehouse for WMS Agent requests.

For document review, presentation, BI, Jira, and other non-WMS Agents, select the appropriate Agent and proceed normally. The WMS Facility control generally does not define their scope.

For a WMS request:

1. If **Facility** is visible, confirm the intended warehouse before submitting the request.
2. Include the warehouse name in the request when it could be ambiguous.
3. Start a new WMS connection after switching Facility so the earlier conversation does not imply the old warehouse.
4. Verify the returned warehouse, record identifiers, units, and timestamps before using the result.

If the company selector is absent, that is expected for a single-company account. If Facility is unavailable while you need WMS data, confirm your Item WMS access with the WMS administrator; this does not prevent you from using unrelated ItemGPT Agents.

16. Troubleshooting

SYMPTOM	WHAT TO CHECK	RECOMMENDED ACTION
Login returns to the sign-in screen	Expired identity session, blocked cookies, or missing access	Retry in a private browser window. If the issue continues, contact the ItemGPT administrator.
No models are listed	No model is currently available for your account	Refresh once, then contact the ItemGPT administrator.
Company selector is not shown	The account has access to only one company	This is expected for most users; continue normally.
WMS Facility is unavailable or empty	Item WMS access or the WMS facility list could not be loaded	Unrelated Agents remain available. If WMS data is required, contact the WMS administrator.
File is rejected	Unsupported type, file over 100 MB, or a smaller limit for the selected workflow	Convert to a supported format, reduce the file size, or split the document.
Send button is disabled	The message is empty, no file is selected, or a response is still running	Add text or a file, or wait for/stop the current response.
Response is too broad	Request lacks scope, dates, or output format	Restate the task using the prompt structure in Section 6.
Result appears to use the wrong source or earlier context	The previous chat or attachment is still influencing the answer	Start a new connection and explicitly name the intended source and scope.
A WMS result uses the wrong warehouse	The selected Facility changed or the request named a different warehouse	Select the intended Facility, start a new WMS connection, and repeat the request read-only before taking action.
Shared link has expired	The selected expiration period ended	Generate a new link after reviewing the conversation again.
Agent, Skill, MCP, or Task control is unavailable	The feature is not included for your account	Ask the ItemGPT administrator whether you should have access.
The Agent does not show the expected Skill or tool	The capability is not attached, inactive, or unavailable to that Agent	Review Agent details and select the correct approved Agent. Do not create a replacement integration without approval.
An MCP tool cannot connect or asks for a setting	The connection is unavailable or a required personal setting is missing	Check the MCP status and MCP Parameters . Never paste passwords or access keys into chat.
A response runs too long or follows the wrong path	Task is too broad or the model selected an unsuitable workflow	Stop generation, split the task into smaller steps, and resend.

17. Security and Quality Rules

- Use the minimum data required to complete the task.
- Never place passwords, access keys, or other secrets in a chat.
- Verify recipients and expiration before sharing a chat.
- Confirm the customer, source, business scope, and date range required by the task.
- Review an Agent's attached Skills and tools before using it for sensitive or high-impact work.
- Inspect Learned Skills before reuse; deactivate or remove instructions that are incorrect or outdated.
- Create or edit a Private MCP connection only when you are responsible for it and have approval.
- Review tool inputs and confirmation forms before approving external actions.
- Independently verify high-impact numbers, compliance statements, and irreversible actions.
- Use a new connection when business context changes.
- Log out when finished, especially on shared devices.

18. Completion Checklist

Before treating an ItemGPT task as complete, confirm:

- ☐ The correct account, Agent, business scope, and data source were used.
- ☐ The request included a clear task, context, constraints, and output format.
- ☐ The selected Agent matched the task and its Skill and tool scope were reviewed.
- ☐ Only approved data was entered or uploaded.
- ☐ The response completed without unresolved warnings.
- ☐ Important identifiers, dates, units, and source evidence were verified.
- ☐ Any external action was reviewed before confirmation.
- ☐ Any share link has an appropriate expiration and recipient list.
- ☐ The conversation title is descriptive if the chat will be reused.
- ☐ You logged out if the device is shared.

19. Quick Reference

GOAL	CONTROL
Start fresh	New Connection
Change model	Model name in the upper-left workspace header
Add a file	Paperclip in the message box, drag and drop, or paste
Send	Enter or send button
Add a line break	Shift+Enter
Stop a running answer	Escape or stop control
Reopen a chat	Conversation title under Active Connections
Share, clone, or rename	Three-dot menu on the conversation
Delete	Trash icon or multi-select deletion
Find a specialist	Agent
Review Agent capabilities	Agent > select an Agent card > review Tools and Skills
Browse reusable procedures	Agent > Skills
Review connected system tools	Agent > MCP
Manage retained context	User menu > Memory
Manage reference documents	User menu > Knowledge Base
End the session	User menu > Logout