WATER HARDNESS PURE WATER METER

Model: PWH-303 *ISO-9001, CE, IEC1010*



FEATURES:

- * Separate Pt glass electrode, high performance for pure water low conductivity measurement.
- * Measurement water conductivity : 0 to 1999 uS .
- * Measurement water hardness : 0 to 1000 ppm.
- * Separate Meter with the probe, easy operation.
- * Hold , Record (max., min.).
- * DC 1.5V battery (UM-4/AAA) x 4.
- * Water conditioning, aquarium, food processing, photography, school, laboratory, industrial and quality control.





The Art of Measurement

Port Type

PURE WATER/HARDNESS METER

Model : PWH-303

PEARWING.

The state of the s
* diff or one gave higher Plany waters shorter promiting figst.
KILDER HARRY WITH BUT WARN
" Plan subst his suprement (s.d.) is therefore 1 part (see
, by juterioris
7 Park mine (2,885 vS)
* (herytone, 1,000,000)
" Proposi electrods for song the shift two conductivity."
Detail Total
7 SARS in temperature somes. ATC substimplication
organistic (
T. Sergerature releasements, T., T.
7 (CD self-tree-displays those conductions and Temp-
some at party time.
* Darw healt function for Frenching Pro-General subsidi
* Auto possed off to take the battery (the
7 Booking their and time while with the of
2 Michael Spain Colour, existing of Spectral, high yearning
Compact size Agri weight
" Penns supply by DC 1.5 8 haming [1894/AAA.] a 6 POs.
" dominate by with applications, not at paperiols.
brownige, Not Salt Service Most presenting,
principality becoming pump percit, school 6

colleges; switcherly pinels; autic conditions

GENERAL MYC	
	ASSESS Divine 6.28 mm
Monument	* Constanting Cot 8
	* Decidions Substitute
	7 Segment EX.25
Briggin	(himbiting, 3000 kh
1333	Thanbero 1.500 ppm
Assisting.	CH. E29070 (4.3 M)
. 1200.3.1	FB. Minim
Smerrore	Automore more 6 to left (1-252) - 546-351.
Companyation	with simpleyture contaminated faith-
	venda ferent it to 5 7% per C.
Dynamics	49 glass asserted for being the
PORE.	and his conductory becausement
Stieber .	
Data Helli	(Conside the Intgring residing).
Nikesary Horali :	Norman & Windson pilos.
Sampling Time	Ayers 16 yorks
CHOR	Collectives object decreases and CEI
	offset.
Prior of	Builty shad off pavers forming this so
	manual of the part feature
	Them all of sateralising dis-
ACCURATION TO SERVICE	70-hors. If the buried by primarile
Operating	用体施工(放射局)
2montos:	
Spirotting .	Since their Bills 881
Mently	
	DC 1.5Y bettery (UM-4:94K) y 6POL
Florest	Appear A.P. will

Dresetti	THE RESIDENCE STATE AND A STATE OF THE STATE
Street,	1世 6年 4 (4)
Monitort	Bromphot Normal
Assimilar	Prigns New IDREH
795/06	2 Set carrying case with bear
Accuses	1 TOTAL RELIGIOUS AND A TAXABLE
	* Ment corrying cow?
	1,200 x 640 x 65 over), Muster Takito-
	T 3 501 mls Consumonly freedom
	340m HH41 (0) HA

BLEETHELM SPECIFICATIONS (21) 5 T.)

Consulted

North		ment .	Production	Ayens
2906.46	1.643	did shirt	1.4%	化DNLF在19 相
	1000	222	1522	CFA Shift wide
* Note to	qui .			
Chetpte	Here the	-	E	
None	i hon i	WM L3	22 (half 1/3)	unt temperature.
(mage)	and by	to period	a better out it in	1.0% av 1
Aug Com	of Street			

HANDING SA LINE A

STHATE

Period Property	Thomas (C.)	/HINGH'S
1.044 page: 1 to 1-bits page	3-96/6	24 25% F.S. + NE.
	0.000	115 hit min
F Auto congr.		
The State of the Committee of the Commit		
National State State Service	in the same	umanana III
Automorphism (for so f. f.)	医动物内侧	Marie State Control of the Control o
- compensation Fa/He provides	1000	1375.647
", Mine - Ben, a ben anger, 3,27-2		
Address State		
Maria No.		

Bertal

Control the following balls described the water fundamental

(Timestery) (4)	For Principles.	State Hermon
1000	9.20	Ney Self.
4 Aúr 500	350.00	Set
386 900	910-258	Stagenty Freed
200-140	269-108	Stationary hard
Aren diah	2306-908	her
Minor Mr.	Minor 120	Try fort

Tompet share

Pythton	Monte try Parist	Amelija i	None
	REMME.	NAT.	18 F 10
Timera	JUNE 165	311	13.63
产水用水形			

^{*} Apparentment and you discover haird to the treatment are subject to thange without notice