In [1]:
 import numpy as ny
 import pandas as pd
 import seaborn as sns
 from sklearn.model\_selection import train\_test\_split
 from sklearn.tree import DecisionTreeClassifier

90

Yes

In [2]: df=pd.read\_csv(r"C:\Users\user\Downloads\loan1.csv")
 df

## Out[2]: Home Owner Marital Status Annual Income Defaulted Borrower 0 Yes Single 125 No 1 100 No Married No 2 No Single 70 No 3 Yes Married 120 No Divorced No 95 Yes Married No 60 No Divorced 220 6 Yes No 7 No Single 85 Yes 8 No Married 75 No

Single

In [3]: df.describe()

Out[3]:

	Annual Income
count	10.000000
mean	104.000000
std	45.631373
min	60.000000
25%	77.500000
50%	92.500000
75%	115.000000
max	220.000000

No

```
In [4]: | df.info()
         <class 'pandas.core.frame.DataFrame'>
         RangeIndex: 10 entries, 0 to 9
         Data columns (total 4 columns):
              Column
                                    Non-Null Count Dtype
          0
              Home Owner
                                    10 non-null
                                                      object
          1
                                    10 non-null
                                                      object
              Marital Status
          2
              Annual Income
                                    10 non-null
                                                      int64
              Defaulted Borrower 10 non-null
                                                      object
         dtypes: int64(1), object(3)
         memory usage: 452.0+ bytes
In [5]: df['Annual Income'].value_counts()
Out[5]: Annual Income
         125
                1
         100
                1
         70
                1
         120
                1
         95
                1
         60
                1
         220
                1
         85
                1
         75
                 1
         90
                 1
         Name: count, dtype: int64
         convert={"Home Owner":{"Yes":1,"No":0}}
In [6]:
         df=df.replace(convert)
         df
Out[6]:
            Home Owner Marital Status Annual Income Defaulted Borrower
                      1
          0
                               Single
                                               125
                                                                 No
                      0
                              Married
                                               100
          1
                                                                 No
          2
                      0
                               Single
                                                70
                                                                 No
          3
                      1
                              Married
                                               120
                                                                 No
                      0
                             Divorced
                                                95
                                                                 Yes
                      0
          5
                              Married
                                                60
                                                                 No
                      1
                             Divorced
                                               220
                                                                 No
                      0
                               Single
                                                85
                                                                 Yes
```

75

90

No

Yes

Married

Single

8

```
In [7]: convert ={"Marital Status":{"Single":1,"Married":2,"Divorced":3}}
    df=df.replace(convert)
    df
```

Out[7]:		Home Owner	Marital Status	Annual Income	Defaulted Borrower
	0	1	1	125	No
	1	0	2	100	No
	2	0	1	70	No
	3	1	2	120	No
	4	0	3	95	Yes
	5	0	2	60	No
	6	1	3	220	No
	7	0	1	85	Yes
	8	0	2	75	No
	9	0	1	90	Yes

```
In [8]: x=["Home Owner","Marital Status","Annual Income"]
y=["Yes","No"]
all_inputs=df[x]
all_classes=df["Defaulted Borrower"]
```

```
In [9]: (x_train,x_test,y_train,y_test)=train_test_split(all_inputs,all_classes,test_si
```

```
In [10]: clf=DecisionTreeClassifier(random_state=0)
```

```
In [11]: clf.fit(x_train,y_train)
```

Out[11]: DecisionTreeClassifier(random\_state=0)

In a Jupyter environment, please rerun this cell to show the HTML representation or trust the notebook.

On GitHub, the HTML representation is unable to render, please try loading this page with nbviewer.org.

```
In [12]: score=clf.score(x_test,y_test)
print(score)
```

1.0

```
In [ ]:
```