
Week Report 3

Completed work for week 3


- Lab 3
- Notes 3


Practice Screenshots


Practice 3




Practice 4



Oct 11 11:18 PM
50% 65% 19% 0.0 kB 0.0 kB
Tilix: d13@cis106desktop: ~
1: d13@cis106desktop: ~
d13@cis106desktop:~$ whoami
d13
d13@cis106desktop:~$ uptime
23:17:07 up 28 min, 1 user, load average: 1.87, 1.48, 1.27
d13@cis106desktop:~$ hostname
cis106desktop
d13@cis106desktop:~$ free -h
total used free shared buff/cache available
Mem: 3.7Gi 2.4Gi 149Mi 66Mi 1.3Gi 1.3Gi
Swap: 2.6Gi 504Mi 2.1Gi
d13@cis106desktop:~$ df -h /
Filesystem Size Used Avail Use% Mounted on
/dev/sda1 47G 11G 34G 23% /
d13@cis106desktop:~$



Tilix: d13@cis106desktop: ~
1: d13@cis106desktop: ~
d13@cis106desktop:~$ top
top - 23:18:56 up 30 min, 1 user, load average: 1.37, 1.39, 1.26
Tasks: 232 total, 1 running, 231 sleeping, 0 stopped, 0 zombie
%Cpu(s): 40.9 us, 12.2 sy, 0.0 ni, 46.6 id, 0.0 wa, 0.0 hi, 0.3 si, 0.0 st
MiB Mem : 3825.9 total, 125.6 free, 2514.7 used, 1324.8 buff/cache
MiB Swap: 2652.0 total, 2147.5 free, 504.5 used. 1311.2 avail Mem
PID USER PR NI VIRT RES SHR S %CPU %MEM TIME+ COMMAND
2551 d13 20 0 4074040 362740 119176 S 53.0 9.3 9:37.16 gnome-shell
5660 d13 20 0 497452 37948 30368 S 25.5 1.0 0:00.77 gnome-screensho
5599 d13 20 0 592140 77332 61192 S 10.3 2.0 0:03.05 tilix
30 root 20 0 0 0 0 I 6.0 0.0 0:20.50 kworker/u9:0-events_unbound
5586 root 20 0 0 0 0 I 3.6 0.0 0:01.18 kworker/u10:0-events_unbound
18 root 20 0 0 0 0 I 1.3 0.0 0:03.60 rcu_preempt
2388 d13 20 0 10080 6124 4312 S 0.7 0.2 0:01.51 dbus-daemon
2365 d13 20 0 23752 13696 10848 S 0.3 0.3 0:00.96 systemd
2628 d13 20 0 574024 17656 16072 S 0.3 0.5 0:00.30 gsd-media-keys
2979 d13 20 0 630708 16028 14584 S 0.3 0.4 0:00.28 xdg-desktop-por
3105 d13 20 0 746548 23532 20684 S 0.3 0.6 0:00.67 xdg-desktop-por
3669 d13 20 0 2765356 144240 49684 S 0.3 3.7 0:22.24 Privileged Cont
3820 d13 20 0 2726840 95608 53780 S 0.3 2.4 0:21.83 Isolated Web Co
4121 d13 20 0 1448.4g 212748 157772 S 0.3 5.4 0:27.68 code
4205 d13 20 0 1451.8g 388788 123872 S 0.3 9.9 2:09.69 code
4304 d13 20 0 1448.0g 117344 90868 S 0.3 3.0 0:02.15 code
4370 d13 20 0 658152 46608 34452 S 0.3 1.2 0:05.69 copilot-runtime
4547 d13 20 0 1448.0g 174320 88608 S 0.3 4.4 0:11.55 code


1/1
Tilix: d13@cis106desktop: ~
1: d13@cis106desktop: ~
d13@cis106desktop:~$ uname -a
Linux cis106desktop 6.12.111+deb13-amd64 #1 SMP PREEMPT_DYNAMIC Debian 6.12.111-
1 (2026-09-28) x86_64 GNU/Linux
d13@cis106desktop:~$ du -hd1 /home
1.9G /home/d13
1.9G /home
d13@cis106desktop:~$


Practice 5



Tilix: d13@cis106desktop: ~
1: d13@cis106desktop: ~
d13@cis106desktop:~$ lscpu
Architecture: x86_64
CPU op-mode(s): 32-bit, 64-bit
Address sizes: 39 bits physical, 48 bits virtual
Byte Order: Little Endian
CPU(s): 2
On-line CPU(s) list: 0,1
Vendor ID: GenuineIntel
Model name: Intel(R) Core(TM) i5-8350U CPU @ 1.70GHz
CPU family: 6
Model: 142
Thread(s) per core: 1
Core(s) per socket: 2
Socket(s): 1
Stepping: 10
BogoMIPS: 3791.99
Flags: fpu vme de pse tsc msr pae mce cx8 apic sep mtrr pg
e mca cmov pat pse36 clflush mmx fxsr sse sse2 ht s
yscall nx rdtscp lm constant_tsc rep_good nopl xtop
ology nonstop_tsc cpuid tsc_known_freq pni pclmulqd
q ssse3 fma cx16 pcid sse4_1 sse4_2 x2apic movbe po
pcnt aes xsave avx f16c rdrand hypervisor lahf_lm a
bm 3dnowprefetch pti fsgsbase bmi1 avx2 bmi2 invpci
d rdseed adx clflushopt arat md_clear flush_l1d arc
h_capabilities
Virtualization features:
Hypervisor vendor: KVM
Virtualization type: full
Caches (sum of all):
L1d: 64 KiB (2 instances)
L1i: 64 KiB (2 instances)
L2: 512 KiB (2 instances)
L3: 12 MiB (2 instances)
NUMA:
NUMA node(s): 1



Tilix: d13@cis106desktop: ~
1: d13@cis106desktop: ~
Tsx async abort: Not affected
Vmscape: Not affected
d13@cis106desktop:~$ lsub
bash: lsub: command not found
d13@cis106desktop:~$ lsusb
Bus 001 Device 001: ID 1d6b:0002 Linux Foundation 2.0 root hub
Bus 002 Device 001: ID 1d6b:0001 Linux Foundation 1.1 root hub
Bus 002 Device 002: ID 80ee:0021 VirtualBox USB Tablet
d13@cis106desktop:~$ lspci
00:00.0 Host bridge: Intel Corporation 440FX - 82441FX PMC [Natoma] (rev 02)
00:01.0 ISA bridge: Intel Corporation 82371SB PIIX3 ISA [Natoma/Triton II]
00:01.1 IDE interface: Intel Corporation 82371AB/EB/MB PIIX4 IDE (rev 01)
00:02.0 VGA compatible controller: VMware SVGA II Adapter
00:03.0 Ethernet controller: Intel Corporation 82540EM Gigabit Ethernet Controller (rev 02)
00:04.0 System peripheral: InnoTek Systemberatung GmbH VirtualBox Guest Service
00:06.0 USB controller: Apple Inc. KeyLargo/Intrepid USB
00:07.0 Bridge: Intel Corporation 82371AB/EB/MB PIIX4 ACPI (rev 08)
00:0b.0 USB controller: Intel Corporation 82801FB/FBM/FR/FW/FRW (ICH6 Family) USB2 EHCI Controller
00:0d.0 SATA controller: Intel Corporation 82801HM/HEM (ICH8M/ICH8M-E) SATA Controller [AHCI mode] (rev 02)
d13@cis106desktop:~$ inxi
CPU: dual core Intel Core i5-8350U (-MCP-) speed: 1896 MHz
Kernel: 6.12.111+deb13-amd64 x86_64 Up: 39m Mem: 2.46/3.74 GiB (65.9%)
Storage: 50 GiB (21.4% used) Procs: 232 Shell: Bash inxi: 3.3.38
d13@cis106desktop:~$ lsmod
Module Size Used by
snd_seq_dummy 12288 0
snd_hrtimer 12288 1
snd_seq 110592 7 snd_seq_dummy
snd_seq_device 16384 1 snd_seq
snd_timer 53248 2 snd_seq,snd_hrtimer
snd 151552 5 snd_seq,snd_seq_device,snd_timer
soundcore 16384 1 snd
vboxsf 45056 0
vboxguest 53248 5 vboxsf
vboxvideo 36864 0


1 / 1
Tilix: d13@cis106desktop: ~
1: d13@cis106desktop: ~
cdrom 81920 1 sr_mod
sd_mod 81920 2
drm_kms_helper 253952 4 vmwgfx,drm_vram_helper,vboxvideo,drm_ttm_helper
ata_generic 12288 0
ata_piix 45056 0
ahci 53248 2
libahci 61440 1 ahci
drm 774144 13 vmwgfx,drm_kms_helper,drm_vram_helper,vboxvideo,drm_ttm_helper,ttm
libata 471040 4 ata_piix,libahci,ahci,ata_generic
ohci_pci 20480 0
psmouse 217088 0
ehci_pci 16384 0
scsi_mod 331776 4 sd_mod,libata,sg,sr_mod
ehci_hcd 110592 1 ehci_pci
ohci_hcd 65536 1 ohci_pci
video 81920 0
usbcore 409600 5 ohci_hcd,ehci_pci,usbhid,ehci_hcd,ohci_pci
wmi 28672 1 video
crc32_pclmul 12288 0
serio_raw 16384 0
crc32c_intel 16384 2
battery 28672 0
e1000 180224 0
i2c_piix4 28672 0
i2c_smbus 16384 1 i2c_piix4
usb_common 16384 3 ohci_hcd,usbcore,ehci_hcd
scsi_common 16384 5 scsi_mod,sd_mod,libata,sg,sr_mod
button 24576 0
d13@cis106desktop:~$ sensors
BAT0-acpi-0
Adapter: ACPI interface
in0: 10.00 V
power1: N/A
d13@cis106desktop:~$


Practice 6



1 / 1
Tilix: d13@cis106desktop: ~
1: d13@cis106desktop: ~
d13@cis106desktop:~$ fortune
Be free and open and breezy! Enjoy! Things won't get any better so
get used to it.
d13@cis106desktop:~$ figlet "John Doe"
d13@cis106desktop:~$ cowsay "Hello World"
< Hello World >
d13@cis106desktop:~$


1/1
Tilix: d13@cis106desktop: ~
1: d13@cis106desktop: ~



1/1
Tilix: d13@cis106desktop: ~
1: d13@cis106desktop: ~
d13@cis106desktop:~$ figlet "John Doe"
d13@cis106desktop:~$ cowsay "Hello World"
< Hello World >
d13@cis106desktop:~$ cmatrix
d13@cis106desktop:~$ sl
bash: sl: command not found
d13@cis106desktop:~$ sl
bash: sl: command not found
d13@cis106desktop:~$ s1
bash: s1: command not found
d13@cis106desktop:~$ echo "John Smith" | rev
htimS nhoJ
d13@cis106desktop:~$ toilet "Bob" --metal
d13@cis106desktop:~$


Practice 7


1 / 1
Tilix: d13@cis106desktop: ~
1: d13@cis106desktop: ~
d13@cis106desktop:~$ date
Sun Oct 11 11:38:27 PM EDT 2026
d13@cis106desktop:~$ echo "hello world"
hello world
d13@cis106desktop:~$ uname -a
Linux cis106desktop 6.12.111+deb13-amd64 #1 SMP PREEMPT_DYNAMIC Debian 6.12.111
-1 (2026-09-28) x86_64 GNU/Linux
d13@cis106desktop:~$



1 / 1
Tilix: d13@cis106desktop: ~
1: d13@cis106desktop: ~
130 free -h
131 df -h /
132 clear
133 top
134 clear
135 uname -a
136 du -hd1 /home
137 clear
138 lscpu
139 lsub
140 lsusb
141 lspci
142 inxi
143 lsmod
144 sensors
145 clear
146 fortune
147 figlet "John Doe"
148 cowsay "Hello World"
149 cmatrix
150 sl
151 s1
152 echo "John Smith" | rev
153 toilet "Bob" --metal
154 clear
155 date
156 echo "hello world"
157 uname -a
158 history
d13@cis106desktop:~$ echo "hello"
hello
d13@cis106desktop:~$!!world
echo "hello"world
helloworld
d13@cis106desktop:~$

Practice 8



Tilix: d13@cis106desktop: ~
1: d13@cis106desktop: ~
2: d13@cis106desktop: ~
UNAME(1) User Commands UNAME(1)
NAME
uname - print system information
SYNOPSIS
uname [OPTION]...
DESCRIPTION
Print certain system information. With no OPTION, same as -s.
-a, --all
print all information, in the following order, except omit -p and -i if unknown:
-s, --kernel-name
print the kernel name
-n, --nodename
print the network node hostname
-r, --kernel-release
print the kernel release
-v, --kernel-version
print the kernel version
-- MOST: *stdin* (1,1)0%
Top of buffer.
d13@cis106desktop:~$ uname --kernel-name
Linux
d13@cis106desktop:~$ uname --nodename
cis106desktop
d13@cis106desktop:~$ uname --operating-system
GNU/Linux
d13@cis106desktop:~$ uname --hardware-platform
unknown
d13@cis106desktop:~$



Tilix: d13@cis106desktop: ~
1: d13@cis106desktop: ~
2: d13@cis106desktop: ~
d13@cis106desktop:~$ man uname
d13@cis106desktop:~$ man date
d13@cis106desktop:~$
d13@cis106desktop:~$ man df
d13@cis106desktop:~$ man free
d13@cis106desktop:~$ man clear
d13@cis106desktop:~$ man history
d13@cis106desktop:~$ man free
d13@cis106desktop:~$
GNU/Linux
d13@cis106desktop:~$ uname --hardware-platform
unknown
d13@cis106desktop:~$ free total
Usage:
free [options]
Options:
-b, --bytes show output in bytes
--kilo show output in kilobytes
--mega show output in megabytes
--giga show output in gigabytes
--tera show output in terabytes
--peta show output in petabytes
-k, --kibi show output in kibibytes
-m, --mebi show output in mebibytes
-g, --gibi show output in gibibytes
--tebi show output in tebibytes
--pebi show output in pebibytes
-h, --human show human-readable output
--si use powers of 1000 not 1024
-l, --lohi show detailed low and high memory statistics
-L, --line show output on a single line
-t, --total show total for RAM + swap
-v, --committed show committed memory and commit limit
-s N, --seconds N repeat printing every N seconds
-c N, --count N repeat printing N times, then exit
-w, --wide wide output
--help display this help and exit
-V, --version output version information and exit
For more details see free(1).
d13@cis106desktop:~$

Practice 9


Tilix: d13@cis106desktop: ~
1: d13@cis106desktop: ~
Convert seconds since the Epoch (1970-01-01 UTC) to a date
$ date --date='@2147483647'
Show the time on the west coast of the US (use tzselect(1) to find TZ)
$ TZ='America/Los_Angeles' date
Show the local time for 9AM next Friday on the west coast of the US
$ date --date='TZ="America/Los_Angeles" 09:00 next Fri'
GNU coreutils online help: <https://www.gnu.org/software/coreutils/>
Full documentation <https://www.gnu.org/software/coreutils/date>
or available locally via: info '(coreutils) date invocation'
d13@cis106desktop:~$ whatis pwd
pwd (1) - print name of current/working directory
d13@cis106desktop:~$ whatis ls
ls (1) - list directory contents
d13@cis106desktop:~$ what is apt
bash: what: command not found
d13@cis106desktop:~$ whatis apt
apt (8) - command-line interface
d13@cis106desktop:~$ whatis sudo
sudo (8) - execute a command as another user
d13@cis106desktop:~$ date --h
Usage: date [OPTION]... [+FORMAT]
or: date [-u|--utc|--universal] [MMDDhhmm[[CC]YY][.ss]]
Display date and time in the given FORMAT.
With -s, or with [MMDDhhmm[[CC]YY][.ss]], set the date and time.
Mandatory arguments to long options are mandatory for short options too.
-d, --date=STRING display time described by STRING, not 'now'
--debug annotate the parsed date,
and warn about questionable usage to stderr
-f, --file=DATEFILE like --date; once for each line of DATEFILE
-I[FMT], --iso-8601[=FMT] output date/time in ISO 8601 format.
FMT='date' for date only (the default),
'hours', 'minutes', 'seconds', or 'ns'
for date and time to the indicated precision.

Practice 10


1 / 1
Tilix: d13@cis106desktop: ~
1: d13@cis106desktop: ~
d13@cis106desktop:~$ sudo apt install tealdeer -y
[sudo] password for d13:
tealdeer is already the newest version (1.7.2-1+deb13u1).
Summary:
Upgrading: 0, Installing: 0, Removing: 0, Not Upgrading: 42
d13@cis106desktop:~$ tldr -u
Successfully updated cache.
d13@cis106desktop:~$ sudo snap install cheat
2026-10-11T23:58:05-04:00 INFO Waiting for automatic snapd restart...
cheat 4.4.0.build.2 from Michael (bernermic) installed
d13@cis106desktop:~$ cheat
A config file was not found. Would you like to create one now? [Y/n]: y
Would you like to download the community cheatsheets? [Y/n]: y
Cloning community cheatsheets to /home/d13/snap/cheat/common/.config/cheat/cheatsheets/community.
Enumerating objects: 335, done.
Counting objects: 100% (335/335), done.
Compressing objects: 100% (310/310), done.
Total 335 (delta 43), reused 213 (delta 23), pack-reused 0 (from 0)
Cloning personal cheatsheets to /home/d13/snap/cheat/common/.config/cheat/cheatsheets/personal.
Created config file: /home/d13/snap/cheat/common/.config/cheat/conf.yml
Please read this file for advanced configuration information.
d13@cis106desktop:~$ git
usage: git [-v | --version] [-h | --help] [-C <path>] [-c <name>=<value>]
[--exec-path[=<path>]] [--html-path] [--man-path] [--info-path]
[-p | --paginate | -P | --no-pager] [--no-replace-objects] [--no-lazy-fetch]
[--no-optional-locks] [--no-advice] [--bare] [--git-dir=<path>]
[--work-tree=<path>] [--namespace=<name>] [--config-env=<name>=<envvar>]
<command> [<args>]
These are common Git commands used in various situations:


1 / 1
Tilix: d13@cis106desktop: ~
1: d13@cis106desktop: ~
show Show various types of objects
status Show the working tree status
grow, mark and tweak your common history
branch List, create, or delete branches
commit Record changes to the repository
merge Join two or more development histories together
rebase Reapply commits on top of another base tip
reset Reset current HEAD to the specified state
switch Switch branches
tag Create, list, delete or verify a tag object signed with GPG
collaborate (see also: git help workflows)
fetch Download objects and refs from another repository
pull Fetch from and integrate with another repository or a local branch
push Update remote refs along with associated objects
'git help -a' and 'git help -g' list available subcommands and some
concept guides. See 'git help <command>' or 'git help <concept>'
to read about a specific subcommand or concept.
See 'git help git' for an overview of the system.
d13@cis106desktop:~$ date
Sun Oct 11 11:58:59 PM EDT 2026
d13@cis106desktop:~$ sudo apt install python3-pygments -y
python3-pygments is already the newest version (2.18.0+dfsg-2).
python3-pygments set to manually installed.
Summary:
Upgrading: 0, Installing: 0, Removing: 0, Not Upgrading: 42
d13@cis106desktop:~$ cheat git | pygmentize
failed to write to pager: exec: "most": executable file not found in $PATH
d13@cis106desktop:~$ cheat date | pygmentize
failed to write to pager: exec: "most": executable file not found in $PATH
d13@cis106desktop:~$