

**NOSQL : STUDENT
DATABASE
TEJAS BHARADWAJ**

Create a student database
use Student;

```
> use students;  
< switched to db students
```

Create a student collection

```
db.createCollection("student");
```

Insert values into the student collection

```
db.student.insertMany([  
  
  { Roll_no:1, Name:"Tejas", Age:19, Contact_no:9870989790,  
    Email:"tejasbharadwaj.cs24@bmsce.ac.in" },  
  
  { Roll_no:2, Name:"Sujay", Age:19, Contact_no:9887697970,  
    Email:"sujayreddyginkala.cs24@bmsce.ac.in" },  
  
  {Roll_no:3, Name:"Sumant", Age:19, Contact_no:9787650507,  
    Email:"sumantshridhar.cs24@bmsce.ac.in"}  
]);
```

```
< {  
  _id: ObjectId('6929638ec2ae3368c0973636'),  
  Roll_no: 1,  
  Name: 'Tejas',  
  Age: 19,  
  Contact_no: 9870989790,  
  Email: 'tejasbharadwaj.cs24@bmsce.ac.in'  
}  
{  
  _id: ObjectId('69296464c2ae3368c0973637'),  
  Roll_no: 2,  
  Name: 'Sujay',  
  Age: 19,  
  Contact_no: 9887697970,  
  Email: 'sujayreddyginkala.cs24@bmsce.ac.in'  
}  
{  
  _id: ObjectId('69296464c2ae3368c0973638'),  
  Roll_no: 3,  
  Name: 'Sumant',  
  Age: 19,  
  Contact_no: 9787650507,  
  Email: 'sumantshridhar.cs24@bmsce.ac.in'  
}
```

Update the email of student with roll no 1

```
db.student.updateOne(
  {Roll_no:1},{ $set:{Email:"tejas@gmail.com"}}
);
```

```
< {
  acknowledged: true,
  insertedId: null,
  matchedCount: 1,
  modifiedCount: 1,
  upsertedCount: 0
}
```

Update the name of a student

```
db.student.updateOne(
  {Roll_no:2},{ $set:{Name:"Gorlock"}}
);
```

```
< {
  acknowledged: true,
  insertedId: null,
  matchedCount: 1,
  modifiedCount: 1,
  upsertedCount: 0
}
```

Export the collection into the local file system

```
mongoexport --uri="mongodb://localhost:27017" --db=students --collection=student --type=csv --
fields=Roll_no,Name,Age,Contact_no,Email --out=student.csv
```

```
2025-11-28T14:58:21.961+0530    connected to: mongodb://localhost:27017
2025-11-28T14:58:21.965+0530    exported 3 records
```

Drop the Collection

```
db.student.drop();
```

```
< true
```

Export the csv file from the local file system into a mongo db collection

```
mongoimport --uri="mongodb://localhost:27017" --db=students --collection=student --type=csv --  
headerline --file="student.csv"
```

```
2025-11-28T15:05:02.020+0530    connected to: mongodb://localhost:27017  
2025-11-28T15:05:02.034+0530    3 document(s) imported successfully. 0 document(s) failed to import.
```