
LOQUI

Loqui Code Documentation



Code Authors: Jack Benning & Mateusz Peplinski Documentation Authors: Jack Benning & Mateusz Peplinski





Contents Table:

Contents:

Style Guide:	2
Control Naming Conventions:	2
Class Naming Conventions:	2
Function Naming Conventions:	2



Documentation

Style Guide:

Control Naming Conventions:

Every control throughout the program uses camel case (createAccount) followed by an underscore and the type of control. E.g., for a button this would be (login_btn). The control name is also done in shorthand to help keep the control names concise.

```
private void LoginBtn_Click(object sender, EventArgs e)
{
}
```

Class Naming Conventions:

All classes are written in Pascal Case (CreateAccount) and words are not separated by an underscore.

```
public partial class CreateAccount : Form
{
        public CreateAccount()
        {
             InitializeComponent();
        }
}
```

Function Naming Conventions:

All functions are written in Pascal Case (ChangeDisplayMode) and words are not separated by an underscore except for event assigned functions where the event is separated from the rest of the function name with an underscore. If the function is named after a variable such as an event function, any underscores will be removed that were apparent in the variable name but Pascal Case will be maintained (SubmitBtn Click).

```
public void ChangeDisplayMode(Form form, bool darkMode, string lightModeBackground,
string darkModeBackground)
{
}
```