

The `visualtoks` Package, version 1.1b

plante

February 23, 2026

In The \TeX book, Knuth demonstrates the concept of tokens with the following example:

For example, if the normal conventions of plain \TeX are in force, the text ‘`\hskip 36 pt`’ is converted into a list of eight tokens:

$\{_1 \quad \boxed{\text{\code{hskip}}} \quad 3_{12} \quad 6_{12} \quad \lrcorner_{10} \quad p_{11} \quad t_{11} \quad \}_2$

The subscripts here are the category codes, as listed earlier: 1 for “beginning of group,” 12 for “other character,” and so on. The $\boxed{\text{\code{hskip}}}$ doesn’t get a subscript, because it represents a control sequence token instead of a character token. Notice that the space after `\hskip` does not get into the token list, because it follows a control word. (p. 38)

The same style of token display is used several times in the \TeX book. It would be useful to be able to generate the display automatically for an arbitrary list of tokens, for pedagogical or debugging purposes. This package provides the `\visualtoks` command which does exactly that.

Usage

Usage: `\visualtoks{<token list>}`.

This package may be loaded by `\input{visualtoks}` (plain \TeX and other formats) or `\usepackage{visualtoks}` (\LaTeX). It depends on the `tokmap` package.

The horizontal separation between displayed tokens may be configured by the dimension register `\visualtokssep`. The default value is 1em.

<token list> must be balanced with respect to explicit braces, and must not contain the token `\tokmap@nil`. It is assumed that `{` and `}` are the only characters with category codes 1 (beginning of group) and 2 (end of group) respectively.

An *anomalous* control sequence is one that differs in shape from the control sequence with the same name constructed by `\csname`. Anomalous control sequences are marked with a star next to their box.

Samples

- `\visualtoks{\def \macro#1{abc #1\egroup}}` gives
`def macro #6 112 {1 a11 b11 c11 110 #6 112 egroup }2.`
- `\visualtoks{$$\halign{&##\hfil\crrc}$$\par}` gives
`$3 $3 halign {1 &4 #6 #6 hfil crrc }2 $3 $3 par.`
- Unbalanced `\if...` tokens:
`\visualtoks{\ifnum\iffalse{\fi'} = 0\else}` gives
`ifnum iffalse {1 fi '12 }2 110 =12 110 012 else.`
- To demonstrate how \TeX tokenizes consecutive spaces:
`\makeatletter \edef\temp{{_}_}\@spaces}}`
`\expandafter\visualtoks\expandafter{\temp}` gives
`{1 110 }2 {1 110 110 110 110 }2.`
- To demonstrate the `\lowercase` technique:
`\begingroup`
`\lccode'&=$ \lccode'#=$ \lccode'^=$ \lccode'_'=$`
`\lccode'_'=$ \lccode'A=$ \lccode'?=$ \lccode'~=$`
`\lowercase{\endgroup\def\temp{&##^_A?~}}`
`\expandafter\visualtoks\expandafter{\temp}` gives
`$3 $4 $6 $7 $8 $10 $11 $12 $13.`
- To show anomalous tokens:
`\font\tenrm=cmr10 \tenrm`
`\expandafter\visualtoks\expandafter{\the\font \tenrm}` gives
`tenrm* tenrm.`

License

This package is copyright © 2025 plante, and released under the \LaTeX Project Public License (LPPL) 1.3c.

Repository

The upstream repository of this package may be found at

<https://github.com/texackers/visualtoks/tree/main>.