Text effects

Result Code	Result Code	
Text	Text	
Text	Text	
TEXT	Text	
<u>Text</u>	Text	

Text effects

Code	Result Code
\textbf{Text}	Text
	Text
	Text
	Text


 $\mathbf{bf} = \mathbf{b}$ oldface | $\mathbf{it} = \mathbf{it}$ alics | $\mathbf{sc} = \mathbf{s}$ mall \mathbf{c} aps | $\mathbf{tt} = \mathbf{t}$ ele \mathbf{t} ype (a.k.a. monospace)



Text effects

Result	Code	Result	Code
Text	\textbf{Text}	Text	\texttt{Text}
Text	\textit{Text}	Text	{\tiny Text}
Техт	\textsc{Text}	Text	{\LARGE Text}
<u>Text</u>	\underline{Text}	Text	$\verb \textcolor{red}{Text} ^1$

Huge, huge, LARGE, Large, large, normalsize, small, footnotesize, scriptsize, tiny



^{1\}usepackage{xcolor}

Lorem ipsum \tiny dolor sit amet, consectetur adipiscing elit. Phasellus elementum, lacus quis tempus scelerisque, elit diam vulputate ex, semper elementum massa odio in ante.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Phasellus elementum, lacus quis tempus scelerisque, elit diam vulputate ex, semper elementum massa odio in ante.

```
Lorem {ipsum \tiny dolor sit ame}t, consectetur adipiscing elit. Phasellus {elementum}, lacus quis tempus scelerisque, {elit diam vulputate ex, semper}elementum massa odio in ante.
```

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Phasellus elementum, lacus quis tempus scelerisque, elit diam vulputate ex, semper elementum massa odio in ante.

blank line

\textbf



Paragraphs

m ipsum dolor sit amet, ornare sit amet. psum ante, sollicitudin sit amet augue. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer id erat leo. Suspendisse sit amet ligula turpis. Duis congue turpis odio, non ornare elit ornare sit amet. In ipsum ante, sollicitudin at euismod vitae, tincidunt vitae massa. Aenean metus lectus, porta at tempor at, dapibus sit amet augue.



Paragraphs

m ipsum dolor sit amet, ornare sit amet. psum ante, sollicitudin sit amet augue.

m ipsum dolor sit amet,
ornare sit amet.
psum ante, sollicitudin

sit amet augue.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer id erat leo. Suspendisse sit amet ligula turpis. Duis congue turpis odio, non ornare elit ornare sit amet. In ipsum ante, sollicitudin at euismod vitae, tincidunt vitae massa. Aenean metus lectus, porta at tempor at, dapibus sit amet augue.



Paragraphs

m ipsum dolor sit amet, ornare sit amet. psum ante, sollicitudin sit amet augue.

m ipsum dolor sit amet, ornare sit amet.

psum ante, sollicitudin sit amet augue.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer id erat leo. Suspendisse sit amet ligula turpis. Duis congue turpis odio, non ornare elit ornare sit amet. In ipsum ante, sollicitudin at euismod vitae, tincidunt vitae massa. Aenean metus lectus, porta at tempor at, dapibus sit amet augue.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer id erat leo. Suspendisse sit amet ligula turpis. Duis congue turpis odio, non ornare elit ornare sit amet.

În ipsum ante, sollicitudin at euismod vitae, tincidunt vitae massa. Aenean metus lectus, porta at tempor at, dapibus sit amet augue.

blank line

parskip

Paragraphs

```
\usepackage{parskip}
\begin{document}
Lorem ipsum dolor sit amet,
... ornare sit amet.
In ipsum ante, sollicitudin
... sit amet augue.
\end{document}
```

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer id erat leo. Suspendisse sit amet ligula turpis. Duis congue turpis odio, non ornare elit ornare sit amet.

In ipsum ante, sollicitudin at euismod vitae, tincidunt vitae massa. Aenean metus lectus, porta at tempor at, dapibus sit amet augue.

blank line

parskip

\noindent

Paragraphs

```
\noindent Lorem ipsum dolor
sit amet, ... ornare sit
amet.
```

In ipsum ante, sollicitudin
... sit amet augue.

blank line

parskip

\noindent

Paragraphs

```
\noindent Lorem ipsum dolor
sit amet, ... ornare sit
amet.
```

In ipsum ante, sollicitudin ... sit amet augue.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer id erat leo. Suspendisse sit amet ligula turpis. Duis congue turpis odio, non ornare elit ornare sit amet.

In ipsum ante, sollicitudin at euismod vitae, tincidunt vitae massa. Aenean metus lectus, porta at tempor at, dapibus sit amet augue.

blank line

parskip

noindent

\vspace

Paragraphs

```
m ipsum dolor sit amet,
ornare sit amet.
ace{1cm}

psum ante, sollicitudin
sit amet augue.
```

(From now on, always parskip)

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer id erat leo. Suspendisse sit amet ligula turpis. Duis congue turpis odio, non ornare elit ornare sit amet.

In ipsum ante, sollicitudin at euismod vitae, tincidunt vitae massa. Aenean metus lectus, porta at tempor at, dapibus sit amet augue.

Lists

\textbf

```
e are the ingredients:
in{enumerate}
\item Carrots
\item Onions

Lipsum dolor sit amet.
\item Potatoes
{enumerate}
```

These are the ingredients:

- 1. Carrots
- 2. Onions

Lipsum dolor sit amet.

3. Potatoes

Lists

\textbf

```
e are the ingredients:
in{enumerate}
\item Carrots
\begin{enumerate}
    \item Buy
    \item Peel
    \item Chop
\end{enumerate}
\item Onions
Lipsum dolor sit amet.
\item Potatoes
{enumerate}
```

These are the ingredients:

- 1. Carrots
 - (a) Buy
 - (b) Peel
 - (c) Chop
- 2. Onions

Lipsum dolor sit amet.

3. Potatoes



vspace enumerate

itemize

Lists

```
e are the ingredients:
in{itemize}
\item Carrots
\begin{enumerate}
    \item Buy
    \item Peel
    \item Chop
\end{enumerate}
\item Onions
Lipsum dolor sit amet.
\item Potatoes
{itemize}
```

These are the ingredients:

- Carrots
 - 1. Buy
 - 2. Peel
 - 3. Chop
- Onions

Lipsum dolor sit amet.

Potatoes



noindent

parskip

```
e are the ingredients:
in{itemize}
\item Carrots
\begin{itemize}
    \item Buy
    \item Peel
    \item Chop
\end{itemize}
\item Onions
Lipsum dolor sit amet.
\item Potatoes
{itemize}
```

These are the ingredients:

- Carrots
 - Buv
 - Peel
 - Chop
- Onions

Lipsum dolor sit amet.

Potatoes



\vspace | enumera

item

Special characters

Result	Code	Result
{	{	Begin group
}	}	End group
%	%	Comment
_	_	Used in maths
^	^	Used in maths
\$	<i>\$</i>	Math mode
\	\	Command
&	&	Column separation
#	#	Parameter
>	>	į
<	<	i
	{ } % - \$ \ \ #	{ } % % % \$ \$ \ \ \ #

\vspace | enumera

iten

Special characters

Code	Result	Code	Result
\{	{	{	Begin group
\}	}	}	End group
\%	%	%	Comment
_	_	_	Used in maths
\textasciicircum	^	^	Used in maths
\\$	\$	<i>\$</i>	Math mode
\textbackslash	\	\	Command
\&	&	&	Column separation
\#	#	#	Parameter
\textgreater	>	>	į
\textless	<	<	i

vspace enumerate

itemize

Comments

```
% Make soul package work in beamer presentations
% Source: https://tex.stackexchange.com/...
\let\UL\ul
\makeatletter
\renewcommand\ul{
    \let\set@color\beamerorig@set@color
    \let\reset@color\beamerorig@reset@color
    \UL
}
...
```

parskip

```
% TODO Translate to english
\section{Nonsense}
Lorem ipsum dolor sit amet,
\textfb{ornare} sit amet.
\subsection{About $\sqrt{2}$}
```

Error! Undefined control sequence

vspace enumerate

itemize

\textbackslash

Comments

```
% TODO Translate to english
\section{Nonsense}

%Lorem ipsum dolor sit amet,
%\textfb{ornare} sit amet.
%
%\subsection{About $\sqrt{2}$}
```

1 Nonsense

parskip

itemize

```
% TODO Translate to english
\section{Nonsense}
Lorem ipsum dolor sit amet,
\textfb{ornare} sit amet.
%\subsection{About $\sqrt{2}$}
```

Error! Undefined control sequence

```
% TODO Translate to english
\section{Nonsense}

Lorem ipsum dolor sit amet,
\textbf{ornare} sit amet.
\subsection{About $\sqrt{2}$}
```

1 Nonsense

Lorem ipsum dolor sit amet, ornare sit amet.

1.1 About
$$\sqrt{2}$$

noindent

Quotes

parskip

```
'LaTeX' : 'LaTeX'
```

`LaTeX': 'LaTeX'

``LaTeX'': "LaTeX"

parskip

noindent

vspace

enumerate

itemiz

\textbackslash

.....

Whitespace

• a____b_c

abc.

parskip

Whitespace

• a____b_c

• a___b_c

abc.

a bc.

space | enumerate

itemiz

\textbackslash

.....

Whitespace

• a____b_c

• a___\b_c

• a\quad b c\,d\;e

• a\hspace{2cm}b

abc.

a bc.

a bcde

a b

parskip

vspace enumerate

itemize

Whitespace

- a____b_c
- a___b_c
- a\quad b c\,d\;e

noindent

- a\hspace{2cm}b
- \LaTeX is cool!
- Vincent is a member of the \TeX niCie.

- abc.
- a bc.
- a bcde
- a b

LATEXis cool!

Vincent is a member of the TEXniCie.

parskip | \noindent | \vspace | enum

numerate

itemize

\textbackslash

`'

Whitespace

- a____b_c
- a___b_c
- a\quad b c\,d\;e
- a\hspace{2cm}b
- \LaTeX is cool!
- Vincent is a member of the \TeX niCie.
- \LaTeX{} is cool!

abc.

abc.

a bcde

a b

LATEXis cool!

Vincent is a member of the TEXniCie.

LATEX is cool!

\noindent

enumerate

vspace

itemize

Whitespace

• a____b_c

• a___b_c

• a\quad b c\,d\;e

• a\hspace{2cm}b

• \LaTeX is cool!

• Vincent is a member of the \TeX niCie.

• \LaTeX{} is cool!

• o, my name textellipsis.

o, umy uname%
textellipsis.

abc.

abc.

a bcde

a b

LATEXis cool!

Vincent is a member of the TEXniCie.

LATEX is cool!

Hello, my name is . . .

Hello, my nameis . . .