

# GSNS workshop: $\text{\LaTeX}$ beginners

$\text{\TeX}$ niCie

Presenters: Thomas & Vincent

7 February 2023

Please log in on  
**overleaf.com**

(Create an account if you don't have one)

# Schedule


- Text document
- $\langle$ Exercises $\rangle$
- Formulas
- Figures
- $\langle$ Exercises $\rangle$
- Lists and Tables
- Finishing notes

# Overleaf

The screenshot shows the Overleaf web interface. On the left sidebar, the 'New Project' button is highlighted with a red arrow. The main content area displays a list of projects with columns for Title, Owner, Last Modified, and Actions. The projects listed include 'hw2 datastructure', 'hw1 datastructure', 'lina\_groepsopdracht\_1', 'or\_project\_literatuur\_tim\_jio', 'presentatie\_gr\_ri\_1', 'antwoorden\_dictaat\_getaltheorie', 'Enqueterantwoording METEC', 'ISTAT Eindopdracht verslag', 'Eindrapport METEC', and 'Verwerkingsopdrachten week 1 tm 4'. The interface also shows a search bar, a 'You're on the free plan' notification, and an 'Upgrade' button.

Title	Owner	Last Modified	Actions
<input type="checkbox"/> hw2 datastructure Tim & Manuel	You	2 months ago by You	
<input type="checkbox"/> hw1 datastructure	You	4 months ago by You	
<input type="checkbox"/> lina_groepsopdracht_1	You	a year ago by You	
<input type="checkbox"/> or_project_literatuur_tim_jio	You	a year ago by You	
<input type="checkbox"/> presentatie_gr_ri_1	You	a year ago by You	
<input type="checkbox"/> antwoorden_dictaat_getaltheorie	You	2 years ago by You	
<input type="checkbox"/> Enqueterantwoording METEC <span>Jaar 2 x</span> <span>METEC x</span>	You	2 years ago by You	
<input type="checkbox"/> ISTAT Eindopdracht verslag <span>Jaar 2 x</span>	You	2 years ago by jioni_dboy	
<input type="checkbox"/> Eindrapport METEC <span>Jaar 2 x</span> <span>METEC x</span>	You	2 years ago by You	
<input type="checkbox"/> Verwerkingsopdrachten week 1 tm 4 <span>Jaar 2 x</span>	You	2 years ago by You	

# Overleaf



## New Project

[Cancel](#)[Create](#)

```
\documentclass{article}
\usepackage[utf8]{inputenc}

\title{Example project}
\author{Vincent Kuhlmann}
\date{February 2023}

\begin{document}

\maketitle

\section{Introduction}

\end{document}
```

## Command syntax:

`\xxx{argument1}{argument2}`

`\xxx[optional argument]{argument1}{argument2}`

Example:

`\section{Introduction}`

- 1) **Backslash:** we are starting a command
- 2) **Command name:** 'section', place a header in the document. Takes 1 argument.
- 3) **Argument 1:** the name of the section

```
\documentclass{article}
\usepackage[utf8]{inputenc}

\title{Example project}
\author{Vincent Kuhlmann}
\date{February 2023}

\begin{document}

\maketitle

\section{Introduction}

\end{document}
```

## Environment syntax:

```
\begin{xxx}
...
\end{xxx}
```

Example:

```
\begin{center}
```

- 1) **Begin:** We are starting the center environment
- 2) **Body:** The text to be centered on the page
- 3) **End:** Now go back to normal

```
\documentclass{article}
\usepackage[utf8]{inputenc}

\title{Example project}
\author{Vincent Kuhlmann}
\date{February 2023}

\begin{document}

\maketitle

\section{Introduction}

\end{document}
```

## Document structure:

- **Preamble.**  
This is where configuration goes.
  - `\documentclass`: specify a template.
  - `\usepackage{xxx}`: import package 'xxx'.
  - Other: a.o. setting the title of your document
- **Document body.**  
This is where the text and other content go.

## What are packages?

L<sup>A</sup>T<sub>E</sub>X-code written by other people. They can add new commands, change how your document looks, or improve existing functionalities.

Example: package ‘xcolor’ provides the command `\textcolor{red}{some text}`.

Syntax: `\usepackage[aa=6cm,bb,cc=red]{xxx}`

Imports package ‘xxx’. The optional argument is a list of instructions.



## Most essential packages

- **Math packages: amsmath, amssymb**

Defines `\begin{pmatrix}`-environment, which is a matrix with parentheses.

- **Layout packages: geometry**

```
\usepackage[a4paper,margin=2.54cm]{geometry}
```

- **Other: graphicx, babel**

Graphicx fixes and improves use of images, Babel translates default terms, e.g. 'Inhoudsopgave' instead of 'Contents'.

Available packages are managed by CTAN. On their website you find package manuals.

*Exercises and examples from this presentation will not work if you forget required packages. For a good starting point, see <https://vkuhlmann.com/latex/example>.*

## Syntax for text?

```
\begin{document}
```

This is some text, very `\textbf{meaningful}` text.

On a new line? And I want        spaces,        lots of spaces.

This is some text, very `\textbf{meaningful}` text.

```
\end{document}
```

What does this look like in the output?

# Syntax for text?

The fix:

```
...  
\usepackage{parskip}  
  
\begin{document}  
  
This is some text, very \textbf{meaningful} text.\\  
On a new line? And I want\ \ \ \ \ spaces,  
\hspace{1cm}lots of spaces.  
  
This is some text, very \textbf{meaningful} text.  
\end{document}
```

## Syntax for text? – Special characters

Code	Result	Code	Result
<code>\{</code>	{	<code>{</code>	Begin group
<code>\}</code>	}	<code>}</code>	End group
<code>\%</code>	%	<code>%</code>	Comment
<code>\_</code>	—	<code>_</code>	Used in maths
<code>\textasciicircum</code>	^	<code>^</code>	Used in maths
<code>\\$</code>	\$	<code>\$</code>	Math mode
<code>\textbackslash</code>	\	<code>\</code>	Command
<code>\&amp;</code>	&	<code>&amp;</code>	Column separation
<code>\#</code>	#	<code>#</code>	Parameter
<code>\textgreater</code>	>	<code>&gt;</code>	>
<code>\textless</code>	<	<code>&lt;</code>	<

## Syntax for text? – Quotes

'LaTeX' : 'LaTeX'

`LaTeX' : ‘LaTeX’

``LaTeX' ': “LaTeX”

## More with text – Text effects

Result	Code	Result	Code
<b>Text</b>	<code>\textbf{Text}</code>	Text	<code>\texttt{Text}</code>
<i>Text</i>	<code>\textit{Text}</code>	Text	<code>{\tiny Text}</code>
TEXT	<code>\textsc{Text}</code>	Text	<code>{\LARGE Text}</code>
<u>Text</u>	<code>\underline{Text}</code>	Text	<code>\textcolor{red}{Text}</code> <sup>1</sup>

Huge, huge, LARGE, Large, large, normalsize, small, footnotesize, scriptsize, tiny

---

<sup>1</sup>`\usepackage{xcolor}`

# Page margins

```
\documentclass{article}
\usepackage[utf8]{inputenc}

\title{My document}
\author{Vincent Kuhlmann}
\date{1 May 2021}

\begin{document}
  \maketitle
  \section{Introduction}

  Hallo iedereen!
\end{document}
```

My document

Vincent Kuhlmann

1 May 2021

## 1 Introduction

Hallo iedereen!

# Page margins

```
\documentclass{article}
\usepackage[utf8]{inputenc}
\usepackage[a4paper,margin=2.54cm]{geometry}

\title{My document}
\author{Vincent Kuhlmann}
\date{1 May 2021}

\begin{document}
  \maketitle
  \section{Introduction}

  Hallo iedereen!
\end{document}
```

My document  
Vincent Kuhlmann  
1 May 2021

1 Introduction  
Hallo iedereen!



# Section commands

```
\section{AA}
```

Lorem ipsum dolor sit amet,  
consectetur adipiscing elit.

```
\section{BB}
```

```
\subsection{CC}
```

```
\subsubsection{DD}
```

```
\subsection{EE}
```

Nullam a risus at arcu  
lobortis viverra vel  
volutpat diam.

```
\section{FF}
```

```
\subsubsection{GG}
```

## 1 AA

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

## 2 BB

### 2.1 CC

#### 2.1.1 DD

### 2.2 EE

Nullam a risus at arcu lobortis viverra vel volutpat diam.

## 3 FF

### 3.0.1 GG

# Table of contents

```

\begin{document}
  \maketitle
  \tableofcontents

  \section{AA}
  ...
\end{document}

```

## Contents

<b>1</b>	<b>AA</b>	<b>1</b>
<b>2</b>	<b>BB</b>	<b>2</b>
2.1	CC . . . . .	2
2.1.1	DD . . . . .	2
2.2	EE . . . . .	2
<b>3</b>	<b>FF</b>	<b>2</b>
3.0.1	GG . . . . .	2

## 1 AA

Lorem ipsum dolor sit amet, consectetur adipiscing elit.

# Table of contents

```

\begin{document}
  \maketitle
  \tableofcontents
  \newpage

  \section{AA}
  ...
\end{document}

```

## Contents

<b>1</b>	<b>AA</b>	<b>2</b>
<b>2</b>	<b>BB</b>	<b>2</b>
2.1	CC . . . . .	2
2.1.1	DD . . . . .	2
2.2	EE . . . . .	2
<b>3</b>	<b>FF</b>	<b>2</b>
3.0.1	GG . . . . .	2

# Exercises!

Slides and exercises are available at  
[texnicie.nl](http://texnicie.nl)

# Math

There are two ways to typeset math:

inline mode

The trigonometric identity is given by  $\sin^2(\theta) + \cos^2(\theta) = 1$  for all  $\theta$ .

display mode

The Pythagorean trigonometric identity is given by

$$\sin^2(\theta) + \cos^2(\theta) = 1 \tag{1}$$

The identity

$$1 + \tan^2(\theta) = \frac{1}{\cos^2\theta} \tag{2}$$

Is also called the Pythagorean trigonometric identity.

## Inline math

Text and symbols between `\(` and `\)` are treated as **math symbols**.

```
\documentclass[a5paper]{article}
```

```
\begin{document}
```

The trigonometric identity is

given by `\( \sin^2(\theta) + \cos^2(\theta) = 1 \)`. This identity is also called the Pythagorean trigonometric identity.

```
\end{document}
```

The trigonometric identity is given by  $\sin^2(\theta) + \cos^2(\theta) = 1$ . This identity is also called the Pythagorean trigonometric identity.

# Math packages

The following three packages are useful for typesetting mathematics:

```
\documentclass[a4paper, 10pt]{article}
\usepackage{amsmath}
\usepackage{amssymb}
\usepackage{amsthm}
\begin{document}
  \[
    ax^2 + bx + c = 0 \quad \text{the general form of the quadratic equation}
  \]
\end{document}
```

These provide options for adding text to formulae, extra symbols such as  $\boxplus$ ,  $\rightsquigarrow$  and  $\mathbb{R}$  and better theorem and proof environments.

# Basic math

Formula	Code	Formula	Code
$\sqrt{2}$	$\sqrt{2}$	$\sqrt[3]{8}$	$\sqrt[3]{8}$
$\frac{2}{3}$	$\frac{2}{3}$	$x_1$	$x_1$
$6 \geq 3$	$6 \geq 3$	$x_1^2$	$x_1^2$
$a^2 + b^2$	$a^2 + b^2$	$a^{2+b^2}$	$a^{2+b^2}$



# Basic math

Formula	Code	Formula	Code
$\sqrt{2}$	<code>\$ \sqrt{2} \$</code>	$\sqrt[3]{8}$	<code>\$ \sqrt[3]{8} \$</code>
$\frac{2}{3}$	<code>\$ \frac{2}{3} \$</code>	$x_1$	<code>\$ x_1 \$</code>
$6 \geq 3$	<code>\$ 6 \geq 3 \$</code>	$x_1^2$	<code>\$ x_1^2 \$</code>
$a^2 + b^2$	<code>\$ a^2 + b^2 \$</code>	$a^{2+b^2}$	<code>\$ a^{2+b^2} \$</code>

# Basic math

Formula	Code	Formula	Code
$\sqrt{2}$	<code>\$ \sqrt{2} \$</code>	$\sqrt[3]{8}$	<code>\$ \sqrt[3]{8} \$</code>
$\frac{2}{3}$	<code>\$ \frac{2}{3} \$</code>	$x_1$	<code>\$ x_1 \$</code>
$6 \geq 3$	<code>\$ 6 \geq 3 \$</code>	$x_1^2$	<code>\$ x_1^2 \$</code>
$a^2 + b^2$	<code>\$ a^2 + b^2 \$</code>	$a^{2+b^2}$	<code>\$ a^{2+b^2} \$</code>

# Basic math

Formula	Code	Formula	Code
$\sqrt{2}$	<code>\$ \sqrt{2} \$</code>	$\sqrt[3]{8}$	<code>\$ \sqrt[3]{8} \$</code>
$\frac{2}{3}$	<code>\$ \frac{2}{3} \$</code>	$x_1$	<code>\$ x_1 \$</code>
$6 \geq 3$	<code>\$ 6 \geq 3 \$</code>	$x_1^2$	<code>\$ x_1^2 \$</code>
$a^2 + b^2$	<code>\$ a^2 + b^2 \$</code>	$a^{2+b^2}$	<code>\$ a^{2+b^2} \$</code>

# Basic math

Formula	Code	Formula	Code
$\sqrt{2}$	<code>\$ \sqrt{2} \$</code>	$\sqrt[3]{8}$	<code>\$ \sqrt[3]{8} \$</code>
$\frac{2}{3}$	<code>\$ \frac{2}{3} \$</code>	$x_1$	<code>\$ x_1 \$</code>
$6 \geq 3$	<code>\$ 6 \geq 3 \$</code>	$x_1^2$	<code>\$ x_1^2 \$</code>
$a^2 + b^2$	<code>\$ a^2 + b^2 \$</code>	$a^2 + b^2$	<code>\$ a^2 + b^2 \$</code>

# Basic math

Formula	Code	Formula	Code
$\sqrt{2}$	<code>\$ \sqrt{2} \$</code>	$\sqrt[3]{8}$	<code>\$ \sqrt[3]{8} \$</code>
$\frac{2}{3}$	<code>\$ \frac{2}{3} \$</code>	$x_1$	<code>\$ x_1 \$</code>
$6 \geq 3$	<code>\$ 6 \geq 3 \$</code>	$x_1^2$	<code>\$ x_1^2 \$</code>
$a^2 + b^2$	<code>\$ a^2 + b^2 \$</code>	$a^{2+b^2}$	<code>\$ a^{2+b^2} \$</code>

# Basic math

Formula	Code	Formula	Code
$\sqrt{2}$	<code>\$ \sqrt{2} \$</code>	$\sqrt[3]{8}$	<code>\$ \sqrt[3]{8} \$</code>
$\frac{2}{3}$	<code>\$ \frac{2}{3} \$</code>	$x_1$	<code>\$ x_1 \$</code>
$6 \geq 3$	<code>\$ 6 \geq 3 \$</code>	$x_1^2$	<code>\$ x_1^2 \$</code>
$a^2 + b^2$	<code>\$ a^2 + b^2 \$</code>	$a^{2+b^2}$	<code>\$ a^{2+b^2} \$</code>

# Basic math

Formula	Code	Formula	Code
$\sqrt{2}$	<code>\$ \sqrt{2} \$</code>	$\sqrt[3]{8}$	<code>\$ \sqrt[3]{8} \$</code>
$\frac{2}{3}$	<code>\$ \frac{2}{3} \$</code>	$x_1$	<code>\$ x_1 \$</code>
$6 \geq 3$	<code>\$ 6 \geq 3 \$</code>	$x_1^2$	<code>\$ x_1^2 \$</code>
$a^2 + b^2$	<code>\$ a^2 + b^2 \$</code>	$a^{2+b^2}$	<code>\$ a^{2+b^2} \$</code>

# Basic math

Formula	Code	Formula	Code
$\sqrt{2}$	<code>\$ \sqrt{2} \$</code>	$\sqrt[3]{8}$	<code>\$ \sqrt[3]{8} \$</code>
$\frac{2}{3}$	<code>\$ \frac{2}{3} \$</code>	$x_1$	<code>\$ x_1 \$</code>
$6 \geq 3$	<code>\$ 6 \geq 3 \$</code>	$x_1^2$	<code>\$ x_1^2 \$</code>
$a^2 + b^2$	<code>\$ a^2 + b^2 \$</code>	$a^{2+b^2}$	<code>\$ a^{2 + b^2} \$</code>



# Basic math

Formula	Code	Formula	Code
$\sqrt{2}$	<code>\$ \sqrt{2} \$</code>	$\sqrt[3]{8}$	<code>\$ \sqrt[3]{8} \$</code>
$\frac{2}{3}$	<code>\$ \frac{2}{3} \$</code>	$x_1$	<code>\$ x_1 \$</code>
$6 \geq 3$	<code>\$ 6 \geq 3 \$</code>	$x_1^2$	<code>\$ x_1^2 \$</code>
$a^2 + b^2$	<code>\$ a^2 + b^2 \$</code>	$a^{2+b^2}$	<code>\$ a^{2 + b^2} \$</code>
<code>\$ x^{22} \$</code> : $x^{22}$			

# Basic math

Formula	Code	Formula	Code
$\sqrt{2}$	<code>\$ \sqrt{2} \$</code>	$\sqrt[3]{8}$	<code>\$ \sqrt[3]{8} \$</code>
$\frac{2}{3}$	<code>\$ \frac{2}{3} \$</code>	$x_1$	<code>\$ x_1 \$</code>
$6 \geq 3$	<code>\$ 6 \geq 3 \$</code>	$x_1^2$	<code>\$ x_1^2 \$</code>
$a^2 + b^2$	<code>\$ a^2 + b^2 \$</code>	$a^{2+b^2}$	<code>\$ a^{2 + b^2} \$</code>
<code>\$ x^{22} \$</code> : $x^{22}$   <code>\$ x^{\{22\}} \$</code> : $x^{22}$			

## Display math

There are many display math environments. Today we focus on the **align** environment.

The double angle formula can now be rewritten as

```
\begin{align}
\cos(2\theta) &= \cos^2\theta - \sin^2\theta \\
&= 2\cos^2\theta - 1
\end{align}
```

The double angle formula can now be rewritten as

$$\cos(2\theta) = \cos^2 \theta - \sin^2 \theta \tag{3}$$

$$= 2 \cos^2 \theta - 1 \tag{4}$$

# Figure

Here you see a penguin:

```
\begin{center}  
  \includegraphics[height=2cm]{penguin.jpg}  
\end{center}
```

Photo by Sue Flood.

Here you see a penguin:



Photo by Sue Flood.

# Figure

```
You can see a penguin in Figure~\ref{fig:penguin}.  
\begin{figure}[h]  
  \centering  
  \includegraphics[height=2cm]{penguin.jpg}  
  \caption{A cute penguin. Photo by Sue Flood.}  
  \label{fig:penguin}  
\end{figure}
```

You can see a penguin in Figure 1.



Figure 1: A cute penguin.  
Photo by Sue Flood.

# Figure placement

`\begin{figure}[h]`

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.. Zie hier-voor Figuur 1.



Figure 1: Voorbeeld van figuurplaatsing.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Do-

nec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

# Figure placement

`\begin{figure}[t]`



Figure 2: Voorbeeld van figuurplaatsing.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Zie hiervoor Figuur 2.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Do-

nec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

# Figure placement

`\begin{figure}[b]`

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Zie hiervoor Figuur 3.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultrices et, tellus. Do-



Figure 3: Voorbeeld van figuurplaatsing.

nec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.



# Figure placement

`\begin{figure}[p]`

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Zie hiervoor Figuur 4.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.



Figure 4: Voorbeeld van figuurplaatsing.

## Figure placement

Specify one or more of the following characters:

- ▶ h (HERE): Figure can come here.
- ▶ t (TOP): Figure can come at the top of the page.
- ▶ b (BOTTOM): Figure can come at the bottom of the page
- ▶ p (PAGE): Figure can come on a special page for figures.
- ▶ !: Override internal parameters for floats.
- ▶ H (HERE): No floating, always here. (`\usepackage{float}`)

Bijvoorbeeld: `\begin{figure}[ht]`

When working with images: `\usepackage{graphicx}`

# Dimensions

- Full linewidth

```
\includegraphics[width=\linewidth]{assets/pinguin.jpg}
```

- 90% linewidth

```
\includegraphics[width=0.9\linewidth]{assets/pinguin.jpg}
```

- Width maximally 90% linewidth and height maximally 5 cm

```
\includegraphics[  
    width=0.9\linewidth,height=5cm,keepaspectratio  
]{assets/pinguin.jpg}
```


# Subfigure

```


\usepackage{subcaption}
...

\begin{figure}[htbp]
  \centering
  \begin{subfigure}[b]{0.45\textwidth}
    \includegraphics[width=\textwidth]{...}
    \caption{BB}
    \label{fig:dphiExample}
  \end{subfigure}\quad
  \begin{subfigure}[b]{0.45\textwidth}
    \includegraphics[width=\textwidth]{...}
    \caption{CC}
    \label{fig:fitExample}
  \end{subfigure}
  \caption{Meerdere afbeeldingen naast elkaar!}
\end{figure}

```



(a) BB



(b) CC

Figuur 1: Multiple images next to eachother!

# Exercises!

Slides and exercises are available at  
[texnicie.nl](http://texnicie.nl)

# Lists

There are three types of lists environments in latex.

**enumerate** is used for information that has order:

**itemize** is used for information that does not have order:

**description** is used for information that has descriptions for each item

## Examples

Enumerated list	Itemized list	Descriptive list
Biggest cities of the Netherlands	Members of the TeXniCie	Tech companies
1. Amsterdam	▪ Hanneke	<b>Apple</b> Computer company
2. Rotterdam	▪ Thomas	<b>Facebook</b> Social media company
3. The Hague	▪ Tim	
4. Utrecht	▪ Vincent	<b>Microsoft</b> Software company

# Lists

To make a list, start with the command `\begin{enumerate}`, `\begin{itemize}` or `\begin{description}` depending on the list environment and end with `\end{enumerate}`, `\end{itemize}` or `\end{description}` respectively. In front of each item use the command `\item`. In case of the descriptive environment add square braces to assign a label to each item: `\item[label]`

## Examples

Itemized list	Enumerated list	Descriptive list
<pre>\begin{itemize} \item Hanneke \item Thomas \item Tim \item Vincent \end{itemize}</pre>	<pre>\begin{enumerate} \item Amsterdam \item Rotterdam \item The Hague \item Utrecht \end{enumerate}</pre>	<pre>\begin{description} \item[Apple] Computer company \item[Facebook] Social media company \item[Microsoft] Software company \end{description}</pre>

# Nested Lists

It is also possible to have nested lists. For example:

- First level
  - second level
    - third level
    - second level
- First level



# Tables

Tables are made in the **tabular** environment. When making a table you start with `\begin{tabular}`. Afterwards, an extra parameter must be given that tells Latex how the table will be formatted. For example `{1 1 1}` tells us that we want a table with three columns that are aligned to the left.

Inside of the tabular environment a new column is made with the `&`-symbol and a new row with `\\`.

## Example

Name	Population
Amsterdam	903,399
Rotterdam	655,468
The Hague	553,417

```
\begin{tabular}{1 1 1}
Name & Population\\
Amsterdam & 903,399\\
Rotterdam & 655,468\\
The Hague & 553,417\\
\end{tabular}
```

# Tables

You have now learned how to make a table, but it would be nice if we could have separator lines between rows and columns. For the columns you can add a pipe symbol between columns in the parameter. For separator lines between rows the command `\hline` is used.

## Example

Name	Population
Amsterdam	903,399
Rotterdam	655,468
The Hague	553,417

```
\begin{tabular}{||l | l||}  
  \hline\hline  
  Name & Population\\\hline  
  Amsterdam & 903,399\\\hline  
  Rotterdam & 655,468\\\hline  
  The Hague & 553,417\\\hline\hline  
\end{tabular}
```

# Tables

Parameter options:

**l** Align columns to the left.

**c** Align columns to the centre.

**r** Align columns to the right.

Also note that just like images, tables can be figures

## Example


Name	Population
Amsterdam	903,399
Rotterdam	655,468
The Hague	553,417

Figure 2: Biggest cities of NL

```
\begin{figure}
\begin{tabular}{|l|l|}
Name & Population\\ \hline
Amsterdam & 903,399\\
Rotterdam & 655,468\\
\end{tabular}
\caption{Biggest cities of NL}
```

# Installation

[vkuhlmann.com/latex/installation](http://vkuhlmann.com/latex/installation)



# The end

## Questions?

Stuck? Mail us at  
`contact@texnicie.nl`

The slides can be found on  
<https://texnicie.nl>

# License

## Contributors

Copyright (c) 2021–2023 Vincent Kuhlmann

Copyright (c) 2022–2023 Tim Weijers

Copyright (c) 2022–2023 Thomas van Maaren

Copyright (c) 2022–2023 Hanneke Schrotten

The T<sub>E</sub>XniCie licenses this PDF to the public under

**Creative Commons CC BY-NC-ND 4.0**

To use any alterations of the slides, please request a different license from the T<sub>E</sub>XniCie.