

2020 年全国统计建模大赛

# 非洲猪瘟疫情对居民消费的影响研究

## ——基于四川住户调查数据

单 位：国家统计局四川调查总队

参赛者：张 明

周 娜

辜 慧

2020 年 9 月 4 日

## 目 录

|                            |        |
|----------------------------|--------|
| 摘要 .....                   | - 1 -  |
| 一、前言 .....                 | - 1 -  |
| 二、非洲猪瘟在四川的发生及影响机制 .....    | - 3 -  |
| 三、非洲猪瘟对四川居民消费影响的实证分析 ..... | - 5 -  |
| (一) 数据来源及描述性统计 .....       | - 6 -  |
| (二) 模型选择与变量说明 .....        | - 6 -  |
| (三) 模型结果与分析 .....          | - 8 -  |
| 四、主要结论 .....               | - 21 - |
| 五、政策启示 .....               | - 22 - |
| 参考文献 .....                 | - 24 - |
| 附录 .....                   | - 26 - |
| (一) 程序及代码 .....            | - 6 -  |
| (二) 程序输出结果 .....           | - 6 -  |

## 图表目录

|     |                                  |        |
|-----|----------------------------------|--------|
| 图 1 | 2018 年、2019 年大型养殖场生猪存栏环比指数 ..... | - 4 -  |
| 图 2 | 2018 年、2019 年大型养殖场生猪出栏环比指数 ..... | - 4 -  |
| 图 3 | 2018 年、2019 年大型养殖场生猪出栏价格 .....   | - 4 -  |
| 图 4 | 非洲猪瘟疫情影响机制示意图 .....              | - 5 -  |
| 图 5 | 家庭月人均肉类消费量影响情况 .....             | - 11 - |
| 图 6 | 家庭月人均主要食品消费量影响情况 .....           | - 15 - |
| 图 7 | 家庭月人均消费支出影响情况 .....              | - 21 - |
| 表 1 | 不同群体消费指标描述性统计 .....              | - 6 -  |
| 表 2 | 控制变量说明 .....                     | - 7 -  |
| 表 3 | 家庭月人均猪肉消费支出影响估计结果 .....          | - 9 -  |
| 表 4 | 家庭月人均猪肉消费量影响估计结果 .....           | - 10 - |
| 表 5 | 家庭月人均其它肉类消费影响估计结果 .....          | - 11 - |
| 表 6 | 家庭月人均肉类消费支出影响估计结果 .....          | - 13 - |

|      |                         |        |
|------|-------------------------|--------|
| 表 7  | 家庭月人均肉类消费量影响估计结果 .....  | - 14 - |
| 表 8  | 家庭月人均其它食品消费影响估计结果 ..... | - 15 - |
| 表 9  | 家庭月人均消费支出影响估计结果 .....   | - 17 - |
| 表 10 | 家庭月人均食品支出影响估计结果 .....   | - 18 - |
| 表 11 | 家庭月人均食品占比影响估计结果 .....   | - 19 - |
| 表 12 | 家庭月人均其它消费影响估计结果 .....   | - 20 - |

# 非洲猪瘟疫情对居民消费的影响研究

## ——基于四川住户调查数据

**摘要** 猪肉是我国大多数居民最主要的肉食品，是老百姓“菜篮子”中的重要组成部分。2019 年下半年，非洲猪瘟疫情在四川集中爆发，对猪肉生产与消费造成一定影响，如何让老百姓“菜篮子”供得上、供得稳成为值得关注的问题。本文运用 Tobit-DID 模型，使用 2018 年、2019 年居民收支调查数据，分析 2019 年非洲猪瘟疫情对四川居民及特定群体家庭消费的净影响，得出结论：一是非洲猪瘟疫情导致居民消费结构发生显著变化，与假定当年未集中爆发非洲猪瘟疫情的情况相比，月人均猪肉消费量减少 0.64 公斤，禽肉成为主要替代品。与假定当年未集中爆发非洲猪瘟疫情的情况相比，月人均消费支出增加 54 元，刚性支出对其它消费项目的挤占效应明显，食品支出比重上升 1.2 个百分点。二是低收入家庭消费受影响更大，与假定当年未集中爆发非洲猪瘟疫情的情况相比，肉类消费量降幅达到 14.6%，较一般家庭高 3.9 个百分点；农村家庭消费受影响更大，与假定当年未集中爆发非洲猪瘟疫情的情况相比，其肉类消费量降幅较城镇家庭高 3.7 个百分点，其恩格尔系数较城镇家庭多上升 0.4 个百分点；三是提高收入对降低非洲猪瘟影响、改善消费结构有显著作用。因此，当务之急是加快恢复市场供给、保障居民基本生活，而从长期来看，推动畜牧业发展和结构优化、促进居民特别是低收入群众持续增收的支持政策必不可少。

**关键词** 非洲猪瘟疫情，居民消费，Tobit-DID 模型

### 一、前言

2020 年是决战决胜脱贫攻坚、全面建成小康社会的收官之年，在奔小康社会道路上保障全社会人口“两不愁”是实现“真脱贫”的关键。猪肉是老百姓“菜篮子”中重要组成部分，不仅是老百姓最重要的肉食来源，还影响着“菜篮子”

中其它食品价格,对老百姓消费起着至关重要的作用。四川既是生猪生产第一大省,年出栏超 6000 万头,占全国 10%;同时也是猪肉消费大省,年人均猪肉消费量 36 公斤<sup>1</sup>,是全国平均水平的 1.8 倍。2019 年下半年以来,非洲猪瘟对四川生猪生产和消费造成了巨大影响。一方面,生猪大量死亡或被扑杀,下半年出栏量同比下降 44.3%,导致猪肉价格上涨,老百姓消费猪肉“有点愁”。另一方面,由猪肉价格上涨带动的食品乃至消费价格的整体上涨,使得老百姓消费增添“更多愁”,生活质量受到较大影响。

研究非洲猪瘟疫情对居民消费的影响,特别是分层次、分群体分析所受影响 of 共性与差异,对识别敏感群体、解决现有补贴机制在财政压力 and 政策效果方面的两难选择、及时合理调整畜禽生产结构和规模、切实缓和人民日益增长的美好生活需要和不平衡不充分的发展之间的矛盾,具有参考意义。

关于居民消费结构,宋平平(2020)<sup>[1]</sup>,陈晓毅(2014)<sup>[2]</sup>等分析了收入和价格因素对居民消费结构的影响,王小华等(2020)<sup>[3]</sup>做了居民消费行为对收入变动的敏感性研究,吕文(2020)<sup>[4]</sup>,任昌荣(2020)<sup>[5]</sup>从消费异质视角出发分析城镇居民八类消费项目的边际消费弹性和需求收入弹性,刘双艳(2018)<sup>[6]</sup>检验了支出、收入和环境是影响农村居民生活质量的主要因素。朱海艳等(2014)<sup>[7]</sup>提出将“旅游恩格尔系数”作为反映人们生活质量的重要指标。以上文献均研究了收入和价格对居民消费变化的影响,以及不同特征家庭消费特点,对本文解释变量选择和居民群体分类提供了借鉴。

关于非洲猪瘟疫情影响,国内现有研究主要关注非洲猪瘟疫情的时空演化、防控以及对生猪产业发展和猪价变动带来的影响。如石国宁等(2020)<sup>[8]</sup>研究非洲猪瘟疫情的时空演化特点,胡向东(2018)<sup>[9]</sup>分析非洲猪瘟疫情对生猪产业发展带来的影响,许彪(2014)<sup>[10]</sup>,赵全新(2017)<sup>[11]</sup>,罗千峰等(2018)<sup>[12]</sup>研究猪瘟对生猪价格的影响。还有文献研究非洲猪瘟疫情影响下,部分群体由于收入和消费预期的不确定而改变消费决策的行为,如成鹏远(2020)<sup>[13]</sup>得出畜牧业总

<sup>1</sup> 2017-2019 年平均,不含猪肉制品及在外饮食,下同。

产值每减少 1 万元，农村居民人均可支配收入将减少 34.6 元，朱宁等（2020）<sup>[14]</sup>分析非洲猪瘟疫情下城镇居民家庭畜产品消费替代情况，Xu Tian（2020）<sup>[15]</sup>认为非洲猪瘟疫情将推高全球肉类价格从而影响国家食品安全，Daniel（2020）<sup>[16]</sup>等实证得出非洲猪瘟疫情会影响中国人均卡路里的摄入量。以上文献集中关注猪瘟疫情对肉类价格变动及肉类间的消费替代，但缺少关于非洲猪瘟对居民食品类及生活消费八大类影响的研究。

本文的创新点主要包括选题创新、模型运用创新及结论应用创新。选题上，分层次、分群体定量分析了非洲猪瘟对消费的影响。模型上，将 TOBIT 模型与 DID 模型结合使用，增强消费分析严谨性，并以同一个体不同时期消费分别作为对照组和实验组，简化了匹配环节。所得结论可为短期内加快恢复市场供给、保障居民基本生活，以及中长期提高畜牧业抗风险能力、提高居民家庭抗风险能力提供科学指导。

## 二、非洲猪瘟在四川的发生及影响机制

2018 年 8 月 1 日，我国首次通报非洲猪瘟疫情，至 2018 年底四川省内共通报 5 起，此时非洲猪瘟疫情发生地分散，生猪死亡数量较少，生猪生产各项数据窄幅波动，符合正常年份生猪行业的发展情况。2019 年 6 月中下旬非洲猪瘟疫情开始在省内集中爆发，政府和养殖户为应对疫情主要采取了生猪扑杀、集中出栏、暂停与发生疫情省份及其相邻市县进行生猪调运等措施。从指数来看，2019 年 6 月后，生猪存、出栏环比指数与正常年份发展情况相悖，存栏环比指数<sup>2</sup>出现持续快速大幅下降，与 2018 年的持续小幅上涨相悖（图 1）；出栏环比指数<sup>3</sup>急速大幅变化，与 2018 年的小幅波动形成较大反差（图 2）。从价格来看，2019 年 6 月后，随着生猪出栏量下降和需求回升，生猪供给紧张导致价格持续快速上升，出栏价格从 14.3 元/公斤<sup>4</sup>大幅上升至 36.2 元/公斤，脱离了 2018 年同期平稳小

<sup>2</sup> 生猪存栏环比指数=（当月生猪存栏量/上月生猪存栏量）\*100，1 月存栏指数设定为 100。

<sup>3</sup> 生猪出栏环比指数=（当月生猪出栏量/上月生猪出栏量）\*100，1 月出栏指数设定为 100。

<sup>4</sup> 全省大型养殖场生猪出栏平均价格，下同。

幅上涨的轨迹；同时，2019 年 6 月至 12 月，生猪出栏均价大幅高于 2018 年同期，为 2018 年同期均价的 2 倍，创历史新高（图 3）。




图 1 2018 年、2019 年大型养殖场生猪存栏环比指数




图 2 2018 年、2019 年大型养殖场生猪出栏环比指数




图 3 2018 年、2019 年大型养殖场生猪出栏价格

非洲猪瘟疫情发生后，生猪大面积死亡、被扑杀，养殖户集中快速出栏、存栏下降，生猪产能下降、供给减少，导致生猪价格上涨，消费市场猪肉价格上行并带动其它消费品价格上涨，居民实际可支配收入相对减少，消费者通过调整消费结构缓和物价上涨冲击。基于消费市场上猪肉供给量受生猪生产和出栏量的影响、猪肉价格与生猪价格正相关，根据供求理论、收入效应、替代效应等经济学理论，梳理出非洲猪瘟疫情的影响机制（图4）。




图4 非洲猪瘟疫情影响机制示意图

据此，关于非洲猪瘟疫情对居民消费的影响提出以下假设：

一是生猪生产受到冲击，影响市场持续稳定供给，生猪价格大幅上涨，居民猪肉消费支出增加，消费量减少。

二是部分猪肉消费转移至其它肉类、蛋类、蔬菜和食用菌类等，其它肉类、蛋类、蔬菜和食用菌类等消费增加。其中，收入较高的家庭选择品质较高的肉类代替猪肉，而收入较低的家庭则相反。

三是食品支出增加，居民调整消费结构对冲价格上涨的影响，以食品为代表的生存型消费占比上升，挤占教育文化娱乐等发展型、享受型消费。其中，低收入家庭消费结构调整较一般家庭更困难，生活变得更加艰难。

### 三、非洲猪瘟对四川居民消费影响的实证分析

本部分将按肉类、食品类、生活消费八大类三个层次，选择适当模型验证非洲猪瘟疫情对四川居民消费的影响，并按全体居民、人均低收入户、城镇住户和农村住户（以下简称全体、低收入、城镇、农村）分组测算影响程度，其中人均低收入户指按家庭月人均可支配收入排序后，收入最低的20%的住户家庭。



## （一）数据来源及描述性统计

本文数据主要来源 2018-2019 年连续 24 个月的四川居民收支调查数据，涵盖 5938 个样本调查户，其中有效数据 5908 户。不同群体消费指标特征如表 1。

表 1 不同群体消费指标描述性统计

| 消费指标                  |           | 单位   | 均值     |        |         |        | 标准差    |        |         |        | 0数据占比<br>(全体, %) |
|-----------------------|-----------|------|--------|--------|---------|--------|--------|--------|---------|--------|------------------|
|                       |           |      | 全体     | 低收入    | 城镇      | 农村     | 全体     | 低收入    | 城镇      | 农村     |                  |
| 三级指标<br>月人均<br>肉类消费   | 猪肉消费支出    | 百元   | 0.70   | 0.48   | 0.79    | 0.59   | 1.14   | 0.98   | 1.11    | 1.17   | 17.00            |
|                       | 猪肉消费量     | 百克   | 264.27 | 190.58 | 290.40  | 233.01 | 449.99 | 394.89 | 424.13  | 477.22 | 17.00            |
|                       | 牛肉消费支出    | 百元   | 0.10   | 0.03   | 0.14    | 0.04   | 0.42   | 0.20   | 0.52    | 0.23   | 74.51            |
|                       | 牛肉消费量     | 百克   | 16.03  | 5.13   | 23.33   | 7.30   | 71.09  | 36.14  | 81.72   | 54.52  | 74.51            |
|                       | 羊肉消费支出    | 百元   | 0.02   | 0.01   | 0.03    | 0.01   | 0.21   | 0.27   | 0.20    | 0.23   | 95.23            |
|                       | 羊肉消费量     | 百克   | 3.93   | 1.72   | 5.30    | 2.29   | 42.00  | 35.91  | 40.40   | 43.78  | 95.23            |
|                       | 禽肉消费支出    | 百元   | 0.25   | 0.10   | 0.33    | 0.15   | 0.52   | 0.27   | 0.48    | 0.37   | 42.41            |
|                       | 禽肉消费量     | 百克   | 84.49  | 39.22  | 108.41  | 55.89  | 158.12 | 103.80 | 165.80  | 143.26 | 42.41            |
|                       | 水产品消费支出   | 百元   | 0.16   | 0.07   | 0.21    | 0.10   | 0.30   | 0.15   | 0.35    | 0.19   | 37.88            |
|                       | 水产品消费量    | 百克   | 77.87  | 45.69  | 94.45   | 58.04  | 130.66 | 91.73  | 134.53  | 122.96 | 37.88            |
| 二级指标<br>月人均<br>主要食品消费 | 肉类消费支出    | 百元   | 1.23   | 0.69   | 1.50    | 0.89   | 1.58   | 1.15   | 1.64    | 1.43   | 8.68             |
|                       | 肉类消费量     | 百克   | 446.60 | 282.34 | 521.88  | 356.53 | 570.45 | 449.17 | 561.05  | 568.56 | 8.68             |
|                       | 食用油消费支出   | 百元   | 0.13   | 0.08   | 0.16    | 0.10   | 0.33   | 0.26   | 0.35    | 0.30   | 64.91            |
|                       | 食用消费量     | 百克   | 85.54  | 54.86  | 101.18  | 66.84  | 246.65 | 189.77 | 247.47  | 244.36 | 64.91            |
|                       | 菜类消费支出    | 百元   | 0.43   | 0.17   | 0.61    | 0.21   | 0.54   | 0.24   | 0.61    | 0.30   | 9.09             |
|                       | 菜类消费量     | 百克   | 755.47 | 319.54 | 1060.79 | 390.22 | 924.54 | 500.93 | 1035.76 | 590.81 | 9.09             |
|                       | 蛋类消费支出    | 百元   | 0.08   | 0.04   | 0.11    | 0.05   | 0.16   | 0.11   | 0.17    | 0.14   | 51.39            |
|                       | 蛋类消费量     | 百克   | 54.31  | 24.61  | 73.64   | 31.19  | 107.97 | 64.46  | 119.40  | 87.00  | 51.39            |
| 一级指标<br>月人均<br>八大类消费  | 总支出       | 百元   | 14.14  | 7.36   | 17.91   | 9.63   | 24.92  | 11.72  | 29.52   | 16.87  | 0.02             |
|                       | 食品支出      | 百元   | 5.22   | 2.73   | 6.68    | 3.46   | 5.03   | 2.52   | 5.75    | 3.21   | 0.09             |
|                       | 食品占比      | %    | 46.89  | 47.05  | 47.17   | 46.57  | 21.47  | 22.59  | 20.59   | 22.47  | 0.09             |
|                       | 衣着支出      | 百元   | 1.07   | 0.46   | 1.44    | 0.64   | 2.25   | 0.95   | 2.73    | 1.36   | 29.66            |
|                       | 衣着占比      | %    | 7.69   | 6.76   | 8.09    | 7.21   | 10.32  | 9.90   | 10.27   | 10.36  | 29.66            |
|                       | 居住支出      | 百元   | 1.24   | 0.71   | 1.50    | 0.93   | 8.11   | 4.43   | 9.25    | 6.48   | 23.94            |
|                       | 居住占比      | %    | 7.49   | 7.28   | 7.67    | 7.28   | 11.10  | 12.24  | 10.11   | 12.17  | 23.94            |
|                       | 生活用品及服务支出 | 百元   | 1.07   | 0.60   | 1.31    | 0.78   | 4.07   | 2.30   | 4.76    | 3.01   | 11.72            |
|                       | 生活用品及服务占比 | %    | 6.99   | 7.84   | 6.44    | 7.65   | 10.56  | 11.34  | 9.87    | 11.31  | 11.72            |
|                       | 交通通信支出    | 百元   | 2.11   | 0.98   | 2.71    | 1.40   | 16.14  | 6.88   | 20.45   | 8.40   | 8.46             |
|                       | 交通通信占比    | %    | 12.79  | 11.89  | 12.57   | 13.05  | 13.05  | 13.11  | 12.35   | 13.84  | 8.46             |
|                       | 教育文化娱乐支出  | 百元   | 1.42   | 0.64   | 1.94    | 0.79   | 5.37   | 2.47   | 6.68    | 3.07   | 38.01            |
|                       | 教育文化娱乐占比  | %    | 7.34   | 6.37   | 8.27    | 6.24   | 14.87  | 14.76  | 15.24   | 14.33  | 38.01            |
|                       | 医疗保健支出    | 百元   | 1.62   | 1.07   | 1.79    | 1.41   | 10.23  | 5.27   | 10.50   | 9.90   | 31.91            |
|                       | 医疗保健占比    | %    | 8.65   | 10.90  | 7.46    | 10.08  | 15.33  | 17.12  | 13.93   | 16.75  | 31.91            |
|                       | 其他用品和服务支出 | 百元   | 0.40   | 0.18   | 0.55    | 0.22   | 3.11   | 1.99   | 3.74    | 2.11   | 36.31            |
| 其他用品和服务占比             | %         | 2.15 | 1.90   | 2.34   | 1.94    | 5.44   | 5.41   | 5.40   | 5.47    | 36.31  |                  |

## （二）模型选择与变量说明

本文选择 Tobit-DID 模型估计分析全省和不同群体的消费受非洲猪瘟疫情影响情况。居民在消费时，首先考虑是否消费这类产品，而后才会因为某些因素影响决定消费量大小，而 Tobit 删失回归模型是因变量的值域在受到某种约束条

件下取值的模型；同时，本文研究测度非洲猪瘟疫情对居民消费的影响，而 DID 双重差分模型主要用于政策评估以及重大事件影响，因此，在定量分析非洲猪瘟疫情对居民消费影响时采用了 Tobit-DID 模型。此外，DID 模型需要选择实验组和控制组，再进行不同个体间的匹配，因为所有个体都受到非洲猪瘟疫情影响，所以本文将 2018 年作为控制组，2019 年作为实验组。另外，由于数据为短面板数据，使用固定效应模型会大量损失自由度，故本文直接选用随机效应模型。

具体如下：

$$y_{it} = \begin{cases} y_{it}^*, y_{it}^* > 0 \\ 0, y_{it}^* \leq 0 \end{cases}; \quad (1)$$

$$y_{it}^* = \alpha_i + \beta_1 du_{it} + \beta_2 dt_{it} + \beta_3 du_{it} \cdot dt_{it} + \gamma X_{it} + \varepsilon_{it}; \quad (2)$$

其中， $y_{it}^*$  为消费指标，即肉类消费、食品消费、生活消费八大类三个层次共 35 个指标（表 1），为面板数据； $du_{it}$  为分组虚拟变量，2018 年作为对照组取值为 0，2019 年作为处理组取值为 1； $dt_{it}$  为时间虚拟变量，6 月以前作为事件前取值为 0，6 月以后作为事件后取值为 1； $du_{it} \cdot dt_{it}$  为分组变量与时间变量的交互项，交互项系数  $\beta_3$  即为非洲猪瘟疫情对被解释变量的净影响； $X_{it}$  为选定的控制变量组（表 2）。

表 2 控制变量说明

| 控制变量名称    | 单位 | 说明                                        |
|-----------|----|-------------------------------------------|
| 收入        | 千元 | 家庭月人均可支配收入                                |
| 成员数       | 人  | 家庭常住成员人数                                  |
| 劳动力       | 人  | 家庭成员中年满 16 岁、且没有丧失劳动能力的非在校人口人数            |
| 高学历       | 人  | 家庭成员中受教育程度为本科及以上学历的人数                     |
| 男性        |    | 家庭常住成员中男性比重                               |
| 老人        |    | 家庭常住成员中年龄 60 岁以上人口比重                      |
| 城乡        |    | 城镇家庭取值 1，农村家庭取值 0                         |
| 民族        |    | 家庭常住成员中有回族取值 1，否则取值 0                     |
| 健康        |    | 家庭常住成员全部健康取值 1，否则取值 0                     |
| 菜类价格      |    | 2018 年各月为 100，2019 年各月 CPI 菜类价格同比指数       |
| 蛋类价格      |    | 2018 年各月为 100，2019 年各月 CPI 蛋类价格同比指数       |
| 衣着价格      |    | 2018 年各月为 100，2019 年各月 CPI 衣着类价格同比指数      |
| 居住价格      |    | 2018 年各月为 100，2019 年各月 CPI 居住类价格同比指数      |
| 生活用品及服务价格 |    | 2018 年各月为 100，2019 年各月 CPI 生活用品及服务类价格同比指数 |
| 交通通信价格    |    | 2018 年各月为 100，2019 年各月 CPI 交通通信类价格同比指数    |
| 教育文化娱乐价格  |    | 2018 年各月为 100，2019 年各月 CPI 教育文化和娱乐类价格同比指数 |
| 医疗保健价格    |    | 2018 年各月为 100，2019 年各月 CPI 医疗保健类价格同比指数    |
| 其他用品和服务价格 |    | 2018 年各月为 100，2019 年各月 CPI 其他用品和服务类价格同比指数 |

### （三）模型结果与分析

下文分肉类消费、食品消费、生活消费八大类三个层次定量分析非洲猪瘟对不同群体影响。

#### 1. 疫情对居民肉类消费的影响

**猪肉消费支出增加，消费量显著减少。**与假定当年未集中爆发非洲猪瘟疫情的情况相比，其它条件不变的情况下，受非洲猪瘟疫情影响，月人均猪肉支出增加 6.92 元（表 3），消费量减少 0.64 公斤（表 4）。其中，低收入户由于受预算约束的影响，支出受影响不显著<sup>5</sup>，消费量减少 0.58 公斤。分城乡来看，农村住户和城镇住户消费量的减少值差异不大，城镇住户减少 0.65 公斤，农村住户减少 0.63 公斤，但猪肉支出差异明显，农村住户支出受影响不显著，城镇住户增加 10.88 元。非洲猪瘟疫情发生后，受猪肉价格上涨影响，全省居民减少猪肉消费量，但消费量的减少仍不足以抵消价格上涨对猪肉支出增加的影响。虽然低收入户减少的绝对量略低于一般家庭，但从降幅来看，低收入户猪肉消费量降低 27.9%，高出一般家庭约 5 个百分点，说明低收入户猪肉消费对于非洲猪瘟疫情的反应更为敏感。

**禽肉消费显著增加。**与假定当年未集中爆发非洲猪瘟疫情的情况相比，月人均禽肉支出增加 7.22 元，消费量增加 0.16 公斤（表 5）。其中，低收入户支出增加 4.42 元，消费量增加 0.14 公斤。分城乡来看，城镇住户支出增加 8.60 元，农村住户增加 5.50 元，消费量均增加 0.16 公斤。

**牛羊肉、水产品消费影响不大。**与假定当年未集中爆发非洲猪瘟疫情的情况相比，月人均牛肉支出增加 2.1 元，羊肉支出受影响不显著，水产品支出增加 1.2 元，牛、羊肉、水产品消费量受影响均不显著（表 5）。其中，低收入户牛、羊肉消费量和金额受影响均不显著，水产品支出增加 1.4 元，消费量增加 0.03 公斤。分城乡来看，城镇住户牛肉消费量增加 0.03 公斤，支出增加 3.58 元，羊肉消费量减少 0.01 公斤，支出减少 0.6 元；而农村住户牛、羊肉消费量和支出

<sup>5</sup> 未通过 5%的显著水平检验，下同。

受影响均不显著。城镇和农村住户水产品支出分别增加 1.16 元和 1.29 元,消费量受影响均不显著。由于历来牛、羊肉在四川居民的肉食消费中占比较小,且价格通常较高,牛、羊肉难以作为普通居民猪肉消费的替代品,其消费量受影响不显著,猪瘟疫情发生后牛肉价格上涨导致牛肉支出显著增加。作为价格较高的肉类,低收入户在非洲猪瘟疫情发生前消费量极少,非洲猪瘟疫情发生后也未将牛、羊肉作为猪肉的替代品。水产品属于价格较低的肉类品种,非洲猪瘟疫情发生后,水产品对猪肉的替代作用不大,居民水产品支出的增加主要源于价格的上涨。只有低收入户选择增加价格较低的水产品替代部分猪肉的消费需求。

非洲猪瘟疫情导致居民猪肉消费量减少、支出增加,禽肉成为猪肉的主要替代品,替代率约为 25%。收入较高的家庭选择价格较高的肉类如牛肉进一步替代猪肉消费,收入较低的家庭则选择水产品作为猪肉替代品。

表 3 家庭月人均猪肉消费支出影响估计结果

|                             | 全体           | 低收入          | 城镇           | 农村           |
|-----------------------------|--------------|--------------|--------------|--------------|
| dt                          | 0.0607 ***   | 0.0292       | 0.0576 ***   | 0.0655 ***   |
| du                          | -0.0962 ***  | -0.0519 ***  | -0.1126 ***  | -0.0766 ***  |
| did                         | 0.0692 ***   | 0.0133       | 0.1088 ***   | 0.0207       |
| 城乡                          | 20.4410 ***  | -0.0548      |              |              |
| 劳动力                         | 0.7123       | -1.1329      | 3.0122 ***   | -1.4690      |
| 成员数                         | -13.8093 *** | -11.4901 *** | -14.8598 *** | -13.5596 *** |
| 高学历                         | -11.3044 *** | -6.3718 *    | -12.1459 *** | -2.4937      |
| 收入                          | 0.7807 ***   | 3.9834 ***   | 0.5749 ***   | 0.9830 ***   |
| 男性                          | -10.6662 *** | -3.7927      | -17.7225 *** | -2.8474      |
| 老人                          | 9.6004 ***   | -9.7176 ***  | 18.7840 ***  | 0.0467       |
| 民族                          | -22.7552 **  | -27.7739     | -19.1578 *   | -37.6107     |
| 健康                          | 6.9300 ***   | 3.6823 *     | 5.5852 **    | 7.9878 ***   |
| 样本                          | 141792       | 28368        | 77232        | 64560        |
| $\sigma_{\alpha_i}$         | 0.4341 ***   | 0.3220 ***   | 0.4559 ***   | 0.4025 ***   |
| $\sigma_{\varepsilon_{it}}$ | 1.0291 ***   | 0.9017 ***   | 0.9859 ***   | 1.0783 ***   |
| Wald                        | 2814.30 ***  | 520.01 ***   | 1443.98 ***  | 1120.73 ***  |

注: \*\*\*, \*\*, \* 分别表示在 1%、5%、10% 的水平上显著,下同。

表 4 家庭月人均猪肉消费量影响估计结果

|                             | 全体      |     | 低收入       |     | 城镇      |     | 农村      |     |
|-----------------------------|---------|-----|-----------|-----|---------|-----|---------|-----|
| dt                          | -0.5113 |     | -1.2248   |     | -0.2277 |     | -0.8126 |     |
| du                          | -3.1119 | *** | -1.6274   | *** | -3.2968 | *** | -2.9155 | *** |
| did                         | -6.4128 | *** | -5.7936   | *** | -6.5429 | *** | -6.2884 | *** |
| 城乡                          | 0.6369  | *** | -211.6422 |     |         |     |         |     |
| 劳动力                         | -0.0024 |     | -0.0264   |     | 0.0553  |     | -0.0572 |     |
| 成员数                         | -0.4957 | *** | -0.4658   | *** | -0.4908 | *** | -0.5351 | *** |
| 高学历                         | -0.4795 | *** | -0.2595   | *   | -0.5117 | *** | -0.1266 |     |
| 收入                          | 0.0244  | *** | 0.1347    | *** | 0.0142  | *** | 0.0362  | *** |
| 男性                          | -0.2946 | *** | -0.0928   |     | -0.4791 | *** | -0.1152 |     |
| 老人                          | 0.2905  | *** | -0.4748   | *** | 0.6301  | *** | -0.0840 |     |
| 民族                          | -1.0644 | *** | -1.2140   |     | -0.9655 | **  | -1.3794 |     |
| 健康                          | 0.2558  | *** | 0.1272    |     | 0.1681  | *   | 0.3178  | *** |
| 样本                          | 141792  |     | 28368     |     | 77232   |     | 64560   |     |
| $\sigma_{\alpha_i}$         | 16.2951 | *** | 12.2852   | *** | 16.9950 | *** | 15.2239 | *** |
| $\sigma_{\varepsilon_{it}}$ | 40.9606 | *** | 36.7426   | *** | 37.9387 | *** | 44.3029 | *** |
| Wald                        | 3299.53 | *** | 636.90    | *** | 1822.81 | *** | 1402.79 | *** |

表 5 家庭月人均其它肉类消费影响估计结果

|         |     | 全体          | 低收入        | 城镇          | 农村         |
|---------|-----|-------------|------------|-------------|------------|
| 禽肉消费支出  | dt  | 0.0297 ***  | 0.0181 *** | 0.0340 ***  | 0.0248 *** |
|         | du  | 0.0130 ***  | 0.0168 *** | 0.0092 **   | 0.0188 *** |
|         | did | 0.0722 ***  | 0.0442 *** | 0.0860 ***  | 0.0550 *** |
| 禽肉消费量   | dt  | 1.1671 ***  | 0.6185 **  | 1.4008 ***  | 0.8960 *** |
|         | du  | 0.9326 ***  | 0.8474 *** | 0.9158 ***  | 0.9841 *** |
|         | did | 1.6379 ***  | 1.3673 *** | 1.6218 ***  | 1.6389 *** |
| 牛肉消费支出  | dt  | 0.0067      | 0.0021     | 0.0066      | 0.0071 **  |
|         | du  | -0.0060 **  | -0.0054 *  | -0.0056     | -0.0055 ** |
|         | did | 0.0214 ***  | 0.0062     | 0.0358 ***  | 0.0038     |
| 牛肉消费量   | dt  | 0.0898      | -0.0191    | 0.0626      | 0.1310 *   |
|         | du  | -0.0862 *   | -0.0940 *  | -0.0653     | -0.0945 *  |
|         | did | 0.1166 *    | 0.0425     | 0.2532 **   | -0.0556    |
| 羊肉消费支出  | dt  | 0.0035 **   | 0.0018     | 0.0059 ***  | 0.0007     |
|         | du  | -0.0111 *** | 0.0035     | -0.0165 *** | -0.0042 *  |
|         | did | -0.0032     | -0.0071    | -0.0059 **  | -0.0002    |
| 羊肉消费量   | dt  | -0.0025     | 0.0126     | 0.0342      | -0.0447    |
|         | du  | -0.2097 *** | 0.0324     | -0.3004 *** | -0.0961 ** |
|         | did | -0.0377     | -0.1031    | -0.1119 **  | 0.0492     |
| 水产品消费支出 | dt  | 0.0353 ***  | 0.0183 *** | 0.0405 ***  | 0.0291 *** |
|         | du  | 0.0070 ***  | -0.0001    | 0.0117 ***  | 0.0022     |
|         | did | 0.0124 ***  | 0.0140 *** | 0.0116 ***  | 0.0129 *** |
| 水产品消费量  | dt  | 2.0459 ***  | 1.3646 *** | 2.1813 ***  | 1.8805 *** |
|         | du  | 0.5535 ***  | 0.2705 **  | 0.6702 ***  | 0.4342 *** |
|         | did | 0.0684      | 0.3389 **  | 0.0475      | 0.0838     |

注：模型均含控制变量，完整输出结果见附录（二）程序输出结果。




图 5 家庭月人均肉类消费量影响情况

## 2. 疫情对居民主要食品消费的影响

本部分对居民主要食品消费受非洲猪瘟疫情影响进行实证分析,分别构建了肉、油、蛋、菜消费支出和消费量八个模型,其中蛋、菜的消费主要受季节性因素影响,故在模型中增加了价格的控制变量。

**肉类消费支出增加,消费量减少。**与假定当年未集中爆发非洲猪瘟疫情的情况相比,在其它条件不变的情况下,受非洲猪瘟疫情影响,月人均肉类支出增加 17.19 元(表 6),消费量减少 0.46 公斤(表 7)。其中,低收入户支出增加 7.06 元,消费量减少 0.41 公斤。分城乡来看,城镇住户支出增加 23.60 元,消费量减少 0.47 公斤;农村住户支出增加 9.21 元,消费量减少 0.46 公斤。就一般家庭而言,非洲猪瘟疫情影响肉类价格普遍上涨,居民肉类消费量总体减少,支出增加。从降幅来看,全体、城镇、农村和低收入户人均肉类消费量分别下降约 10.5%、9.2%、12.9%和 14.6%,非洲猪瘟疫情使一般家庭和低收入户肉类消费量之比由 1:0.65 扩大为 1:0.61,城乡消费量之比由 1:0.69 扩大为 1:0.66。低收入户肉类消费与一般家庭的差距进一步扩大,其肉类消费对于非洲猪瘟疫情的反应更为敏感。同时,低收入户肉类消费受收入影响更大,低收入户人均月收入增加 100 元,带动肉类消费增加 0.02 公斤,增加收入对提升低收入户肉类消费作用更为明显。

**食用油消费增加,菜类、蛋类消费减少。**与假定当年未集中爆发非洲猪瘟疫情的情况相比,月人均食用油支出增加 3.14 元,消费量增加 0.13 公斤(表 8)。其中,低收入户支出增加 2.20 元,消费量增加 0.09 公斤。分城乡来看,城镇住户支出增加 3.66 元,消费量增加 0.15 公斤;农村住户支出增加 2.50 元,消费量增加 0.1 公斤。月人均菜类支出减少 2.26 元,消费量减少 0.92 公斤。其中,低收入户支出减少 2.30 元,消费量减少 0.50 公斤;城镇住户支出减少 2.00 元,消费量减少 1.14 公斤;农村住户支出减少 2.71 元,消费量减少 0.67 公斤。非洲猪瘟疫情使一般家庭和低收入户菜类消费量之比由 1:0.41 扩大为 1:0.39,城乡消费量之比由 1:0.35 扩大为 1:0.33。月人均蛋类支出受影响不显著,消费量减少 0.05 公斤。低收入及农村住户其蛋类消费量在疫情发生前已处于刚性

消费水平,消费量无减少空间,受到的影响不显著,支出分别增加 0.68 元和 0.70 元。

非洲猪瘟疫情导致居民肉类消费量减少,支出增加;食用油因替代作用消费量增加,食用油的猪肉替代率约为 20%;菜类、蛋类消费受到挤占。

表 6 家庭月人均肉类消费支出影响估计结果

|                             | 全体       |     | 低收入      |     | 城镇       |     | 农村       |     |
|-----------------------------|----------|-----|----------|-----|----------|-----|----------|-----|
| dt                          | 0.1354   | *** | 0.0692   | *** | 0.1441   | *** | 0.1273   | *** |
| du                          | -0.0935  | *** | -0.0371  | **  | -0.1146  | *** | -0.0651  | *** |
| did                         | 0.1719   | *** | 0.0706   | *** | 0.2360   | *** | 0.0921   | *** |
| 城乡                          | 0.5973   | *** | -0.0342  |     |          |     |          |     |
| 劳动力                         | 3.8818   | *** | 1.2163   |     | 8.0048   | *** | 0.4529   |     |
| 成员数                         | -25.9706 | *** | -16.4272 | *** | -33.6171 | *** | -19.7925 | *** |
| 高学历                         | -11.9181 | *** | -7.0508  |     | -11.7917 | *** | -3.2194  |     |
| 收入                          | 1.7525   | *** | 4.7524   | *** | 1.8310   | *** | 1.5453   | *** |
| 男性                          | -30.7728 | *** | -12.5500 | **  | -47.9446 | *** | -10.9929 | *** |
| 老人                          | 10.0388  | *** | -19.8769 | *** | 30.9966  | *** | -7.8147  | *** |
| 民族                          | -13.7615 |     | -36.9622 |     | -4.5865  |     | -63.1456 |     |
| 健康                          | 13.7592  | *** | 3.5555   |     | 18.2488  | *** | 11.9503  | *** |
| 样本                          | 141792   |     | 28368    |     | 77232    |     | 64560    |     |
| $\sigma_{\alpha_i}$         | 0.8144   | *** | 0.4819   | *** | 0.9305   | *** | 0.6376   | *** |
| $\sigma_{\varepsilon_{it}}$ | 1.2633   | *** | 1.0168   | *** | 1.2794   | *** | 1.2419   | *** |
| Wald                        | 4412.76  | *** | 523.21   | *** | 2142.66  | *** | 1126.31  | *** |



表 7 家庭月人均肉类消费量影响估计结果

|                             | 全体        |     | 低收入       |     | 城镇      |     | 农村      |     |
|-----------------------------|-----------|-----|-----------|-----|---------|-----|---------|-----|
| dt                          | 2.7756    | *** | 0.7404    |     | 3.4293  | *** | 2.0498  | **  |
| du                          | -1.9309   | *** | -0.5704   |     | -2.1001 | *** | -1.6801 | *** |
| did                         | -4.6275   | *** | -4.1483   | *** | -4.7337 | *** | -4.5773 | *** |
| 城乡                          | 1661.8140 | *** | -187.2941 |     |         |     |         |     |
| 劳动力                         | 0.0584    |     | 0.0568    |     | 0.1417  | **  | -0.0100 |     |
| 成员数                         | -0.8799   | *** | -0.6946   | *** | -1.0152 | *** | -0.8034 | *** |
| 高学历                         | -0.6574   | *** | -0.3640   | *   | -0.6727 | *** | -0.2289 |     |
| 收入                          | 0.0561    | *** | 0.1622    | *** | 0.0547  | *** | 0.0554  | *** |
| 男性                          | -0.8630   | *** | -0.5114   | *** | -1.2912 | *** | -0.4267 | *** |
| 老人                          | 0.2652    | *** | -0.8374   | *** | 0.9259  | *** | -0.3607 | *** |
| 民族                          | -1.1724   | **  | -1.6050   |     | -0.9448 |     | -2.3113 |     |
| 健康                          | 0.4583    | *** | 0.1710    |     | 0.4393  | *** | 0.5004  | *** |
| 样本                          | 141792    |     | 28368     |     | 77232   |     | 64560   |     |
| $\sigma_{\alpha_i}$         | 28.5105   | *** | 18.6973   | *** | 31.2092 | *** | 24.7302 | *** |
| $\sigma_{\varepsilon_{it}}$ | 47.0622   | *** | 39.6464   | *** | 44.6257 | *** | 49.7968 | *** |
| Wald                        | 3715.92   | *** | 584.65    | *** | 1887.63 | *** | 1209.16 | *** |

表 8 家庭月人均其它食品消费影响估计结果

|         |     | 全体          | 低收入         | 城镇           | 农村          |
|---------|-----|-------------|-------------|--------------|-------------|
| 食用油消费支出 | dt  | -0.0191 *** | -0.0077     | -0.0269 ***  | -0.0095 **  |
|         | du  | -0.0035     | 0.0048      | -0.0075 **   | 0.0020      |
|         | did | 0.0314 ***  | 0.0220 ***  | 0.0366 ***   | 0.0249 ***  |
| 食用油消费量  | dt  | -0.9734 *** | -0.7527 **  | -1.1495 ***  | -0.7429 **  |
|         | du  | 0.0031      | 0.4403      | -0.1412      | 0.2124      |
|         | did | 1.2830 ***  | 0.9160 **   | 1.4591 ***   | 1.0461 ***  |
| 菜类消费支出  | dt  | 0.0305 ***  | 0.0324 ***  | 0.0222 *     | 0.0413 ***  |
|         | du  | 0.0202 ***  | 0.0066 **   | 0.0290 ***   | 0.0117 ***  |
|         | did | -0.0226 *** | -0.0230 *** | -0.0200 ***  | -0.0271 *** |
| 菜类消费量   | dt  | 9.9861 ***  | 5.9857 ***  | 11.5438 ***  | 8.3050 ***  |
|         | du  | 6.2731 ***  | 3.0520 ***  | 7.8585 ***   | 4.7031 ***  |
|         | did | -9.1579 *** | -5.0405 *** | -11.4445 *** | -6.6571 *** |
| 蛋类消费支出  | dt  | 0.0089 ***  | 0.0089 ***  | 0.0095 ***   | 0.0084 ***  |
|         | du  | 0.0026 ***  | 0.0001      | 0.0064 ***   | -0.0015     |
|         | did | 0.0022      | 0.0068 ***  | -0.0023      | 0.0070 ***  |
| 蛋类消费量   | dt  | 0.6453 ***  | 0.5154 ***  | 0.7306 ***   | 0.5498 ***  |
|         | du  | 0.4281 ***  | 0.0844      | 0.7233 ***   | 0.1093      |
|         | did | -0.5473 *** | 0.1275      | -0.9630 ***  | -0.0877     |

注：模型均含控制变量，完整输出结果见附录（二）程序输出结果。




图 6 家庭月人均主要食品消费量影响情况

### 3. 疫情对居民生活用品和服务消费的影响

本部分构建了居民生活消费八大类支出及占比共十七个模型，其中除食品和总消费主要受非洲猪瘟疫情影响外，其余七大类消费有受除非洲猪瘟疫情以外的影响，故在各自的模型中增加了价格控制变量。

**消费支出显著增加。**与假定当年未集中爆发非洲猪瘟疫情的情况相比，其它条件不变的情况下，受非洲猪瘟疫情影响，月人均消费八大类支出增加约 54 元，增幅为 4.0%；其中，城镇住户消费八大类支出增加约 108 元，增幅为 6.3%；农村和低收入户主要受预算约束影响，其消费八大类支出受影响不显著（表 9）。

**食品支出增加，恩格尔系数<sup>6</sup>上升。**与假定当年未集中爆发非洲猪瘟疫情的情况相比，月人均食品支出增加 23.14 元（表 10），消费占比即恩格尔系数升高 1.2 个百分点（表 11）。其中，低收入户支出增加 16.49 元，恩格尔系数升高 1.3 个百分点。分城乡来看，城镇、农村住户支出分别增加 35.39 元、7.73 元，恩格尔系数分别升高 1.0 和 1.4 个百分点。受非洲猪瘟疫情影响，食品价格上涨，居民食品支出增加，农村和低收入户由于较强的预算约束，支出受到的影响小于城镇住户及一般家庭，但结构受到的影响更大。收入对恩格尔系数有显著影响，月人均收入增加 100 元，恩格尔系数下降 0.02 个百分点，而低收入户可降低 0.08 个百分点。

**教育文化娱乐消费绝对减少，交通通信和医疗保健消费相对减少。**教育文化娱乐支出减少最为明显，与假定当年未集中爆发非洲猪瘟疫情的情况相比，月人均教育文化娱乐支出减少 16.03 元，占比下降 1.2 个百分点（表 12），消费绝对减少。城镇住户支出未受影响，农村住户减少 24.26 元，低收入户减少 14.82 元。农村住户以及低收入户应对物价变动的能力较弱，只能大幅减少教育文化娱乐的消费用以抵消衣食消费的增加。月人均交通通信和医疗保健支出虽没有受到显著影响，但占比分别下降 0.9 和 1.3 个百分点，消费相对减少。

<sup>6</sup> 19 世纪德国统计学家恩格尔对消费结构的变化得出一个规律：一个家庭收入越少，家庭收入中（或总支出中）用来购买食物的支出所占的比例就越大，随着家庭收入的增加，家庭收入中（或总支出中）用来购买食物的支出则会下降。恩格尔系数即食品支出占总消费的比重。根据联合国粮农组织标准，恩格尔系数高于 60% 属于绝对贫困，在 59%-50% 之间属于勉强度日（中国称为温饱），49%-40% 为小康，39%-30% 为富裕，30% 以下表示最富裕。

非洲猪瘟疫情导致居民食品占比上升；交通通信、教育文化娱乐、医疗保健消费受到食品挤占，占比下降。城镇住户能够增加总支出应对食品支出增长，保持教育文化娱乐等其它消费支出稳定，应对非洲猪瘟疫情能力较强。

表9 家庭月人均消费支出影响估计结果

|                             | 全体            | 低收入           | 城镇            | 农村            |
|-----------------------------|---------------|---------------|---------------|---------------|
| dt                          | 0.6672 ***    | 0.3373        | 0.3338        | 0.9990 ***    |
| du                          | -0.1288       | -0.2880       | -0.2322       | 0.0986        |
| did                         | 0.5423 **     | 0.4778 *      | 1.0825 ***    | -0.1016       |
| 城乡                          | 532.9215 ***  | -8.4117       |               |               |
| 劳动力                         | -26.8692 *    | 11.3159       | -41.4308 *    | -6.5431       |
| 成员数                         | -191.3742 *** | -111.6503 *** | -227.4953 *** | -131.1887 *** |
| 高学历                         | 367.2400 ***  | 139.7044 ***  | 366.1208 ***  | 212.5078 ***  |
| 收入                          | 87.8990 ***   | 93.4997 ***   | 125.4844 ***  | 49.2035 ***   |
| 男性                          | -94.8331 **   | -7.5567       | -118.0331     | -17.9835      |
| 老人                          | -330.4442 *** | -336.8333 *** | -321.0356 *** | -299.4172 *** |
| 民族                          | 736.1939 ***  | -23.0223      | 793.1268 ***  | -86.8273      |
| 健康                          | 113.4798 ***  | -0.3237       | 219.4395 ***  | 42.9503       |
| 样本                          | 141792        | 28368         | 77232         | 64560         |
| $\sigma_{\alpha_i}$         | 8.5172 ***    | 4.0658 ***    | 10.1746 ***   | 5.2127 ***    |
| $\sigma_{\varepsilon_{it}}$ | 22.4262 ***   | 10.8196 ***   | 26.7174 ***   | 15.8036 ***   |
| Wald                        | 5255.27 ***   | 509.52 ***    | 2430.95 ***   | 1145.05 ***   |

表 10 家庭月人均食品支出影响估计结果

|                             | 全体            | 低收入           | 城镇            | 农村           |
|-----------------------------|---------------|---------------|---------------|--------------|
| dt                          | 0.3791 ***    | 0.1660 **     | 0.4300 ***    | 0.3189 ***   |
| du                          | -0.2507 ***   | -0.1374 ***   | -0.3562 ***   | -0.1033 ***  |
| did                         | 0.2314 ***    | 0.1649 ***    | 0.3539 ***    | 0.0773 **    |
| 城乡                          | 286.7877 ***  | -1.9957       |               |              |
| 劳动力                         | 5.1380        | -2.8262       | 17.8398 ***   | -6.0044 *    |
| 成员数                         | -115.0602 *** | -52.7503 ***  | -162.1679 *** | -67.2764 *** |
| 高学历                         | 42.6468 ***   | -7.6787       | 54.8730 ***   | 6.4704       |
| 收入                          | 7.6788 ***    | 12.2262 ***   | 10.9576 ***   | 4.2557 ***   |
| 男性                          | -5.2871       | 20.4334 *     | -43.1526 **   | 48.6732 ***  |
| 老人                          | -94.9228 ***  | -101.2509 *** | -71.9214 ***  | -93.5611 *** |
| 民族                          | 98.8503 *     | -82.4832      | 132.0975 *    | -177.8801 *  |
| 健康                          | 54.4874 ***   | 18.7821 ***   | 94.6036 ***   | 34.7885 ***  |
| 样本                          | 141792        | 28368         | 77232         | 64560        |
| $\sigma_{\alpha_i}$         | 3.1027 ***    | 1.4556 ***    | 3.7142 ***    | 1.9557 ***   |
| $\sigma_{\varepsilon_{it}}$ | 3.2378 ***    | 1.9069 ***    | 3.8117 ***    | 2.3617 ***   |
| Wald                        | 7931.12 ***   | 947.69 ***    | 3445.40 ***   | 2045.39 ***  |

表 11 家庭月人均食品占比影响估计结果

|                             | 全体          | 低收入         | 城镇          | 农村          |
|-----------------------------|-------------|-------------|-------------|-------------|
| dt                          | -0.0345     | -0.9296     | 1.0793 ***  | -1.3316 *** |
| du                          | -0.7447 *** | -0.2442     | -0.9792 *** | -0.4713 **  |
| did                         | 1.1910 ***  | 1.2722 ***  | 0.9909 ***  | 1.4136 ***  |
| 城乡                          | 0.0217 ***  | -0.0066     |             |             |
| 劳动力                         | 0.0110 ***  | 0.0069 **   | 0.0174 ***  | 0.0043 *    |
| 成员数                         | -0.0203 *** | -0.0173 *** | -0.0257 *** | -0.0158 *** |
| 高学历                         | -0.0387 *** | -0.0481 *** | -0.0361 *** | -0.0423 *** |
| 收入                          | -0.0020 *** | -0.0077 *** | -0.0031 *** | -0.0011 *** |
| 男性                          | 0.0463 ***  | 0.0412 ***  | 0.0386 ***  | 0.0563 ***  |
| 老人                          | 0.0379 ***  | 0.0146 *    | 0.0465 ***  | 0.0309 ***  |
| 民族                          | -0.0295     | -0.1110     | -0.0033     | -0.2288 *** |
| 健康                          | 0.0137 ***  | 0.0234 ***  | 0.0068      | 0.0196 ***  |
| 样本                          | 141765      | 28359       | 77224       | 64541       |
| $\sigma_{\alpha_i}$         | 12.3068 *** | 12.5382 *** | 12.0069 *** | 12.5466 *** |
| $\sigma_{\varepsilon_{it}}$ | 17.0451 *** | 18.3444 *** | 16.0253 *** | 18.1856 *** |
| Wald                        | 1311.34 *** | 223.14 ***  | 987.04 ***  | 475.06 ***  |

表 12 家庭月人均其它消费影响估计结果

|           |     | 全体          | 低收入         | 城镇          | 农村          |
|-----------|-----|-------------|-------------|-------------|-------------|
| 衣着支出      | dt  | 0.4859 ***  | 0.2914 ***  | 0.5867 ***  | 0.3608 ***  |
|           | du  | -0.2562 *** | -0.1100 *** | -0.3157 *** | -0.1781 *** |
|           | did | 0.1123 ***  | 0.0943 ***  | 0.1137 ***  | 0.1104 ***  |
| 衣着占比      | dt  | 2.0577 ***  | 1.3808 ***  | 2.5879 ***  | 1.4185 ***  |
|           | du  | -1.3778 *** | -1.3145 *** | -1.2451 *** | -1.5296 *** |
|           | did | 0.5316 ***  | 1.0763 ***  | 0.1622      | 0.9758 ***  |
| 居住支出      | dt  | -0.1842     | -0.0756     | -0.1905     | -0.1718     |
|           | du  | 0.0367      | -0.1395 *   | 0.0679      | 0.0068      |
|           | did | 0.1404      | 0.1949      | 0.1356      | 0.1385      |
| 居住占比      | dt  | -0.8025 *** | 0.1147      | -1.4122 *** | -0.0710     |
|           | du  | 0.0798      | 0.1140      | -0.0508     | 0.2311 *    |
|           | did | 0.0593      | -0.4287     | 0.3708 **   | -0.3132     |
| 生活用品及服务支出 | dt  | -0.1580 *** | -0.1411 *** | -0.1838 *** | -0.1274 *** |
|           | du  | -0.0734 **  | -0.0642 *   | -0.0850 *   | -0.0510     |
|           | did | 0.1027 **   | 0.0846      | 0.1490 **   | 0.0450      |
| 生活用品及服务占比 | dt  | -0.4544 *** | -0.6211 **  | -0.3364 **  | -0.6000 *** |
|           | du  | -0.0276     | 0.0130      | -0.0465     | -0.0027     |
|           | did | -0.1215     | -0.4133     | 0.0111      | -0.2777     |
| 交通通信支出    | dt  | 0.2177      | 0.3864 **   | -0.0501     | 0.5020 ***  |
|           | du  | 0.0094      | 0.0220      | -0.0088     | 0.0579      |
|           | did | 0.1799      | 0.0741      | 0.3229      | 0.0065      |
| 交通通信占比    | dt  | -0.6882 *** | 0.0661      | -1.5532 *** | 0.3403      |
|           | du  | 0.8155 ***  | 1.0138 ***  | 0.3923 ***  | 1.3194 ***  |
|           | did | -0.8987 *** | -0.9864 *** | -0.5048 *** | -1.3639 *** |
| 教育文化娱乐支出  | dt  | 0.5925 ***  | 0.3581 ***  | 0.7223 ***  | 0.4203 ***  |
|           | du  | 0.3933 ***  | 0.1985 ***  | 0.5151 ***  | 0.2576 ***  |
|           | did | -0.1603 *** | -0.1482 **  | -0.0870     | -0.2426 *** |
| 教育文化娱乐占比  | dt  | 2.5878 ***  | 2.2000 ***  | 2.9144 ***  | 2.1795 ***  |
|           | du  | 1.2724 ***  | 0.5950 ***  | 1.8101 ***  | 0.6286 ***  |
|           | did | -1.1794 *** | -0.8344 **  | -1.3396 *** | -0.9824 *** |
| 医疗保健支出    | dt  | 0.6115 **   | -0.5127     | 0.7005 *    | 0.5495      |
|           | du  | 0.0606      | -0.0102     | -0.0127     | 0.1652      |
|           | did | -0.1330     | 0.2264      | -0.1781     | -0.1017     |
| 医疗保健占比    | dt  | 2.5446 ***  | 1.0256      | 2.4691 ***  | 2.6571 ***  |
|           | du  | 0.3931 ***  | 0.4401 *    | 0.4001 ***  | 0.3890 **   |
|           | did | -1.2822 *** | -1.2585 **  | -1.2327 *** | -1.3493 *** |
| 其它用品和服务支出 | dt  | 0.0496      | 0.1032      | 0.0199      | 0.0677      |
|           | du  | -0.0544 **  | -0.0459     | -0.0427     | -0.0613 *** |
|           | did | 0.0357      | 0.0296      | 0.0089      | 0.0563      |
| 其它用品和服务占比 | dt  | 0.1115      | 0.2818      | 0.0214      | 0.1983      |
|           | du  | -0.4125 *** | -0.5986 *** | -0.2871 *** | -0.5541 *** |
|           | did | 0.4304 ***  | 0.5741 ***  | 0.3582 ***  | 0.5030 ***  |

注：模型均含控制变量，完整输出结果见附录（二）程序输出结果。




图7 家庭月人均消费支出影响情况

#### 四、主要结论

根据实证分析结果，非洲猪瘟疫情对四川居民消费产生以下影响：

**一是肉、菜、蛋消费量显著减少，营养摄入损失。**与假定当年未集中爆发非洲猪瘟疫情的情况相比，月人均猪肉消费量减少 0.64 公斤，部分减少量由禽肉和食用油替代，消费量分别增加 0.16 公斤和 0.13 公斤，相当于猪肉减少量的 25%和 20%，验证了“居民猪肉消费量会减少”，“部分猪肉消费转移至其它肉类”的假设。但其它肉类消费量受影响不显著，肉类消费总量仍减少 0.46 公斤，减幅达到 10.5%。猪肉价格带动肉类价格整体上涨，与假定当年未集中爆发非洲猪瘟疫情的情况相比，肉类支出增加 17 元，受预算约束，蔬菜消费、蛋类消费受到肉类消费挤占，分别下降 0.92 公斤、0.05 公斤，减幅分别为 12.5%、10.7%。与“蛋类、蔬菜和食用菌类等消费增加”这一假设相反，说明收入效应大于替代效应。

**二是总支出增加，恩格尔系数上升，生活质量下降。**与假定当年未集中爆发非洲猪瘟疫情的情况相比，月人均消费支出增加 54 元，其中，食品增加 23 元，恩格尔系数提高 1.2 个百分点，教育文化娱乐支出减少 16 元，占比下降 1.2 个百分点，验证了“食品支出增加，居民调整消费结构对冲价格上涨的影响，以食品为代表的生存型消费占比上升，挤占教育文化娱乐等发展型、享受型消费”这



一假设。其中，交通通信、医疗保健消费相对下降，而教育文化娱乐消费绝对下降，居民生活质量下降。

三是低收入户较一般家庭受影响更大，农村住户较城镇住户受影响更大。与假定当年未集中爆发非洲猪瘟疫情的情况相比，非洲猪瘟疫情导致低收入户猪肉消费量下降 27.9%，虽然部分得到价格较低的禽肉和水产品替代，但肉类消费总量仍然减少 0.41 公斤，减幅达 14.6%。低收入户蔬菜消费减少 0.50 公斤，减幅 16.7%，肉类、蔬菜减幅均大于一般家庭。与假定当年未集中爆发非洲猪瘟疫情的情况相比，恩格尔系数上升 1.3 个百分点，但受到预算约束，低收入户通过削减教育文化娱乐和其它商品及服务支出维持消费支出总额不变。与假定当年未集中爆发非洲猪瘟疫情的情况相比，城镇住户月人均猪肉消费量减少 0.65 公斤，但除禽肉外，还增加了价格更高的牛肉替代，因此肉类消费减幅为 9.2%，小于农村住户。与假定当年未集中爆发非洲猪瘟疫情的情况相比，城镇住户月人均食品消费增加 35 元，但消费总支出增长 108 元，一定程度上弥补了食品支出增长对其它消费项目的挤占；而农村住户预算更为刚性，月人均食品支出增长 8 元，但消费总支出维持不变，其它消费项目受到刚性消费的挤占明显。验证了“收入较高的家庭会选择品质较高的肉类代替猪肉，而收入较低的家庭则相反”，“低收入户消费调整较一般家庭更困难，生活变得更加艰难”。

四是提高收入对降低非洲猪瘟影响有显著作用。收入对各类消费的影响均显著，特别对低收入户，增加低收入群体收入可以有效缓解消费受到的冲击，如家庭月人均收入增加 802 元，可以将非洲猪瘟疫情对肉类消费量的影响缩小到 10% 以内；月人均收入增加 356 元，可以将恩格尔系数变动控制在 1 个百分点以内。

## 五、政策启示

上述研究表明，非洲猪瘟疫情给四川居民消费造成了显著的不利影响，因此，从短期来看，当务之急是加快恢复市场供给、保障居民基本生活。

一是适当扩大猪肉进口及储备肉投放，增加市场供给。非洲猪瘟疫情造成的市场供求失衡给居民消费造成了明显的不利影响，因此稳定猪肉市场供给对保障民生有着重要意义。建议在做好疫情监测防控、扶持生产恢复的同时，适当加大猪肉进口和储备肉投放力度，按全省常住人口 8375 万人推算，每月至少应增加 3.43 万吨，相当于 2019 年下半年月均猪肉产量的 14% 或正常年份月均产量的 8.5%。

**二是及时补充替代品供给，满足替代需求。**一是科学调整禽类养殖规模。禽类由于生长周期短，能快速地补给肉食，替补部分猪肉消费。二是适当扩大油料作物种植和食用油生产、进口。按全省常住人口推算，疫情发生后，禽肉供应量每月应增加约 1.34 万吨，需在目前产量上提高 16%，食用油供应量每月应增加约 1.09 万吨，约为目前产量的 3.5%。

**三是加大财政支持力度，缓解消费易感群体支出压力。**当前的社会救助和保障标准与物价上涨挂钩联动机制补贴标准月人均不足 100 元，难以有效缓解非洲猪瘟疫情影响，而按模型测算的收入增量提高补贴标准又面临较大财政压力。因此建议以现金和实物相结合的方式，在维持或适当提高现金补助的同时，通过政府购买方式，向困难群体发放定向定额消费券，如根据消费减少量发放月人均 0.41 公斤的肉类券，及根据《中国居民平衡膳食宝塔》推荐摄入量发放月人均 0.51 公斤蔬菜券等保障基本的营养均衡。

而从长期来看，提高畜牧业抗风险能力，提高居民家庭抗风险能力才能从根本上规避非洲猪瘟及其它重大动物疫情对居民消费的不利影响。因此，中长期的畜牧业发展和居民增收支持政策必不可少。

**一要进一步增强对三农工作的重视，不断优化农业特别是畜牧业生产结构。**提高牛、羊、禽及水产品产业比重，从供给侧推动消费习惯的变化，引导肉类生产和消费多元化，实现分散风险，稳定市场供给的目的。

**二要强化防疫体系建设，增强畜牧业生产抗疫能力和防风险能力。**加大防疫方面的资金投入，提升防疫技术，培养兽医师人才。建立健全“生产-防疫-市场-补贴”一体化防控机制，进一步增强猪肉储备调控能力，多部门联动，确保市场供需平稳。

**三要大力提高居民收入，增强抗冲击能力。**消费质量和结构的差异最终是由收入差异导致的，要进一步提高居民收入，拓宽农村居民、低收入群体增收渠道。不断完善社会保障体系，减少居民预防性储蓄倾向，提升消费意愿和能力，缩小生存型消费在总消费中所占比例，推动消费结构不断优化。

## 参考文献

- [1]. 宋平平, 孙皓. 城镇居民消费结构升级的动态特征与趋势分析[J]. 消费市场, 2020 (7)
- [2]. 陈晓毅. 食品价格波动对城镇不同收入群体消费结构影响研究——基于 ARDL 模型[J]. 价格理论与实践, 2014(4)
- [3]. 王小华, 温涛, 韩林松. 习惯形成与中国农民消费行为变迁: 改革开放以来的经验验证[J]. 中国农村经济, 2020 (1)
- [4]. 吕文. 城镇居民收入水平分布变化对“消费升级”的影响——基于异质性效应分析视角[J]. 商业经济研究, 2020(09)
- [5]. 任昌荣. 我国城镇居民收入水平分布变化的消费异质效应研究[J]. 消费市场, 2020 (5)
- [6]. 刘双艳, 张晓林. 中国农村居民生活质量评价[J]. 经济问题, 2018 (10)
- [7]. 朱海艳, 孙根年, 杨亚丽. 旅游恩格尔系数对我国城乡居民生活质量和幸福度的跟踪试验[J]. 社会科学家, 2018 (2)
- [8]. 石国宁, 张涛, 王无为. 中国非洲猪瘟疫情的时空演化特征及影响因素[J]. 干旱区资源与环境, 2020 (3)
- [9]. 胡向东, 郭世娟. 疫情对生猪市场价格影响研究——兼析非洲猪瘟对产业冲击及应对策略[J]. 价格理论与实践, 2018(12)
- [10]. 许彪, 施亮, 刘洋. 我国生猪价格预测及实证研究[J]. 农业经济问题, 2014(8)
- [11]. 赵全新. 我国“猪周期”怪圈的形成与破解路径选择[J]. 价格理论与实践, 2017(4)
- [12]. 罗千峰, 张利庠. 基于 B-N 分解法的我国生猪价格波动特征研究[J]. 农业技术经济, 2018(7)
- [13]. 成鹏远, 严铠, 刘仲妮, 赵海燕. 北京农民收入增长影响因素实证分析及展望[J]. 农业经济展望, 2019(3)

- [14]. 朱宁, 曹博, 秦富. 非洲猪瘟疫情影响下城镇居民家庭畜产品消费替代研究——基于北京市与河北省的调研[J]. 农村经济, 2020 (4)
- [15]. Xu Tian, Stephan von Cramon-Taubadel. Economic consequences of African swine fever [J]. Nature Food, 2020, Vol. 1 (4), pp. 196-197
- [16]. Daniel Mason-D' Croz, Jessica R. Bogard, Mario Herrero, Sherman Robinson, Timothy B. Sulser, Keith Wiebe, Dirk Willenbockel, H. Charles J. Godfray. Modelling the global economic consequences of a major African swine fever outbreak in China [J]. Nature Food, 2020, Vol. 1 (4), pp. 221-228
- [17]. 郑杉, 刘秀丽. 新时期中国居民消费总量与结构预测研究[J]. 系统科学与数学, 2018 (10)
- [18]. 王娜, 张磊. 拉动农村居民消费的财政支持机制研究[J]. 价格理论与实践, 2016 (2)
- [19]. 陈波. 不同收入层级城镇居民消费结构及需求变化趋势——基于 AIDS 模型的研究[J]. 社会科学研究, 2013 (04)
- [20]. 张宁. 物价波动对不同收入群体消费支出影响研究[J]. 价格理论与实践, 2013 (6)
- [21]. 王国敏, 薛一飞. 城乡二元结构视域下我国农村居民家庭消费的理论与实证分析——基于扩展线性支出系统模型(ELES)的分析[J]. 甘肃社会科学, 2012 (2)
- [22]. 陈建宝. 我国各地区农村居民生活质量评价研究 [J]. 中国经济问题, 2010 (4)
- [23]. 尹世杰. 中国消费结构研究[M]. 上海人民出版社, 1988
- [24]. 周华林, 李雪松. Tobit 模型估计方法与应用[J]. 经济学动态, 2012 (5)
- [25]. 刘一丝. 关于我国拓宽消费领域和优化消费结构的研究[J]. 延边教育学院学报, 2019 (4)

## 附录

### (一)程序及代码

文章使用 STATA16 进行数据处理, 具体数据处理代码如下:

```
clear all

set maxvar 15000

import excel "数据样本", sheet("all") firstrow #lowdis 为全省住户
调查家庭分组#import excel "数据样本", sheet("town") firstrow #lowdis
为城镇家庭分组#import excel "数据样本", sheet("rural") firstrow # rural
为农村家庭分组#import excel "数据样本", sheet("lowdis") firstrow
#lowdis 为低收入家庭分组

label variable nh "the number of household"
label variable t "year-month"
label variable pork "the cost consumption of pork"
label variable beef "the cost consumption of beef"
label variable mutton "the cost consumption of mutton"
label variable poultry "the cost consumption of poultry"
label variable seafood "the cost consumption of seafood"
label variable meat "the cost consumption of meat and poultry"
label variable oil "the cost consumption of oil"
label variable vege "the cost consumption of vegetables and mushrooms"
label variable egg "the cost consumption of egg"
label variable foodalcohol "the cost consumption of food and alcohol"
label variable clothing "the consumption of clothes"
label variable dwell "the consumption of house"
label variable daily "the consumption of daily use and service"
label variable traffication "the consumption of traffic and
communication"
```

label variable edutainment "the consumption of education and entertainment"

label variable medical "the consumption of medical care"

label variable total "the total consumption"

label variable porkgr "the gram consumption of pork"

label variable beefgr "the gram consumption of beef"

label variable muttongr "the gram consumption of mutton"

label variable poultrygr "the gram consumption of poultry"

label variable seafoodgr "the gram consumption of seafood"

label variable meatgr "the gram consumption of meat and poultry"

label variable oilgr "the gram consumption of oil"

label variable vegegr "the gram consumption of vegetables and mushrooms"

label variable egggr "the gram consumption of egg"

label variable town "whether urban residents"

label variable labor "the number of labor force in the household"

label variable rp "resident population"

label variable nc "the number of colleges"

label variable disin "house disposable income"

label variable maleratio "house male ratio"

label variable oldratio "house old ratio"

label variable hui "whether the house member has hui minority"

label variable healthy "whether the house member are all healthy"

label variable vegep "the price index of vegetables and mushrooms"

label variable eggp "the price index of egg"

label variable clothingp "the price index clothes"

label variable dwellp "the price index of house"

label variable dailyp "the price index of daily use and service"

---

```
label variable trafficationp "the price index of traffic and  
communication"
```

```
label variable edutainmentp "the price index of edutainment"
```

```
label variable medicalp "the price index of medical care"
```

```
label variable othersp "the price index of others"
```

```
gen foodalcohol_r=foodalcohol/total
```

```
gen clothing_r=clothing/total
```

```
gen dwell_r=dwell/total
```

```
gen daily_r=daily/total
```

```
gen traffication_r=traffication/total
```

```
gen edutainment_r=edutainment/total
```

```
gen medical_r=medical/total
```

```
gen others_r=others/total
```

```
replace nh=nh+1000000 if t>=201812
```

```
replace t=1 if t==201712| t==201812
```

```
replace t=2 if t==201801| t==201901
```

```
replace t=3 if t==201802| t==201902
```

```
replace t=4 if t==201803| t==201903
```

```
replace t=5 if t==201804| t==201904
```

```
replace t=6 if t==201805| t==201905
```

```
replace t=7 if t==201806| t==201906
```

```
replace t=8 if t==201807| t==201907
```

```
replace t=9 if t==201808| t==201908
```

```
replace t=10 if t==201809| t==201909
```

```
replace t=11 if t==201810| t==201910
```

```
replace t=12 if t==201811|t==201911
```

```
gen dt=1 if nh>1000000
```

```
replace dt=0 if nh<1000000
```

```
gen du=1 if t>6
```

```
replace du=0 if t<=6
gen did=dt*du
tsset nh t
xtides
xttobit pork dt du did town labor rp nc disin maleratio oldratio hui
healthy
xttobit beef dt du did town labor rp nc disin maleratio oldratio hui
healthy
xttobit mutton dt du did town labor rp nc disin maleratio oldratio
hui healthy
xttobit poultry dt du did town labor rp nc disin maleratio oldratio
hui healthy
xttobit seafood dt du did town labor rp nc disin maleratio oldratio
hui healthy
xttobit meat dt du did town labor rp nc disin maleratio oldratio hui
healthy
xttobit oil dt du did town labor rp nc disin maleratio oldratio hui
healthy
xttobit egg dt du did town labor rp nc disin maleratio oldratio hui
healthy
eggp
xttobit vege dt du did town labor rp nc disin maleratio oldratio hui
healthy vegep
xttobit foodalcohol dt du did town labor rp nc disin maleratio
oldratio hui healthy
xttobit clothing dt du did town labor rp nc disin maleratio oldratio
hui healthy clothingp
xttobit dwell dt du did town labor rp nc disin maleratio oldratio hui
healthy dwellp
```



xttobit daily dt du did town labor rp nc disin maleratio oldratio hui  
healthy daily

xttobit trafficking dt du did town labor rp nc disin maleratio  
oldratio hui healthy trafficking

xttobit edutainment dt du did town labor rp nc disin maleratio  
oldratio hui healthy edutainment

xttobit medical dt du did town labor rp nc disin maleratio oldratio  
hui healthy medical

xttobit others dt du did town labor rp nc disin maleratio oldratio  
hui healthy others

xttobit total dt du did town labor rp nc disin maleratio oldratio hui  
healthy

xttobit porkgr dt du did town labor rp nc disin maleratio oldratio  
hui healthy

xttobit beefgr dt du did town labor rp nc disin maleratio oldratio  
hui healthy

xttobit muttongr dt du did town labor rp nc disin maleratio oldratio  
hui healthy

xttobit poultrygr dt du did town labor rp nc disin maleratio oldratio  
hui healthy

xttobit seafoodgr dt du did town labor rp nc disin maleratio oldratio  
hui healthy

xttobit meatgr dt du did town labor rp nc disin maleratio oldratio  
hui healthy

xttobit oilgr dt du did town labor rp nc disin maleratio oldratio hui  
healthy

xttobit egggr dt du did town labor rp nc disin maleratio oldratio hui  
healthy egg

```
xttobit vegegr dt du did town labor rp nc disin maleratio oldratio  
hui healthy vegep
```

```
xttobit foodalcohol_r dt du did town labor rp nc disin maleratio  
oldratio hui healthy
```

```
xttobit clothing_r dt du did town labor rp nc disin maleratio oldratio  
hui healthy clothingp
```

```
xttobit dwell_r dt du did town labor rp nc disin maleratio oldratio  
hui healthy dwellp
```

```
xttobit daily_r dt du did town labor rp nc disin maleratio oldratio  
hui healthy dailyp
```

```
xttobit trafficking_r dt du did town labor rp nc disin maleratio  
oldratio hui healthy traffickingp
```

```
xttobit edutainment_r dt du did town labor rp nc disin maleratio  
oldratio hui healthy edutainmentp
```

```
xttobit medical_r dt du did town labor rp nc disin maleratio oldratio  
hui healthy medicalp
```

```
xttobit others_r dt du did town labor rp nc disin maleratio oldratio  
hui healthy othersp
```

```
clear
```

## (二)程序输出结果

1. 全体家庭程序输出结果（附录输出结果中，收入、消费支出单位为元，食品类消费量单位为千克，下同。）

```

Random-effects tobit regression      Number of obs   = 141,792
Limits: lower = -inf                Uncensored     = 141,792
       upper = +inf                Left-censored  = 0
                                   Right-censored   = 0

Group variable: nh
Random effects u_i ~ Gaussian      Number of groups = 11,816
                                   Obs per group:
                                   min = 12
                                   avg  = 12.0
                                   max  = 12

Integration method: mvaghermite    Integration pts. = 12

Log likelihood = -724103.2          Wald chi2(12)   = 1129.44
                                   Prob > chi2        = 0.0000

```

| beef                                                                       | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|----------------------------------------------------------------------------|-----------|-----------|--------|-------|----------------------|
| dt                                                                         | .6689127  | .4176047  | 1.60   | 0.109 | -.1495775 1.487403   |
| du                                                                         | -.5974365 | .285874   | -2.09  | 0.037 | -1.157739 -.0371338  |
| did                                                                        | 2.143157  | .4841031  | 5.30   | 0.000 | 1.351129 2.935184    |
| town                                                                       | 9.481568  | .3643483  | 24.67  | 0.000 | 8.728359 10.23498    |
| labor                                                                      | .8833518  | .2682446  | 3.29   | 0.001 | .357682 1.409102     |
| rp                                                                         | -2.284603 | .1954523  | -11.28 | 0.000 | -2.587682 -1.821523  |
| nc                                                                         | -.1792247 | .40006    | -0.45  | 0.654 | -.9633279 .6048786   |
| disin                                                                      | .0002049  | .0000344  | 5.96   | 0.000 | .0001376 .0002723    |
| malratio                                                                   | -2.794864 | .8188856  | -3.41  | 0.001 | -4.39985 -1.189878   |
| oldratio                                                                   | -.7839971 | .5237481  | -1.50  | 0.134 | -1.810525 .2425303   |
| hui                                                                        | 3.437442  | 3.767444  | 0.91   | 0.362 | -3.946613 10.8215    |
| healthy                                                                    | 2.771587  | .5772768  | 4.80   | 0.000 | 1.640146 3.903029    |
| _cons                                                                      | 7.594709  | .9271126  | 8.19   | 0.000 | 5.777602 9.411817    |
| /sigma_u                                                                   | 16.53958  | .1593568  | 106.07 | 0.000 | 16.23395 16.84521    |
| /sigma_e                                                                   | 38.03492  | .0746109  | 509.78 | 0.000 | 37.88868 38.18115    |
| rho                                                                        | .1590256  | .002623   |        |       | .1539391 .1642209    |
| LR test of sigma_u=0: <u>chibar2(01) = 1.0e+04</u> Prob >= chibar2 = 0.000 |           |           |        |       |                      |

```

Random-effects tobit regression      Number of obs   = 141,792
Limits: lower = -inf                Uncensored     = 141,792
       upper = +inf                Left-censored  = 0
                                   Right-censored   = 0

Group variable: nh
Random effects u_i ~ Gaussian      Number of groups = 11,816
                                   Obs per group:
                                   min = 12
                                   avg  = 12.0
                                   max  = 12

Integration method: mvaghermite    Integration pts. = 12

Log likelihood = -864992.67         Wald chi2(12)   = 2814.30
                                   Prob > chi2        = 0.0000

```

| pork                                                                       | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|----------------------------------------------------------------------------|-----------|-----------|--------|-------|----------------------|
| dt                                                                         | 6.068821  | 1.110209  | 5.46   | 0.000 | 3.889283 8.248358    |
| du                                                                         | -9.618555 | .7734929  | -12.44 | 0.000 | -11.13457 -8.102537  |
| did                                                                        | 6.923701  | 1.093401  | 6.33   | 0.000 | 4.780674 9.066728    |
| town                                                                       | 20.44099  | 1.019032  | 20.06  | 0.000 | 18.44373 22.43826    |
| labor                                                                      | .7123122  | .713798   | 1.00   | 0.318 | -.6867062 2.111331   |
| rp                                                                         | -13.80926 | .5194737  | -26.58 | 0.000 | -14.82741 -12.79111  |
| nc                                                                         | -.113044  | 1.062834  | -0.64  | 0.000 | -13.38752 -9.221287  |
| disin                                                                      | .0007807  | .0000927  | 8.42   | 0.000 | .00005991 .0009624   |
| malratio                                                                   | -10.66619 | 2.177871  | -4.90  | 0.000 | -14.93474 -6.397645  |
| oldratio                                                                   | 9.600436  | 1.390509  | 6.90   | 0.000 | 6.875088 12.32578    |
| hui                                                                        | -22.75517 | 10.00499  | -2.27  | 0.023 | -42.36459 -3.145758  |
| healthy                                                                    | 6.929999  | 1.535332  | 4.51   | 0.000 | 3.920003 9.939195    |
| _cons                                                                      | 96.60993  | 2.465637  | 39.18  | 0.000 | 91.77737 101.4425    |
| /sigma_u                                                                   | 43.40796  | .416976   | 104.10 | 0.000 | 42.5907 44.22522     |
| /sigma_e                                                                   | 102.9133  | .2018662  | 509.81 | 0.000 | 102.5176 103.3089    |
| rho                                                                        | .1510374  | .0025613  |        |       | .1460728 .1561129    |
| LR test of sigma_u=0: <u>chibar2(01) = 9694.26</u> Prob >= chibar2 = 0.000 |           |           |        |       |                      |

Random-effects tobit regression  
Limits: lower = -inf  
upper = +inf  
Number of obs = 141,792  
Uncensored = 141,792  
Left-censored = 0  
Right-censored = 0  
Group variable: nh  
Random effects u\_i ~ Gaussian  
Number of groups = 11,816  
Obs per group:  
min = 12  
avg = 12.0  
max = 12  
Integration method: mvaghermite  
Integration pts. = 12  
Log likelihood = -634159.94  
Wald chi2(12) = 435.95  
Prob > chi2 = 0.0000

|           | coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| mutton    |           |           |        |       |                      |
| dt        | .3464168  | .1728025  | 2.00   | 0.045 | .0077301 .6851035    |
| du        | -1.109074 | .1568878  | -7.07  | 0.000 | -1.416568 -.8015793  |
| did       | -.3242882 | .2218171  | -1.46  | 0.144 | -.7590417 .1104653   |
| town      | 1.466145  | .1416743  | 10.35  | 0.000 | 1.188468 1.743821    |
| labor     | .0924018  | .1035823  | 0.89   | 0.372 | -.1106158 .2954193   |
| rp        | -.2963011 | .0741564  | -4.00  | 0.000 | -.4416449 -.1509573  |
| nc        | .07546    | .1504352  | 0.50   | 0.616 | -.2193876 .3703076   |
| disin     | .0001454  | .0000178  | 8.17   | 0.000 | .0001105 .0001802    |
| maleratio | -.8251935 | .3128724  | -2.64  | 0.008 | -1.438412 -.2119747  |
| oldratio  | .3155958  | .1948266  | 1.62   | 0.105 | -.0662573 .697449    |
| hui       | 1.732775  | 1.410419  | 1.23   | 0.219 | -1.031595 4.497145   |
| healthy   | .2350632  | .2210964  | 1.06   | 0.288 | -.1982777 .6684041   |
| _cons     | 2.395476  | .3572068  | 6.71   | 0.000 | 1.695364 3.095589    |
| /sigma_u  | 3.932831  | .0076592  | 44.86  | 0.000 | 3.761022 4.10464     |
| /sigma_e  | 20.87909  | .0409547  | 509.81 | 0.000 | 20.79082 20.95936    |
| rho       | .0342646  | .0015074  |        |       | .0514131 .0373254    |

LR test of sigma\_u=0: chibar2(01) = 750.58 Prob >= chibar2 = 0.000

Random-effects tobit regression  
Limits: lower = -inf  
upper = +inf  
Number of obs = 141,792  
Uncensored = 141,792  
Left-censored = 0  
Right-censored = 0  
Group variable: nh  
Random effects u\_i ~ Gaussian  
Number of groups = 11,816  
Obs per group:  
min = 12  
avg = 12.0  
max = 12  
Integration method: mvaghermite  
Integration pts. = 12  
Log likelihood = -714990.52  
Wald chi2(12) = 4246.84  
Prob > chi2 = 0.0000

|           | coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| poultry   |           |           |        |       |                      |
| dt        | 2.967081  | .5202598  | 5.70   | 0.000 | 1.947391 3.986771    |
| du        | 1.303628  | .2597583  | 5.02   | 0.000 | .7945114 1.812745    |
| did       | 7.220955  | .3670756  | 19.67  | 0.000 | 6.50015 7.94041      |
| town      | 17.34373  | .5065695  | 34.24  | 0.000 | 16.35087 18.33659    |
| labor     | 1.368279  | .3212084  | 4.26   | 0.000 | .7387218 1.997836    |
| rp        | -5.651451 | .2410133  | -23.45 | 0.000 | -6.123829 -5.179074  |
| nc        | -1.947363 | .4996585  | -3.90  | 0.000 | -2.926676 -.9680509  |
| disin     | .0005079  | .000032   | 15.86  | 0.000 | .0004452 .0005707    |
| maleratio | -8.875118 | .9947084  | -8.92  | 0.000 | -10.82471 -6.925326  |
| oldratio  | .3448689  | .6652238  | 0.52   | 0.604 | -.9589458 1.648684   |
| hui       | .6831186  | 4.727363  | 0.14   | 0.885 | -8.582343 9.94858    |
| healthy   | 2.324068  | .6906629  | 3.33   | 0.001 | .9547136 3.693422    |
| _cons     | 27.43824  | 1.134533  | 24.18  | 0.000 | 25.2146 29.66189     |
| /sigma_u  | 24.49426  | .1864016  | 131.41 | 0.000 | 24.12892 24.85996    |
| /sigma_e  | 34.54608  | .0677741  | 509.74 | 0.000 | 34.41415 34.67982    |
| rho       | .334531   | .0035363  |        |       | .3276285 .3414088    |

LR test of sigma\_u=0: chibar2(01) = 3.4e+04 Prob >= chibar2 = 0.000

Random-effects tobit regression  
 Limits: lower = -inf  
 upper = +inf

Group variable: nh  
 Random effects u\_i ~ Gaussian

Integration method: mvaghermite

Log likelihood = -658792.3  
 Wald chi2(12) = 2686.39  
 Prob > chi2 = 0.0000

| seafood   | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | 3.527078  | .3556195  | 9.92   | 0.000 | 2.830076 4.224079    |
| du        | .6978303  | .1744723  | 4.00   | 0.000 | .3550708 1.03899     |
| did       | 1.236159  | .2465498  | 5.01   | 0.000 | .7529302 1.719388    |
| town      | 10.66472  | .3469466  | 30.74  | 0.000 | 9.984721 11.34473    |
| labor     | 1.145148  | .2185044  | 5.24   | 0.000 | .7168868 1.573408    |
| rp        | -3.701717 | .1642445  | -22.54 | 0.000 | -4.023631 -3.379804  |
| nc        | .2177466  | .3408208  | 0.64   | 0.523 | -.4502499 .8857431   |
| disin     | .0902803  | .0000215  | 13.02  | 0.000 | .00002381 .0003225   |
| maleratio | -5.311123 | .6772085  | -7.84  | 0.000 | -6.538451 -3.983795  |
| oldratio  | -1.371016 | .4543282  | -3.02  | 0.003 | -2.261483 -.480549   |
| hui       | 2.959074  | 3.225452  | 0.92   | 0.359 | -3.362897 9.288844   |
| healthy   | 1.541499  | .4757219  | 3.24   | 0.001 | .6091008 2.473896    |
| _cons     | 17.61226  | .7732529  | 22.78  | 0.000 | 16.09671 19.12781    |
| /sigma_u  | 16.83837  | .1272697  | 132.30 | 0.000 | 16.58892 17.08781    |
| /sigma_e  | 23.2037   | .0455198  | 509.75 | 0.000 | 23.11448 23.29291    |
| rho       | .344952   | .0035652  |        |       | .3379912 .3519657    |

LR test of sigma\_u=0:  $\chi^2_{(1)} = 3.6e+04$  Prob >=  $\chi^2_{(1)} = 0.000$

Random-effects tobit regression  
 Limits: lower = -inf  
 upper = +inf

Group variable: nh  
 Random effects u\_i ~ Gaussian

Integration method: mvaghermite

Log likelihood = -897887.68  
 Wald chi2(12) = 4412.76  
 Prob > chi2 = 0.0000

| meat      | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | 13.53975  | 1.774461  | 7.63   | 0.000 | 10.06188 17.01763    |
| du        | -9.352764 | .9498085  | -9.85  | 0.000 | -11.21435 -7.491174  |
| did       | 17.19159  | 1.342313  | 12.81  | 0.000 | 14.5687 19.82247     |
| town      | 59.72833  | 1.712737  | 34.87  | 0.000 | 56.37142 63.08523    |
| labor     | 3.881838  | 1.113731  | 3.49   | 0.000 | 1.698966 6.064711    |
| rp        | -25.5706  | .8297181  | -31.30 | 0.000 | -27.59681 -24.34438  |
| nc        | -11.91813 | 1.715069  | -6.95  | 0.000 | -15.2796 -8.55653    |
| disin     | .0017525  | .0001167  | 15.02  | 0.000 | .0015239 .0019811    |
| maleratio | -30.77275 | 3.437464  | -8.95  | 0.000 | -37.51006 -24.03544  |
| oldratio  | 10.03883  | 2.27361   | 4.42   | 0.000 | 5.582837 14.49503    |
| hui       | -13.76145 | 16.2069   | -0.85  | 0.396 | -45.52639 18.00349   |
| healthy   | 13.75919  | 2.416701  | 5.69   | 0.000 | 9.022546 18.49584    |
| _cons     | 154.0039  | 3.91047   | 39.38  | 0.000 | 146.3395 161.6683    |
| /sigma_u  | 81.44415  | .638603   | 127.53 | 0.000 | 80.19251 82.69579    |
| /sigma_e  | 126.333   | .2478433  | 509.73 | 0.000 | 125.8472 126.8188    |
| rho       | .2935908  | .0035933  |        |       | .2869753 .3002761    |

LR test of sigma\_u=0:  $\chi^2_{(1)} = 2.8e+04$  Prob >=  $\chi^2_{(1)} = 0.000$

Random-effects tobit regression  
 Limits: lower = -inf  
 upper = +inf  
 Number of obs = 141,792  
 Uncensored = 141,792  
 Left-censored = 0  
 Right-censored = 0

Group variable: nh  
 Random effects u\_i ~ Gaussian  
 Number of groups = 11,816  
 Obs per group:  
 min = 12  
 avg = 12.0  
 max = 12

Integration method: mvaghermite  
 Integration pts. = 12

Log likelihood = -692226.53  
 Wald chi2(12) = 1599.67  
 Prob > chi2 = 0.0000

| oil       | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | -1.911273 | .3878388  | -6.23  | 0.000 | -2.513843 -1.308584  |
| du        | -.345589  | .2386987  | -1.50  | 0.134 | -.7976702 .1066522   |
| did       | 3.144812  | .3261331  | 9.64   | 0.000 | 2.505683 3.784022    |
| town      | 6.234631  | .2747588  | 22.69  | 0.000 | 5.69613 6.773133     |
| labor     | .2689116  | .1955381  | 1.33   | 0.182 | -.1223284 .6441436   |
| rp        | -2.542671 | .1415163  | -17.97 | 0.000 | -2.828837 -2.265384  |
| nc        | -1.938892 | .2887227  | -6.68  | 0.000 | -2.495978 -1.364206  |
| disin     | .0881571  | .0880273  | 5.74   | 0.000 | .0801835 .0983171    |
| maleratio | -1.127196 | .5946687  | -1.90  | 0.058 | -2.29271 .0383171    |
| oldratio  | 1.33572   | .3765181  | 3.55   | 0.000 | .5977584 2.073682    |
| hui       | -3.842776 | 2.715132  | -1.12  | 0.262 | -8.364337 2.278786   |
| healthy   | .7582589  | .4195688  | 1.79   | 0.074 | -.0728652 1.572583   |
| _cons     | 17.01565  | .673858   | 25.25  | 0.000 | 15.69491 18.33639    |
| /sigma_u  | 11.08668  | .1189845  | 92.51  | 0.000 | 10.77347 11.23988    |
| /sigma_e  | 30.69689  | .0682137  | 589.80 | 0.000 | 30.57888 30.81491    |
| rho       | .1139192  | .0822637  |        |       | .1895438 .1184176    |

LR test of sigma\_u=0:  $\chi^2(81) = 6188.46$  Prob >=  $\chi^2(81) = 0.000$

Random-effects tobit regression  
 Limits: lower = -inf  
 upper = +inf  
 Number of obs = 141,792  
 Uncensored = 141,792  
 Left-censored = 0  
 Right-censored = 0

Group variable: nh  
 Random effects u\_i ~ Gaussian  
 Number of groups = 11,816  
 Obs per group:  
 min = 12  
 avg = 12.0  
 max = 12

Integration method: mvaghermite  
 Integration pts. = 12

Log likelihood = -572561.48  
 Wald chi2(13) = 2992.59  
 Prob > chi2 = 0.0000

| egg       | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | .8888912  | .1912682  | 4.65   | 0.000 | .5142124 1.26397     |
| du        | .2585942  | .0954625  | 2.71   | 0.007 | .0714912 .4456973    |
| did       | .2168637  | .1487985  | 1.46   | 0.145 | -.0746684 .5885878   |
| town      | 6.536437  | .1786536  | 36.53  | 0.000 | 6.176342 6.876652    |
| labor     | .2288993  | .114813   | 1.92   | 0.055 | -.0849382 .4451287   |
| rp        | -1.958412 | .0858258  | -22.73 | 0.000 | -2.118627 -1.782197  |
| nc        | -.0661313 | .1776547  | -0.37  | 0.710 | -.4143281 .2828656   |
| disin     | .0888826  | .0888118  | 7.03   | 0.000 | .0808596 .0989156    |
| maleratio | -1.782383 | .3558181  | -5.02  | 0.000 | -2.47811 -1.086496   |
| oldratio  | 2.185845  | .2368771  | 8.92   | 0.000 | 1.642343 2.567748    |
| hui       | -.5977949 | 1.679982  | -0.36  | 0.722 | -3.898343 2.694753   |
| healthy   | .7364185  | .249475   | 2.95   | 0.003 | .2474484 1.225373    |
| egg       | -.0844394 | .0231766  | -0.19  | 0.848 | -.0498647 .040886    |
| _cons     | 9.685742  | 2.35481   | 4.11   | 0.000 | 5.071968 14.29952    |
| /sigma_u  | 8.568854  | .066109   | 129.57 | 0.000 | 8.436482 8.695625    |
| /sigma_e  | 12.69682  | .0249866  | 589.78 | 0.000 | 12.64881 12.74564    |
| rho       | .312794   | .083462   |        |       | .3068486 .3196187    |

LR test of sigma\_u=0:  $\chi^2(81) = 3.1e+04$  Prob >=  $\chi^2(81) = 0.000$

Random-effects tobit regression  
 Limits: lower = -inf  
 upper = +inf  
 Number of obs = 141,792  
 Uncensored = 141,792  
 Left-censored = 0  
 Right-censored = 0  
 Group variable: nh  
 Random effects u\_i ~ Gaussian  
 Number of groups = 11,816  
 Obs per group:  
 min = 12  
 avg = 12.0  
 max = 12  
 Integration method: mvaghermite  
 Integration pts. = 12  
 Wald chi2(13) = 7064.29  
 Prob > chi2 = 0.0000  
 Log likelihood = -695832.6

| vege      | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | 3.048375  | .7376126  | 4.13   | 0.000 | 1.602681 4.494069    |
| du        | 2.015007  | .2166126  | 9.30   | 0.000 | 1.590454 2.439559    |
| did       | -2.261629 | .3250653  | -6.96  | 0.000 | -2.898745 -1.624513  |
| town      | 40.38692  | .7349469  | 54.95  | 0.000 | 38.94645 41.82739    |
| labor     | .895595   | .3570589  | 2.50   | 0.012 | .1945964 1.596593    |
| rp        | -10.66173 | .2846086  | -37.46 | 0.000 | -11.21955 -10.10391  |
| nc        | -3.91426  | .6055622  | -6.46  | 0.000 | -5.10114 -2.72738    |
| disin     | .0002927  | .0000271  | 10.80  | 0.000 | .00002396 .0003438   |
| maleratio | -11.71994 | 1.13358   | -10.34 | 0.000 | -13.94172 -9.498169  |
| oldratio  | 3.737932  | .8411437  | 4.44   | 0.000 | 2.089321 5.386543    |
| hui       | -.8345306 | 5.780623  | -0.14  | 0.885 | -12.16434 10.49528   |
| healthy   | 3.104756  | .7908742  | 3.93   | 0.000 | 1.554671 4.654841    |
| vegep     | -.0935918 | .0149039  | -6.28  | 0.000 | -.1228029 -.0643807  |
| _cons     | 61.62788  | 2.010317  | 30.53  | 0.000 | 57.67205 65.58371    |
| /sigma_u  | 37.97417  | .2593127  | 146.44 | 0.000 | 37.46592 38.48241    |
| /sigma_e  | 28.78659  | .0564689  | 509.78 | 0.000 | 28.67591 28.89726    |
| rho       | .6350616  | .0033061  |        |       | .6285628 .6415218    |

LR test of sigma\_u=0: chibar2(01) = 1.1e+05 Prob >= chibar2 = 0.000

Random-effects tobit regression  
 Limits: lower = -inf  
 upper = +inf  
 Number of obs = 141,792  
 Uncensored = 141,792  
 Left-censored = 0  
 Right-censored = 0  
 Group variable: nh  
 Random effects u\_i ~ Gaussian  
 Number of groups = 11,816  
 Obs per group:  
 min = 12  
 avg = 12.0  
 max = 12  
 Integration method: mvaghermite  
 Integration pts. = 12  
 Wald chi2(12) = 7931.12  
 Prob > chi2 = 0.0000  
 Log likelihood = -1035452.1

| foodalcohol | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-------------|-----------|-----------|--------|-------|----------------------|
| dt          | 37.90717  | 6.207455  | 6.11   | 0.000 | 25.74078 50.07356    |
| du          | -25.06695 | 2.435349  | -10.29 | 0.000 | -29.84014 -20.29375  |
| did         | 23.13668  | 3.44055   | 6.72   | 0.000 | 16.39332 29.88003    |
| town        | 286.7877  | 6.169427  | 46.49  | 0.000 | 274.6959 298.8796    |
| labor       | 5.137972  | 3.517515  | 1.46   | 0.144 | -1.756231 12.03217   |
| rp          | -115.0602 | 2.712146  | -42.42 | 0.000 | -120.3759 -109.7445  |
| nc          | 42.64678  | 5.693999  | 7.49   | 0.000 | 31.48674 53.80681    |
| disin       | .0076788  | .0003041  | 25.25  | 0.000 | .0070027 .0082748    |
| maleratio   | -5.207137 | 11.01901  | -0.48  | 0.631 | -26.884 16.30073     |
| oldratio    | -94.92281 | 7.707638  | -12.32 | 0.000 | -110.8295 -79.81611  |
| hui         | 98.85029  | 54.02042  | 1.83   | 0.067 | -7.043472 204.7441   |
| healthy     | 54.48741  | 7.717925  | 7.06   | 0.000 | 39.36056 69.61427    |
| _cons       | 655.8716  | 12.76913  | 51.36  | 0.000 | 630.8446 680.8987    |
| /sigma_u    | 310.2741  | 2.218759  | 139.84 | 0.000 | 305.9255 314.6228    |
| /sigma_e    | 323.7814  | .6354756  | 509.51 | 0.000 | 322.5359 325.0269    |
| rho         | .4787067  | .0037286  |        |       | .4714028 .4860178    |

LR test of sigma\_u=0: chibar2(01) = 6.0e+04 Prob >= chibar2 = 0.000

| Random-effects tobit regression                    |           |           |        | Number of obs = 141,792   |                      |           |  |
|----------------------------------------------------|-----------|-----------|--------|---------------------------|----------------------|-----------|--|
| Limits: lower = -inf                               |           |           |        | Uncensored = 141,792      |                      |           |  |
| upper = +inf                                       |           |           |        | Left-censored = 0         |                      |           |  |
|                                                    |           |           |        | Right-censored = 0        |                      |           |  |
| Group variable: nh                                 |           |           |        | Number of groups = 11,816 |                      |           |  |
| Random effects u_i ~ Gaussian                      |           |           |        | Obs per group:            |                      |           |  |
|                                                    |           |           |        | min = 12                  |                      |           |  |
|                                                    |           |           |        | avg = 12.0                |                      |           |  |
|                                                    |           |           |        | max = 12                  |                      |           |  |
| Integration method: mvaghermite                    |           |           |        | Integration pts. = 12     |                      |           |  |
| Log likelihood = -951743.8                         |           |           |        | Wald chi2(13) = 4859.09   |                      |           |  |
|                                                    |           |           |        | Prob > chi2 = 0.0000      |                      |           |  |
| clothing                                           | Coef.     | Std. Err. | z      | P> z                      | [95% Conf. Interval] |           |  |
| dt                                                 | 48.58921  | 2.964187  | 16.39  | 0.000                     | 42.77951             | 54.39891  |  |
| du                                                 | -25.61984 | 1.399246  | -18.31 | 0.000                     | -28.36231            | -22.87737 |  |
| did                                                | 11.23197  | 1.981282  | 5.67   | 0.000                     | 7.348729             | 15.11521  |  |
| town                                               | 55.04163  | 2.307064  | 23.86  | 0.000                     | 50.51986             | 59.56339  |  |
| labor                                              | 1.585911  | 1.538262  | 1.03   | 0.303                     | -1.429028            | 4.60085   |  |
| rp                                                 | -19.72374 | 1.137359  | -17.34 | 0.000                     | -21.95293            | -17.49456 |  |
| nc                                                 | 39.53997  | 2.343779  | 16.87  | 0.000                     | 34.94624             | 44.13369  |  |
| disin                                              | .0030162  | .0001718  | 17.55  | 0.000                     | .0026794             | .0033529  |  |
| malratio                                           | -62.47861 | 4.731975  | -13.20 | 0.000                     | -71.75311            | -53.20411 |  |
| oldratio                                           | -79.00372 | 3.093022  | -25.54 | 0.000                     | -85.06594            | -72.94151 |  |
| hui                                                | -3.061763 | 22.11892  | -0.14  | 0.890                     | -46.41405            | 40.29052  |  |
| healthy                                            | 18.73269  | 3.329492  | 5.63   | 0.000                     | 12.207               | 25.25837  |  |
| clothingp                                          | -45.96043 | 1.447079  | -31.76 | 0.000                     | -48.79665            | -43.12442 |  |
| _cons                                              | 47.67869  | 144.8218  | 32.92  | 0.000                     | 4484.023             | 5051.714  |  |
| /sigma_u                                           | 107.1502  | .0001595  | 121.74 | 0.000                     | 105.4251             | 108.8753  |  |
| /sigma_e                                           | 186.1306  | .3652972  | 509.53 | 0.000                     | 185.4347             | 186.8466  |  |
| rho                                                | .24891    | .0032033  |        |                           | .2426739             | .2552303  |  |
| LR test of sigma_u=0: <u>chibar2(01) = 2.1e+04</u> |           |           |        | Prob >= chibar2 = 0.000   |                      |           |  |

|                                 |  |  |  |                           |  |  |  |
|---------------------------------|--|--|--|---------------------------|--|--|--|
| Random-effects tobit regression |  |  |  | Number of obs = 141,792   |  |  |  |
| Limits: lower = -inf            |  |  |  | Uncensored = 141,792      |  |  |  |
| upper = +inf                    |  |  |  | Left-censored = 0         |  |  |  |
|                                 |  |  |  | Right-censored = 0        |  |  |  |
| Group variable: nh              |  |  |  | Number of groups = 11,816 |  |  |  |
| Random effects u_i ~ Gaussian   |  |  |  | Obs per group:            |  |  |  |
|                                 |  |  |  | min = 12                  |  |  |  |
|                                 |  |  |  | avg = 12.0                |  |  |  |
|                                 |  |  |  | max = 12                  |  |  |  |
| Integration method: mvaghermite |  |  |  | Integration pts. = 12     |  |  |  |
| Log likelihood = -1149639.2     |  |  |  | Wald chi2(13) = 462.13    |  |  |  |
|                                 |  |  |  | Prob > chi2 = 0.0000      |  |  |  |

| dwelt                                              | Coef.     | Std. Err. | z      | P> z                    | [95% Conf. Interval] |           |  |
|----------------------------------------------------|-----------|-----------|--------|-------------------------|----------------------|-----------|--|
| dt                                                 | -18.42276 | 13.73831  | -1.34  | 0.180                   | -45.34935            | 8.508335  |  |
| du                                                 | 3.671717  | 5.902787  | 0.62   | 0.534                   | -7.897533            | 15.24097  |  |
| did                                                | 14.04075  | 12.07893  | 1.16   | 0.245                   | -9.633517            | 37.71581  |  |
| town                                               | 31.57018  | 5.831461  | 5.41   | 0.000                   | 20.14073             | 42.99964  |  |
| labor                                              | 6.386392  | 4.236557  | 1.51   | 0.132                   | -1.917106            | 14.68989  |  |
| rp                                                 | -25.94678 | 3.041539  | -8.53  | 0.000                   | -31.90809            | -19.98547 |  |
| nc                                                 | 16.40784  | 6.100412  | 2.65   | 0.008                   | 4.294453             | 28.52122  |  |
| disin                                              | .0087581  | .0006809  | 12.86  | 0.000                   | .0074235             | .0100927  |  |
| malratio                                           | -2.215217 | 12.82166  | -0.17  | 0.863                   | -27.3452             | 22.91477  |  |
| oldratio                                           | -29.02825 | 8.020295  | -3.62  | 0.000                   | -44.74774            | -13.30876 |  |
| hui                                                | -23.48744 | 58.00367  | -0.40  | 0.686                   | -137.1725            | 90.19767  |  |
| healthy                                            | 7.239782  | 9.056264  | 0.80   | 0.424                   | -10.51017            | 24.98973  |  |
| dwelt_p                                            | 12.37873  | 5.124468  | 2.42   | 0.016                   | 2.334959             | 22.42325  |  |
| _cons                                              | -1009.505 | 512.6307  | -2.13  | 0.034                   | -2094.242            | -84.76721 |  |
| /sigma_u                                           | 192.6492  | 3.038161  | 63.41  | 0.000                   | 186.6945             | 196.6039  |  |
| /sigma_e                                           | 785.5224  | 1.540816  | 509.81 | 0.000                   | 782.5025             | 788.5424  |  |
| rho                                                | .056735   | .0017366  |        |                         | .053411              | .0602199  |  |
| LR test of sigma_u=0: <u>chibar2(01) = 1856.49</u> |           |           |        | Prob >= chibar2 = 0.000 |                      |           |  |



Random-effects tobit regression  
 Limits: lower = -inf  
 upper = +inf  
 Number of obs = 141,792  
 Uncensored = 141,792  
 Left-censored = 0  
 Right-censored = 0

Group variable: nh  
 Random effects u\_i ~ Gaussian  
 Number of groups = 11,816  
 Obs per group: min = 12  
 avg = 12.0  
 max = 12

Integration method: mvaghermite  
 Integration pts. = 12

Log likelihood = -1850456  
 Wald chi2(13) = 1208.76  
 Prob > chi2 = 0.0000

| daily     | Coef.     | Std. Err. | z        | P> z     | [95% Conf. Interval] |
|-----------|-----------|-----------|----------|----------|----------------------|
| dt        | -15.88369 | 4.099912  | -3.85    | 0.000    | -23.83937 -7.768911  |
| du        | -7.33645  | 2.916682  | -2.52    | 0.012    | -13.05304 -1.619858  |
| did       | 10.27309  | 4.226915  | 2.43     | 0.015    | 1.988491 18.55769    |
| town      | 30.79747  | 3.070864  | 10.03    | 0.000    | 24.77869 36.81626    |
| labor     | 2.079304  | 2.217259  | 0.94     | 0.348    | -2.266444 6.425952   |
| rp        | -20.52608 | 1.595684  | -12.86   | 0.000    | -23.65357 -17.39866  |
| nc        | 41.24374  | 3.246435  | 12.70    | 0.000    | 34.88084 47.60663    |
| disin     | .004847   | .0003421  | 14.17    | 0.000    | .0041766 .0055174    |
| maleratio | -43.66277 | 6.720646  | -6.50    | 0.000    | -56.83538 -30.49015  |
| oldratio  | -30.08681 | 4.219438  | -7.13    | 0.000    | -38.35676 -21.81687  |
| hui       | 25.02904  | 30.48945  | 0.82     | 0.412    | -34.7292 84.78727    |
| healthy   | 6.134979  | 4.745363  | 1.29     | 0.196    | -3.165761 15.43572   |
| daily     | 44.42998  | 7.726251  | 5.75     | 0.000    | 29.28681 59.57316    |
| _cons     | -4282.746 | 772.6298  | -5.54    | 0.000    | -5797.073 -2768.42   |
| /sigma_u  | 110.0089  | 1.485125  | 74.13    | 0.000    | 107.1881 113.0097    |
| /sigma_e  | 388.1268  | .761697   | 509.56   | 0.000    | 386.6339 389.6197    |
| rho       | .0744745  | .00192    | .0707834 | .0783107 |                      |

LR test of sigma\_u=0: chibar2(01) = 2931.90 Prob >= chibar2 = 0.000

Random-effects tobit regression  
 Limits: lower = -inf  
 upper = +inf  
 Number of obs = 141,792  
 Uncensored = 141,792  
 Left-censored = 0  
 Right-censored = 0

Group variable: nh  
 Random effects u\_i ~ Gaussian  
 Number of groups = 11,816  
 Obs per group: min = 12  
 avg = 12.0  
 max = 12

Integration method: mvaghermite  
 Integration pts. = 12

Log likelihood = -1247980.8  
 Wald chi2(13) = 691.10  
 Prob > chi2 = 0.0000

| traffication | Coef.     | Std. Err. | z        | P> z     | [95% Conf. Interval] |
|--------------|-----------|-----------|----------|----------|----------------------|
| dt           | 21.77182  | 19.54135  | 1.11     | 0.265    | -16.52852 60.07216   |
| du           | .9370169  | 11.9827   | 0.08     | 0.938    | -22.54865 24.42268   |
| did          | 17.98675  | 18.31885  | 0.98     | 0.326    | -17.91597 53.88947   |
| town         | 60.31565  | 10.02006  | 6.01     | 0.000    | 40.66101 79.9703     |
| labor        | 29.86761  | 7.358326  | 4.06     | 0.000    | 15.44555 44.28966    |
| rp           | -38.28159 | 5.257738  | -7.28    | 0.000    | -48.58657 -27.97662  |
| nc           | 89.22083  | 10.65235  | 8.38     | 0.000    | 68.34261 110.0991    |
| disin        | .0165202  | .0013407  | 12.32    | 0.000    | .0138925 .0191479    |
| maleratio    | 61.06757  | 22.19226  | 2.75     | 0.006    | 17.57154 104.5636    |
| oldratio     | -155.6944 | 13.77425  | -11.30   | 0.000    | -182.6914 -128.6973  |
| hui          | 109.2157  | 99.78586  | 1.09     | 0.274    | -86.36103 304.7923   |
| healthy      | 35.07254  | 15.68662  | 2.24     | 0.025    | 4.327326 65.81776    |
| traffication | 7.599366  | 6.297437  | 1.21     | 0.228    | -4.743384 19.94211   |
| _cons        | -603.448  | 630.2118  | -0.96    | 0.338    | -1838.641 631.7445   |
| /sigma_u     | 212.9375  | 8.129042  | 26.19    | 0.000    | 197.0049 228.8702    |
| /sigma_e     | 1594.751  | 3.128842  | 509.69   | 0.000    | 1588.618 1600.883    |
| rho          | .0175164  | .0013319  | .0150665 | .0202985 |                      |

LR test of sigma\_u=0: chibar2(01) = 213.12 Prob >= chibar2 = 0.000

Random-effects tobit regression  
Limits: lower = -inf  
upper = +inf  
Group variable: nh  
Random effects u\_i ~ Gaussian  
Number of obs = 141,792  
Uncensored = 141,792  
Left-censored = 0  
Right-censored = 0  
Number of groups = 11,816  
Obs per group: min = 12  
avg = 12.0  
max = 12  
Integration pts. = 12  
Log likelihood = -1887830.1  
Wald chi2(13) = 2896.10  
Prob > chi2 = 0.0000

| edutainment  | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|--------------|-----------|-----------|--------|-------|----------------------|
| dt           | 59.24986  | 6.359224  | 9.32   | 0.000 | 46.78521 71.71291    |
| du           | 39.32638  | 3.776456  | 10.41  | 0.000 | 31.92467 46.7281     |
| did          | -16.83379 | 5.828188  | -2.75  | 0.006 | -27.44115 -4.626432  |
| town         | 70.88938  | 4.224407  | 16.80  | 0.000 | 62.7897 79.26907     |
| labor        | -52.8423  | 3.031173  | -17.43 | 0.000 | -58.78329 -46.90131  |
| rp           | 29.41611  | 2.18765   | 13.45  | 0.000 | 25.1284 33.70382     |
| nc           | 111.4989  | 4.454512  | 25.03  | 0.000 | 102.7602 120.2216    |
| disin        | .0067391  | .0004453  | 15.13  | 0.000 | .0058664 .0076119    |
| maleratio    | -33.3139  | 9.200123  | -3.62  | 0.000 | -51.34581 -15.28199  |
| oldratio     | -63.70094 | 5.79988   | -10.98 | 0.000 | -75.06693 -52.33495  |
| hui          | 209.8996  | 41.86333  | 5.01   | 0.000 | 127.849 291.9502     |
| healthy      | 48.85588  | 6.494033  | 7.52   | 0.000 | 36.12781 61.58395    |
| edutainmentp | -50.9216  | 3.972787  | -12.82 | 0.000 | -58.70812 -43.13508  |
| _cons        | 5149.184  | 397.3803  | 12.96  | 0.000 | 4370.333 5928.035    |
| /sigma_u     | 160.9715  | 1.92239   | 83.74  | 0.000 | 157.2037 164.7394    |
| /sigma_e     | 502.5187  | .9859471  | 509.68 | 0.000 | 500.5863 504.4512    |
| rho          | .0938618  | .0020868  |        |       | .0890378 .0972186    |

LR test of sigma\_u=0: chibar2(01) = 4317.09 Prob >= chibar2 = 0.000

Random-effects tobit regression  
Limits: lower = -inf  
upper = +inf  
Group variable: nh  
Random effects u\_i ~ Gaussian  
Number of obs = 141,792  
Uncensored = 141,792  
Left-censored = 0  
Right-censored = 0  
Number of groups = 11,816  
Obs per group: min = 12  
avg = 12.0  
max = 12  
Integration pts. = 12  
Log likelihood = -1188645.8  
Wald chi2(13) = 2337.23  
Prob > chi2 = 0.0000

| medical   | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | 61.14669  | 29.83543  | 2.05   | 0.040 | 2.670327 119.623     |
| du        | 6.063056  | 7.285383  | 0.83   | 0.405 | -8.216033 20.34214   |
| did       | -13.29928 | 14.89111  | -0.89  | 0.372 | -42.48532 15.88675   |
| town      | -17.29805 | 7.915676  | -2.19  | 0.029 | -32.81249 -1.783613  |
| labor     | -22.35374 | 5.690309  | -3.92  | 0.000 | -33.52222 -11.18526  |
| rp        | 2.648386  | 4.106158  | 0.64   | 0.519 | -5.399535 10.69631   |
| nc        | -18.85834 | 8.36808   | -2.26  | 0.024 | -35.2438 -2.472885   |
| disin     | .0375309  | .0008524  | 44.03  | 0.000 | .0358602 .0392015    |
| maleratio | -3.934494 | 17.28637  | -0.23  | 0.820 | -37.81516 29.94618   |
| oldratio  | 140.4737  | 10.87453  | 12.92  | 0.000 | 119.16 161.7874      |
| hui       | 277.7953  | 78.54283  | 3.54   | 0.000 | 123.8542 431.7364    |
| healthy   | -81.13986 | 12.20606  | -6.65  | 0.000 | -105.0633 -57.21642  |
| medicalp  | -12.72713 | 8.331367  | -1.53  | 0.127 | -29.05631 3.60205    |
| _cons     | 1422.12   | 833.3224  | 1.71   | 0.088 | -211.1623 3055.481   |
| /sigma_u  | 293.6104  | 3.683518  | 79.71  | 0.000 | 286.3909 300.83      |
| /sigma_e  | 909.4579  | 1.901483  | 509.84 | 0.000 | 905.7311 973.1848    |
| rho       | .0840179  | .0019964  |        |       | .0801731 .0879996    |

LR test of sigma\_u=0: chibar2(01) = 3671.13 Prob >= chibar2 = 0.000

Random-effects tobit regression  
 Limits: lower = -inf  
           upper = +inf  
 Number of obs = 141,792  
       Uncensored = 141,792  
       Left-censored = 0  
       Right-censored = 0

Group variable: nh  
 Random effects u\_i ~ Gaussian  
 Number of groups = 11,816  
 Obs per group: min = 12  
                   avg = 12.0  
                   max = 12

Integration method: mvaghermite  
 Integration pts. = 12

Log likelihood = -1014078.7  
 Wald chi2(13) = 892.53  
 Prob > chi2 = 0.0000

| others    | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | 4.961106  | 6.569901  | 0.76   | 0.450 | -7.915663 17.83788   |
| du        | -5.435658 | 2.288315  | -2.38  | 0.018 | -9.928673 -0.9586435 |
| did       | 3.572368  | 5.793234  | 0.62   | 0.537 | -7.782261 14.9268    |
| town      | 18.79372  | 2.052194  | 9.16   | 0.000 | 14.77149 22.81595    |
| labor     | 1.310854  | 1.500576  | 0.87   | 0.382 | -1.638421 4.25173    |
| rp        | -8.7925   | 1.074099  | -8.19  | 0.000 | -10.8977 -6.687304   |
| nc        | 26.97683  | 2.178574  | 12.38  | 0.000 | 22.7061 31.24595     |
| disin     | .0038466  | .0002604  | 14.77  | 0.000 | .0033362 .004357     |
| maleratio | -13.82743 | 4.532841  | -3.05  | 0.002 | -22.71164 -4.943229  |
| oldratio  | -7.266989 | 2.821137  | -2.58  | 0.010 | -12.79631 -1.737662  |
| hui       | 24.53399  | 20.42408  | 1.20   | 0.230 | -15.49646 64.56444   |
| healthy   | 1.422007  | 3.202569  | 0.44   | 0.657 | -4.854912 7.698926   |
| othersp   | -2.007286 | 2.64737   | -0.76  | 0.448 | -7.196035 3.183464   |
| _cons     | 252.0825  | 264.7084  | 0.95   | 0.341 | -266.8774 771.0425   |
| /sigma_u  | 55.089519 | 1.299059  | 43.01  | 0.000 | 53.34791 58.44248    |
| /sigma_e  | 304.5364  | .5976049  | 509.59 | 0.000 | 303.3652 305.7077    |
| rho       | .0325068  | .0014973  |        |       | .0297622 .0353552    |

LR test of sigma\_u=0: chibar2(01) = 676.88 Prob >= chibar2 = 0.000

Random-effects tobit regression  
 Limits: lower = -inf  
           upper = +inf  
 Number of obs = 141,792  
       Uncensored = 141,792  
       Left-censored = 0  
       Right-censored = 0

Group variable: nh  
 Random effects u\_i ~ Gaussian  
 Number of groups = 11,816  
 Obs per group: min = 12  
                   avg = 12.0  
                   max = 12

Integration method: mvaghermite  
 Integration pts. = 12

Log likelihood = -1301111.2  
 Wald chi2(12) = 5255.27  
 Prob > chi2 = 0.0000

| total     | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | 66.72032  | 23.01842  | 2.90   | 0.004 | 21.68505 111.8356    |
| du        | -12.88153 | 16.85457  | -0.76  | 0.445 | -45.91589 20.15282   |
| did       | 54.22849  | 23.82639  | 2.28   | 0.023 | 7.529614 100.9274    |
| town      | 532.9215  | 20.78518  | 25.64  | 0.000 | 492.1833 573.6597    |
| labor     | -26.86915 | 14.71056  | -1.83  | 0.068 | -55.70133 1.963026   |
| rp        | -191.3742 | 10.66618  | -17.94 | 0.000 | -212.2796 -170.4689  |
| nc        | 367.24    | 21.77954  | 16.86  | 0.000 | 324.5529 409.9271    |
| disin     | .087099   | .0020275  | 43.35  | 0.000 | .0839251 .0916728    |
| maleratio | -94.83306 | 44.78594  | -2.12  | 0.034 | -182.6119 -7.054235  |
| oldratio  | -330.4442 | 28.43147  | -11.62 | 0.000 | -386.1888 -274.7195  |
| hui       | 736.1939  | 204.8989  | 3.59   | 0.000 | 334.5995 1137.788    |
| healthy   | 113.4798  | 31.59242  | 3.59   | 0.000 | 51.5598 175.3998     |
| _cons     | 1510.663  | 50.72504  | 29.78  | 0.000 | 1411.244 1610.082    |
| /sigma_u  | 851.7199  | 8.895018  | 95.75  | 0.000 | 834.286 869.1538     |
| /sigma_e  | 2242.615  | 4.40289   | 509.35 | 0.000 | 2233.866 2251.245    |
| rho       | .126057   | .0023898  |        |       | .1214337 .1306017    |

LR test of sigma\_u=0: chibar2(01) = 6962.37 Prob >= chibar2 = 0.000

|                                 |  |                           |                                 |  |                           |
|---------------------------------|--|---------------------------|---------------------------------|--|---------------------------|
| Random-effects tobit regression |  | Number of obs = 141,792   | Random-effects tobit regression |  | Number of obs = 141,792   |
| Limits: lower = -inf            |  | Uncensored = 141,792      | Limits: lower = -inf            |  | Uncensored = 141,792      |
| upper = +inf                    |  | Left-censored = 0         | upper = +inf                    |  | Left-censored = 0         |
|                                 |  | Right-censored = 0        |                                 |  | Right-censored = 0        |
| Group variable: nh              |  | Number of groups = 11,816 | Group variable: nh              |  | Number of groups = 11,816 |
| Random effects u_i ~ Gaussian   |  | Obs per group:            | Random effects u_i ~ Gaussian   |  | Obs per group:            |
|                                 |  | min = 12                  |                                 |  | min = 12                  |
|                                 |  | avg = 12.0                |                                 |  | avg = 12.0                |
|                                 |  | max = 12                  |                                 |  | max = 12                  |
| Integration method: mvaghermite |  | Integration pts. = 12     | Integration method: mvaghermite |  | Integration pts. = 12     |
| Log likelihood = -487412.9      |  | Wald chi2(12) = 3299.53   | Log likelihood = -146416.58     |  | Wald chi2(12) = 983.75    |
|                                 |  | Prob > chi2 = 0.0000      |                                 |  | Prob > chi2 = 0.0000      |

| portgr    | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | -.0511296 | .0429799  | -1.19  | 0.234 | -.1353686 .0331095   |
| du        | -.3111874 | .0307849  | -10.11 | 0.000 | -.3715247 -.2508502  |
| did       | -.641282  | .0435182  | -14.74 | 0.000 | -.7265761 -.5559879  |
| town      | .6368742  | .0390549  | 16.31  | 0.000 | .5603279 .7134204    |
| labor     | -.0023613 | .0275324  | -0.09  | 0.932 | -.0563238 .0516013   |
| rp        | -.4956955 | .0199912  | -24.80 | 0.000 | -.5348776 -.4565135  |
| nc        | -.4794654 | .0408602  | -11.73 | 0.000 | -.5595499 -.3993809  |
| disin     | .0000244  | 3.67e-06  | 6.65   | 0.000 | .0000172 .0000316    |
| maleratio | -.2943353 | .0838961  | -3.51  | 0.000 | -.4590686 -.130202   |
| oldratio  | .2905271  | .0533904  | 5.44   | 0.000 | .1858838 .3951703    |
| hui       | -1.06439  | .3844853  | -2.77  | 0.006 | -1.817967 -.3106123  |
| healthy   | .255788   | .0591625  | 4.32   | 0.000 | .1398316 .3717444    |
| _cons     | 4.044693  | .0849961  | 42.58  | 0.000 | 3.858504 4.230882    |
| /sigma_u  | 1.629507  | .0162795  | 100.10 | 0.000 | 1.5976 1.661415      |
| /sigma_e  | 4.096055  | .0080342  | 509.83 | 0.000 | 4.080308 4.111802    |
| rho       | .1366387  | .0024488  |        |       | .1318967 .1414959    |

LR test of sigma\_u=0: chibar2(01) = 8244.98 Prob >= chibar2 = 0.000

LR test of sigma\_u=0: chibar2(01) = 1.0e+04 Prob >= chibar2 = 0.000

Random-effects tobit regression  
 Limits: lower = -inf  
 upper = +inf  
 Number of obs = 141,792  
 Uncensored = 141,792  
 Left-censored = 0  
 Right-censored = 0  
 Group variable: nh  
 Random effects u\_i ~ Gaussian  
 Number of groups = 11,816  
 Obs per group:  
 min = 12  
 avg = 12.0  
 max = 12  
 Integration method: mvaghermite  
 Integration pts. = 12  
 Log likelihood = -77523.169  
 Wald chi2(12) = 326.37  
 Prob > chi2 = 0.0000

| muttongr | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|----------|-----------|-----------|--------|-------|----------------------|
| dt       | -.0002478 | .0034378  | -0.07  | 0.943 | -.0069958 .0064903   |
| du       | -.0209576 | .0030908  | -6.78  | 0.000 | -.0270254 -.0149097  |
| did      | -.0037718 | .0043699  | -0.86  | 0.388 | -.0123367 .0047931   |
| town     | .0243439  | .0028353  | 8.59   | 0.000 | .0187868 .0299001    |
| labor    | 1.66e-06  | .002071   | 0.00   | 0.999 | -.0040575 .0040606   |
| rp       | -.0044983 | .0014833  | -3.02  | 0.003 | -.0073876 -.001573   |
| nc       | .0007767  | .00301    | 0.26   | 0.796 | -.0051228 .0066761   |
| disin    | 2.50e-06  | 3.52e-07  | 7.11   | 0.000 | 1.81e-06 3.19e-06    |
| malratio | -.0144302 | .0062576  | -2.31  | 0.021 | -.0266949 -.0021655  |
| oldratio | .0031842  | .0038995  | 0.82   | 0.414 | -.0044588 .0108272   |
| hui      | .0156075  | .0028256  | 0.55   | 0.580 | -.00397137 .0789287  |
| healthy  | .0064721  | .0044216  | 1.46   | 0.143 | -.002194 .0151382    |
| _cons    | .0460304  | .0071391  | 6.45   | 0.000 | .0328379 .0608228    |
| /sigma_u | .001731   | .0016992  | 48.39  | 0.000 | .0784203 .0050416    |
| /sigma_e | .41133    | .0008068  | 509.83 | 0.000 | .4097487 .4129113    |
| rho      | .0379018  | .0015455  |        |       | .0350498 .0411109    |

LR test of sigma\_u=0: chibar2(01) = 906.57 Prob >= chibar2 = 0.000

Random-effects tobit regression  
 Limits: lower = -inf  
 upper = +inf  
 Number of obs = 141,792  
 Uncensored = 141,792  
 Left-censored = 0  
 Right-censored = 0  
 Group variable: nh  
 Random effects u\_i ~ Gaussian  
 Number of groups = 11,816  
 Obs per group:  
 min = 12  
 avg = 12.0  
 max = 12  
 Integration method: mvaghermite  
 Integration pts. = 12  
 Log likelihood = -247496.48  
 Wald chi2(12) = 3227.06  
 Prob > chi2 = 0.0000

| poultrygr | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | .1167145  | .0132031  | 6.41   | 0.000 | .0810371 .152392     |
| du        | .0932642  | .0096654  | 9.65   | 0.000 | .0743205 .112208     |
| did       | .1637861  | .0136594  | 11.99  | 0.000 | .1370141 .1905581    |
| town      | .5068113  | .0175889  | 28.81  | 0.000 | .4723378 .5412848    |
| labor     | .0233028  | .0114057  | 2.57   | 0.010 | .006948 .0516575     |
| rp        | -.1775752 | .0085045  | -20.88 | 0.000 | -.1942438 -.1609066  |
| nc        | -.1103622 | .0175825  | -6.79  | 0.000 | -.1538232 -.0649011  |
| disin     | .0000159  | 1.19e-06  | 13.39  | 0.000 | .0000136 .0000182    |
| malratio  | -.2712151 | .0352189  | -7.70  | 0.000 | -.3402429 -.2021873  |
| oldratio  | .0017626  | .0233195  | 0.08   | 0.940 | -.0439428 .0474679   |
| hui       | -.068826  | .1661873  | -0.53  | 0.595 | -.4139812 .2374611   |
| healthy   | .0718696  | .0247558  | 2.90   | 0.004 | .023349 .1203901     |
| _cons     | .9635574  | .040068   | 24.05  | 0.000 | .8850256 1.042089    |
| /sigma_u  | .8381647  | .0065435  | 128.09 | 0.000 | .8253396 .8509098    |
| /sigma_e  | 1.2855566 | .0025219  | 509.76 | 0.000 | 1.280623 1.290509    |
| rho       | .2982846  | .0034098  |        |       | .2916359 .3050014    |

LR test of sigma\_u=0: chibar2(01) = 2.9e+04 Prob >= chibar2 = 0.000

Random-effects tobit regression  
 Limits: lower = -inf  
 upper = +inf  
 Number of obs = 141,792  
 Uncensored = 141,792  
 Left-censored = 0  
 Right-censored = 0  
 Group variable: nh  
 Random effects u\_i ~ Gaussian  
 Number of groups = 11,816  
 Obs per group:  
 min = 12  
 avg = 12.0  
 max = 12  
 Integration method: mvaghermite  
 Integration pts. = 12  
 Wald chi2(12) = 2311.10  
 Prob > chi2 = 0.0000  
 Log likelihood = -216813.79

| seafoodgr | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | .2045891  | .0158163  | 12.94  | 0.000 | .1735897 .2355886    |
| du        | .0553485  | .0077233  | 7.17   | 0.000 | .0402112 .0704858    |
| did       | .0066365  | .0109138  | 0.63   | 0.531 | -.0145542 .0282271   |
| town      | .3386495  | .0154379  | 21.94  | 0.000 | .3083918 .3689072    |
| labor     | .0303133  | .0097049  | 3.12   | 0.002 | .0112921 .0493346    |
| rp        | -.1684795 | .0072995  | -23.08 | 0.000 | -.1827863 -.1541727  |
| nc        | -.0862005 | .0151497  | -5.69  | 0.000 | -.1158934 -.0565076  |
| disin     | .0000126  | 9.52e-07  | 13.26  | 0.000 | .0000108 .0000145    |
| maleratio | -.1856892 | .0308846  | -6.17  | 0.000 | -.2445739 -.1266445  |
| oldratio  | -.076562  | .0201992  | -3.79  | 0.000 | -.1161517 -.0369722  |
| hui       | -.0275845 | .1433777  | -0.19  | 0.847 | -.3085996 .2534386   |
| healthy   | .0774678  | .02113    | 3.67   | 0.000 | .0360537 .1188819    |
| _cons     | .9491942  | .0343661  | 27.62  | 0.000 | .8818379 1.01655     |
| /sigma_u  | .7500069  | .0056545  | 132.64 | 0.000 | .7389243 .7610834    |
| /sigma_e  | 1.027136  | .0020148  | 509.79 | 0.000 | 1.023187 1.031085    |
| rho       | .3477613  | .0035696  |        |       | .3407912 .3547832    |

LR test of sigma\_u=0:  $\chi^2(1) = 3.7e+04$  Prob >=  $\chi^2(1) = 0.000$

Random-effects tobit regression  
 Limits: lower = -inf  
 upper = +inf  
 Number of obs = 141,792  
 Uncensored = 141,792  
 Left-censored = 0  
 Right-censored = 0  
 Group variable: nh  
 Random effects u\_i ~ Gaussian  
 Number of groups = 11,816  
 Obs per group:  
 min = 12  
 avg = 12.0  
 max = 12  
 Integration method: mvaghermite  
 Integration pts. = 12  
 Wald chi2(12) = 3715.92  
 Prob > chi2 = 0.0000  
 Log likelihood = -430781.22

| meatgr    | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | .2775591  | .0632842  | 4.39   | 0.000 | .1535243 .4015939    |
| du        | -.1930036 | .0353808  | -5.46  | 0.000 | -.2624386 -.1237486  |
| did       | -.4627315 | .0500039  | -9.25  | 0.000 | -.5607574 -.3647456  |
| town      | 1.661814  | .0606957  | 27.38  | 0.000 | 1.542852 1.780775    |
| labor     | .0584463  | .0400528  | 1.46   | 0.145 | -.0200558 .1369484   |
| rp        | -.0798541 | .0297064  | -29.62 | 0.000 | -.9300775 -.0216306  |
| nc        | -.6573954 | .0612984  | -10.72 | 0.000 | -.7775381 -.5372528  |
| disin     | .0000561  | 4.39e-06  | 12.95  | 0.000 | .0000476 .0000646    |
| maleratio | -.0829503 | .123362   | -7.00  | 0.000 | -.1104735 -.0511652  |
| oldratio  | .2652218  | .0810509  | 3.27   | 0.001 | .1063649 .4240787    |
| hui       | -1.172412 | .5788322  | -2.03  | 0.043 | -2.308902 -.0379217  |
| healthy   | .458328   | .0867718  | 5.28   | 0.000 | .2882585 .6283976    |
| _cons     | 6.167353  | .14013    | 44.01  | 0.000 | 5.892703 6.442003    |
| /sigma_u  | 2.85105   | .0228382  | 124.84 | 0.000 | 2.806288 2.895812    |
| /sigma_e  | 4.706219  | .0092321  | 509.77 | 0.000 | 4.688134 4.724314    |
| rho       | .2684708  | .0032816  |        |       | .262078 .2749411     |

LR test of sigma\_u=0:  $\chi^2(1) = 2.4e+04$  Prob >=  $\chi^2(1) = 0.000$

Random-effects tobit regression  
 Limits: lower = -inf  
 upper = +inf  
 Number of obs = 141,792  
 Uncensored = 141,792  
 Left-censored = 0  
 Right-censored = 0  
 Group variable: nh  
 Random effects u\_i ~ Gaussian  
 Number of groups = 11,816  
 Obs per group:  
 min = 12  
 avg = 12.0  
 max = 12  
 Integration method: mvaghermite  
 Integration pts. = 12  
 Log likelihood = -326444.29  
 Wald chi2(12) = 1082.31  
 Prob > chi2 = 0.0000

| oilgr     | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | -.0973421 | .0219133  | -4.44  | 0.000 | -.1402913 - .0543928 |
| du        | .0083674  | .0176282  | 0.02   | 0.986 | -.0342433 .0348581   |
| did       | .1282967  | .0249218  | 5.15   | 0.000 | .0794508 .1771426    |
| town      | .3529154  | .0191084  | 18.47  | 0.000 | .3154637 .3903671    |
| labor     | .0215468  | .0137592  | 1.57   | 0.117 | -.0054207 .0485143   |
| rp        | -.1546977 | .0099142  | -15.60 | 0.000 | -.1741292 -.1352662  |
| nc        | -.1483224 | .0201841  | -7.35  | 0.000 | -.1878825 -.1087623  |
| disin     | .0000109  | 2.06e-06  | 5.27   | 0.000 | 6.82e-06 .0000149    |
| maleratio | -.0622623 | .0417369  | -1.49  | 0.136 | -.1440051 .0195406   |
| olratio   | .0479321  | .0262523  | 1.83   | 0.068 | -.0035215 .0993857   |
| hui       | -.1990053 | .1896138  | -1.05  | 0.294 | -.5706415 .172631    |
| healthy   | .0364599  | .0294646  | 1.24   | 0.216 | -.0212896 .0942093   |
| _cons     | 1.098118  | .0473669  | 23.18  | 0.000 | 1.00528 1.190955     |
| /sigma_u  | .7071037  | .0089167  | 79.30  | 0.000 | .6896272 .7245802    |
| /sigma_e  | 2.345772  | .0046012  | 509.82 | 0.000 | 2.336754 2.35479     |
| rho       | .0832959  | .0019906  |        |       | .0794623 .087267     |

LR test of sigma\_u=0:  $\chi^2(1) = 3611.57$  Prob >=  $\chi^2(1) = 0.000$

Random-effects tobit regression  
 Limits: lower = -inf  
 upper = +inf  
 Number of obs = 141,792  
 Uncensored = 141,792  
 Left-censored = 0  
 Right-censored = 0  
 Group variable: nh  
 Random effects u\_i ~ Gaussian  
 Number of groups = 11,816  
 Obs per group:  
 min = 12  
 avg = 12.0  
 max = 12  
 Integration method: mvaghermite  
 Integration pts. = 12  
 Log likelihood = -194424.27  
 Wald chi2(13) = 2902.60  
 Prob > chi2 = 0.0000

| egggr     | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | .0645279  | .0125878  | 5.13   | 0.000 | .0398563 .0891995    |
| du        | .0428079  | .0066737  | 6.41   | 0.000 | .0297278 .0558881    |
| did       | -.0547301 | .0104025  | -5.26  | 0.000 | -.0751186 -.0343416  |
| town      | .4289272  | .0115943  | 36.99  | 0.000 | .4062028 .4516517    |
| labor     | .0094745  | .0076218  | 1.24   | 0.214 | -.005464 .024413     |
| rp        | -.122696  | .0056602  | -21.68 | 0.000 | -.1337898 -.1116022  |
| nc        | -.0333853 | .0116828  | -2.86  | 0.004 | -.0562831 -.0104874  |
| disin     | 5.12e-06  | 8.18e-07  | 6.25   | 0.000 | 3.51e-06 6.72e-06    |
| maleratio | -.1372933 | .0234924  | -5.84  | 0.000 | -.1833376 -.091249   |
| olratio   | .1004925  | .0154628  | 7.02   | 0.000 | .0781861 .130799     |
| hui       | -.0121364 | .1103611  | -0.11  | 0.912 | -.2284401 .2041673   |
| healthy   | .0471831  | .0155233  | 2.86   | 0.004 | .0147981 .0795681    |
| egggr     | .0043236  | .0016204  | 2.67   | 0.008 | .0011477 .0074995    |
| _cons     | .1804098  | .1643123  | 1.10   | 0.272 | -.1416364 .502456    |
| /sigma_u  | .5463833  | .0043487  | 125.64 | 0.000 | .5378601 .5549065    |
| /sigma_e  | .8876972  | .0017413  | 509.79 | 0.000 | .8842844 .8911101    |
| rho       | .2747569  | .0033083  |        |       | .2683107 .2812786    |

LR test of sigma\_u=0:  $\chi^2(1) = 2.5e+04$  Prob >=  $\chi^2(1) = 0.000$

|                                                     |           |           |        |       |                                                                                            |  |  |  |  |
|-----------------------------------------------------|-----------|-----------|--------|-------|--------------------------------------------------------------------------------------------|--|--|--|--|
| Random-effects tobit regression                     |           |           |        |       |                                                                                            |  |  |  |  |
| Limits: lower = -inf<br>upper = +inf                |           |           |        |       | Number of obs = 141,792<br>Uncensored = 141,792<br>Left-censored = 0<br>Right-censored = 0 |  |  |  |  |
| Group variable: nh<br>Random effects u_i ~ Gaussian |           |           |        |       | Number of groups = 11,816<br>obs per group: min = 12<br>avg = 12.0<br>max = 12             |  |  |  |  |
| Integration method: mvaghermite                     |           |           |        |       | Integration pts. = 12                                                                      |  |  |  |  |
| Log likelihood = -446281.5                          |           |           |        |       | Wald chi2(13) = 7850.25<br>Prob > chi2 = 0.0000                                            |  |  |  |  |
| vegegr                                              | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval]                                                                       |  |  |  |  |
| dt                                                  | .9986078  | .1279182  | 7.81   | 0.000 | .7478927 1.249323                                                                          |  |  |  |  |
| du                                                  | .6273083  | .0372396  | 16.85  | 0.000 | .5543201 .7002964                                                                          |  |  |  |  |
| did                                                 | -.9157919 | .0558838  | -16.39 | 0.000 | -1.025322 -.8062616                                                                        |  |  |  |  |
| town                                                | 6.874432  | .1275018  | 53.89  | 0.000 | 6.621533 7.121331                                                                          |  |  |  |  |
| labor                                               | .1287451  | .0016891  | 2.09   | 0.037 | .0078368 .2490534                                                                          |  |  |  |  |
| rp                                                  | -1.879521 | .0491634  | -38.23 | 0.000 | -1.975879 -1.783162                                                                        |  |  |  |  |
| nc                                                  | -.8313151 | .1048524  | -7.94  | 0.000 | -1.03643 -.6262001                                                                         |  |  |  |  |
| disin                                               | .0000405  | 4.66e-06  | 8.69   | 0.000 | .0000313 .0000496                                                                          |  |  |  |  |
| maleratio                                           | -1.607767 | .1956117  | -8.22  | 0.000 | -1.991159 -1.224375                                                                        |  |  |  |  |
| oldratio                                            | .9523033  | .1454818  | 6.55   | 0.000 | .6671642 1.237442                                                                          |  |  |  |  |
| hui                                                 | -1.228886 | .9987922  | -1.30  | 0.193 | -3.256457 .6587366                                                                         |  |  |  |  |
| healthy                                             | .3673048  | .1364631  | 2.69   | 0.007 | .0998421 .6347674                                                                          |  |  |  |  |
| vegegr                                              | -.0608729 | .0025622  | -23.76 | 0.000 | -.0658947 -.055851                                                                         |  |  |  |  |
| _cons                                               | 15.21646  | .3477924  | 43.75  | 0.000 | 14.5348 15.89812                                                                           |  |  |  |  |
| /sigma_u                                            | 6.592055  | .0449894  | 146.52 | 0.000 | 6.503878 6.680233                                                                          |  |  |  |  |
| /sigma_e                                            | 4.948857  | .0097082  | 509.76 | 0.000 | 4.92983 4.967885                                                                           |  |  |  |  |
| rho                                                 | .6395512  | .0032867  |        |       | .6330898 .645973                                                                           |  |  |  |  |
| LR test of sigma u=0: chibar2(01) = 1.1e+05         |           |           |        |       | Prob >= chibar2 = 0.000                                                                    |  |  |  |  |

| Random-effects tobit regression                    |           |           |        |       | Number of obs           | = | 141,765 |
|----------------------------------------------------|-----------|-----------|--------|-------|-------------------------|---|---------|
| Limits: lower = -inf                               |           |           |        |       | Uncensored              | = | 141,765 |
| upper = +inf                                       |           |           |        |       | Left-censored           | = | 0       |
|                                                    |           |           |        |       | Right-censored          | = | 0       |
| Group variable: nh                                 |           |           |        |       | Number of groups        | = | 11,816  |
| Random effects u_i ~ Gaussian                      |           |           |        |       | Obs per group:          |   |         |
|                                                    |           |           |        |       | min                     | = | 9       |
|                                                    |           |           |        |       | avg                     | = | 12.0    |
|                                                    |           |           |        |       | max                     | = | 12      |
| Integration method: mvaghermite                    |           |           |        |       | Integration pts.        | = | 12      |
| Log likelihood = 37962.771                         |           |           |        |       | Wald chi2(12)           | = | 1311.34 |
|                                                    |           |           |        |       | Prob > chi2             | = | 0.0000  |
| foodalcohol_r                                      | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval]    |   |         |
| dt                                                 | -.0003446 | .0026024  | -0.13  | 0.895 | -.0054452 .0047561      |   |         |
| du                                                 | -.007447  | .0012819  | -5.81  | 0.000 | -.0099594 -.0049345     |   |         |
| did                                                | .0119101  | .0018113  | 6.58   | 0.000 | .00836 .0154602         |   |         |
| town                                               | .0216643  | .0025378  | 8.54   | 0.000 | .0166902 .0266383       |   |         |
| labor                                              | .0109732  | .0016006  | 6.86   | 0.000 | .0078361 .0141103       |   |         |
| rp                                                 | -.0203356 | .0012041  | -16.89 | 0.000 | -.0226956 -.0179756     |   |         |
| nc                                                 | -.0386547 | .002496   | -15.49 | 0.000 | -.0435468 -.0337627     |   |         |
| disin                                              | -2.01e-06 | 1.59e-07  | -12.71 | 0.000 | -2.32e-06 -1.70e-06     |   |         |
| maleratio                                          | .0462798  | .0049607  | 9.33   | 0.000 | .0365571 .0560025       |   |         |
| oldratio                                           | .0379367  | .0033254  | 11.41  | 0.000 | .0314191 .0444543       |   |         |
| hui                                                | -.0294885 | .023613   | -1.25  | 0.212 | -.0757791 .0167821      |   |         |
| healthy                                            | .0137343  | .0034837  | 3.94   | 0.000 | .0069064 .0205622       |   |         |
| _cons                                              | .4627169  | .0056603  | 81.75  | 0.000 | .4516228 .4738109       |   |         |
| /sigma_u                                           | .1230684  | .0009318  | 132.07 | 0.000 | .121242 .1248947        |   |         |
| /sigma_e                                           | .1704509  | .0003344  | 509.68 | 0.000 | .1697954 .1711063       |   |         |
| rho                                                | .342671   | .0035602  |        |       | .3357203 .3496753       |   |         |
| LR test of sigma_u=0: <u>chibar2(01) = 3.6e+04</u> |           |           |        |       | Prob >= chibar2 = 0.000 |   |         |



Random-effects tobit regression  
 Limits: lower = -inf  
 upper = +inf  
 Number of obs = 141,765  
 Uncensored = 141,765  
 Left-censored = 0  
 Right-censored = 0

Group variable: nh  
 Random effects u\_i ~ Gaussian  
 Number of groups = 11,816  
 Obs per group:  
 min = 9  
 avg = 12.0  
 max = 12

Integration method: mvaghermite  
 Integration pts. = 12

Log likelihood = 130381.78  
 Wald chi2(13) = 3214.19  
 Prob > chi2 = 0.0000

| clothing_r | Coef.      | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|------------|------------|-----------|--------|-------|----------------------|
| dt         | .0205774   | .0013431  | 15.32  | 0.000 | .0179449 .0232098    |
| du         | -.0137779  | .0006876  | -20.04 | 0.000 | -.0151255 -.0124302  |
| did        | .0053163   | .0009737  | 5.46   | 0.000 | .0034088 .0072247    |
| town       | .0023485   | .0009726  | 2.41   | 0.016 | .0004423 .0042547    |
| labor      | -.0012906  | .0006722  | -1.92  | 0.055 | -.0025088 .0005268   |
| rp         | .0031943   | .0004914  | 6.50   | 0.000 | .0022312 .0041573    |
| nc         | .0033959   | .0010072  | 3.37   | 0.001 | .0014218 .00537      |
| disin      | 2.07e-07   | 8.30e-08  | 2.50   | 0.013 | 4.44e-08 3.70e-07    |
| malratio   | -.0268198  | .0020564  | -13.04 | 0.000 | -.0308503 -.0227893  |
| oldratio   | -.03567813 | .0013215  | -27.77 | 0.000 | -.0392914 -.0341111  |
| hui        | -.0279284  | .0004907  | -2.94  | 0.003 | -.0455299 -.0093268  |
| healthy    | .0119199   | .0014486  | 8.23   | 0.000 | .0090808 .0147591    |
| clothingp  | -.0222461  | .0007111  | -31.29 | 0.000 | -.0236398 -.0208525  |
| _cons      | 2.313742   | .0711511  | 32.52  | 0.000 | 2.174288 2.453195    |
| /sigma_u   | .0428313   | .0003865  | 110.81 | 0.000 | .0420737 .0435889    |
| /sigma_e   | .0914633   | .0001794  | 509.72 | 0.000 | .0911116 .091815     |
| rho        | .1798541   | .0027714  |        |       | .1744739 .1853374    |

LR test of sigma\_u=0: chibar2(01) = 1.3e+04 Prob >= chibar2 = 0.000

Random-effects tobit regression  
 Limits: lower = -inf  
 upper = +inf  
 Number of obs = 141,765  
 Uncensored = 141,765  
 Left-censored = 0  
 Right-censored = 0

Group variable: nh  
 Random effects u\_i ~ Gaussian  
 Number of groups = 11,816  
 Obs per group:  
 min = 9  
 avg = 12.0  
 max = 12

Integration method: mvaghermite  
 Integration pts. = 12

Log likelihood = 115650.99  
 Wald chi2(13) = 233.38  
 Prob > chi2 = 0.0000

| dwell_r  | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|----------|-----------|-----------|--------|-------|----------------------|
| dt       | -.0000245 | .0018974  | -4.23  | 0.000 | -.0117434 -.0043056  |
| du       | .000798   | .0007672  | 1.04   | 0.298 | -.0007055 .0023016   |
| did      | .0005925  | .0015694  | 0.38   | 0.706 | -.0024834 .0036684   |
| town     | .0050551  | .0010098  | 5.01   | 0.000 | .0030759 .0070342    |
| labor    | .004198   | .0007074  | 5.93   | 0.000 | .0028115 .0055844    |
| rp       | -.0054411 | .0005148  | -10.57 | 0.000 | -.0064501 -.004432   |
| nc       | -.0028926 | .0010531  | -2.75  | 0.006 | -.0049566 -.0008287  |
| disin    | -4.66e-08 | 9.19e-08  | -0.51  | 0.612 | -2.27e-07 1.33e-07   |
| malratio | -.0040748 | .0021582  | -1.89  | 0.059 | -.0083049 .0001552   |
| oldratio | .0041778  | .0013777  | 3.03   | 0.002 | .0014775 .0068781    |
| hui      | -.0125119 | .0009145  | -1.26  | 0.207 | -.031944 .0069201    |
| healthy  | -.0025383 | .0015216  | -1.67  | 0.095 | -.0055207 .000444    |
| dwelalp  | .0023332  | .0006658  | 3.50   | 0.000 | .0010283 .0036381    |
| _cons    | -.1478482 | .0666171  | -2.22  | 0.026 | -.2784154 -.017281   |
| /sigma_u | .0429962  | .0004131  | 104.09 | 0.000 | .0421866 .0438058    |
| /sigma_e | .1020512  | .0002002  | 509.79 | 0.000 | .1016589 .1024436    |
| rho      | .1507506  | .0025574  |        |       | .1457937 .1558185    |

LR test of sigma\_u=0: chibar2(01) = 9675.29 Prob >= chibar2 = 0.000

Random-effects tobit regression  
 Limits: lower = -inf  
 upper = +inf  
 Number of obs = 141,765  
 Uncensored = 141,765  
 Left-censored = 0  
 Right-censored = 0

Group variable: nh  
 Random effects u\_i ~ Gaussian  
 Number of groups = 11,816  
 Obs per group:  
 min = 9  
 avg = 12.0  
 max = 12

Integration method: mvaghermite  
 Integration pts. = 12

Log likelihood = 128891.79  
 Wald chi2(13) = 355.07  
 Prob > chi2 = 0.0000

| daily_r   | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |           |
|-----------|-----------|-----------|--------|-------|----------------------|-----------|
| dt        | -.0045444 | .0011204  | -4.06  | 0.000 | -.0067403            | -.0023486 |
| du        | -.0002764 | .0007459  | -0.37  | 0.711 | -.0013383            | .0011854  |
| did       | -.0012149 | .0010808  | -1.12  | 0.261 | -.0033332            | .0009833  |
| town      | -.0133399 | .0008857  | -15.06 | 0.000 | -.0150758            | -.0116040 |
| labor     | .0004597  | .0006306  | 0.73   | 0.466 | -.0007761            | .0016956  |
| rp        | -.0005974 | .0004563  | -1.31  | 0.190 | -.0014917            | .0003969  |
| nc        | .0029037  | .0009308  | 3.12   | 0.002 | .0010793             | .0047281  |
| disin     | 1.19e-07  | 8.83e-08  | 1.35   | 0.177 | -5.40e-08            | 2.92e-07  |
| maleratio | -.0182727 | .0019177  | -9.53  | 0.000 | -.0220312            | -.0145141 |
| oldratio  | -.0019973 | .0012139  | -1.65  | 0.100 | -.0043765            | .0003819  |
| hui       | -.0062558 | .0007535  | -8.71  | 0.475 | -.0234124            | .0109008  |
| healthy   | -.0014906 | .001353   | -1.10  | 0.271 | -.0041424            | .0011613  |
| daily_p   | .0005858  | .0019754  | 2.97   | 0.003 | .0019863             | .0007297  |
| _cons     | -.4954881 | .1975426  | -2.51  | 0.012 | -.8826645            | -.1083117 |
| /sigma_u  | .0354098  | .0003839  | 92.24  | 0.000 | .0346575             | .0361622  |
| /sigma_e  | .0992267  | .0001946  | 509.79 | 0.000 | .0988452             | .0996082  |
| rho       | .1129622  | .0022532  |        |       | .1086074             | .1174403  |

LR test of sigma\_u=0:  $\chi^2(1) = 6032.59$  Prob >=  $\chi^2(1) = 0.000$

Random-effects tobit regression  
 Limits: lower = -inf  
 upper = +inf  
 Number of obs = 141,765  
 Uncensored = 141,765  
 Left-censored = 0  
 Right-censored = 0

Group variable: nh  
 Random effects u\_i ~ Gaussian  
 Number of groups = 11,816  
 Obs per group:  
 min = 9  
 avg = 12.0  
 max = 12

Integration method: mvaghermite  
 Integration pts. = 12

Log likelihood = 103071.41  
 Wald chi2(13) = 1349.70  
 Prob > chi2 = 0.0000

| traffication_r | Coef.      | Std. Err. | z      | P> z  | [95% Conf. Interval]  |
|----------------|------------|-----------|--------|-------|-----------------------|
| dt             | -.00068815 | .0010007  | -3.82  | 0.000 | -.0104108 - .00035232 |
| du             | .0001551   | .0008186  | 9.96   | 0.000 | .0005507 .0007595     |
| did            | -.0009087  | .0012507  | -7.19  | 0.000 | -.0114383 -.0005357   |
| town           | -.012754   | .0014269  | -8.94  | 0.000 | -.0155508 -.0099573   |
| labor          | .0113353   | .000938   | 12.08  | 0.000 | .0094968 .0131737     |
| rp             | -.0032613  | .000696   | -4.69  | 0.000 | -.0046255 -.0018971   |
| nc             | .0126822   | .0014371  | 8.82   | 0.000 | .0096655 .0154989     |
| disin          | -2.48e-08  | 1.00e-07  | -0.25  | 0.805 | -2.21e-07 1.72e-07    |
| maleratio      | .0197704   | .0028911  | 6.84   | 0.000 | .0141039 .0254369     |
| oldratio       | -.0479858  | .0019029  | -25.22 | 0.000 | -.0517154 -.0442563   |
| hui            | .006277    | .0135734  | 0.46   | 0.644 | -.0203264 .0328803    |
| healthy        | .0014559   | .0020314  | 0.72   | 0.474 | -.0025255 .0054374    |
| trafficationp  | -.0037233  | .0004299  | -8.66  | 0.000 | -.0045659 -.0028807   |
| _cons          | .488968    | .0431136  | 11.34  | 0.000 | .4044668 .5734692     |
| /sigma_u       | .0672931   | .0005369  | 125.33 | 0.000 | .0662408 .0683454     |
| /sigma_e       | .1088618   | .0002136  | 509.56 | 0.000 | .1084431 .1092805     |
| rho            | .2764696   | .0033302  |        |       | .2699806 .2830341     |

LR test of sigma\_u=0:  $\chi^2(1) = 2.5e+04$  Prob >=  $\chi^2(1) = 0.000$

Random-effects tobit regression      Number of obs      =      141,765  
 Limits: lower = -inf      Uncensored      =      141,765  
               upper = +inf      Left-censored      =      0  
                                       Right-censored      =      0

Group variable: nh      Number of groups      =      11,816  
 Random effects u\_i ~ Gaussian  
                                       Obs per group:      min =      9  
                                                                       avg =      12.0  
                                                                       max =      12

Integration method: mvaghermite      Integration pts.      =      12

Log likelihood = 79769.158      Wald chi2(13)      =      3538.12  
                                               Prob > chi2      =      0.0000

| edutainment_r | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|---------------|-----------|-----------|--------|-------|----------------------|
| dt            | .0258777  | .0018372  | 14.09  | 0.000 | .0222768 .0294787    |
| du            | .0127235  | .0009983  | 12.94  | 0.000 | .0107969 .0146501    |
| did           | -.0117936 | .0015146  | -7.79  | 0.000 | -.0147622 -.0088271  |
| town          | .0112332  | .0013753  | 8.17   | 0.000 | .0085376 .0139288    |
| labor         | -.0299711 | .0009543  | -31.41 | 0.000 | -.0318415 -.0281008  |
| rp            | .0286489  | .0006975  | 41.08  | 0.000 | .0272819 .0300159    |
| nc            | .025412   | .0014261  | 17.82  | 0.000 | .0228169 .0282071    |
| disin         | 5.75e-07  | 1.18e-07  | 4.86   | 0.000 | 3.43e-07 8.07e-07    |
| malratio      | -.0067937 | .0029124  | -2.33  | 0.020 | -.0125018 -.0010855  |
| oldratio      | -.0233893 | .0018698  | -12.51 | 0.000 | -.0270541 -.0197245  |
| hui           | .0256545  | .0134353  | 1.91   | 0.056 | -.0006782 .0519873   |
| healthy       | .0200544  | .0020526  | 9.77   | 0.000 | .0160314 .0240774    |
| edutainmentp  | -.0167981 | .0010338  | -16.25 | 0.000 | -.0188242 -.0147719  |
| _cons         | 1.69963   | .1034165  | 16.43  | 0.000 | 1.496937 1.902322    |
| /sigma_u      | .0602931  | .0005492  | 109.77 | 0.000 | .0592166 .0613696    |
| /sigma_e      | .1307542  | .0002565  | 509.69 | 0.000 | .1302514 .131257     |
| rho           | .1753459  | .0027421  |        |       | .1700238 .1807724    |

LR test of sigma\_u=0:  $\chi^2(1) = 1.2e+04$       Prob >=  $\chi^2(1) = 0.000$

Random-effects tobit regression      Number of obs      =      141,765  
 Limits: lower = -inf      Uncensored      =      141,765  
               upper = +inf      Left-censored      =      0  
                                       Right-censored      =      0

Group variable: nh      Number of groups      =      11,816  
 Random effects u\_i ~ Gaussian  
                                       Obs per group:      min =      9  
                                                                       avg =      12.0  
                                                                       max =      12

Integration method: mvaghermite      Integration pts.      =      12

Log likelihood = 79740.222      Wald chi2(13)      =      2048.85  
                                               Prob > chi2      =      0.0000

| medical_r | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | .0254464  | .0041396  | 6.15   | 0.000 | .0173329 .0335599    |
| du        | .0039331  | .0009682  | 4.06   | 0.000 | .0020333 .0058286    |
| did       | -.0128215 | .0019782  | -6.48  | 0.000 | -.0156986 -.0099443  |
| town      | -.0177171 | .0016228  | -10.92 | 0.000 | -.0208978 -.0145364  |
| labor     | .0012856  | .0010775  | 1.19   | 0.233 | -.0008262 .0033974   |
| rp        | .0011639  | .0007978  | 1.46   | 0.145 | -.0003998 .0027275   |
| nc        | -.006067  | .0016444  | -3.69  | 0.000 | -.00929 -.0028439    |
| disin     | 1.21e-06  | 1.18e-07  | 10.25  | 0.000 | 9.81e-07 1.44e-06    |
| malratio  | -.0142828 | .0033166  | -4.31  | 0.000 | -.0207832 -.0077825  |
| oldratio  | .0673774  | .0021736  | 31.00  | 0.000 | .0631173 .0716375    |
| hui       | .0414765  | .0155272  | 2.67   | 0.008 | .0110437 .0719093    |
| healthy   | -.0437323 | .0023348  | -18.73 | 0.000 | -.0483083 -.0391562  |
| medicalp  | -.0063017 | .0011067  | -5.69  | 0.000 | -.0084707 -.0041326  |
| _cons     | .7428086  | .1107217  | 6.71   | 0.000 | .5257979 .9598192    |
| /sigma_u  | .0757537  | .0006135  | 123.48 | 0.000 | .0745513 .0769562    |
| /sigma_e  | .128768   | .0002526  | 509.73 | 0.000 | .1282728 .1292631    |
| rho       | .2571092  | .0032261  |        |       | .2508268 .2634724    |

LR test of sigma\_u=0:  $\chi^2(1) = 2.3e+04$       Prob >=  $\chi^2(1) = 0.000$

Random-effects tobit regression  
Limits: lower = -inf  
upper = +inf  
Group variable: nh  
Random effects u\_i ~ Gaussian  
Number of obs = 141,765  
Uncensored = 141,765  
Left-censored = 0  
Right-censored = 0  
Number of groups = 11,816  
Obs per group: min = 9  
avg = 12.0  
max = 12  
Integration method: mvaghermite  
Integration pts. = 12  
Log likelihood = 214197.26  
Wald chi2(13) = 484.52  
Prob > chi2 = 0.0000

| others_r  | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | .0011145  | .0011415  | 0.98   | 0.329 | -.0011227 .0033517   |
| du        | -.0041245 | .0003885  | -10.62 | 0.000 | -.0048858 -.0033631  |
| did       | .004304   | .0009632  | 4.38   | 0.000 | .002377 .006231      |
| town      | .0023925  | .0004312  | 5.55   | 0.000 | .0015473 .0032377    |
| labor     | .0007968  | .0003897  | 2.57   | 0.010 | .0001899 .0014037    |
| rp        | -.0010039 | .0002233  | -4.49  | 0.000 | -.0014416 -.0005661  |
| nc        | .0052031  | .000455   | 11.44  | 0.000 | .0043114 .0060948    |
| disin     | 2.80e-07  | 4.57e-08  | 6.12   | 0.000 | 1.90e-07 3.69e-07    |
| maleratio | -.0011886 | .0009399  | -1.26  | 0.206 | -.0030308 .0008536   |
| olldratio | -3.96e-06 | .0005921  | -0.01  | 0.995 | -.0011645 .0011566   |
| hui       | -.0019544 | .0042748  | -0.46  | 0.648 | -.0103328 .0064241   |
| healthy   | .0005246  | .0006635  | 0.79   | 0.429 | -.0007758 .0018249   |
| othersp   | -.00154   | .0004493  | -3.43  | 0.001 | -.0024206 -.0006594  |
| _cons     | .1771802  | .0449381  | 3.94   | 0.000 | .0891031 .2652572    |
| /sigma_u  | .0163235  | .0001972  | 82.79  | 0.000 | .015937 .0167099     |
| /sigma_e  | .0516807  | .0001014  | 509.71 | 0.000 | .051482 .0518794     |
| rho       | .090713   | .002062   |        |       | .0867381 .0948216    |

LR test of sigma\_u=0: chibar2(01) = 4155.53 Prob >= chibar2 = 0.000

## 2. 低收入家庭消费影响估计结果

|                                 |                          |                                 |                          |
|---------------------------------|--------------------------|---------------------------------|--------------------------|
| Random-effects tobit regression | Number of obs = 28,368   | Random-effects tobit regression | Number of obs = 28,368   |
| Limits: lower = -inf            | Uncensored = 28,368      | Limits: lower = -inf            | Uncensored = 28,368      |
| upper = +inf                    | Left-censored = 0        | upper = +inf                    | Left-censored = 0        |
|                                 | Right-censored = 0       |                                 | Right-censored = 0       |
| Group variable: nh              | Number of groups = 2,364 | Group variable: nh              | Number of groups = 2,364 |
| Random effects u_i ~ Gaussian   | Obs per group: min = 12  | Random effects u_i ~ Gaussian   | Obs per group: min = 12  |
|                                 | avg = 12.0               |                                 | avg = 12.0               |
|                                 | max = 12                 |                                 | max = 12                 |
| Integration method: mvaghermite | Integration pts. = 12    | Integration method: mvaghermite | Integration pts. = 12    |
| Log likelihood = -169053.6      | Wald chi2(12) = 520.01   | Log likelihood = -124172.47     | Wald chi2(12) = 30.76    |
|                                 | Prob > chi2 = 0.0000     |                                 | Prob > chi2 = 0.0021     |

| pork                                                                               | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|------------------------------------------------------------------------------------|-----------|-----------|--------|-------|----------------------|
| dt                                                                                 | 2.924535  | 2.019871  | 1.45   | 0.148 | -1.034339 6.88341    |
| du                                                                                 | -5.188465 | 1.515732  | -3.42  | 0.001 | -8.159246 -2.217684  |
| did                                                                                | 1.326367  | 2.141699  | 0.62   | 0.536 | -2.871287 5.524021   |
| town                                                                               | -5.479154 | 3.480346  | -1.57  | 0.115 | -12.39051 1.342199   |
| labor                                                                              | -1.132985 | 1.221771  | -0.93  | 0.354 | -3.527532 1.261723   |
| rp                                                                                 | -11.4901  | .869051   | -13.22 | 0.000 | -13.19332 -9.786882  |
| nc                                                                                 | -6.371883 | 3.817153  | -1.67  | 0.095 | -13.85328 1.109679   |
| disin                                                                              | .0039834  | .0005012  | 7.95   | 0.000 | .0030011 .0049658    |
| malratio                                                                           | -3.792679 | 3.873892  | -0.98  | 0.328 | -11.38537 3.800011   |
| oldratio                                                                           | -9.717588 | 2.464717  | -3.94  | 0.000 | -14.54835 -4.886832  |
| hui                                                                                | -27.77389 | 26.0274   | -1.07  | 0.286 | -78.78665 23.23887   |
| healthy                                                                            | 3.682281  | 2.214969  | 1.66   | 0.096 | -.658982 8.02352     |
| _cons                                                                              | 89.50592  | 4.020422  | 22.26  | 0.000 | 81.62604 97.38581    |
| /sigma_u                                                                           | 32.19542  | .7811219  | 41.22  | 0.000 | 30.66445 33.72639    |
| /sigma_e                                                                           | 90.1698   | .3954494  | 228.02 | 0.000 | 89.39473 90.94487    |
| rho                                                                                | .1130718  | .0050472  |        |       | .1034861 .123275     |
| LR test of sigma_u=0: <u>chiibar2(01) = 1206.23</u> Prob >= <u>chibar2</u> = 0.000 |           |           |        |       |                      |

| beef                                                                               | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|------------------------------------------------------------------------------------|-----------|-----------|--------|-------|----------------------|
| dt                                                                                 | .2058927  | .4310381  | 0.48   | 0.633 | -.6389263 1.050712   |
| du                                                                                 | -.5449177 | .3100523  | -1.76  | 0.079 | -1.152009 .0627736   |
| did                                                                                | .6179216  | .4380724  | 1.41   | 0.158 | -.2406846 1.476528   |
| town                                                                               | .4724565  | .754763   | 0.63   | 0.531 | -1.006852 1.951765   |
| labor                                                                              | .3597226  | .2620421  | 1.37   | 0.170 | -.1538705 .8733157   |
| rp                                                                                 | -.3447095 | .1868203  | -1.85  | 0.065 | -.7108705 .0214515   |
| nc                                                                                 | 1.391149  | .8183487  | 1.70   | 0.089 | -.2127845 2.995083   |
| disin                                                                              | .0000317  | .0001028  | 0.31   | 0.757 | -.0001697 .0002332   |
| malratio                                                                           | .4039277  | .8312789  | 0.49   | 0.627 | -1.225349 2.033204   |
| oldratio                                                                           | -2.178745 | .5307026  | -4.11  | 0.000 | -3.218903 -1.138587  |
| hui                                                                                | -.4992321 | 5.579961  | -0.09  | 0.929 | -11.43575 10.43729   |
| healthy                                                                            | .4586015  | .4762059  | 0.96   | 0.336 | -.4747448 1.391948   |
| _cons                                                                              | 3.415519  | .8627763  | 3.96   | 0.000 | 1.724509 5.10655     |
| /sigma_u                                                                           | 7.230105  | .1633866  | 44.25  | 0.000 | 6.909874 7.550337    |
| /sigma_e                                                                           | 18.4435   | .0886871  | 228.02 | 0.000 | 18.28496 18.60203    |
| rho                                                                                | .1332046  | .0054204  |        |       | .1228712 .144121     |
| LR test of sigma_u=0: <u>chiibar2(01) = 1579.03</u> Prob >= <u>chibar2</u> = 0.000 |           |           |        |       |                      |

Random-effects tobit regression

Number of obs = 28,368  
Uncensored = 28,368  
Left-censored = 0  
Right-censored = 0

Limits: lower = -inf  
upper = +inf

Group variable: nh

Random effects u\_i ~ Gaussian

Number of groups = 2,364  
Obs per group: min = 12  
avg = 12.0  
max = 12

Integration method: mvaghermite

Integration pts. = 12

Wald chi2(12) = 11.28  
Prob > chi2 = 0.5052

Log likelihood = -133378.72

| mutton                                   | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval]    |
|------------------------------------------|-----------|-----------|--------|-------|-------------------------|
| dt                                       | .1794148  | .4565279  | 0.39   | 0.694 | -.7153634 1.074193      |
| du                                       | .3517166  | .4466812  | 0.79   | 0.431 | -.5236856 1.227839      |
| did                                      | -.7070183 | .6312305  | -1.12  | 0.263 | -1.944207 .5301707      |
| town                                     | .0769616  | .6665483  | 0.12   | 0.908 | -1.229449 1.383372      |
| labor                                    | .0717841  | .2487337  | 0.29   | 0.773 | -.415725 .5592932       |
| rp                                       | -.0506483 | .1735134  | -0.18  | 0.860 | -.3707283 .3094317      |
| nc                                       | -.5372311 | .7730598  | -0.69  | 0.487 | -2.0524 .9779382        |
| disin                                    | .0001514  | .0001436  | 1.05   | 0.292 | -.00013 .0004328        |
| maleratio                                | -.894134  | .781855   | -1.14  | 0.253 | -2.426542 .6382737      |
| oldratio                                 | -1.014692 | .4859574  | -2.09  | 0.037 | -1.967151 -.062233      |
| hui                                      | -1.099517 | 5.277883  | -0.21  | 0.835 | -11.44398 9.244944      |
| healthy                                  | -.4758652 | .4427849  | -1.07  | 0.283 | -1.343708 .3919772      |
| _cons                                    | 2.006646  | .8218595  | 2.44   | 0.015 | .395831 3.617461        |
| /sigma_u                                 | 1.992603  | .4769143  | 4.18   | 0.000 | 1.057868 2.927337       |
| /sigma_e                                 | 26.57772  | .1165494  | 228.04 | 0.000 | 26.34929 26.80615       |
| rho                                      | .0055895  | .0026743  |        |       | .0020828 .0135953       |
| LR test of sigma_u=0: chibar2(01) = 4.69 |           |           |        |       | Prob >= chibar2 = 0.015 |

Random-effects tobit regression

Number of obs = 28,368  
Uncensored = 28,368  
Left-censored = 0  
Right-censored = 0

Limits: lower = -inf  
upper = +inf

Group variable: nh

Random effects u\_i ~ Gaussian

Number of groups = 2,364  
Obs per group: min = 12  
avg = 12.0  
max = 12

Integration method: mvaghermite

Integration pts. = 12

Wald chi2(12) = 510.26  
Prob > chi2 = 0.0000

Log likelihood = -131045.58

| poultry                                     | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval]    |
|---------------------------------------------|-----------|-----------|--------|-------|-------------------------|
| dt                                          | 1.807276  | .6373591  | 2.84   | 0.005 | .5588756 3.056477       |
| du                                          | 1.683986  | .3881405  | 4.34   | 0.000 | .9232444 2.444727       |
| did                                         | 4.424506  | .548272   | 8.07   | 0.000 | 3.349913 5.499099       |
| town                                        | 1.444456  | 1.171365  | 1.23   | 0.218 | -.8513773 3.740288      |
| labor                                       | 1.038855  | .3845828  | 2.70   | 0.007 | .2850863 1.792623       |
| rp                                          | -2.736181 | .2787187  | -9.82  | 0.000 | -3.28246 -2.189903      |
| nc                                          | -2.132794 | 1.206062  | -1.77  | 0.077 | -4.496631 .2310436      |
| disin                                       | .0002357  | .0001295  | 1.82   | 0.069 | -.000182 .0004895       |
| maleratio                                   | -6.511759 | 1.220953  | -5.30  | 0.000 | -8.920462 -4.103055     |
| oldratio                                    | -4.909451 | .8002456  | -6.13  | 0.000 | -6.477904 -3.340999     |
| hui                                         | -1.133248 | 8.217813  | -0.14  | 0.890 | -17.23986 14.97337      |
| healthy                                     | 1.068188  | .7102033  | 1.50   | 0.133 | -.3237844 2.460161      |
| _cons                                       | 18.12648  | 1.279487  | 14.17  | 0.000 | 15.61873 20.63423       |
| /sigma_u                                    | 12.24188  | .2314561  | 52.89  | 0.000 | 11.78824 12.69553       |
| /sigma_e                                    | 23.08186  | .1012178  | 228.04 | 0.000 | 22.88347 23.28024       |
| rho                                         | .2195368  | .0067513  |        |       | .2065352 .2329963       |
| LR test of sigma_u=0: chibar2(01) = 3537.37 |           |           |        |       | Prob >= chibar2 = 0.000 |

| Random-effects tobit regression                                          |           |           |        |       |                                                                                          |           |  |  |  |
|--------------------------------------------------------------------------|-----------|-----------|--------|-------|------------------------------------------------------------------------------------------|-----------|--|--|--|
| Limits: lower = -inf<br>upper = +inf                                     |           |           |        |       | Number of obs = 28,368<br>Uncensored = 28,368<br>Left-censored = 0<br>Right-censored = 0 |           |  |  |  |
| Group variable: nh                                                       |           |           |        |       | Number of groups = 2,364                                                                 |           |  |  |  |
| Random effects u_i ~ Gaussian                                            |           |           |        |       | Obs per group: min = 12<br>avg = 12.0<br>max = 12                                        |           |  |  |  |
| Integration method: mvaghermite                                          |           |           |        |       | Integration pts. = 12                                                                    |           |  |  |  |
| Log likelihood = -114404.8                                               |           |           |        |       | Wald chi2(12) = 333.71<br>Prob > chi2 = 0.0000                                           |           |  |  |  |
| seafood                                                                  | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval]                                                                     |           |  |  |  |
| dt                                                                       | 1.827087  | .4026965  | 4.54   | 0.000 | 1.037736                                                                                 | 2.616277  |  |  |  |
| du                                                                       | -.0115987 | .2129177  | -0.05  | 0.957 | -.4289897                                                                                | .4057124  |  |  |  |
| did                                                                      | 1.398832  | .30069    | 4.65   | 0.000 | .8094903                                                                                 | 1.988173  |  |  |  |
| town                                                                     | -.0260291 | .7610269  | -0.03  | 0.973 | -1.517615                                                                                | 1.465556  |  |  |  |
| labor                                                                    | .7115933  | .2362114  | 3.01   | 0.003 | .2486275                                                                                 | 1.174559  |  |  |  |
| rp                                                                       | -2.014765 | .1736265  | -11.60 | 0.000 | -2.355067                                                                                | -1.674463 |  |  |  |
| nc                                                                       | -1.713504 | .7432392  | -2.31  | 0.021 | -3.170226                                                                                | -.2567817 |  |  |  |
| disin                                                                    | .000339   | .0000713  | 4.76   | 0.000 | .0001993                                                                                 | .0004787  |  |  |  |
| malratio                                                                 | -1.818147 | .7593308  | -2.39  | 0.017 | -3.306408                                                                                | -.3298857 |  |  |  |
| oldratio                                                                 | -3.402926 | .503791   | -6.75  | 0.000 | -4.390339                                                                                | -2.415514 |  |  |  |
| hui                                                                      | -3.194278 | 5.056327  | -0.63  | 0.528 | -.13.1045                                                                                | 6.711594  |  |  |  |
| healthy                                                                  | .1506457  | .4424956  | 0.34   | 0.734 | -.7166297                                                                                | 1.017921  |  |  |  |
| _cons                                                                    | 12.84138  | .7957107  | 16.14  | 0.000 | 11.28181                                                                                 | 14.40094  |  |  |  |
| /sigma_u                                                                 | 8.287027  | .1443877  | 57.39  | 0.000 | 8.004033                                                                                 | 8.570022  |  |  |  |
| /sigma_e                                                                 | 12.65818  | .0555145  | 228.02 | 0.000 | 12.54938                                                                                 | 12.76699  |  |  |  |
| rho                                                                      | .3000153  | .0076351  |        |       | .2852229                                                                                 | .3151452  |  |  |  |
| LR test of sigma_u=0: chibar2(01) = 5809.67      Prob >= chibar2 = 0.000 |           |           |        |       |                                                                                          |           |  |  |  |

Random-effects tobit regression

Number of obs = 28,368  
 Uncensored = 28,368  
 Left-censored = 0  
 Right-censored = 0

Limits: lower = -inf  
 upper = +inf

Group variable: nh  
 Random effects u\_i ~ Gaussian

Number of groups = 2,364  
 Obs per group: min = 12  
 avg = 12.0  
 max = 12

Integration method: mvaghermite

Integration pts. = 12

Wald chi2(12) = 159.07  
 Prob > chi2 = 0.0000

Log likelihood = -132431.84

| oil       | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | -.7694227 | .5282198  | -1.46  | 0.145 | -1.804714 .265869    |
| du        | .4819971  | .4196699  | 1.15   | 0.251 | -.3405407 1.304535   |
| did       | 2.199114  | .5930276  | 3.71   | 0.000 | 1.036801 3.361427    |
| town      | -.7760717 | .887669   | -0.87  | 0.382 | -2.515871 .9637277   |
| labor     | -.2515595 | .3164333  | -0.79  | 0.427 | -.8717575 .368384    |
| rp        | -1.406151 | .2240299  | -6.28  | 0.000 | -1.845242 -.9670607  |
| nc        | -1.983277 | .9871371  | -2.01  | 0.045 | -3.91803 -.0485236   |
| disin     | .0004085  | .0001383  | 2.95   | 0.003 | .0001376 .0006795    |
| maleratio | 1.269295  | 1.001997  | 1.27   | 0.205 | -.6945837 3.233174   |
| oldratio  | -2.934372 | .6328916  | -4.64  | 0.000 | -4.174817 -1.693927  |
| hui       | -2.68267  | 6.734476  | -0.40  | 0.690 | -15.882 10.51666     |
| healthy   | .2935447  | .5710218  | 0.51   | 0.607 | -.8256374 1.412727   |
| _cons     | 13.01387  | 1.039946  | 12.51  | 0.000 | 10.97561 15.05213    |
| /sigma_u  | 7.716188  | .2124776  | 36.32  | 0.000 | 7.29974 8.132637     |
| /sigma_e  | 24.96882  | .109496   | 228.03 | 0.000 | 24.75341 25.18263    |
| rho       | .0871811  | .0045333  |        |       | .0786301 .096408     |

LR test of sigma\_u=0: chibar2(01) = 780.62 Prob >= chibar2 = 0.000

Random-effects tobit regression

Number of obs = 28,368  
 Uncensored = 28,368  
 Left-censored = 0  
 Right-censored = 0

Limits: lower = -inf  
 upper = +inf

Group variable: nh  
 Random effects u\_i ~ Gaussian

Number of groups = 2,364  
 Obs per group: min = 12  
 avg = 12.0  
 max = 12

Integration method: mvaghermite

Integration pts. = 12

Wald chi2(13) = 189.35  
 Prob > chi2 = 0.0000

Log likelihood = -103962.61

| egg       | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | .0866488  | .2843108  | 3.12   | 0.002 | .3294098 1.443888    |
| du        | .0126199  | .1476842  | 0.09   | 0.932 | -.2768358 .3020756   |
| did       | .6828274  | .2301381  | 2.97   | 0.003 | .231765 1.13389      |
| town      | 1.037695  | .5134345  | 2.02   | 0.043 | .0313819 2.044008    |
| labor     | -.2430698 | .1609628  | -1.51  | 0.131 | -.5585511 .0724114   |
| rp        | -.7938968 | .1180324  | -6.73  | 0.000 | -1.025236 -.5625576  |
| nc        | -.3934334 | .5058763  | -0.78  | 0.437 | -1.384933 .5980659   |
| disin     | .0000345  | .0000495  | 0.70   | 0.486 | -.0000625 .0001316   |
| maleratio | .4904986  | .5171351  | 0.95   | 0.343 | -.5230675 1.504065   |
| oldratio  | -.3190179 | .341868   | -0.93  | 0.351 | -.9890669 .3510311   |
| hui       | .2419619  | 3.444981  | 0.07   | 0.944 | -6.510077 6.994      |
| healthy   | .6083006  | .3007293  | 2.02   | 0.043 | .0188819 1.197719    |
| egg       | -.0723445 | .0358938  | -2.02  | 0.044 | -.1426951 -.0019939  |
| _cons     | 12.9111   | 3.633648  | 3.55   | 0.000 | 5.789283 20.03292    |
| /sigma_u  | 5.559594  | .0978879  | 56.80  | 0.000 | 5.367737 5.751451    |
| /sigma_e  | 8.780408  | .038505   | 228.03 | 0.000 | 8.70494 8.858877     |
| rho       | .2861829  | .0075038  |        |       | .2716582 .3010665    |

LR test of sigma\_u=0: chibar2(01) = 5390.51 Prob >= chibar2 = 0.000



Random-effects tobit regression  
 Limits: lower = -inf  
 upper = +inf  
 Number of obs = 28,368  
 Uncensored = 28,368  
 Left-censored = 0  
 Right-censored = 0  
 Group variable: nh  
 Random effects u\_i ~ Gaussian  
 Number of groups = 2,364  
 Obs per group:  
 min = 12  
 avg = 12.0  
 max = 12  
 Integration method: mvaghermite  
 Integration pts. = 12  
 Log likelihood = -121409.84  
 Wald chi2(13) = 608.67  
 Prob > chi2 = 0.0000

| vege      | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | 3.237897  | .7398171  | 4.38   | 0.000 | 1.787882 4.687912    |
| du        | .655558   | .2632419  | 2.49   | 0.013 | .1396133 1.171503    |
| did       | -2.298119 | .3947516  | -5.82  | 0.000 | -3.071818 -1.524421  |
| town      | 9.416124  | 1.441102  | 6.53   | 0.000 | 6.591615 12.24063    |
| labor     | .4222993  | .3663844  | 1.15   | 0.249 | -.2958009 1.140399   |
| rp        | -4.442414 | .2803805  | -15.84 | 0.000 | -4.99195 -3.892879   |
| nc        | 1.379767  | 1.15695   | 1.19   | 0.233 | -.8879099 3.64725    |
| disin     | .0003199  | .0000885  | 3.61   | 0.000 | .0001454 .0004935    |
| maleratio | 1.556793  | 1.194133  | 1.30   | 0.192 | -.7836687 3.89725    |
| oldratio  | -4.211122 | .8443207  | -4.99  | 0.000 | -5.86596 -2.556284   |
| hui       | 10.76259  | 7.860448  | 1.37   | 0.171 | -4.643695 26.16878   |
| healthy   | .5013155  | .7136711  | 0.70   | 0.482 | -.8974541 1.900085   |
| vegep     | -.0721627 | .0181043  | -3.99  | 0.000 | -.1076455 -.0365788  |
| _cons     | 36.18127  | 2.229433  | 16.23  | 0.000 | 31.81166 40.55088    |
| /sigma_u  | 16.55529  | .2594335  | 63.81  | 0.000 | 16.04681 17.06377    |
| /sigma_e  | 15.63627  | .0685813  | 228.00 | 0.000 | 15.50186 15.77069    |
| rho       | .528525   | .0081571  |        |       | .5125187 .5444854    |

LR test of sigma\_u=0:  $\chi^2(1) = 1.5e+04$  Prob >=  $\chi^2(1) = 0.000$

Random-effects tobit regression  
 Limits: lower = -inf  
 upper = +inf  
 Number of obs = 28,368  
 Uncensored = 28,368  
 Left-censored = 0  
 Right-censored = 0  
 Group variable: nh  
 Random effects u\_i ~ Gaussian  
 Number of groups = 2,364  
 Obs per group:  
 min = 12  
 avg = 12.0  
 max = 12  
 Integration method: mvaghermite  
 Integration pts. = 12  
 Log likelihood = -191660.12  
 Wald chi2(12) = 947.69  
 Prob > chi2 = 0.0000

| foodalcohol | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-------------|-----------|-----------|--------|-------|----------------------|
| dt          | 16.59978  | 6.80379   | 2.44   | 0.015 | 3.264596 29.93496    |
| du          | -13.73638 | 3.208395  | -4.28  | 0.000 | -20.02472 -7.44804   |
| did         | 16.4904   | 4.530071  | 3.64   | 0.000 | 7.611626 25.36918    |
| town        | -1.995674 | 13.07433  | -0.15  | 0.879 | -27.6209 23.62955    |
| labor       | -2.828186 | 3.851419  | -0.73  | 0.463 | -10.37483 4.72456    |
| rp          | -52.75029 | 2.865236  | -18.41 | 0.000 | -58.36605 -47.13453  |
| nc          | -7.678689 | 12.13008  | -0.63  | 0.527 | -31.45319 16.09585   |
| disin       | .0122262  | .0010761  | 11.36  | 0.000 | .0101171 .0143334    |
| maleratio   | 20.43336  | 12.43092  | 1.64   | 0.100 | -3.930787 44.79731   |
| oldratio    | -101.2509 | 8.423922  | -12.02 | 0.000 | -117.7615 -84.7403   |
| hui         | -82.4832  | 82.53561  | -1.00  | 0.318 | -244.25 79.28362     |
| healthy     | 18.78211  | 7.302295  | 2.57   | 0.010 | 4.46987 33.09434     |
| _cons       | 450.5     | 13.11958  | 34.34  | 0.000 | 424.7861 476.2139    |
| /sigma_u    | 145.5562  | 2.434437  | 59.79  | 0.000 | 140.7848 150.3276    |
| /sigma_e    | 190.6942  | .8365879  | 227.94 | 0.000 | 189.0545 192.3338    |
| rho         | .3681369  | .0081241  |        |       | .3523315 .3841609    |

LR test of sigma\_u=0:  $\chi^2(1) = 8045.68$  Prob >=  $\chi^2(1) = 0.000$

Random-effects tobit regression  
Limits: lower = -inf  
upper = +inf  
Group variable: nh  
Random effects u\_i ~ Gaussian  
Number of obs = 28,368  
Uncensored = 28,368  
Left-censored = 0  
Right-censored = 0  
Number of groups = 2,364  
Obs per group: min = 12  
avg = 12.0  
max = 12  
Integration method: mvaghermite  
Integration pts. = 12  
Wald chi2(13) = 644.65  
Prob > chi2 = 0.0000  
Log likelihood = -167128.4

| clothing  | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | 29.13676  | 2.821582  | 10.33  | 0.000 | 23.60656 34.66696    |
| du        | -11.08155 | 1.386983  | -7.93  | 0.000 | -13.71999 -8.283115  |
| did       | 9.426325  | 1.96288   | 4.80   | 0.000 | 5.57915 13.2735      |
| town      | -2.293129 | 4.106977  | -0.56  | 0.577 | -10.34266 5.756399   |
| labor     | -2.07756  | 1.356566  | -1.53  | 0.126 | -4.736381 .5812614   |
| rp        | -4.334052 | .9810889  | -4.42  | 0.000 | -6.256951 -2.411153  |
| nc        | 2.880042  | 4.25174   | 0.68   | 0.498 | -5.453215 11.2133    |
| disin     | .0014845  | .0004636  | 3.20   | 0.001 | .0005759 .0023931    |
| maleratio | -22.73661 | 4.338806  | -5.25  | 0.000 | -31.22483 -14.24838  |
| oldratio  | -35.85509 | 2.815009  | -12.74 | 0.000 | -41.37241 -30.33778  |
| hui       | -26.66453 | 28.96736  | -0.92  | 0.357 | -83.43951 30.11045   |
| healthy   | 10.37211  | 2.500348  | 4.15   | 0.000 | 5.471519 15.2727     |
| clothingp | -24.3804  | 1.436604  | -16.97 | 0.000 | -27.19609 -21.56471  |
| _cons     | 2521.103  | 143.7705  | 17.54  | 0.000 | 2239.318 2802.888    |
| /sigma_u  | 42.67308  | .8183729  | 52.14  | 0.000 | 41.0691 44.27707     |
| /sigma_e  | 82.48378  | .3617789  | 227.99 | 0.000 | 81.77371 83.19185    |
| rho       | .2111442  | .0066566  |        |       | .1983351 .2244255    |

LR test of sigma\_u=0: chibar2(01) = 3311.90 Prob >= chibar2 = 0.000

Random-effects tobit regression  
Limits: lower = -inf  
upper = +inf  
Group variable: nh  
Random effects u\_i ~ Gaussian  
Number of obs = 28,368  
Uncensored = 28,368  
Left-censored = 0  
Right-censored = 0  
Number of groups = 2,364  
Obs per group: min = 12  
avg = 12.0  
max = 12  
Integration method: mvaghermite  
Integration pts. = 12  
Wald chi2(13) = 58.94  
Prob > chi2 = 0.0000  
Log likelihood = -212941.73

| dwell     | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | -7.537437 | 16.77471  | -0.45  | 0.652 | -40.43527 25.3284    |
| du        | -13.9463  | 7.275374  | -1.92  | 0.055 | -28.28577 .3131684   |
| did       | 19.49357  | 14.88324  | 1.31   | 0.190 | -9.677045 48.66418   |
| town      | -5.961878 | 12.87441  | -0.46  | 0.643 | -31.19525 19.27149   |
| labor     | 8.732814  | 4.713851  | 1.85   | 0.064 | -5.061653 17.97179   |
| rp        | -15.73592 | 3.308721  | -4.76  | 0.000 | -22.2209 -9.250948   |
| nc        | 33.92629  | 14.67541  | 2.31   | 0.021 | 5.163009 62.68957    |
| disin     | .009697   | .0023717  | 4.09   | 0.000 | .0050486 .0143454    |
| maleratio | -11.01623 | 14.86475  | -0.74  | 0.459 | -40.15061 18.11815   |
| oldratio  | -35.78951 | 9.300958  | -3.85  | 0.000 | -54.01905 -17.55996  |
| hui       | -28.9036  | 100.1603  | -0.29  | 0.773 | -225.2143 167.4071   |
| healthy   | -10.502   | 8.4369    | -1.24  | 0.213 | -27.03802 6.034023   |
| dwellip   | 3.094693  | 6.314342  | 0.49   | 0.624 | -9.28119 15.47058    |
| _cons     | -181.1722 | 631.6067  | -0.29  | 0.774 | -1419.099 1056.754   |
| /sigma_u  | 88.48147  | 3.932691  | 22.50  | 0.000 | 80.77354 96.1894     |
| /sigma_e  | 432.9134  | 1.898382  | 228.04 | 0.000 | 429.1926 436.6341    |
| rho       | .0400986  | .0035037  |        |       | .0336943 .0474585    |

LR test of sigma\_u=0: chibar2(01) = 200.23 Prob >= chibar2 = 0.000

Random-effects tobit regression

Number of obs = 28,368  
 Uncensored = 28,368  
 Left-censored = 0  
 Right-censored = 0

Limits: lower = -inf  
 upper = +inf

Group variable: nh  
 Random effects u\_i ~ Gaussian

Number of groups = 2,364  
 Obs per group:  
 min = 12  
 avg = 12.0  
 max = 12

Integration method: mvaghermite

Integration pts. = 12

Wald chi2(13) = 115.81  
 Prob > chi2 = 0.0000

Log likelihood = -194284.6

| daily     | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | -14.11228 | 5.031526  | -2.80  | 0.005 | -23.97389 -4.250672  |
| du        | -6.423213 | 3.760507  | -1.71  | 0.088 | -13.79367 .9472464   |
| did       | 8.459556  | 5.448418  | 1.55   | 0.121 | -2.219148 19.13826   |
| town      | -15.1914  | 6.838996  | -2.22  | 0.026 | -28.59558 -1.78721   |
| labor     | 2.583652  | 2.495336  | 1.04   | 0.300 | -2.307116 7.47442    |
| rp        | -8.776567 | 1.753381  | -5.01  | 0.000 | -12.21313 -5.340003  |
| nc        | 16.33122  | 7.771851  | 2.10   | 0.036 | 1.098673 31.56377    |
| disin     | .0029289  | .0012304  | 2.38   | 0.017 | .0005174 .0053403    |
| maleratio | -22.19386 | 7.869711  | -2.82  | 0.005 | -37.61821 -6.769511  |
| oldratio  | -22.09266 | 4.932878  | -4.48  | 0.000 | -31.76093 -12.42444  |
| hui       | -28.63887 | 53.02668  | -0.54  | 0.589 | -132.5693 75.29153   |
| healthy   | 6.126799  | 4.470654  | 1.37   | 0.171 | -2.635522 14.88912   |
| daily     | 61.27751  | 9.974521  | 6.14   | 0.000 | 41.72781 80.82721    |
| _cons     | -6030.31  | 997.4163  | -6.05  | 0.000 | -7985.209 -4075.41   |
| /sigma_u  | 49.43624  | 1.982504  | 24.94  | 0.000 | 45.5526 53.32387     |
| /sigma_e  | 225.7599  | .981229   | 228.04 | 0.000 | 221.8367 225.6831    |
| rho       | .0465438  | .003652   |        |       | .039816 .054155      |

LR test of sigma\_u=0: chibar2(01) = 261.77 Prob >= chibar2 = 0.000

Random-effects tobit regression

Number of obs = 28,368  
 Uncensored = 28,368  
 Left-censored = 0  
 Right-censored = 0

Limits: lower = -inf  
 upper = +inf

Group variable: nh  
 Random effects u\_i ~ Gaussian

Number of groups = 2,364  
 Obs per group:  
 min = 12  
 avg = 12.0  
 max = 12

Integration method: mvaghermite

Integration pts. = 12

Wald chi2(13) = 82.56  
 Prob > chi2 = 0.0000

Log likelihood = -225511.96

| traffication | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|--------------|-----------|-----------|--------|-------|----------------------|
| dt           | 38.64173  | 18.79612  | 2.06   | 0.040 | 1.80201 75.48146     |
| du           | 2.198189  | 11.48831  | 0.19   | 0.847 | -20.16189 24.55807   |
| did          | 7.408047  | 17.43632  | 0.42   | 0.671 | -26.76652 41.58261   |
| town         | 16.30804  | 18.60954  | 0.88   | 0.381 | -20.1174 52.77407    |
| labor        | 18.47872  | 6.881564  | 2.69   | 0.007 | 4.991106 31.96634    |
| rp           | -20.63166 | 4.814399  | -4.29  | 0.000 | -30.06771 -11.19561  |
| nc           | 2.461467  | 21.48288  | 0.12   | 0.908 | -39.48741 44.41034   |
| disin        | .0087484  | .0037017  | 2.36   | 0.018 | .0014933 .0160036    |
| maleratio    | 32.11992  | 21.65931  | 1.48   | 0.138 | -10.33155 74.5714    |
| oldratio     | -106.0181 | 13.50798  | -7.85  | 0.000 | -132.4932 -79.54289  |
| hui          | -12.12778 | 146.1018  | -0.08  | 0.934 | -298.4821 274.2265   |
| healthy      | 1.034479  | 12.27683  | 0.08   | 0.933 | -23.02766 25.09662   |
| traffication | 7.178265  | 5.998878  | 1.20   | 0.231 | -4.57932 18.93585    |
| _cons        | -586.9542 | 600.2229  | -0.98  | 0.328 | -1763.369 589.461    |
| /sigma_u     | 102.8483  | 7.122733  | 14.44  | 0.000 | 88.88796 116.8086    |
| /sigma_e     | 678.88    | 2.977039  | 228.04 | 0.000 | 673.0451 684.7149    |
| rho          | .0224364  | .0030879  |        |       | .0170342 .0292169    |

LR test of sigma\_u=0: chibar2(01) = 68.52 Prob >= chibar2 = 0.000

Random-effects tobit regression  
 Limits: lower = -inf  
 upper = +inf  
 Number of obs = 28,368  
 Uncensored = 28,368  
 Left-censored = 0  
 Right-censored = 0  
 Group variable: nh  
 Random effects u\_i ~ Gaussian  
 Number of groups = 2,364  
 Obs per group:  
 min = 12  
 avg = 12.0  
 max = 12  
 Integration method: mvaghermite  
 Integration pts. = 12  
 Log likelihood = -195690.92  
 Wald chi2(13) = 448.55  
 Prob > chi2 = 0.0000

| edutainment  | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|--------------|-----------|-----------|--------|-------|----------------------|
| dt           | 35.88878  | 6.60991   | 5.42   | 0.000 | 22.85359 48.76396    |
| du           | 19.83252  | 3.889713  | 5.10   | 0.000 | 12.22882 27.47622    |
| did          | -14.82122 | 5.992093  | -2.47  | 0.013 | -26.56551 -3.076936  |
| town         | 14.25498  | 8.565706  | 1.66   | 0.096 | -2.533495 31.04346   |
| labor        | -20.95895 | 3.031629  | -6.91  | 0.000 | -26.90883 -15.01706  |
| rp           | 10.51792  | 2.152132  | 4.89   | 0.000 | 6.299815 14.73602    |
| nc           | 96.72856  | 9.462889  | 10.22  | 0.000 | 78.18163 115.2755    |
| disin        | .0094297  | .0012845  | 7.34   | 0.000 | .006912 .0119473     |
| malratio     | -4.212747 | 9.600525  | -0.44  | 0.661 | -23.02943 14.60394   |
| oldratio     | -47.91897 | 6.084978  | -7.87  | 0.000 | -59.8453 -35.99283   |
| hui          | 19.92714  | 64.54374  | 0.31   | 0.758 | -106.5763 146.4305   |
| healthy      | 16.55712  | 5.482579  | 3.02   | 0.003 | 5.811462 27.30278    |
| edutainmentp | -24.53579 | 4.091603  | -6.00  | 0.000 | -32.55318 -16.5184   |
| _cons        | 2508.924  | 409.202   | 6.13   | 0.000 | 1706.902 3310.945    |
| /sigma_u     | 76.93985  | 1.982116  | 38.82  | 0.000 | 73.05497 80.82472    |
| /sigma_e     | 231.4066  | 1.01485   | 228.02 | 0.000 | 229.4175 233.3957    |
| rho          | .0995437  | .0047839  |        |       | .0904871 .1092455    |

LR test of sigma\_u=0: chibar2(01) = 975.37 Prob >= chibar2 = 0.000

Random-effects tobit regression  
 Limits: lower = -inf  
 upper = +inf  
 Number of obs = 28,368  
 Uncensored = 28,368  
 Left-censored = 0  
 Right-censored = 0  
 Group variable: nh  
 Random effects u\_i ~ Gaussian  
 Number of groups = 2,364  
 Obs per group:  
 min = 12  
 avg = 12.0  
 max = 12  
 Integration method: mvaghermite  
 Integration pts. = 12  
 Log likelihood = -217528.69  
 Wald chi2(13) = 334.61  
 Prob > chi2 = 0.0000

| medical  | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|----------|-----------|-----------|--------|-------|----------------------|
| dt       | -51.26712 | 34.55386  | -1.48  | 0.138 | -118.9915 16.45721   |
| du       | -1.023722 | 8.45194   | -0.12  | 0.904 | -17.58922 15.54178   |
| did      | 22.63609  | 17.27062  | 1.31   | 0.190 | -11.2137 56.48588    |
| town     | -10.00154 | 17.25228  | -0.58  | 0.562 | -43.81538 23.8123    |
| labor    | 9.233404  | 6.186501  | 1.49   | 0.136 | -2.891916 21.35872   |
| rp       | -16.62549 | 4.370949  | -3.80  | 0.000 | -25.19239 -8.058587  |
| nc       | -4.198725 | 19.29362  | -0.22  | 0.828 | -42.01353 33.61608   |
| disin    | .0444387  | .0027796  | 16.01  | 0.000 | .0390507 .0498467    |
| malratio | -16.78414 | 19.5636   | -0.86  | 0.391 | -55.1281 21.55981    |
| oldratio | 30.95879  | 12.33706  | 2.51   | 0.012 | 6.778608 55.13898    |
| hui      | 120.1778  | 131.6299  | 0.91   | 0.361 | -137.8121 378.1677   |
| healthy  | -53.90874 | 11.14418  | -4.84  | 0.000 | -75.75093 -32.06655  |
| medicalp | 9.000173  | 9.662978  | 0.93   | 0.352 | -9.938915 27.93926   |
| _cons    | -734.6987 | 966.4538  | -0.76  | 0.447 | -2628.913 1159.516   |
| /sigma_u | 145.0504  | 4.27207   | 33.95  | 0.000 | 136.6773 153.4235    |
| /sigma_e | 502.861   | 2.205109  | 228.04 | 0.000 | 498.5391 507.183     |
| rho      | .0768125  | .004314   |        |       | .0687059 .0856265    |

LR test of sigma\_u=0: chibar2(01) = 629.97 Prob >= chibar2 = 0.000

Random-effects tobit regression

Number of obs = 28,368  
 Uncensored = 28,368  
 Left-censored = 0  
 Right-censored = 0

Limits: lower = -inf  
 upper = +inf

Group variable: nh  
 Random effects u\_i ~ Gaussian

Number of groups = 2,364  
 Obs per group: min = 12  
 avg = 12.0  
 max = 12

Integration method: mvaghermite

Integration pts. = 12

Wald chi2(13) = 24.90  
 Prob > chi2 = 0.0238

Log likelihood = -190376.1

| others    | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | 10.32099  | 9.459585  | 1.09   | 0.275 | -8.219456 28.86143   |
| du        | -4.592191 | 3.323561  | -1.38  | 0.167 | -11.106625 1.921869  |
| did       | 2.964298  | 8.412873  | 0.35   | 0.725 | -13.52483 19.45323   |
| town      | -1.485081 | 5.087066  | -0.29  | 0.770 | -11.45555 8.483386   |
| labor     | -.5953324 | 1.893647  | -0.31  | 0.753 | -4.306812 3.116147   |
| rp        | -2.766371 | 1.322039  | -2.09  | 0.036 | -5.357431 -.1751217  |
| nc        | 3.977494  | 5.88675   | 0.68   | 0.499 | -7.560325 15.51531   |
| disin     | .0006621  | .0010711  | 0.62   | 0.536 | -.0014372 .0027614   |
| malenatio | -10.57623 | 5.954581  | -1.78  | 0.076 | -22.2427 1.094533    |
| oldratio  | -5.259134 | 3.704539  | -1.42  | 0.156 | -12.5199 2.00163     |
| hui       | 40.8397   | 40.18842  | 1.02   | 0.310 | -37.92815 119.6076   |
| healthy   | 2.317152  | 3.371354  | 0.69   | 0.492 | -4.290581 8.924884   |
| othersp   | -2.312323 | 3.844619  | -0.60  | 0.548 | -9.847638 5.222992   |
| _cons     | 263.9132  | 304.4904  | 0.69   | 0.492 | -489.6741 1017.5     |
| /sigma_u  | 20.00309  | 2.755792  | 7.26   | 0.000 | 14.60184 25.40434    |
| /sigma_e  | 197.7855  | .8672924  | 228.05 | 0.000 | 196.0857 199.4854    |
| rho       | .0101248  | .0027856  |        |       | .0057959 .0170432    |

LR test of sigma\_u=0: chibar2(01) = 14.99 Prob >= chibar2 = 0.000

Random-effects tobit regression

Number of obs = 28,368  
 Uncensored = 28,368  
 Left-censored = 0  
 Right-censored = 0

Limits: lower = -inf  
 upper = +inf

Group variable: nh  
 Random effects u\_i ~ Gaussian

Number of groups = 2,364  
 Obs per group: min = 12  
 avg = 12.0  
 max = 12

Integration method: mvaghermite

Integration pts. = 12

Wald chi2(12) = 509.52  
 Prob > chi2 = 0.0000

Log likelihood = -239617.92

| total     | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | 33.73035  | 24.79233  | 1.36   | 0.174 | -14.86172 83.32243   |
| du        | -28.797   | 18.18814  | -1.58  | 0.113 | -64.44509 6.851095   |
| did       | 47.77805  | 25.69869  | 1.86   | 0.063 | -2.590444 98.14655   |
| town      | -8.411687 | 43.0981   | -0.20  | 0.845 | -92.88241 76.05904   |
| labor     | 11.31589  | 15.0346   | 0.75   | 0.452 | -18.15139 40.78317   |
| rp        | -111.6503 | 10.71053  | -10.42 | 0.000 | -132.6426 -90.6581   |
| nc        | 139.7044  | 46.97459  | 2.97   | 0.003 | 47.63589 231.7729    |
| disin     | .0934997  | .006022   | 15.53  | 0.000 | .0816967 .1053027    |
| malenatio | -7.556667 | 47.72718  | -0.16  | 0.874 | -101.1002 85.98689   |
| oldratio  | -336.8333 | 30.4019   | -11.08 | 0.000 | -396.4199 -277.2466  |
| hui       | -23.02234 | 320.3581  | -0.07  | 0.943 | -650.9126 604.868    |
| healthy   | -.3237065 | 27.30315  | -0.01  | 0.991 | -53.8369 53.18949    |
| _cons     | 1130.766  | 49.49528  | 22.85  | 0.000 | 1033.757 1227.775    |
| /sigma_u  | 406.5815  | 9.478823  | 42.89  | 0.000 | 388.0033 425.1596    |
| /sigma_e  | 1081.959  | 4.745104  | 228.02 | 0.000 | 1072.659 1091.259    |
| rho       | .1237392  | .005248   |        |       | .1137509 .1343258    |

LR test of sigma\_u=0: chibar2(01) = 1399.61 Prob >= chibar2 = 0.000

Random-effects tobit regression

Number of obs = 28,368  
Uncensored = 28,368  
Left-censored = 0  
Right-censored = 0

Limits: lower = -inf  
upper = +inf

Group variable: nh  
Random effects u\_i ~ Gaussian

Number of groups = 2,364  
Obs per group: min = 12  
avg = 12.0  
max = 12

Integration method: mvaghermite

Integration pts. = 12

Wald chi2(12) = 636.90  
Prob > chi2 = 0.0000

Log likelihood = -78174.81

Number of obs = 28,368  
Uncensored = 28,368  
Left-censored = 0  
Right-censored = 0

Limits: lower = -inf  
upper = +inf

Group variable: nh  
Random effects u\_i ~ Gaussian

Number of groups = 2,364  
Obs per group: min = 12  
avg = 12.0  
max = 12

Integration method: mvaghermite

Integration pts. = 12

Wald chi2(12) = 31.38  
Prob > chi2 = 0.0017

| porkgr                                            | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval]           |
|---------------------------------------------------|-----------|-----------|--------|-------|--------------------------------|
| dt                                                | -.1224758 | .0888944  | -1.53  | 0.126 | -.2794579 .0345063             |
| du                                                | -.162742  | .0617687  | -2.64  | 0.008 | -.2837988 -.0416932            |
| did                                               | -.5793636 | .0872697  | -6.64  | 0.000 | -.7504891 -.4083182            |
| town                                              | -.2116422 | .1364418  | -1.55  | 0.121 | -.4790632 .0557788             |
| labor                                             | -.0263902 | .0482565  | -0.55  | 0.584 | -.1209712 .0681909             |
| rp                                                | -.465792  | .0342432  | -13.60 | 0.000 | -.5329074 -.3986766            |
| nc                                                | -.259495  | .1506816  | -1.72  | 0.085 | -.5548255 .0358355             |
| disin                                             | .0001347  | .0000204  | 6.61   | 0.000 | .0000047 .0001746              |
| malratio                                          | -.0928167 | .1528714  | -0.61  | 0.544 | -.3924392 .2068058             |
| oldratio                                          | -.4747514 | .096979   | -4.90  | 0.000 | -.6648269 -.284676             |
| hui                                               | -1.214043 | 1.027572  | -1.18  | 0.237 | -3.228047 .7999611             |
| healthy                                           | .1271985  | .0872911  | 1.46   | 0.145 | -.0438889 .2982859             |
| _cons                                             | 3.830168  | .1586518  | 24.14  | 0.000 | 3.519216 4.14112               |
| /sigma_u                                          | 1.228515  | .0314988  | 39.00  | 0.000 | 1.166778 1.290251              |
| /sigma_e                                          | 3.674255  | .0161139  | 228.02 | 0.000 | 3.642672 3.705838              |
| rho                                               | .1005535  | .0048046  |        |       | .0914554 .1102949              |
| LR test of sigma_u=0: <u>chibar2(01)</u> = 991.98 |           |           |        |       | Prob >= <u>chibar2</u> = 0.000 |

Random-effects tobit regression

Number of obs = 28,368  
Uncensored = 28,368  
Left-censored = 0  
Right-censored = 0

Limits: lower = -inf  
upper = +inf

Group variable: nh  
Random effects u\_i ~ Gaussian

Number of groups = 2,364  
Obs per group: min = 12  
avg = 12.0  
max = 12

Integration method: mvaghermite

Integration pts. = 12

Wald chi2(12) = 31.38  
Prob > chi2 = 0.0017

Log likelihood = -10468.427

Number of obs = 28,368  
Uncensored = 28,368  
Left-censored = 0  
Right-censored = 0

Limits: lower = -inf  
upper = +inf

Group variable: nh  
Random effects u\_i ~ Gaussian

Number of groups = 2,364  
Obs per group: min = 12  
avg = 12.0  
max = 12

Integration method: mvaghermite

Integration pts. = 12

Wald chi2(12) = 31.38  
Prob > chi2 = 0.0017

| beefgr                                             | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval]           |
|----------------------------------------------------|-----------|-----------|--------|-------|--------------------------------|
| dt                                                 | -.0019143 | .0079433  | -0.24  | 0.810 | -.0174829 .0135544             |
| du                                                 | -.0093987 | .0056225  | -1.67  | 0.095 | -.0204185 .0016211             |
| did                                                | .0042495  | .0079438  | 0.53   | 0.593 | -.0113201 .0198191             |
| town                                               | -.0049864 | .0113988  | -0.36  | 0.721 | -.0324023 .0224295             |
| labor                                              | .0072245  | .0048329  | 1.49   | 0.135 | -.0022478 .016967              |
| rp                                                 | -.0029319 | .0034505  | -0.85  | 0.395 | -.0096948 .003831              |
| nc                                                 | .0130013  | .0150979  | 0.86   | 0.389 | -.01659 .0425926               |
| disin                                              | -1.66e-06 | 1.87e-06  | -0.89  | 0.374 | -5.31e-06 2.00e-06             |
| malratio                                           | .010843   | .0153409  | 0.71   | 0.480 | -.0192245 .0409105             |
| oldratio                                           | -.0394597 | .0098112  | -4.02  | 0.000 | -.0586893 -.0202301            |
| hui                                                | -.0155372 | .102943   | -0.15  | 0.880 | -.2173018 .1862274             |
| healthy                                            | .0079137  | .0087953  | 0.90   | 0.368 | -.0093247 .0251522             |
| _cons                                              | .0537764  | .0159239  | 3.38   | 0.001 | .0225661 .0849867              |
| /sigma_u                                           | .1355393  | .0029919  | 45.30  | 0.000 | .1296752 .1414034              |
| /sigma_e                                           | .3344441  | .0014667  | 228.02 | 0.000 | .3315693 .3373189              |
| rho                                                | .1410718  | .0055592  |        |       | .1304605 .1522536              |
| LR test of sigma_u=0: <u>chibar2(01)</u> = 1734.44 |           |           |        |       | Prob >= <u>chibar2</u> = 0.000 |

Random-effects tobit regression

Number of obs = 28,368

Uncensored = 28,368

Left-censored = 0

Right-censored = 0

Limits: lower = -inf

upper = +inf

Group variable: nh

Random effects u\_i ~ Gaussian

Number of groups = 2,364

Obs per group:

min = 12

avg = 12.0

max = 12

Integration method: mvaghermite

Integration pts. = 12

Wald chi2(12) = 16.38

Prob > chi2 = 0.1744

Log likelihood = -11178.057

| muttongr  | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | .0012601  | .0062166  | 0.20   | 0.839 | -.0109242 .0134444   |
| du        | .0032338  | .0060004  | 0.54   | 0.589 | -.0085227 .0149985   |
| did       | -.0103064 | .006481   | -1.22  | 0.224 | -.0269287 .006316    |
| town      | -.0002648 | .0091901  | -0.03  | 0.977 | -.0182771 .0177475   |
| labor     | -.0007795 | .0034208  | -0.23  | 0.820 | -.0074842 .0059252   |
| rp        | -.0003669 | .0023883  | -0.15  | 0.878 | -.0050478 .004314    |
| nc        | -.0092335 | .0106342  | -0.87  | 0.385 | -.0300762 .0110092   |
| disin     | 1.60e-06  | 1.93e-06  | 0.83   | 0.409 | -2.19e-06 5.39e-06   |
| maleratio | -.0148006 | .0107571  | -1.38  | 0.169 | -.0358842 .0062831   |
| oldratio  | -.0187149 | .0066921  | -2.80  | 0.005 | -.0318312 -.0055987  |
| hui       | -.0201032 | .0726018  | -0.28  | 0.782 | -.1624002 .1221938   |
| healthy   | -.0013073 | .0060936  | -0.21  | 0.830 | -.0132505 .0106359   |
| _cons     | .0352158  | .0112894  | 3.12   | 0.002 | .013089 .0573426     |
| /sigma_u  | .0363226  | .0049552  | 7.33   | 0.000 | .0266106 .0460347    |
| /sigma_e  | .3570864  | .0015659  | 228.04 | 0.000 | .3540173 .3601555    |
| rho       | .0102409  | .0027899  |        |       | .0058952 .0171532    |

LR test of sigma\_u=0: chibar2(01) = 15.31 Prob >= chibar2 = 0.000

```

Random-effects tobit regression

Number of obs      = 28,368
Uncensored         = 28,368
Left-censored      = 0
Right-censored     = 0

Number of groups   = 2,364

Obs per group:
    min = 12
    avg = 12.0
    max = 12

Integration method: mvaghermite

Integration pts.   = 12

Wald chi2(12)     = 466.65
Prob > chi2       = 0.0000

```

| poultrygr | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | .0618472  | .0244201  | 2.53   | 0.011 | .0139847 .1097097    |
| du        | .0847358  | .0153833  | 5.51   | 0.000 | .0545851 .1148866    |
| did       | .1367265  | .021731   | 6.29   | 0.000 | .0941346 .1793184    |
| town      | .0603778  | .0445122  | 1.36   | 0.175 | -.0268644 .1476201   |
| labor     | .0370068  | .0147915  | 2.50   | 0.012 | .0080161 .0659976    |
| rp        | -.1025788 | .0186848  | -9.61  | 0.000 | -.1236206 -.0817369  |
| nc        | -.0976743 | .0453666  | -2.11  | 0.035 | -.1885512 -.0067974  |
| disin     | 7.14e-06  | 5.13e-06  | 1.39   | 0.164 | -2.91e-06 .0000172   |
| maleratio | -.2633406 | .0472077  | -5.58  | 0.000 | -.350666 -.1710151   |
| oldratio  | -.1784589 | .0386032  | -5.83  | 0.000 | -.2384401 -.1184776  |
| hui       | .0317199  | .3159484  | 0.10   | 0.920 | -.5875277 .6509674   |
| healthy   | .0468216  | .0272318  | 1.72   | 0.086 | -.0055517 .1001949   |
| _cons     | .6955595  | .0490971  | 14.17  | 0.000 | .5993309 .7917881    |
| /sigma_u  | .4590703  | .0089161  | 51.49  | 0.000 | .441595 .4765456     |
| /sigma_e  | .9148683  | .0040119  | 228.04 | 0.000 | .9070052 .9227314    |
| rho       | .201145   | .0055012  |        |       | .1886461 .2141277    |

LR test of sigma\_u=0: chibar2(01) = 3076.53 Prob >= chibar2 = 0.000

```
LR test of sigma_u=0: chibar2(01) = 3076.53
Prob >= chibar2 = 0.000
```



Random-effects tobit regression

Number of obs = 28,368  
 uncensored = 28,368  
 Left-censored = 0  
 Right-censored = 0

Limits: lower = -inf  
 upper = +inf

Group variable: nh

Random effects u\_i ~ Gaussian

Number of groups = 2,364  
 Obs per group: min = 12  
 avg = 12.0  
 max = 12

Integration method: mvaghermite

Integration pts. = 12

Wald chi2(12) = 393.94  
 Prob > chi2 = 0.0000

Log likelihood = -33088.623

| seafoodgr | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | .1364614  | .025725   | 5.30   | 0.000 | .0868815 .1868815    |
| du        | .0270507  | .011934   | 2.27   | 0.023 | .0036604 .0504411    |
| did       | .0338924  | .0168498  | 2.01   | 0.044 | .0008674 .0669174    |
| town      | -.032738  | .0495345  | -0.66  | 0.509 | -.1298238 .0643477   |
| labor     | .0299043  | .0144748  | 2.07   | 0.039 | .0015343 .0582744    |
| rp        | -.1354317 | .0107883  | -12.55 | 0.000 | -.1565765 -.114287   |
| nc        | -.1361182 | .0456473  | -2.98  | 0.003 | -.2255854 -.0466511  |
| disin     | .0000189  | 4.00e-06  | 4.71   | 0.000 | .000011 .0000267     |
| malratio  | -.134464  | .0467622  | -2.88  | 0.004 | -.2261163 -.0428118  |
| oldratio  | -.2018753 | .031655   | -6.38  | 0.000 | -.263918 -.1398326   |
| hui       | -.2178863 | .3102589  | -0.70  | 0.483 | -.8259825 .39021     |
| healthy   | .0079786  | .0274836  | 0.29   | 0.772 | -.0458882 .0618454   |
| _cons     | .8767264  | .0494237  | 17.74  | 0.000 | .7798577 .973595     |
| /sigma_u  | .5529151  | .0091651  | 60.33  | 0.000 | .5349519 .5708784    |
| /sigma_e  | .709291   | .0031107  | 228.02 | 0.000 | .7031942 .7153878    |
| rho       | .3779819  | .0081365  |        |       | .3621428 .3940289    |

LR test of sigma\_u=0: chibar2(01) = 8444.33 Prob >= chibar2 = 0.000

Random-effects tobit regression

Number of obs = 28,368  
 uncensored = 28,368  
 Left-censored = 0  
 Right-censored = 0

Limits: lower = -inf  
 upper = +inf

Group variable: nh

Random effects u\_i ~ Gaussian

Number of groups = 2,364  
 Obs per group: min = 12  
 avg = 12.0  
 max = 12

Integration method: mvaghermite

Integration pts. = 12

Wald chi2(12) = 584.65  
 Prob > chi2 = 0.0000

Log likelihood = -80883.457

| meatgr   | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|----------|-----------|-----------|--------|-------|----------------------|
| dt       | .0740372  | .1020608  | 0.73   | 0.458 | -.1259984 .2740728   |
| du       | -.0570355 | .0666602  | -0.86  | 0.392 | -.1876871 .0736161   |
| did      | -.4148335 | .0941715  | -4.41  | 0.000 | -.5934063 -.2302607  |
| town     | -.1072941 | .1842541  | -1.02  | 0.309 | -.5484255 .1738373   |
| labor    | .0568113  | .0619889  | 0.92   | 0.359 | -.0646847 .1783073   |
| rp       | -.6945812 | .0446357  | -15.56 | 0.000 | -.7820455 -.6070768  |
| nc       | -.3639791 | .1941601  | -1.87  | 0.061 | -.7445259 .0165676   |
| disin    | .0001622  | .0000222  | 7.31   | 0.000 | .0001187 .0002057    |
| malratio | -.5113649 | .1976183  | -2.59  | 0.010 | -.8986897 -.1240401  |
| oldratio | -.8373703 | .1276469  | -6.56  | 0.000 | -1.087554 -.5871869  |
| hui      | -1.605032 | 1.323402  | -1.21  | 0.225 | -4.198853 .9887884   |
| healthy  | .1710499  | .1137541  | 1.50   | 0.133 | -.0519041 .3940039   |
| _cons    | 5.418503  | .2052928  | 26.39  | 0.000 | 5.016136 5.820869    |
| /sigma_u | 1.869729  | .0375715  | 49.76  | 0.000 | 1.79609 1.943367     |
| /sigma_e | 3.964844  | .0173874  | 228.02 | 0.000 | 3.930566 3.998723    |
| rho      | .181942   | .0062272  |        |       | .1699935 .1944022    |

LR test of sigma\_u=0: chibar2(01) = 2616.73 Prob >= chibar2 = 0.000

Random-effects tobit regression

Number of obs = 28,368  
Uncensored = 28,368  
Left-censored = 0  
Right-censored = 0

Limits: lower = -inf  
upper = +inf

Group variable: nh  
Random effects u\_i ~ Gaussian

Number of groups = 2,364  
Obs per group:  
min = 12  
avg = 12.0  
max = 12

Integration method: mvaghermite

Integration pts. = 12

Wald chi2(12) = 109.66  
Prob > chi2 = 0.0000

Log likelihood = -58057.283

| oilgr     | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | -.0752705 | .0373074  | -2.02  | 0.044 | -.1483917 -.0021493  |
| du        | .044031   | .0306221  | 1.44   | 0.150 | -.0159871 .1040492   |
| did       | .0916009  | .0432732  | 2.12   | 0.034 | .006787 .1764147     |
| town      | -.0400188 | .0616834  | -0.65  | 0.516 | -.1609161 .0808784   |
| labor     | -.011407  | .0221672  | -0.51  | 0.607 | -.0548539 .0320399   |
| rp        | -.0873578 | .0156542  | -5.58  | 0.000 | -.1180395 -.0566761  |
| nc        | -.1344922 | .0691165  | -1.95  | 0.052 | -.2699958 .0009737   |
| disin     | .0000246  | .0000101  | 2.44   | 0.015 | 4.85e-06 .0000443    |
| maleratio | .1116251  | .0700759  | 1.59   | 0.111 | -.0257212 .2489714   |
| oldratio  | -.1751742 | .0441579  | -3.97  | 0.000 | -.2617221 -.0886263  |
| hui       | -.2435159 | .4715009  | -0.52  | 0.606 | -1.167798 .6807057   |
| healthy   | .0074085  | .0399052  | 0.19   | 0.853 | -.0700043 .0856212   |
| _cons     | .8474243  | .0728133  | 11.64  | 0.000 | .7047128 .9901357    |
| /sigma_u  | .511567   | .0154976  | 33.01  | 0.000 | .4811922 .5419418    |
| /sigma_e  | 1.821929  | .0079896  | 228.04 | 0.000 | 1.80627 1.837588     |
| rho       | .0730778  | .0042361  |        |       | .0651305 .0817468    |

LR test of sigma\_u=0: chibar2(01) = 578.01 Prob >= chibar2 = 0.000

Random-effects tobit regression

Number of obs = 28,368  
Uncensored = 28,368  
Left-censored = 0  
Right-censored = 0

Limits: lower = -inf  
upper = +inf

Group variable: nh  
Random effects u\_i ~ Gaussian

Number of groups = 2,364  
Obs per group:  
min = 12  
avg = 12.0  
max = 12

Integration method: mvaghermite

Integration pts. = 12

Wald chi2(13) = 150.69  
Prob > chi2 = 0.0000

Log likelihood = -24423.054

| egggr     | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | .051543   | .0179292  | 2.87   | 0.004 | .0164024 .0866836    |
| du        | .0084439  | .0009049  | 0.95   | 0.343 | -.0090094 .0258971   |
| did       | .0127515  | .0138755  | 0.92   | 0.358 | -.014444 .0399471    |
| town      | .0450258  | .0327609  | 1.37   | 0.169 | -.0191845 .1092236   |
| labor     | -.0108645 | .0100584  | -1.08  | 0.280 | -.0305787 .0088436   |
| rp        | -.0489759 | .007413   | -6.61  | 0.000 | -.0635051 -.0344467  |
| nc        | -.0232712 | .0316377  | -0.74  | 0.462 | -.08528 .0367376     |
| disin     | 9.13e-07  | 2.99e-06  | 0.31   | 0.760 | -4.95e-06 6.77e-06   |
| maleratio | .0351043  | .032365   | 1.08   | 0.278 | -.0283299 .0985385   |
| oldratio  | -.0280743 | .0215555  | -1.30  | 0.193 | -.0703223 .0141738   |
| hui       | -.0431166 | .2153848  | -0.20  | 0.841 | -.4652631 .3790298   |
| healthy   | .0339772  | .0188851  | 1.80   | 0.072 | -.003037 .0709914    |
| egggr     | -.0024348 | .0021641  | -1.13  | 0.261 | -.0066763 .0018068   |
| _cons     | .6057067  | .2192929  | 2.76   | 0.006 | .1759006 1.035513    |
| /sigma_u  | .3587005  | .0061746  | 58.09  | 0.000 | .3465984 .3708025    |
| /sigma_e  | .5293769  | .0023214  | 228.04 | 0.000 | .524827 .5339268     |
| rho       | .3145592  | .0077455  |        |       | .2996365 .3299932    |

LR test of sigma\_u=0: chibar2(01) = 6278.92 Prob >= chibar2 = 0.000

Random-effects tobit regression  
 Limits: lower = -inf  
 upper = +inf  
 Number of obs = 28,368  
 Uncensored = 28,368  
 Left-censored = 0  
 Right-censored = 0  
 Group variable: nh  
 Random effects u\_i ~ Gaussian  
 Number of groups = 2,364  
 Obs per group:  
 min = 12  
 avg = 12.0  
 max = 12  
 Integration method: mvaghermite  
 Integration pts. = 12  
 Log likelihood = -79506.332  
 Wald chi2(13) = 581.12  
 Prob > chi2 = 0.0000

Random-effects tobit regression  
 Limits: lower = -inf  
 upper = +inf  
 Number of obs = 28,359  
 Uncensored = 28,359  
 Left-censored = 0  
 Right-censored = 0  
 Group variable: nh  
 Random effects u\_i ~ Gaussian  
 Number of groups = 2,364  
 Obs per group:  
 min = 11  
 avg = 12.0  
 max = 12  
 Integration method: mvaghermite  
 Integration pts. = 12  
 Log likelihood = 5621.6356  
 Wald chi2(12) = 223.14  
 Prob > chi2 = 0.0000

| vegegr    | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | .5985677  | .1486761  | 4.03   | 0.000 | .307168 .8899675     |
| du        | .3051953  | .0608641  | 5.01   | 0.000 | .1859039 .4244867    |
| did       | -.5040496 | .0912971  | -5.52  | 0.000 | -.6829887 -.3251104  |
| town      | 2.067007  | .2850391  | 7.25   | 0.000 | 1.50834 2.625673     |
| labor     | .0564539  | .0787691  | 0.72   | 0.474 | -.0979307 .2108385   |
| rp        | -.8580888 | .0593756  | -14.45 | 0.000 | -.9744627 -.7417148  |
| nc        | .4990928  | .2485184  | 2.01   | 0.045 | .0120856 .98618      |
| disin     | .0000509  | .0000204  | 2.49   | 0.013 | .0000108 .000091     |
| maleratio | .4940927  | .2556385  | 1.93   | 0.053 | -.0069495 .9951349   |
| oldratio  | -.6446444 | .1760441  | -3.66  | 0.000 | -.9896845 -.2996043  |
| hui       | 1.1396    | 1.688733  | 0.67   | 0.500 | -2.170256 4.449455   |
| healthy   | .1492451  | .151167   | 0.99   | 0.324 | -.1470368 .445527    |
| vegep     | -.0265795 | .0041873  | -6.35  | 0.000 | -.0347864 -.0183726  |
| _cons     | 7.925151  | .5006191  | 15.83  | 0.000 | 6.943956 8.906347    |
| /sigma_u  | 3.228751  | .0520305  | 62.05  | 0.000 | 3.126773 3.330728    |
| /sigma_e  | 3.616505  | .0158621  | 228.00 | 0.000 | 3.585416 3.647594    |
| rho       | .4435354  | .0083066  |        |       | .4273069 .4598592    |

LR test of sigma u=0: chibar2(01) = 1.1e+04 Prob >= chibar2 = 0.000

| foodalcohol_r | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|---------------|-----------|-----------|--------|-------|----------------------|
| dt            | -.0092958 | .0080216  | -1.54  | 0.123 | -.021098 .0025083    |
| du            | -.0024419 | .0030868  | -0.79  | 0.429 | -.0084919 .0030608   |
| did           | .0127224  | .0043584  | 2.92   | 0.004 | .0041801 .0212648    |
| town          | -.0065733 | .0114362  | -0.57  | 0.565 | -.0280878 .0158412   |
| labor         | .0068698  | .0035018  | 1.96   | 0.050 | 6.38e-06 .0137332    |
| rp            | -.0173432 | .0025869  | -6.70  | 0.000 | -.0224135 -.012273   |
| nc            | -.048135  | .0110133  | -4.37  | 0.000 | -.0697207 -.0265493  |
| disin         | -7.65e-06 | 1.03e-06  | -7.40  | 0.000 | -9.67e-06 -5.62e-06  |
| maleratio     | .0411531  | .011274   | 3.65   | 0.000 | .0190565 .0632497    |
| oldratio      | .0145787  | .0075131  | 1.94   | 0.052 | -.0001468 .0293042   |
| hui           | -.111033  | .074992   | -1.48  | 0.139 | -.2580146 .0359485   |
| healthy       | .0233944  | .0065841  | 3.55   | 0.000 | .0104898 .0362991    |
| _cons         | .476884   | .011827   | 40.32  | 0.000 | .4537036 .5000644    |
| /sigma_u      | .1253816  | .0021655  | 57.90  | 0.000 | .1211373 .129626     |
| /sigma_e      | .1834436  | .0008095  | 227.88 | 0.000 | .1818658 .1850214    |
| rho           | .3184096  | .0078252  |        |       | .3032316 .3338987    |

LR test of sigma u=0: chibar2(01) = 6340.49 Prob >= chibar2 = 0.000

Random-effects tobit regression

Number of obs = 28,359  
Uncensored = 28,359  
Left-censored = 0  
Right-censored = 0

Limits: lower = -inf  
upper = +inf

Group variable: nh  
Random effects u\_i ~ Gaussian

Number of groups = 2,364  
Obs per group: min = 11  
avg = 12.0  
max = 12

Integration method: mvaghermite

Integration pts. = 12

Wald chi2(13) = 682.16  
Prob > chi2 = 0.0000

Log likelihood = 27315.374

| clothing_r | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|------------|-----------|-----------|--------|-------|----------------------|
| dt         | .0138083  | .0028695  | 4.81   | 0.000 | .0081842 .0194324    |
| du         | -.0131454 | .0014739  | -8.92  | 0.000 | -.0160342 -.0102566  |
| did        | .0107634  | .0020859  | 5.16   | 0.000 | .0066752 .0148516    |
| town       | -.0142007 | .0039876  | -3.56  | 0.000 | -.0220162 -.0063851  |
| labor      | -.0058089 | .0013493  | -4.31  | 0.000 | -.0084534 -.0031644  |
| rp         | .0077843  | .0009697  | 8.03   | 0.000 | .0058838 .0096848    |
| nc         | -.0117161 | .0042244  | -2.77  | 0.006 | -.0199959 -.0034364  |
| disin      | 7.30e-08  | 4.91e-07  | 0.15   | 0.882 | -8.90e-07 1.04e-06   |
| maleratio  | -.0217055 | .0042987  | -5.05  | 0.000 | -.0301307 -.0132802  |
| oldratio   | -.0290036 | .0027695  | -10.47 | 0.000 | -.0344318 -.0235755  |
| hui        | -.0333158 | .0287906  | -1.16  | 0.247 | -.0837443 .0231127   |
| healthy    | .0138     | .0024717  | 5.58   | 0.000 | .0089555 .0186445    |
| clothingp  | -.0183033 | .0015264  | -11.99 | 0.000 | -.0212949 -.0153116  |
| _cons      | 1.90468   | .1527399  | 12.47  | 0.000 | 1.605316 2.204045    |

|          |          |          |        |       |                   |
|----------|----------|----------|--------|-------|-------------------|
| /sigma_u | .0401338 | .0000204 | 48.92  | 0.000 | .0385258 .0417419 |
| /sigma_e | .087638  | .0003844 | 227.97 | 0.000 | .0868845 .0883915 |
| rho      | .1733611 | .006098  |        |       | .161672 .1855747  |

LR test of sigma u=0: chibar2(01) = 2418.48 Prob >= chibar2 = 0.000

Random-effects tobit regression

Number of obs = 28,359  
Uncensored = 28,359  
Left-censored = 0  
Right-censored = 0

Limits: lower = -inf  
upper = +inf

Group variable: nh  
Random effects u\_i ~ Gaussian

Number of groups = 2,364  
Obs per group: min = 11  
avg = 12.0  
max = 12

Integration method: mvaghermite

Integration pts. = 12

Wald chi2(13) = 62.68  
Prob > chi2 = 0.0000

Log likelihood = 19908.799

| dwell_r   | Coef.     | Std. Err. | z     | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|-------|-------|----------------------|
| dt        | .0011468  | .0046632  | 0.25  | 0.806 | -.0079929 .0102866   |
| du        | .0011482  | .0019449  | 0.59  | 0.558 | -.0028717 .0049521   |
| did       | -.004287  | .0039772  | -1.08 | 0.281 | -.011082 .0035081    |
| town      | .0154995  | .0043258  | 3.58  | 0.000 | .0070211 .0239778    |
| labor     | .0021641  | .001528   | 1.42  | 0.157 | -.0008306 .0051588   |
| rp        | -.0043706 | .0010846  | -4.03 | 0.000 | -.0064964 -.0022449  |
| nc        | .0128678  | .0047714  | 2.70  | 0.007 | .003516 .0222196     |
| disin     | 5.63e-07  | 6.42e-07  | 0.88  | 0.381 | -6.96e-07 1.82e-06   |
| maleratio | -.0056984 | .0048414  | -1.38 | 0.166 | -.0161873 .0027906   |
| oldratio  | .0056828  | .0030704  | 1.85  | 0.064 | -.000335 .0117007    |
| hui       | .005287   | .0325376  | 0.20  | 0.841 | -.0572437 .0703012   |
| healthy   | -.0041287 | .0027855  | -1.49 | 0.135 | -.009549 .0012915    |
| dwellp    | .0001841  | .0016873  | 0.11  | 0.913 | -.0031229 .0034911   |
| _cons     | .0666462  | .1687953  | 0.39  | 0.693 | -.2641846 .3974809   |

|          |          |          |        |       |                   |
|----------|----------|----------|--------|-------|-------------------|
| /sigma_u | .0391518 | .0000923 | 39.46  | 0.000 | .0372069 .0410967 |
| /sigma_e | .1156707 | .0005073 | 228.00 | 0.000 | .1146764 .1166651 |
| rho      | .10279   | .004844  |        |       | .0936118 .1126052 |

LR test of sigma u=0: chibar2(01) = 1030.16 Prob >= chibar2 = 0.000

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

|                                                     |           |           |        |                                |                      |
|-----------------------------------------------------|-----------|-----------|--------|--------------------------------|----------------------|
| Random-effects tobit regression                     |           |           |        | Number of obs = 28,359         |                      |
| Limits: lower = -inf                                |           |           |        | Uncensored = 28,359            |                      |
| upper = +inf                                        |           |           |        | Left-censored = 0              |                      |
|                                                     |           |           |        | Right-censored = 0             |                      |
| Group variable: nh                                  |           |           |        | Number of groups = 2,364       |                      |
| Random effects u_i ~ Gaussian                       |           |           |        | Obs per group:                 |                      |
|                                                     |           |           |        | min = 11                       |                      |
|                                                     |           |           |        | avg = 12.0                     |                      |
|                                                     |           |           |        | max = 12                       |                      |
| Integration method: mvaghermite                     |           |           |        | Integration pts. = 12          |                      |
| Log likelihood = 16028.76                           |           |           |        | Wald chi2(13) = 534.05         |                      |
|                                                     |           |           |        | Prob > chi2 = 0.0000           |                      |
| edutainment_r                                       | Coef.     | Std. Err. | z      | P> z                           | [95% Conf. Interval] |
| dt                                                  | .0220004  | .0041118  | 5.35   | 0.000                          | .0139414 .0300594    |
| du                                                  | .0059504  | .0021925  | 2.71   | 0.007                          | .0016533 .0102476    |
| did                                                 | -.0083443 | .0033762  | -2.47  | 0.013                          | -.0149615 -.0017277  |
| town                                                | .0116114  | .0059953  | 1.94   | 0.053                          | -.0001391 .0233621   |
| labor                                               | -.0216502 | .0020261  | -10.69 | 0.000                          | -.0256212 -.0176792  |
| rp                                                  | .0200646  | .0014591  | 13.75  | 0.000                          | .0172047 .0229244    |
| nc                                                  | .051788   | .0063309  | 8.17   | 0.000                          | .0393639 .0642121    |
| disin                                               | 3.49e-06  | 7.30e-07  | 4.78   | 0.000                          | 2.06e-06 4.92e-06    |
| maleratio                                           | -.0035919 | .0064456  | -0.56  | 0.577                          | -.0162252 .0090413   |
| oldratio                                            | -.0222167 | .0041564  | -5.35  | 0.000                          | -.0303631 -.0140704  |
| hui                                                 | .0266746  | .0431723  | 0.62   | 0.537                          | -.0579415 .1112908   |
| healthy                                             | .0123973  | .0037086  | 3.34   | 0.001                          | .0051285 .0196666    |
| edutainmentp                                        | -.0148051 | .0023056  | -6.42  | 0.000                          | -.0193239 -.0102862  |
| _cons                                               | 1.513269  | .2305929  | 6.56   | 0.000                          | 1.061315 1.965222    |
| /sigma_u                                            | .0605947  | .0012304  | 49.25  | 0.000                          | .0581831 .0630062    |
| /sigma_e                                            | .1303617  | .0005719  | 227.93 | 0.000                          | .1292408 .1314827    |
| rho                                                 | .1776702  | .0061768  |        |                                | .1658247 .1900359    |
| LR test of sigma_u=0: <u>chibar2</u> (01) = 2509.24 |           |           |        | Prob >= <u>chibar2</u> = 0.000 |                      |

Random-effects tobit regression

Limits: lower = -inf  
upper = +inf

Group variable: nh  
Random effects u\_i ~ Gaussian

Number of groups = 2,364  
Obs per group:  
min = 11  
avg = 12.0  
max = 12

Integration method: mvaghermite

Integration pts. = 12

Wald chi2(13) = 400.31  
Prob > chi2 = 0.0000

Log likelihood = 12510.507

| medical_r                                           | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval]           |
|-----------------------------------------------------|-----------|-----------|--------|-------|--------------------------------|
| dt                                                  | .0102562  | .0104327  | 0.98   | 0.326 | -.0101915 .0307039             |
| du                                                  | .0044006  | .0024528  | 1.79   | 0.073 | -.0004068 .0092079             |
| did                                                 | -.0125845 | .0050088  | -2.51  | 0.012 | -.0224015 -.0027674            |
| town                                                | .0129912  | .0077508  | 1.68   | 0.094 | -.0022 .0254017                |
| labor                                               | .0104837  | .0025092  | 4.18   | 0.000 | .0055658 .0154017              |
| rp                                                  | -.0037984 | .0018251  | -2.08  | 0.037 | -.0073755 -.0002214            |
| nc                                                  | -.0079686 | .0078783  | -1.01  | 0.312 | -.0234098 .0074727             |
| disin                                               | 6.64e-06  | 8.19e-07  | 8.11   | 0.000 | 5.04e-06 8.25e-06              |
| maleratio                                           | .0208955  | .0080351  | -2.60  | 0.009 | -.036644 -.005147              |
| oldratio                                            | .0603757  | .0052583  | 11.48  | 0.000 | .0500695 .0706818              |
| hui                                                 | .0260341  | .0536387  | 0.49   | 0.627 | -.0790957 .1311639             |
| healthy                                             | -.0470534 | .0046542  | -10.11 | 0.000 | -.0561755 -.0379313            |
| medicalp                                            | -.0024865 | .0028023  | -0.89  | 0.375 | -.0079789 .0030058             |
| _cons                                               | .3694243  | .2803232  | 1.32   | 0.188 | -.1799999 .9188476             |
| /sigma_u                                            | .0020636  | .001515   | 54.17  | 0.000 | .0790941 .083033               |
| /sigma_e                                            | .1458079  | .0006396  | 227.95 | 0.000 | .1445542 .1470615              |
| rho                                                 | .2405638  | .007033   |        |       | .2269965 .254561               |
| LR test of sigma_u=0: <u>chibar2</u> (01) = 4075.74 |           |           |        |       | Prob >= <u>chibar2</u> = 0.000 |

Random-effects tobit regression      Number of obs = 28,359  
 Limits: lower = -inf      Uncensored = 28,359  
               upper = +inf      Left-censored = 0  
                                   Right-censored = 0

Group variable: nh  
 Random effects u\_i ~ Gaussian  
                                   Number of groups = 2,364  
                                   Obs per group:      min = 11  
                                                           avg = 12.0  
                                                           max = 12

Integration method: mvaghermite      Integration pts. = 12

Log likelihood = 42799.281      Wald chi2(13) = 79.93  
                                                           Prob > chi2 = 0.0000

| others_r | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|----------|-----------|-----------|--------|-------|----------------------|
| dt       | .0028184  | .0025496  | 1.11   | 0.269 | -.0021787 .0078155   |
| du       | -.0059856 | .0008763  | -6.83  | 0.000 | -.0077052 -.004268   |
| did      | .0057406  | .0022175  | 2.59   | 0.010 | .0013943 .0100869    |
| town     | -.0011459 | .0017272  | -0.66  | 0.507 | -.0045312 .002393    |
| labor    | -.0002145 | .0006229  | -0.34  | 0.731 | -.0014353 .0010063   |
| rp       | .0002619  | .0004394  | 0.60   | 0.551 | -.0005992 .001123    |
| nc       | -.0023865 | .0019413  | -1.23  | 0.219 | -.0061913 .0014184   |
| disin    | -3.54e-07 | 2.88e-07  | -1.23  | 0.219 | -9.17e-07 2.10e-07   |
| malratio | .0032533  | .0019681  | 1.64   | 0.100 | -.0006241 .0078907   |
| oldratio | .0005256  | .0012387  | 0.42   | 0.671 | -.0019021 .0029534   |
| hui      | -.0074745 | .0132465  | -0.56  | 0.573 | -.0334371 .0184882   |
| healthy  | -.000504  | .0011203  | -0.45  | 0.653 | -.0026997 .0016916   |
| othersp  | -.0020122 | .0010133  | -1.99  | 0.047 | -.0039983 -.0000262  |
| _cons    | .2222236  | .1013445  | 2.19   | 0.028 | .023592 .4208552     |
| /sigma_u | .0139867  | .0004448  | 31.44  | 0.000 | .0131149 .0148585    |
| /sigma_e | .0521265  | .0002286  | 228.01 | 0.000 | .0516784 .0525746    |
| rho      | .0671615  | .0041088  |        |       | .0594753 .0755942    |

LR test of sigma\_u=0: chibar2(01) = 499.57      Prob >= chibar2 = 0.000

3. 城镇家庭消费影响估计结果

|                                      |                                                                                          |                                      |                                                                                          |
|--------------------------------------|------------------------------------------------------------------------------------------|--------------------------------------|------------------------------------------------------------------------------------------|
| Random-effects tobit regression      | Number of obs = 77,232<br>Uncensored = 77,232<br>Left-censored = 0<br>Right-censored = 0 | Random-effects tobit regression      | Number of obs = 77,232<br>Uncensored = 77,232<br>Left-censored = 0<br>Right-censored = 0 |
| Limits: lower = -inf<br>upper = +inf |                                                                                          | Limits: lower = -inf<br>upper = +inf |                                                                                          |
| Group variable: nh                   |                                                                                          | Group variable: nh                   |                                                                                          |
| Random effects u_i ~ Gaussian        | Number of groups = 6,436<br>Obs per group: min = 12<br>avg = 12.0<br>max = 12            | Random effects u_i ~ Gaussian        | Number of groups = 6,436<br>Obs per group: min = 12<br>avg = 12.0<br>max = 12            |
| Integration method: mvaghermite      | Integration pts. = 12                                                                    | Integration method: mvaghermite      | Integration pts. = 12                                                                    |
| Log likelihood = -468246.56          | Wald chi2(11) = 1443.98<br>Prob > chi2 = 0.0000                                          | Log likelihood = -411714.05          | Wald chi2(11) = 372.59<br>Prob > chi2 = 0.0000                                           |

| pork     | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|----------|-----------|-----------|--------|-------|----------------------|
| dt       | 5.762099  | 1.516903  | 3.80   | 0.000 | 2.789023 8.735175    |
| du       | -11.25607 | 1.005719  | -11.21 | 0.000 | -13.22333 -9.28882   |
| did      | 10.88245  | 1.419314  | 7.67   | 0.000 | 8.100644 13.66425    |
| labor    | 3.012194  | .9937934  | 3.03   | 0.002 | 1.064395 4.959994    |
| rp       | -14.85979 | .7395951  | -20.10 | 0.000 | -16.30898 -13.41061  |
| nc       | -12.14593 | 1.18336   | -10.26 | 0.000 | -14.46527 -9.826586  |
| disin    | .0005749  | .0001283  | 4.48   | 0.000 | .000234 .0008263     |
| malratio | -17.72251 | 3.108309  | -5.70  | 0.000 | -23.81459 -11.63034  |
| oldratio | 18.78395  | 2.008536  | 9.35   | 0.000 | 14.84729 22.72061    |
| hui      | -19.15782 | 10.68425  | -1.79  | 0.073 | -40.09856 1.782924   |
| healthy  | 5.585238  | 2.440916  | 2.29   | 0.022 | .8011306 10.36935    |
| _cons    | 118.722   | 3.560623  | 33.34  | 0.000 | 111.7433 125.7007    |
| /sigma_u | 45.59469  | .5623992  | 81.07  | 0.000 | 44.49241 46.69697    |
| /sigma_e | 98.58639  | .2620777  | 376.17 | 0.000 | 98.07273 99.10006    |
| rho      | .1762035  | .0037274  |        |       | .1689938 .1836049    |

LR test of sigma\_u=0: chibar2(01) = 6741.94 Prob >= chibar2 = 0.000

| beef     | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|----------|-----------|-----------|--------|-------|----------------------|
| dt       | .6648564  | .7050442  | 0.94   | 0.346 | -.7170848 2.046718   |
| du       | -.5554163 | .4847309  | -1.15  | 0.252 | -1.505471 .3946387   |
| did      | 3.576105  | .6854459  | 5.22   | 0.000 | 2.232655 4.919554    |
| labor    | 1.288395  | .4611175  | 2.79   | 0.005 | .3846215 2.192169    |
| rp       | -3.848765 | .3422595  | -11.25 | 0.000 | -4.519581 -3.177949  |
| nc       | .1412596  | .5468979  | 0.26   | 0.796 | -.9306406 1.21316    |
| disin    | .0002829  | .0000616  | 4.59   | 0.000 | .0001622 .0004037    |
| malratio | -2.973919 | 1.438438  | -2.07  | 0.039 | -5.793206 -.1546329  |
| oldratio | 1.783764  | .926418   | 1.93   | 0.053 | -.0259821 3.60551    |
| hui      | 3.704504  | 4.934781  | 0.75   | 0.453 | -5.967489 13.3765    |
| healthy  | 5.598814  | 1.132044  | 4.95   | 0.000 | 3.380049 7.81758     |
| _cons    | 17.51161  | 1.650976  | 10.61  | 0.000 | 14.27576 20.74746    |
| /sigma_u | 20.5233   | .2637652  | 77.81  | 0.000 | 20.00633 21.04027    |
| /sigma_e | 47.61206  | .1265563  | 376.21 | 0.000 | 47.36482 47.86011    |
| rho      | .1566919  | .0035325  |        |       | .149869 .1637162     |

LR test of sigma\_u=0: chibar2(01) = 5575.05 Prob >= chibar2 = 0.000



Random-effects tobit regression  
 Limits: lower = -inf  
 upper = +inf  
 Group variable: nh  
 Random effects u\_i ~ Gaussian  
 Number of groups = 6,436  
 Obs per group:  
 min = 12  
 avg = 12.0  
 max = 12  
 Integration method: mvaghermite  
 Integration pts. = 12  
 Log likelihood = -338316.04  
 Wald chi2(11) = 395.26  
 Prob > chi2 = 0.0000

Random-effects tobit regression  
 Limits: lower = -inf  
 upper = +inf  
 Group variable: nh  
 Random effects u\_i ~ Gaussian  
 Number of groups = 6,436  
 Obs per group:  
 min = 12  
 avg = 12.0  
 max = 12  
 Integration method: mvaghermite  
 Integration pts. = 12  
 Log likelihood = -395358.8  
 Wald chi2(11) = 1983.75  
 Prob > chi2 = 0.0000

| mutton   | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|----------|-----------|-----------|--------|-------|----------------------|
| dt       | .5053418  | .2271185  | 2.58   | 0.010 | .1401977 1.030486    |
| du       | -1.654945 | .1920134  | -8.62  | 0.000 | -2.031284 -1.278605  |
| did      | -.5915967 | .271537   | -2.18  | 0.029 | -1.123799 -.059394   |
| labor    | .2270087  | .1423525  | 1.59   | 0.111 | -.0519971 .5080146   |
| rp       | -.5565257 | .1046835  | -5.32  | 0.000 | -.7617017 -.3513498  |
| nc       | .2377804  | .1659442  | 1.43   | 0.152 | -.0874644 .5630251   |
| disin    | .0001817  | .000023   | 7.88   | 0.000 | .0001365 .0002269    |
| malratio | -.3802081 | .4399826  | -0.86  | 0.388 | -1.242558 .4821418   |
| oldratio | 1.469951  | .2783659  | 5.28   | 0.000 | .9243639 2.015538    |
| hui      | 1.930994  | 1.49031   | 1.30   | 0.195 | -.9899601 4.851949   |
| healthy  | .7147842  | .3484138  | 2.05   | 0.040 | .0319057 1.397663    |
| _cons    | 3.521543  | .5118073  | 6.88   | 0.000 | 2.518419 4.524667    |
| /sigma_u | 4.858398  | .098075   | 49.54  | 0.000 | 4.666174 5.050621    |
| /sigma_e | 18.86252  | .0501328  | 376.25 | 0.000 | 18.76427 18.96078    |
| rho      | .0622143  | .0024264  |        |       | .0575988 .0671133    |

LR test of sigma\_u=0:  $\chi^2(01) = 1188.65$  Prob >=  $\chi^2(01) = 0.000$

| poultry  | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|----------|-----------|-----------|--------|-------|----------------------|
| dt       | 3.48085   | .794158   | 4.28   | 0.000 | 1.844329 4.957371    |
| du       | .9232874  | .378129   | 2.44   | 0.015 | .1821682 1.664487    |
| did      | 8.596703  | .5346219  | 16.08  | 0.000 | 7.548864 9.644543    |
| labor    | 2.425532  | .4978014  | 4.87   | 0.000 | 1.449859 3.401205    |
| rp       | -7.995362 | .3800848  | -21.04 | 0.000 | -8.740315 -7.25041   |
| nc       | -1.784546 | .6182709  | -2.89  | 0.004 | -2.996335 -.5727577  |
| disin    | .0006669  | .0000503  | 13.27  | 0.000 | .0005884 .0007655    |
| malratio | -13.0198  | 1.584816  | -8.22  | 0.000 | -16.12599 -9.913619  |
| oldratio | 5.353562  | 1.070184  | 5.00   | 0.000 | 3.25604 7.451084     |
| hui      | 3.341679  | 5.616498  | 0.59   | 0.552 | -7.666454 14.34981   |
| healthy  | 1.567211  | 1.228522  | 1.28   | 0.202 | -.8406471 3.975069   |
| _cons    | 50.43028  | 1.804863  | 27.94  | 0.000 | 46.89281 53.96774    |
| /sigma_u | 28.00464  | .2843861  | 98.47  | 0.000 | 27.44725 28.56282    |
| /sigma_e | 37.13052  | .0987127  | 376.15 | 0.000 | 36.93705 37.324      |
| rho      | .3625904  | .0049005  |        |       | .3530299 .3722375    |

LR test of sigma\_u=0:  $\chi^2(01) = 2.1e+04$  Prob >=  $\chi^2(01) = 0.000$

Random-effects tobit regression  
Limits: lower = -inf  
upper = +inf  
Number of obs = 77,232  
Uncensored = 77,232  
Left-censored = 0  
Right-censored = 0  
Group variable: nh  
Random effects u\_i ~ Gaussian  
Number of groups = 6,436  
Obs per group:  
min = 12  
avg = 12.0  
max = 12  
Integration method: mvaghermite  
Integration pts. = 12  
Log likelihood = -372569.29  
Wald chi2(11) = 983.22  
Prob > chi2 = 0.0000

| seafood   | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | 4.045468  | .5886625  | 6.87   | 0.000 | 2.891711 5.199225    |
| du        | 1.165509  | .2816323  | 4.14   | 0.000 | .61352 1.717498      |
| did       | 1.161291  | .3981906  | 2.92   | 0.004 | .388852 1.941731     |
| labor     | 1.94686   | .3693758  | 5.27   | 0.000 | 1.222897 2.678823    |
| rp        | -5.234029 | .2819173  | -18.57 | 0.000 | -5.786577 -4.681482  |
| nc        | .5499959  | .4585197  | 1.20   | 0.230 | -.3486862 1.448678   |
| disin     | .0004246  | .0000374  | 11.34  | 0.000 | .0003512 .000498     |
| maleratio | -6.867133 | 1.175869  | -5.84  | 0.000 | -9.171794 -4.562472  |
| oldratio  | .9565329  | .793568   | 1.21   | 0.228 | -.5988319 2.511898   |
| hui       | 4.204049  | 4.165134  | 1.01   | 0.313 | -3.959464 12.36756   |
| healthy   | 2.543633  | .9120331  | 2.79   | 0.005 | .7568806 4.331185    |
| _cons     | 29.57526  | 1.338603  | 22.09  | 0.000 | 26.95165 32.19888    |
| /sigma_u  | 20.72878  | .2106021  | 98.43  | 0.000 | 20.31601 21.14155    |
| /sigma_e  | 27.65516  | .0735147  | 376.19 | 0.000 | 27.51108 27.79925    |
| rho       | .3597202  | .0048855  |        |       | .3501897 .3693386    |

LR test of sigma\_u=0: chibar2(01) = 2.1e+04 Prob >= chibar2 = 0.000

Random-effects tobit regression  
Limits: lower = -inf  
upper = +inf  
Number of obs = 77,232  
Uncensored = 77,232  
Left-censored = 0  
Right-censored = 0  
Group variable: nh  
Random effects u\_i ~ Gaussian  
Number of groups = 6,436  
Obs per group:  
min = 12  
avg = 12.0  
max = 12  
Integration method: mvaghermite  
Integration pts. = 12  
Log likelihood = -490701.59  
Wald chi2(11) = 2142.66  
Prob > chi2 = 0.0000

| meat      | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | 14.41422  | 2.661133  | 5.42   | 0.000 | 9.198492 19.62994    |
| du        | -11.45603 | 1.392895  | -8.79  | 0.000 | -14.00966 -8.902402  |
| did       | 23.59899  | 1.842134  | 12.81  | 0.000 | 19.98847 27.2095     |
| labor     | 8.004849  | 1.680135  | 4.76   | 0.000 | 4.711845 11.29785    |
| rp        | -33.61708 | 1.280113  | -26.26 | 0.000 | -36.12606 -31.10811  |
| nc        | -11.79166 | 2.078636  | -5.67  | 0.000 | -15.86571 -7.717604  |
| disin     | .001831   | .0001729  | 10.59  | 0.000 | .0014921 .0021698    |
| maleratio | -47.94457 | 5.343944  | -8.97  | 0.000 | -58.41851 -37.47064  |
| oldratio  | 30.99662  | 3.591014  | 8.63   | 0.000 | 23.95836 38.03487    |
| hui       | -4.58653  | 18.87011  | -0.24  | 0.808 | -41.57127 32.39821   |
| healthy   | 18.24884  | 4.145007  | 4.40   | 0.000 | 10.12478 26.3729     |
| _cons     | 226.7375  | 6.084834  | 37.26  | 0.000 | 214.8115 238.6636    |
| /sigma_u  | 93.04675  | .9566634  | 97.26  | 0.000 | 91.17173 94.92178    |
| /sigma_e  | 127.9412  | .3482178  | 376.06 | 0.000 | 127.2744 128.6081    |
| rho       | .345939   | .0048577  |        |       | .3364677 .3555077    |

LR test of sigma\_u=0: chibar2(01) = 2.0e+04 Prob >= chibar2 = 0.000

Random-effects tobit regression      Number of obs = 77,232  
 Limits: lower = -inf      Uncensored = 77,232  
               upper = +inf      Left-censored = 0  
                                       Right-censored = 0

Group variable: nh      Number of groups = 6,436  
 Random effects u\_i ~ Gaussian      Obs per group:      min = 12  
                                                                                       avg = 12.0  
                                                                                       max = 12

Integration method: mvaghermite      Integration pts. = 12

Log likelihood = -381151.02      Wald chi2(11) = 853.09  
                                                                                       Prob > chi2 = 0.0000

| oil       | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | -2.690223 | .4418594  | -6.09  | 0.000 | -3.556252 -1.824195  |
| du        | -.7469663 | .3292611  | -2.27  | 0.023 | -1.392306 -1.016265  |
| did       | 3.655326  | .4656113  | 7.85   | 0.000 | 2.742744 4.567907    |
| labor     | 1.095333  | .2863924  | 3.82   | 0.000 | .5340139 1.656651    |
| rp        | -3.610092 | .2116549  | -17.06 | 0.000 | -4.024928 -3.195256  |
| nc        | -1.816357 | .3371058  | -5.39  | 0.000 | -2.477072 -1.155642  |
| disin     | .0002062  | .0000411  | 5.02   | 0.000 | .0001257 .0002866    |
| maleratio | -1.610681 | .889888   | -1.81  | 0.070 | -3.354833 .1334671   |
| oldratio  | 4.4882    | .5688331  | 7.89   | 0.000 | 3.373308 5.603093    |
| hui       | -2.743783 | 3.036469  | -0.90  | 0.366 | -8.695152 3.207587   |
| healthy   | .1083515  | .79215    | 0.15   | 0.877 | -1.267837 1.48454    |
| _cons     | 25.14496  | 1.025873  | 24.51  | 0.000 | 23.13429 27.15564    |
| /sigma_u  | 11.80071  | .1705304  | 69.25  | 0.000 | 11.47547 12.14394    |
| /sigma_e  | 32.34286  | .0859633  | 376.24 | 0.000 | 32.17437 32.51134    |
| rho       | .117643   | .0031104  |        |       | .1116581 .1238514    |

LR test of sigma\_u=0: chibar2(01) = 3504.45      Prob >= chibar2 = 0.000

Random-effects tobit regression      Number of obs = 77,232  
 Limits: lower = -inf      Uncensored = 77,232  
               upper = +inf      Left-censored = 0  
                                       Right-censored = 0

Group variable: nh      Number of groups = 6,436  
 Random effects u\_i ~ Gaussian      Obs per group:      min = 12  
                                                                                       avg = 12.0  
                                                                                       max = 12

Integration method: mvaghermite      Integration pts. = 12

Log likelihood = -316412.81      Wald chi2(12) = 1365.74  
                                                                                       Prob > chi2 = 0.0000

| egg       | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | .9450784  | .2854453  | 3.31   | 0.001 | .385616 1.504541     |
| du        | .6391583  | .136549   | 4.68   | 0.000 | .3715271 .9067895    |
| did       | -.2296877 | .2129226  | -1.08  | 0.281 | -.6478084 .187633    |
| labor     | .6689416  | .1745666  | 3.83   | 0.000 | .3267974 1.011086    |
| rp        | -2.827325 | .1328345  | -21.28 | 0.000 | -3.087676 -2.566974  |
| nc        | .0711886  | .2156537  | 0.33   | 0.741 | -.3514849 .4938621   |
| disin     | .0001058  | .0000181  | 5.84   | 0.000 | .0000703 .0001413    |
| maleratio | -3.126748 | .5546696  | -5.64  | 0.000 | -4.213881 -2.039616  |
| oldratio  | 4.759674  | .3725663  | 12.78  | 0.000 | 4.029458 5.489891    |
| hui       | .3829991  | 1.957785  | 0.20   | 0.845 | -3.454189 4.220187   |
| healthy   | .6748023  | .4307608  | 1.57   | 0.117 | -.1694734 1.519078   |
| egg       | .0961488  | .033178   | 2.90   | 0.004 | .0311212 .1611764    |
| _cons     | 7.623504  | 3.380421  | 2.26   | 0.024 | .9979995 14.24901    |
| /sigma_u  | 9.611021  | .0907665  | 97.31  | 0.000 | 9.417442 9.8046      |
| /sigma_e  | 13.40898  | .0356422  | 376.21 | 0.000 | 13.33913 13.47884    |
| rho       | .3393866  | .0048094  |        |       | .3300116 .3488622    |

LR test of sigma\_u=0: chibar2(01) = 1.9e+04      Prob >= chibar2 = 0.000

Random-effects tobit regression

Number of obs = 77,232  
Uncensored = 77,232  
Left-censored = 0  
Right-censored = 0

Limits: lower = -inf  
upper = +inf

Group variable: nh

Random effects u\_i ~ Gaussian

Number of groups = 6,436  
Obs per group: min = 12  
avg = 12.0  
max = 12

Integration method: mvaghermite

Integration pts. = 12

Wald chi2(12) = 3245.92  
Prob > chi2 = 0.0000

Log likelihood = -392352.44

Random-effects tobit regression

Number of obs = 77,232  
Uncensored = 77,232  
Left-censored = 0  
Right-censored = 0

Limits: lower = -inf  
upper = +inf

Group variable: nh

Random effects u\_i ~ Gaussian

Number of groups = 6,436  
Obs per group: min = 12  
avg = 12.0  
max = 12

Integration method: mvaghermite

Integration pts. = 12

Wald chi2(11) = 3445.40  
Prob > chi2 = 0.0000

Log likelihood = -576696.6

| vege     | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|----------|-----------|-----------|--------|-------|----------------------|
| dt       | 2.216096  | 1.221961  | 1.81   | 0.070 | -1.1789046 4.611096  |
| du       | 2.096159  | .3476583  | 8.33   | 0.000 | 2.214761 3.577557    |
| did      | -1.996612 | .5221794  | -3.82  | 0.000 | -3.020065 -.9731588  |
| labor    | 2.197188  | .6065637  | 3.62   | 0.000 | 1.008345 3.386031    |
| rp       | -16.86871 | .4889394  | -34.50 | 0.000 | -17.82701 -15.91041  |
| nc       | -3.124581 | .819879   | -3.81  | 0.000 | -4.731515 -1.517648  |
| disin    | .0003486  | .0000473  | 7.38   | 0.000 | .000256 .0004413     |
| malratio | -19.24023 | 1.99236   | -9.66  | 0.000 | -23.14519 -15.33528  |
| olratio  | 15.40038  | 1.484669  | 10.38  | 0.000 | 12.49849 18.31828    |
| hui      | -1.306483 | 7.51371   | -0.17  | 0.862 | -16.03281 13.41985   |
| healthy  | 6.705255  | 1.506867  | 4.45   | 0.000 | 3.751849 9.65866     |
| vegep    | -.1135141 | .0239366  | -4.74  | 0.000 | -.1604291 -.0665992  |
| _cons    | 117.8319  | 3.322461  | 35.47  | 0.000 | 111.32 124.3438      |

|                                                                     |          |          |        |       |                   |
|---------------------------------------------------------------------|----------|----------|--------|-------|-------------------|
| /sigma_u                                                            | 46.59049 | .431004  | 108.10 | 0.000 | 45.74574 47.43525 |
| /sigma_e                                                            | 34.12143 | .0907167 | 376.13 | 0.000 | 33.94363 34.23923 |
| rho                                                                 | .6508873 | .0043924 |        |       | .6422401 .6594569 |
| LR test of sigma_u=0: chibar2(01) = 6.0e+04 Prob >= chibar2 = 0.000 |          |          |        |       |                   |

| foodalcohol | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-------------|-----------|-----------|--------|-------|----------------------|
| dt          | 43.00341  | 10.04236  | 4.28   | 0.000 | 23.32074 62.68607    |
| du          | -35.62392 | 3.882509  | -9.18  | 0.000 | -43.2335 -28.01434   |
| did         | 35.3052   | 5.488756  | 6.45   | 0.000 | 24.62743 46.14296    |
| labor       | 17.8398   | 5.851429  | 3.05   | 0.002 | 6.371206 29.30839    |
| rp          | -162.1679 | 4.568859  | -35.49 | 0.000 | -171.1227 -153.2131  |
| nc          | 54.87299  | 7.525423  | 7.29   | 0.000 | 40.12343 69.62234    |
| disin       | .0109576  | .0005258  | 20.84  | 0.000 | .0099271 .0119861    |
| malratio    | -43.15258 | 18.89485  | -2.28  | 0.022 | -80.18581 -6.119352  |
| olratio     | -71.92139 | 13.22785  | -5.44  | 0.000 | -97.84749 -45.99528  |
| hui         | 132.0975  | 68.55234  | 1.93   | 0.054 | -2.262579 266.4576   |
| healthy     | 94.60359  | 14.49471  | 6.53   | 0.000 | 66.19447 123.0127    |
| _cons       | 1023.996  | 21.55558  | 47.50  | 0.000 | 981.7475 1066.244    |

|                                                                     |          |          |        |       |                   |
|---------------------------------------------------------------------|----------|----------|--------|-------|-------------------|
| /sigma_u                                                            | 371.4221 | 3.602571 | 103.10 | 0.000 | 364.3612 378.483  |
| /sigma_e                                                            | 381.1699 | 1.014013 | 375.90 | 0.000 | 379.1825 383.1574 |
| rho                                                                 | .4870498 | .0050647 |        |       | .4771281 .4969794 |
| LR test of sigma_u=0: chibar2(01) = 3.3e+04 Prob >= chibar2 = 0.000 |          |          |        |       |                   |

|                                      |                                                   |                     |                   |                    |
|--------------------------------------|---------------------------------------------------|---------------------|-------------------|--------------------|
| Random-effects tobit regression      | Number of obs = 77,232                            | Uncensored = 77,232 | Left-censored = 0 | Right-censored = 0 |
| Limits: lower = -inf<br>upper = +inf |                                                   |                     |                   |                    |
| Group variable: nh                   | Number of groups = 6,436                          |                     |                   |                    |
| Random effects u_i ~ Gaussian        | Obs per group: min = 12<br>avg = 12.0<br>max = 12 |                     |                   |                    |
| Integration method: mvaghermite      | Integration pts. = 12                             |                     |                   |                    |
| Log likelihood = -533618.66          | Wald chi2(12) = 2359.19                           |                     |                   |                    |
|                                      | Prob > chi2 = 0.0000                              |                     |                   |                    |

| clothing | Coef. | Std. Err. | z | P> z | [95% Conf. Interval] |
|----------|-------|-----------|---|------|----------------------|
|----------|-------|-----------|---|------|----------------------|

|           |           |          |        |       |                     |
|-----------|-----------|----------|--------|-------|---------------------|
| dt        | 58.68864  | 4.922939 | 11.92  | 0.000 | 49.01885 68.31742   |
| du        | -31.5746  | 2.38538  | -13.70 | 0.000 | -36.09306 -27.05613 |
| did       | 11.36712  | 3.26579  | 3.48   | 0.001 | 4.966286 17.76795   |
| labor     | .8754728  | 2.619539 | 0.33   | 0.738 | -4.25873 6.009675   |
| rp        | -26.56492 | 1.969336 | -13.49 | 0.000 | -30.42475 -22.7051  |
| nc        | 42.22752  | 3.175068 | 13.31  | 0.000 | 36.00842 48.44662   |
| disin     | .0050718  | .0003038 | 16.69  | 0.000 | .0044764 .0056673   |
| maleratio | -91.50044 | 8.253578 | -11.09 | 0.000 | -107.6772 -75.32373 |
| oldratio  | -182.4417 | 5.428667 | -18.82 | 0.000 | -112.7817 -91.50175 |
| hui       | -3.185231 | 28.72841 | -0.11  | 0.912 | -59.49187 53.12141  |
| healthy   | 29.4472   | 6.449697 | 4.57   | 0.000 | 16.80682 42.08837   |
| clothingp | -57.39869 | 2.385181 | -24.06 | 0.000 | -62.07356 -52.72382 |
| _cons     | 5996.545  | 238.7259 | 25.12  | 0.000 | 5528.651 6464.439   |

|          |          |          |        |       |                   |
|----------|----------|----------|--------|-------|-------------------|
| /sigma_u | 132.5608 | 1.470865 | 90.17  | 0.000 | 129.6795 135.4421 |
| /sigma_e | 226.4131 | .6022556 | 375.94 | 0.000 | 225.2327 227.5935 |
| rho      | .2552813 | .084399  |        |       | .2467361 .2639788 |

LR test of sigma\_u=0: chibar2(01) = 1.2e+04 Prob >= chiabar2 = 0.000

|                                      |                                                   |                     |                   |                    |
|--------------------------------------|---------------------------------------------------|---------------------|-------------------|--------------------|
| Random-effects tobit regression      | Number of obs = 77,232                            | Uncensored = 77,232 | Left-censored = 0 | Right-censored = 0 |
| Limits: lower = -inf<br>upper = +inf |                                                   |                     |                   |                    |
| Group variable: nh                   | Number of groups = 6,436                          |                     |                   |                    |
| Random effects u_i ~ Gaussian        | Obs per group: min = 12<br>avg = 12.0<br>max = 12 |                     |                   |                    |
| Integration method: mvaghermite      | Integration pts. = 12                             |                     |                   |                    |
| Log likelihood = -636138.05          | Wald chi2(12) = 235.06                            |                     |                   |                    |
|                                      | Prob > chi2 = 0.0000                              |                     |                   |                    |

| dwell | Coef. | Std. Err. | z | P> z | [95% Conf. Interval] |
|-------|-------|-----------|---|------|----------------------|
|-------|-------|-----------|---|------|----------------------|

|           |           |          |       |       |                     |
|-----------|-----------|----------|-------|-------|---------------------|
| dt        | -19.04801 | 21.24564 | -0.90 | 0.370 | -60.6887 22.59289   |
| du        | 6.786451  | 9.063129 | 0.75  | 0.454 | -10.97896 24.54986  |
| did       | 13.55691  | 18.54914 | 0.73  | 0.465 | -22.79873 49.91255  |
| labor     | 7.67106   | 6.848711 | 1.12  | 0.263 | -5.752166 21.09429  |
| rp        | -29.93791 | 5.038543 | -5.94 | 0.000 | -39.81327 -20.06255 |
| nc        | 9.688992  | 7.980962 | 1.21  | 0.225 | -5.975005 25.34899  |
| disin     | .0119743  | .0010935 | 10.95 | 0.000 | .0098311 .0141176   |
| maleratio | 19.68872  | 21.17847 | 0.93  | 0.355 | -21.90851 61.11776  |
| oldratio  | -37.74428 | 13.41291 | -2.81 | 0.005 | -64.0331 -11.45546  |
| hui       | -23.99757 | 71.7918  | -0.33 | 0.738 | -164.7069 116.7118  |
| healthy   | 10.36802  | 16.76532 | 0.62  | 0.536 | -22.4914 43.22743   |
| dwellp    | 10.44614  | 7.870125 | 1.33  | 0.184 | -4.979024 25.8713   |
| _cons     | -875.2638 | 787.3238 | -1.11 | 0.266 | -2418.39 667.8625   |

|          |          |          |        |       |                   |
|----------|----------|----------|--------|-------|-------------------|
| /sigma_u | 240.4821 | 4.684252 | 52.23  | 0.000 | 231.4579 249.5062 |
| /sigma_e | 890.314  | 2.366281 | 376.25 | 0.000 | 885.6762 894.9518 |
| rho      | .067998  | .0025025 |        |       | .0632282 .0730408 |

LR test of sigma\_u=0: chiabar2(01) = 1387.20 Prob >= chiabar2 = 0.000

Random-effects tobit regression

|                |   |        |
|----------------|---|--------|
| Number of obs  | = | 77,232 |
| Uncensored     | = | 77,232 |
| Left-censored  | = | 0      |
| Right-censored | = | 0      |

Limits: lower = -inf  
upper = +inf

Group variable: nh

|                  |   |       |
|------------------|---|-------|
| Number of groups | = | 6,436 |
|------------------|---|-------|

Random effects u\_i ~ Gaussian

|                |      |
|----------------|------|
| Obs per group: |      |
| min =          | 12   |
| avg =          | 12.0 |
| max =          | 12   |

Integration method: mvaghermite

|                  |   |    |
|------------------|---|----|
| Integration pts. | = | 12 |
|------------------|---|----|

Log likelihood = -584173.11

|               |   |        |
|---------------|---|--------|
| Wald chi2(12) | = | 594.83 |
| Prob > chi2   | = | 0.0000 |

| daily     | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | -18.37585 | 6.559726  | -2.80  | 0.005 | -31.23268 -5.519023  |
| du        | -8.499583 | 4.605634  | -1.85  | 0.065 | -17.52646 5.272947   |
| did       | 14.89895  | 6.676205  | 2.23   | 0.026 | 1.813834 27.98408    |
| labor     | 1.526604  | 3.633487  | 0.42   | 0.674 | -5.594899 8.648108   |
| rp        | -24.55671 | 2.676905  | -9.17  | 0.000 | -29.80335 -19.31007  |
| nc        | 44.88224  | 4.249674  | 10.54  | 0.000 | 36.47303 53.13145    |
| disin     | .0070324  | .0005676  | 12.39  | 0.000 | .0059199 .0081449    |
| maleratio | -60.08857 | 11.25177  | -5.34  | 0.000 | -82.14164 -38.0355   |
| oldratio  | -28.17484 | 7.143889  | -3.94  | 0.000 | -42.1766 -14.17307   |
| hui       | 29.38897  | 38.21007  | 0.77   | 0.442 | -45.50138 104.2793   |
| healthy   | 6.944873  | 8.898896  | 0.78   | 0.435 | -10.49664 24.38639   |
| daily     | 23.78539  | 12.20479  | 1.95   | 0.051 | -1355601 47.70634    |
| _cons     | -2172.124 | 1220.471  | -1.78  | 0.075 | -4564.204 219.9556   |
| /sigma_u  | 135.0923  | 2.353233  | 57.41  | 0.000 | 130.48 139.7045      |
| /sigma_e  | 452.4253  | 1.203459  | 375.94 | 0.000 | 450.0665 454.784     |
| rho       | .0818608  | .002707   |        |       | .0766837 .087297     |

LR test of sigma\_u=0: chibar2(01) = 1858.99 Prob >= chibar2 = 0.000

Random-effects tobit regression

|                |   |        |
|----------------|---|--------|
| Number of obs  | = | 77,232 |
| Uncensored     | = | 77,232 |
| Left-censored  | = | 0      |
| Right-censored | = | 0      |

Limits: lower = -inf  
upper = +inf

Group variable: nh

|                  |   |       |
|------------------|---|-------|
| Number of groups | = | 6,436 |
|------------------|---|-------|

Random effects u\_i ~ Gaussian

|                |      |
|----------------|------|
| Obs per group: |      |
| min =          | 12   |
| avg =          | 12.0 |
| max =          | 12   |

Integration method: mvaghermite

|                  |   |    |
|------------------|---|----|
| Integration pts. | = | 12 |
|------------------|---|----|

Log likelihood = -698092.1

|               |   |        |
|---------------|---|--------|
| Wald chi2(12) | = | 341.52 |
| Prob > chi2   | = | 0.0000 |

| traffication | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|--------------|-----------|-----------|--------|-------|----------------------|
| dt           | -5.013114 | 33.56372  | -0.15  | 0.881 | -70.7968 60.77857    |
| du           | -.8778935 | 20.58965  | -0.04  | 0.966 | -41.23286 39.47708   |
| did          | 32.28854  | 31.48177  | 1.03   | 0.305 | -29.4146 93.99169    |
| labor        | 27.39138  | 12.74751  | 2.15   | 0.032 | 2.406727 52.37804    |
| rp           | -43.25984 | 9.350602  | -4.63  | 0.000 | -61.58669 -24.933    |
| nc           | 89.18825  | 14.75999  | 6.04   | 0.000 | 60.25921 118.1173    |
| disin        | .026555   | .0023448  | 11.33  | 0.000 | .0219593 .0311506    |
| maleratio    | 111.9511  | 39.21919  | 2.85   | 0.004 | 35.08289 188.8193    |
| oldratio     | -183.7365 | 24.62028  | -7.46  | 0.000 | -231.9913 -135.4816  |
| hui          | 112.5846  | 132.0963  | 0.85   | 0.394 | -146.3194 371.4885   |
| healthy      | 69.63448  | 31.15036  | 2.24   | 0.025 | 8.580893 130.6881    |
| traffication | 3.610333  | 10.82429  | 0.33   | 0.739 | -17.6049 24.82556    |
| _cons        | -201.0211 | 1083.195  | -0.19  | 0.852 | -2324.845 1921.203   |
| /sigma_u     | 263.9547  | 14.18863  | 18.60  | 0.000 | 236.1455 291.7639    |
| /sigma_e     | 2022.746  | 5.377242  | 376.17 | 0.000 | 2012.207 2033.285    |
| rho          | .0167434  | .0017933  |        |       | .0135298 .0205887    |

LR test of sigma\_u=0: chibar2(01) = 106.55 Prob >= chibar2 = 0.000

Random-effects tobit regression  
Limits: lower = -inf  
upper = +inf  
Number of obs = 77,232  
Uncensored = 77,232  
Left-censored = 0  
Right-censored = 0  
Group variable: nh  
Random effects u\_i ~ Gaussian  
Number of groups = 6,436  
Obs per group:  
min = 12  
avg = 12.0  
max = 12  
Integration pts. = 12  
Integration method: mvaghermite  
Log likelihood = -609576.72  
Wald chi2(12) = 1354.35  
Prob > chi2 = 0.0000

| edutainment  | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|--------------|-----------|-----------|--------|-------|----------------------|
| dt           | 72.23453  | 10.72488  | 6.74   | 0.000 | 51.21416 93.2549     |
| du           | 51.50532  | 6.382923  | 8.07   | 0.000 | 38.99502 64.01562    |
| did          | -8.701985 | 9.840284  | -0.88  | 0.377 | -27.98859 10.58462   |
| labor        | -70.64208 | 5.174898  | -13.65 | 0.000 | -80.7847 -60.49947   |
| rp           | 39.5517   | 3.81635   | 10.36  | 0.000 | 32.0718 47.03161     |
| nc           | 107.7282  | 6.059821  | 17.78  | 0.000 | 95.85121 119.6053    |
| disin        | .0115527  | .0007866  | 14.69  | 0.000 | .0100109 .0130944    |
| maleratio    | -59.38575 | 16.03333  | -3.70  | 0.000 | -90.81051 -27.96099  |
| oldratio     | -85.00764 | 10.19746  | -8.34  | 0.000 | -104.9943 -65.02099  |
| hui          | 224.6378  | 54.51509  | 4.12   | 0.000 | 117.7901 331.4854    |
| healthy      | 81.79972  | 12.67379  | 6.45   | 0.000 | 56.95956 106.6399    |
| edutainmentp | -69.55781 | 6.71649   | -10.36 | 0.000 | -82.72189 -56.39373  |
| _cons        | 7055.863  | 671.8891  | 10.50  | 0.000 | 5738.985 8372.741    |
| /sigma_u     | 198.504   | 3.250852  | 61.06  | 0.000 | 192.1325 204.8756    |
| /sigma_e     | 627.0065  | 1.667033  | 376.12 | 0.000 | 623.7392 630.2738    |
| rho          | .0910985  | .0028068  |        |       | .0857197 .0967236    |

LR test of sigma\_u=0:  $\chi^2_{(01)} = 2263.10$  Prob >=  $\chi^2_{(01)} = 0.000$

Random-effects tobit regression  
Limits: lower = -inf  
upper = +inf  
Number of obs = 77,232  
Uncensored = 77,232  
Left-censored = 0  
Right-censored = 0  
Group variable: nh  
Random effects u\_i ~ Gaussian  
Number of groups = 6,436  
Obs per group:  
min = 12  
avg = 12.0  
max = 12  
Integration pts. = 12  
Integration method: mvaghermite  
Log likelihood = -644366.17  
Wald chi2(12) = 1655.65  
Prob > chi2 = 0.0000

| medical   | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | 70.04531  | 41.05777  | 1.71   | 0.088 | -10.42644 150.5171   |
| du        | -1.26716  | 9.978521  | -0.13  | 0.899 | -20.8247 18.29038    |
| did       | -17.81328 | 20.39994  | -0.87  | 0.383 | -57.79643 22.16987   |
| labor     | -32.81834 | 8.397314  | -3.91  | 0.000 | -49.27677 -16.35999  |
| rp        | 21.38753  | 6.198871  | 3.45   | 0.001 | 9.237971 33.5371     |
| nc        | -28.61059 | 9.861528  | -2.90  | 0.004 | -47.93883 -9.282352  |
| disin     | .0460764  | .001235   | 37.31  | 0.000 | .0436558 .0484969    |
| maleratio | -13.73309 | 26.06165  | -0.53  | 0.598 | -64.81299 37.34681   |
| oldratio  | 204.1915  | 16.61745  | 12.29  | 0.000 | 171.6219 236.7611    |
| hui       | 288.1192  | 88.77507  | 3.25   | 0.001 | 114.1233 462.1151    |
| healthy   | -102.2103 | 20.59189  | -4.96  | 0.000 | -142.5697 -61.85097  |
| medicalp  | -14.18817 | 11.41486  | -1.24  | 0.214 | -36.55888 8.18544    |
| _cons     | 1501.53   | 1141.765  | 1.32   | 0.188 | -736.2885 3739.349   |
| /sigma_u  | 335.4094  | 5.104921  | 65.70  | 0.000 | 325.404 345.4149     |
| /sigma_e  | 900.1922  | 2.605124  | 376.26 | 0.000 | 975.0863 985.2982    |
| rho       | .1048187  | .0029602  |        |       | .0991326 .1107374    |

LR test of sigma\_u=0:  $\chi^2_{(01)} = 2898.08$  Prob >=  $\chi^2_{(01)} = 0.000$

Random-effects tobit regression

Number of obs = 77,232  
Uncensored = 77,232  
Left-censored = 0  
Right-censored = 0

Limits: lower = -inf  
upper = +inf

Group variable: nh

Random effects u\_i ~ Gaussian

Number of groups = 6,436  
Obs per group:  
min = 12  
avg = 12.0  
max = 12

Integration method: mvaghermite

Integration pts. = 12

Wald chi2(12) = 475.56  
Prob > chi2 = 0.0000

Log likelihood = -566589.96

| others   | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|----------|-----------|-----------|--------|-------|----------------------|
| dt       | 1.988327  | 10.70633  | 0.19   | 0.853 | -18.99569 22.97235   |
| du       | -4.267678 | 3.724055  | -1.15  | 0.252 | -11.56671 3.031356   |
| did      | .8871819  | 9.429868  | 0.09   | 0.925 | -17.59502 19.36938   |
| labor    | 2.017756  | 2.437376  | 0.81   | 0.419 | -2.877011 6.912523   |
| rp       | -11.92564 | 1.833509  | -6.50  | 0.000 | -15.51925 -8.332033  |
| nc       | 27.4993   | 2.898969  | 9.49   | 0.000 | 21.81743 33.18118    |
| disin    | .0059931  | .000437   | 13.71  | 0.000 | .0051366 .0068437    |
| malratio | -18.67769 | 7.698757  | -2.43  | 0.015 | -33.76898 -3.588486  |
| oldratio | -10.03456 | 4.847291  | -2.07  | 0.038 | -19.53508 -.534042   |
| hui      | 21.76     | 25.38522  | 0.84   | 0.402 | -29.1701 72.6901     |
| healthy  | 3.553175  | 6.107307  | 0.58   | 0.560 | -8.415884 15.52543   |
| othersp  | -1.468933 | 4.309587  | -0.34  | 0.733 | -9.915568 6.977702   |
| _cons    | 219.7913  | 431.0669  | 0.51   | 0.610 | -625.0843 1064.667   |
| /sigma_u | 69.66632  | 2.085788  | 33.40  | 0.000 | 65.57825 73.75439    |
| /sigma_e | 365.8474  | .9729044  | 376.04 | 0.000 | 363.9405 367.7542    |
| rho      | .0349926  | .0020669  |        |       | .0311298 .0392404    |

LR test of sigma\_u=0: chibar2(01) = 418.38 Prob >= chiбар2 = 0.000

Random-effects tobit regression

Number of obs = 77,232  
Uncensored = 77,232  
Left-censored = 0  
Right-censored = 0

Limits: lower = -inf  
upper = +inf

Group variable: nh

Random effects u\_i ~ Gaussian

Number of groups = 6,436  
Obs per group:  
min = 12  
avg = 12.0  
max = 12

Integration method: mvaghermite

Integration pts. = 12

Wald chi2(11) = 2430.95  
Prob > chi2 = 0.0000

Log likelihood = -722229.41

| total    | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|----------|-----------|-----------|--------|-------|----------------------|
| dt       | 33.37529  | 37.20545  | 0.90   | 0.370 | -39.54605 106.2966   |
| du       | -23.22315 | 27.19954  | -0.85  | 0.393 | -76.53327 30.08697   |
| did      | 108.2484  | 38.46299  | 2.81   | 0.005 | 32.86234 183.6345    |
| labor    | -41.43082 | 24.18281  | -1.71  | 0.087 | -88.82824 5.966612   |
| rp       | -227.4953 | 17.89378  | -12.71 | 0.000 | -262.5665 -192.4241  |
| nc       | 366.1208  | 28.51426  | 12.84  | 0.000 | 310.2338 422.0077    |
| disin    | .1254844  | .0034576  | 36.29  | 0.000 | .1187077 .1322611    |
| malratio | -110.0331 | 75.21545  | -1.57  | 0.117 | -265.4527 29.38646   |
| oldratio | -321.0356 | 48.15747  | -6.67  | 0.000 | -415.4215 -226.6487  |
| hui      | 793.1268  | 256.966   | 3.09   | 0.002 | 289.4827 1296.771    |
| healthy  | 219.4395  | 59.31857  | 3.70   | 0.000 | 103.1772 335.7017    |
| _cons    | 1984.09   | 86.62314  | 22.90  | 0.000 | 1814.311 2153.868    |
| /sigma_u | 1017.456  | 14.42238  | 70.55  | 0.000 | 989.1884 1045.723    |
| /sigma_e | 2671.741  | 7.109648  | 375.79 | 0.000 | 2657.806 2685.676    |
| rho      | .1266565  | .0032574  |        |       | .1203839 .1331532    |

LR test of sigma\_u=0: chiбар2(01) = 3788.21 Prob >= chiбар2 = 0.000



| Random-effects tobit regression             |           |           |        |       | Number of obs = 77,232   |
|---------------------------------------------|-----------|-----------|--------|-------|--------------------------|
| Limits: lower = -inf                        |           |           |        |       | Uncensored = 77,232      |
| upper = +inf                                |           |           |        |       | Left-censored = 0        |
|                                             |           |           |        |       | Right-censored = 0       |
| Group variable: nh                          |           |           |        |       | Number of groups = 6,436 |
| Random effects u_i ~ Gaussian               |           |           |        |       | Obs per group:           |
|                                             |           |           |        |       | min = 12                 |
|                                             |           |           |        |       | avg = 12.0               |
|                                             |           |           |        |       | max = 12                 |
| Integration method: mvaghermite             |           |           |        |       | Integration pts. = 12    |
| Log likelihood = -216513.22                 |           |           |        |       | Wald chi2(11) = 1822.81  |
|                                             |           |           |        |       | Prob > chi2 = 0.0000     |
| porkgr                                      | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval]     |
| dt                                          | -.0227703 | .0573516  | -0.40  | 0.691 | -.1351774 .0896367       |
| du                                          | -.3296836 | .0386253  | -8.54  | 0.000 | -.4033879 -.2539793      |
| did                                         | -.6542861 | .0546187  | -11.98 | 0.000 | -.7613368 -.5472354      |
| labor                                       | .0552594  | .0375581  | 1.47   | 0.141 | -.0183131 .128912        |
| rp                                          | -.4308344 | .0279048  | -17.59 | 0.000 | -.5455268 -.4361421      |
| nc                                          | -.5117241 | .0446335  | -11.47 | 0.000 | -.5992042 -.424244       |
| disin                                       | .0000142  | 4.92e-06  | 2.89   | 0.004 | 4.57e-06 .0000239        |
| maleratio                                   | -.4790593 | .1173351  | -4.08  | 0.000 | -.7030318 -.2498868      |
| oldratio                                    | .6300653  | .0756861  | 8.32   | 0.000 | .4817233 .7784074        |
| hui                                         | -.9855422 | .4028514  | -2.40  | 0.017 | -1.755117 -.1759679      |
| healthy                                     | .1681205  | .092213   | 1.82   | 0.068 | -.0126137 .3488547       |
| _cons                                       | 4.673     | .1345037  | 34.74  | 0.000 | 4.409377 4.936622        |
| /sigma_u                                    | 1.699495  | .0213374  | 79.65  | 0.000 | 1.657675 1.741316        |
| /sigma_e                                    | 3.793869  | .0100846  | 376.20 | 0.000 | 3.774103 3.813634        |
| rho                                         | .1671294  | .0036369  |        |       | .1600993 .1743555        |
| LR test of sigma_u=0: chibar2(01) = 6205.89 |           |           |        |       | Prob >= chibar2 = 0.000  |

| Random-effects tobit regression                    |           |           |        |       | Number of obs = 77,232   |
|----------------------------------------------------|-----------|-----------|--------|-------|--------------------------|
| Limits: lower = -inf                               |           |           |        |       | Uncensored = 77,232      |
| upper = +inf                                       |           |           |        |       | Left-censored = 0        |
|                                                    |           |           |        |       | Right-censored = 0       |
| Group variable: nh                                 |           |           |        |       | Number of groups = 6,436 |
| Random effects u_i ~ Gaussian                      |           |           |        |       | Obs per group:           |
|                                                    |           |           |        |       | min = 12                 |
|                                                    |           |           |        |       | avg = 12.0               |
|                                                    |           |           |        |       | max = 12                 |
| Integration method: mvaghermite                    |           |           |        |       | Integration pts. = 12    |
| Log likelihood = -90421.584                        |           |           |        |       | Wald chi2(11) = 299.96   |
|                                                    |           |           |        |       | Prob > chi2 = 0.0000     |
| beefgr                                             | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval]     |
| dt                                                 | .0062572  | .0112687  | 0.56   | 0.579 | -.015829 .0283434        |
| du                                                 | -.0065279 | .007543   | -0.87  | 0.387 | -.0213119 .0082561       |
| did                                                | .0253187  | .0106663  | 2.37   | 0.018 | .0044132 .0462242        |
| labor                                              | .0190215  | .0073793  | 2.58   | 0.010 | .0045582 .0334847        |
| rp                                                 | -.0594104 | .0054862  | -10.83 | 0.000 | -.0701633 -.0486576      |
| nc                                                 | -.0002084 | .0087761  | -0.02  | 0.981 | -.0174092 .0169924       |
| disin                                              | 3.78e-06  | 9.63e-07  | 3.92   | 0.000 | 1.89e-06 5.68e-06        |
| maleratio                                          | -.0382275 | .0230507  | -1.66  | 0.097 | -.083406 .0059509        |
| oldratio                                           | .02789    | .0148864  | 1.87   | 0.061 | -.0012868 .0570669       |
| hui                                                | .0245709  | .072317   | 0.31   | 0.756 | -.1307203 .1798622       |
| healthy                                            | .0918134  | .0181242  | 5.07   | 0.000 | .0562906 .1273362        |
| _cons                                              | .2859127  | .0264249  | 10.82  | 0.000 | .2341209 .3377046        |
| /sigma_u                                           | .3356086  | .0041841  | 80.21  | 0.000 | .327408 .3438092         |
| /sigma_e                                           | .740887   | .0019693  | 376.22 | 0.000 | .7370272 .7447468        |
| rho                                                | .1702573  | .0036655  |        |       | .1631701 .1775386        |
| LR test of sigma_u=0: <u>chibar2(01) = 6376.14</u> |           |           |        |       | Prob >= chibar2 = 0.000  |

Random-effects tobit regression  
Limits: lower = -inf  
upper = +inf  
Group variable: nh  
Random effects u\_i ~ Gaussian  
Integration method: mvaghermite  
Log likelihood = -38831.324  
Number of obs = 77,232  
Uncensored = 77,232  
Left-censored = 0  
Right-censored = 0  
Number of groups = 6,436  
Obs per group: min = 12  
avg = 12.0  
max = 12  
Integration pts. = 12  
Wald chi2(11) = 285.40  
Prob > chi2 = 0.0000

Random-effects tobit regression  
Limits: lower = -inf  
upper = +inf  
Group variable: nh  
Random effects u\_i ~ Gaussian  
Integration method: mvaghermite  
Log likelihood = -137826.44  
Number of obs = 77,232  
Uncensored = 77,232  
Left-censored = 0  
Right-censored = 0  
Number of groups = 6,436  
Obs per group: min = 12  
avg = 12.0  
max = 12  
Integration pts. = 12  
Wald chi2(11) = 1473.99  
Prob > chi2 = 0.0000

| muttongr  | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | .0034207  | .0046892  | 0.73   | 0.466 | -.00577 .0126114     |
| du        | -.0300375 | .0039757  | -7.56  | 0.000 | -.0378297 -.0222452  |
| did       | -.0111932 | .0050223  | -1.99  | 0.046 | -.022127 -.0001737   |
| labor     | .0012238  | .0029359  | 0.42   | 0.677 | -.0045305 .006978    |
| rp        | -.0089023 | .0021588  | -4.12  | 0.000 | -.0131334 -.0046711  |
| nc        | .0037576  | .0034217  | 1.10   | 0.272 | -.0029489 .010464    |
| disin     | 3.02e-06  | 4.76e-07  | 6.34   | 0.000 | 2.09e-06 3.95e-06    |
| maleratio | -.0005705 | .0090728  | -0.06  | 0.950 | -.0183528 .0172118   |
| oldratio  | .0026608  | .0057392  | 3.95   | 0.000 | .0114122 .0339094    |
| hui       | .0175897  | .0307284  | 0.57   | 0.567 | -.0426368 .0778162   |
| healthy   | .012146   | .0071855  | 1.69   | 0.091 | -.0019373 .0262292   |
| _cons     | .0073051  | .0105566  | 6.38   | 0.000 | .0466145 .0879957    |
| /sigma_u  | .0095862  | .0020325  | 49.00  | 0.000 | .0056025 .1035699    |
| /sigma_e  | .3905572  | .001038   | 376.27 | 0.000 | .3885228 .3925916    |
| rho       | .0610482  | .0024096  |        |       | .0564665 .0659153    |

LR test of sigma\_u=0: chibar2(01) = 1151.43 Prob >= chibar2 = 0.000

| poultrygr | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | .1400757  | .0208906  | 5.21   | 0.000 | .0873712 .1927803    |
| du        | .0915838  | .0135446  | 6.76   | 0.000 | .0650368 .1181308    |
| did       | .1621808  | .0191507  | 8.47   | 0.000 | .1246461 .1997156    |
| labor     | .0489923  | .0170948  | 2.87   | 0.004 | .0154872 .0824974    |
| rp        | -.2334579 | .0129867  | -17.98 | 0.000 | -.2589114 -.2080043  |
| nc        | -.1164733 | .0210599  | -5.53  | 0.000 | -.1577499 -.0751967  |
| disin     | .0000206  | 1.79e-06  | 11.48  | 0.000 | .0000171 .0000241    |
| maleratio | -.3363949 | .0542307  | -6.20  | 0.000 | -.4427007 -.2300089  |
| oldratio  | .1559468  | .036311   | 4.29   | 0.000 | .0847786 .2271151    |
| hui       | -.0188009 | .1910974  | -0.10  | 0.921 | -.3934249 .3556631   |
| healthy   | .0100078  | .0421525  | 0.24   | 0.812 | -.0726096 .0926252   |
| _cons     | 1.629372  | .0617967  | 26.37  | 0.000 | 1.508253 1.750491    |
| /sigma_u  | .9315205  | .0096534  | 96.50  | 0.000 | .9126002 .9504407    |
| /sigma_e  | 1.330087  | .003536   | 376.15 | 0.000 | 1.323156 1.337017    |
| rho       | .3290771  | .0047761  |        |       | .3197704 .3384909    |

LR test of sigma\_u=0: chibar2(01) = 1.0e+04 Prob >= chibar2 = 0.000

Random-effects tobit regression  
 Limits: lower = -inf  
 upper = +inf  
 Number of obs = 77,232  
 Uncensored = 77,232  
 Left-censored = 0  
 Right-censored = 0  
 Group variable: nh  
 Random effects u\_i ~ Gaussian  
 Number of groups = 6,436  
 Obs per group:  
 min = 12  
 avg = 12.0  
 max = 12  
 Integration method: mvaghermite  
 Integration pts. = 12  
 Log likelihood = -118208.07  
 Wald chi2(11) = 1136.77  
 Prob > chi2 = 0.0000

| seafoodgr | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | .2181287  | .0232681  | 9.37   | 0.000 | .1725242 .2637333    |
| du        | .0670223  | .010389   | 6.45   | 0.000 | .0466603 .0873843    |
| did       | .0047495  | .0146881  | 0.32   | 0.746 | -.0240386 .0355377   |
| labor     | .0504291  | .0143067  | 3.52   | 0.000 | .0223884 .0784697    |
| rp        | -.2015959 | .0109942  | -18.34 | 0.000 | -.2231441 -.1800477  |
| nc        | -.0789532 | .0179536  | -4.40  | 0.000 | -.1141416 -.0437648  |
| disin     | .0000177  | 1.39e-06  | 12.80  | 0.000 | .000015 .0000205     |
| maleratio | -.2340891 | .0457377  | -5.12  | 0.000 | -.3237333 -.1444449  |
| olratio   | .0117804  | .0312156  | 0.38   | 0.706 | -.0494011 .0729619   |
| hui       | .0147134  | .1632371  | 0.09   | 0.928 | -.3052253 .3346522   |
| healthy   | .0950196  | .0353494  | 2.69   | 0.007 | .025756 .1643033     |
| _cons     | 1.303725  | .0520624  | 25.04  | 0.000 | 1.201685 1.405766    |
| /sigma_u  | .0349196  | .0003026  | 100.56 | 0.000 | .0186467 .0511925    |
| /sigma_e  | 1.020088  | .0027116  | 376.19 | 0.000 | 1.014773 1.025403    |
| rho       | .4011639  | .0049885  |        |       | .3914186 .4109712    |

LR test of sigma\_u=0: chibar2(01) = 2.5e+04 Prob >= chibar2 = 0.000

Random-effects tobit regression  
 Limits: lower = -inf  
 upper = +inf  
 Number of obs = 77,232  
 Uncensored = 77,232  
 Left-censored = 0  
 Right-censored = 0  
 Group variable: nh  
 Random effects u\_i ~ Gaussian  
 Number of groups = 6,436  
 Obs per group:  
 min = 12  
 avg = 12.0  
 max = 12  
 Integration method: mvaghermite  
 Integration pts. = 12  
 Log likelihood = -231306.47  
 Wald chi2(11) = 1887.63  
 Prob > chi2 = 0.0000

| meatgr    | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | .3429272  | .0901254  | 3.80   | 0.000 | .1662846 .5195698    |
| du        | -.2100125 | .0454436  | -4.62  | 0.000 | -.2990803 -.1209446  |
| did       | -.4733687 | .0642525  | -7.37  | 0.000 | -.5993013 -.347436   |
| labor     | .141709   | .057316   | 2.47   | 0.013 | .0293718 .2540463    |
| rp        | -1.015248 | .043536   | -23.32 | 0.000 | -1.100577 -.9299189  |
| nc        | -.6726716 | .0706045  | -9.53  | 0.000 | -.8110539 -.5342893  |
| disin     | .0000547  | 6.01e-06  | 9.11   | 0.000 | .0000429 .0000665    |
| maleratio | -1.291181 | .1819683  | -7.10  | 0.000 | -1.647832 -.9345236  |
| olratio   | .9258585  | .121071   | 7.61   | 0.000 | .687317 1.1644       |
| hui       | -.9448435 | .6405135  | -1.48  | 0.140 | -2.200227 .3105399   |
| healthy   | .4392774  | .1413136  | 3.11   | 0.002 | .1623078 .7162469    |
| _cons     | 8.13225   | .2071918  | 39.25  | 0.000 | 7.726161 8.538338    |
| /sigma_u  | 3.120924  | .0324286  | 96.24  | 0.000 | 3.057365 3.184483    |
| /sigma_e  | 4.462568  | .0118661  | 376.08 | 0.000 | 4.43931 4.485825     |
| rho       | .3284529  | .0047849  |        |       | .3191295 .3378844    |

LR test of sigma\_u=0: chibar2(01) = 1.8e+04 Prob >= chibar2 = 0.000

Random-effects tobit regression  
 Limits: lower = -inf  
 upper = +inf  
 Number of obs = 77,232  
 Uncensored = 77,232  
 Left-censored = 0  
 Right-censored = 0  
 Group variable: nh  
 Random effects u\_i ~ Gaussian  
 Number of groups = 6,436  
 obs per group:  
 min = 12  
 avg = 12.0  
 max = 12  
 Integration method: mvaghermite  
 Integration pts. = 12  
 Log likelihood = -177747.99  
 Wald chi2(11) = 623.59  
 Prob > chi2 = 0.0000

| oilgr     | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | -.1149508 | .0304189  | -3.78  | 0.000 | -.1745707 - .0553309 |
| du        | -.0141191 | .0237789  | -0.59  | 0.553 | -.0607248 .0324867   |
| did       | .145912   | .0336264  | 4.34   | 0.000 | .0800055 .2118185    |
| labor     | .0660695  | .0195266  | 3.38   | 0.001 | .0277982 .1043409    |
| rp        | -.2124473 | .0143998  | -14.75 | 0.000 | -.2406704 -.1842242  |
| nc        | -.1450802 | .0228933  | -6.34  | 0.000 | -.1899502 -.1002101  |
| disin     | .0000139  | 2.93e-06  | 4.75   | 0.000 | 8.18e-06 .0000197    |
| maleratio | -.1150773 | .0605469  | -1.90  | 0.057 | -.2337469 .0035924   |
| olratio   | .241306   | .0385413  | 6.26   | 0.000 | .1657664 .3168456    |
| hui       | -.1758123 | .2059906  | -0.85  | 0.393 | -.5795465 .2279218   |
| healthy   | -.0008431 | .0478424  | -0.18  | 0.853 | -.1026126 .0849263   |
| _cons     | 1.558452  | .070004   | 22.26  | 0.000 | 1.421247 1.695657    |
| /sigma_u  | .7601749  | .0120862  | 62.90  | 0.000 | .7364864 .7838633    |
| /sigma_e  | 2.335831  | .006208   | 376.26 | 0.000 | 2.323664 2.347999    |
| rho       | .0957687  | .0028511  |        |       | .0900998 .1014775    |

LR test of sigma\_u=0: chibar2(01) = 2491.86 Prob >= chibar2 = 0.000

Random-effects tobit regression  
 Limits: lower = -inf  
 upper = +inf  
 Number of obs = 77,232  
 Uncensored = 77,232  
 Left-censored = 0  
 Right-censored = 0  
 Group variable: nh  
 Random effects u\_i ~ Gaussian  
 Number of groups = 6,436  
 obs per group:  
 min = 12  
 avg = 12.0  
 max = 12  
 Integration method: mvaghermite  
 Integration pts. = 12  
 Log likelihood = -114207.16  
 Wald chi2(12) = 1320.70  
 Prob > chi2 = 0.0000

| egger     | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | .073064   | .0190678  | 3.83   | 0.000 | .0356918 .1104362    |
| du        | .0723299  | .0100609  | 7.19   | 0.000 | .0526109 .0920488    |
| did       | -.0962989 | .0156888  | -6.14  | 0.000 | -.1270484 -.0655493  |
| labor     | .0269351  | .0118192  | 2.28   | 0.023 | .0037698 .0501004    |
| rp        | -.1745726 | .0089115  | -19.59 | 0.000 | -.1920389 -.1571063  |
| nc        | -.0276513 | .0143872  | -1.92  | 0.055 | -.0558497 .0005471   |
| disin     | 8.06e-06  | 1.32e-06  | 6.10   | 0.000 | 5.47e-06 .0000107    |
| maleratio | -.2250891 | .0373169  | -6.03  | 0.000 | -.2982288 -.1519494  |
| olratio   | .2979347  | .0246799  | 12.07  | 0.000 | .2495629 .3463064    |
| hui       | .0376387  | .1303665  | 0.29   | 0.773 | -.217875 .2931524    |
| healthy   | .0440772  | .0291164  | 1.51   | 0.130 | -.0129899 .1011442   |
| egger     | .0113672  | .0024447  | 4.65   | 0.000 | .0065756 .0161587    |
| _cons     | -.0006085 | .2483681  | -0.00  | 0.998 | -.487401 .4861839    |
| /sigma_u  | .612197   | .0065874  | 92.93  | 0.000 | .5992858 .6251081    |
| /sigma_e  | .9880552  | .0026262  | 376.23 | 0.000 | .9829079 .993024     |
| rho       | .2774053  | .0044996  |        |       | .2686554 .2862922    |

LR test of sigma\_u=0: chibar2(01) = 1.4e+04 Prob >= chibar2 = 0.000

Random-effects tobit regression  
 Limits: lower = -inf  
 upper = +inf  
 Number of obs = 77,232  
 Uncensored = 77,232  
 Left-censored = 0  
 Right-censored = 0  
 Group variable: nh  
 Random effects u\_i ~ Gaussian  
 Number of groups = 6,436  
 Obs per group:  
 min = 12  
 avg = 12.0  
 max = 12  
 Integration method: mvaghermite  
 Integration pts. = 12  
 Log likelihood = -252687.92  
 Wald chi2(12) = 4055.91  
 Prob > chi2 = 0.0000

| vegegr    | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | 1.154383  | .2057819  | 5.58   | 0.000 | .7490361 1.559668    |
| du        | .7858463  | .0568152  | 13.83  | 0.000 | .6744906 .8972021    |
| did       | -1.144453 | .0853341  | -13.41 | 0.000 | -1.311705 -.9772015  |
| labor     | .3408374  | .1004619  | 3.38   | 0.001 | .1431357 .536939     |
| rp        | -2.889547 | .081377   | -35.51 | 0.000 | -3.049043 -2.730051  |
| nc        | -.7478259 | .1367333  | -5.46  | 0.000 | -1.015018 -.4790336  |
| disin     | .0008392  | 7.73e-06  | 5.08   | 0.000 | .0000241 .0000544    |
| maleratio | -2.683307 | .3308063  | -8.12  | 0.000 | -3.333576 -2.036939  |
| oldratio  | 3.058349  | .2486744  | 12.30  | 0.000 | 2.570956 3.545742    |
| hui       | -1.732461 | 1.253221  | -1.38  | 0.167 | -4.18873 .7238075    |
| healthy   | .9630934  | .2498617  | 3.85   | 0.000 | .4733736 1.452813    |
| vegep     | -.0839444 | .0039117  | -21.46 | 0.000 | -.0916111 -.0762777  |
| _cons     | 26.50629  | .5476499  | 48.40  | 0.000 | 25.43291 27.57966    |
| /sigma_u  | 7.912391  | .0730836  | 108.27 | 0.000 | 7.76915 8.055632     |
| /sigma_e  | 5.576015  | .0148269  | 376.08 | 0.000 | 5.546955 5.605075    |
| rho       | .6681681  | .0042799  |        |       | .6597381 .6765137    |

LR test of sigma\_u=0: chibar2(01) = 6.4e+04 Prob >= chibar2 = 0.000

Random-effects tobit regression  
 Limits: lower = -inf  
 upper = +inf  
 Number of obs = 77,224  
 Uncensored = 77,224  
 Left-censored = 0  
 Right-censored = 0  
 Group variable: nh  
 Random effects u\_i ~ Gaussian  
 Number of groups = 6,436  
 Obs per group:  
 min = 9  
 avg = 12.0  
 max = 12  
 Integration method: mvaghermite  
 Integration pts. = 12  
 Log likelihood = 25237.448  
 Wald chi2(11) = 987.04  
 Prob > chi2 = 0.0000

| foodalcohol_r | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|---------------|-----------|-----------|--------|-------|----------------------|
| dt            | .0107932  | .0034101  | 3.17   | 0.002 | .0041095 .0174769    |
| du            | -.0097923 | .0016322  | -6.00  | 0.000 | -.0129912 -.0065933  |
| did           | .0099093  | .0023075  | 4.29   | 0.000 | .0053866 .0144319    |
| labor         | .0174224  | .002141   | 8.14   | 0.000 | .0132261 .0216188    |
| rp            | -.0257257 | .0016354  | -15.73 | 0.000 | -.0289311 -.0225203  |
| nc            | -.0361264 | .0026577  | -13.59 | 0.000 | -.0413353 -.0309175  |
| disin         | -3.08e-06 | 2.17e-07  | -14.19 | 0.000 | -3.50e-06 -2.65e-06  |
| maleratio     | .0385673  | .0068129  | 5.66   | 0.000 | .0252143 .0519202    |
| oldratio      | .0465249  | .0045967  | 10.12  | 0.000 | .0375156 .0555342    |
| hui           | -.0032246 | .0241291  | -0.14  | 0.892 | -.0505667 .0440175   |
| healthy       | .0067555  | .0052825  | 1.28   | 0.201 | -.0035981 .017109    |
| _cons         | .494233   | .0077494  | 63.78  | 0.000 | .4790445 .5094215    |
| /sigma_u      | .1200591  | .0012204  | 98.39  | 0.000 | .1176773 .122461     |
| /sigma_e      | .1602534  | .000426   | 376.16 | 0.000 | .1594184 .1610884    |
| rho           | .3595363  | .0048863  |        |       | .3500043 .3691566    |

LR test of sigma\_u=0: chibar2(01) = 2.1e+04 Prob >= chibar2 = 0.000

Random-effects tobit regression

Number of obs = 77,224  
 Uncensored = 77,224  
 Left-censored = 0  
 Right-censored = 0

Limits: lower = -inf  
 upper = +inf

Group variable: nh

Random effects u\_i ~ Gaussian

Number of groups = 6,436  
 Obs per group: min = 9  
 avg = 12.0  
 max = 12

Integration method: mvaghermite

Integration pts. = 12

Wald chi2(12) = 1742.12  
 Prob > chi2 = 0.0000

Log likelihood = 71335.963

Random-effects tobit regression

Number of obs = 77,224  
 Uncensored = 77,224  
 Left-censored = 0  
 Right-censored = 0

Limits: lower = -inf  
 upper = +inf

Group variable: nh

Random effects u\_i ~ Gaussian

Number of groups = 6,436  
 Obs per group: min = 9  
 avg = 12.0  
 max = 12

Integration method: mvaghermite

Integration pts. = 12

Wald chi2(12) = 156.76  
 Prob > chi2 = 0.0000

| clothing_r | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|------------|-----------|-----------|--------|-------|----------------------|
| dt         | .0258793  | .001819   | 14.23  | 0.000 | .0223142 .0294444    |
| du         | -.0124507 | .0009262  | -13.44 | 0.000 | -.0142661 -.0106353  |
| did        | .0016218  | .0013121  | 1.24   | 0.216 | -.0009498 .0041935   |
| labor      | -.0012075 | .0009331  | -1.30  | 0.195 | -.0030323 .0008173   |
| rp         | .0023209  | .0009333  | 3.35   | 0.001 | .0004621 .0036796    |
| nc         | .0042246  | .0011103  | 3.80   | 0.000 | .0020484 .0064008    |
| disin      | 4.42e-07  | 1.19e-07  | 3.72   | 0.000 | 2.09e-07 6.75e-07    |
| maleratio  | -.0267359 | .0029135  | -9.18  | 0.000 | -.0324463 -.0210256  |
| oldratio   | -.0394659 | .0018864  | -20.92 | 0.000 | -.0431631 -.0357686  |
| hui        | -.0276518 | .0100293  | -2.76  | 0.006 | -.047309 .014946     |
| healthy    | .0104637  | .0022875  | 4.57   | 0.000 | .0059803 .0149471    |
| clothingp  | -.0242504 | .0009582  | -25.31 | 0.000 | -.0261285 -.0223723  |
| _cons      | 2.518857  | .0959906  | 26.27  | 0.000 | 2.330915 2.706799    |
| /sigma_u   | .0432037  | .0005244  | 82.38  | 0.000 | .0421759 .0442316    |
| /sigma_e   | .0009644  | .0002418  | 376.19 | 0.000 | .0004905 .0014384    |
| rho        | .1840592  | .0037959  |        |       | .176713 .1915925     |

LR test of sigma\_u=0: chibar2(01) = 7227.84 Prob >= chibar2 = 0.000

| dwell_r   | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | -.014122  | .0023502  | -6.01  | 0.000 | -.0187283 -.0095157  |
| du        | -.0005075 | .0009142  | -0.56  | 0.579 | -.0022294 .0012843   |
| did       | .0037079  | .0018706  | 1.98   | 0.047 | .0000415 .0073743    |
| labor     | .0040841  | .0009567  | 4.27   | 0.000 | .0022091 .0059592    |
| rp        | -.0051727 | .0007143  | -7.24  | 0.000 | -.0065728 -.0037726  |
| nc        | -.0044809 | .0011461  | -3.91  | 0.000 | -.0067273 -.0022346  |
| disin     | -1.66e-07 | 1.18e-07  | -1.40  | 0.160 | -3.97e-07 6.56e-08   |
| maleratio | .0002586  | .0029988  | 0.09   | 0.931 | -.0056189 .0061361   |
| oldratio  | .0054763  | .0019509  | 2.81   | 0.005 | .0016527 .0093       |
| hui       | -.0132824 | .0103605  | -1.28  | 0.200 | -.0335885 .0070237   |
| healthy   | -.0018785 | .0023517  | -0.80  | 0.424 | -.0064878 .0027308   |
| dwellp    | .0035584  | .0007937  | 4.48   | 0.000 | .0020028 .005114     |
| _cons     | -.2661033 | .0794301  | -3.35  | 0.001 | -.4217834 -.1104231  |
| /sigma_u  | .0458987  | .0005343  | 85.52  | 0.000 | .0446514 .046746     |
| /sigma_e  | .0097815  | .0002386  | 376.23 | 0.000 | .0093138 .0002492    |
| rho       | .2057694  | .0039813  |        |       | .1980543 .21366      |

LR test of sigma\_u=0: chibar2(01) = 8674.76 Prob >= chibar2 = 0.000

Random-effects tobit regression

Number of obs = 77,224  
 Uncensored = 77,224  
 Left-censored = 0  
 Right-censored = 0

Limits: lower = -inf  
 upper = +inf

Group variable: nh  
 Random effects u\_i ~ Gaussian

Number of groups = 6,436  
 Obs per group: min = 9  
 avg = 12.0  
 max = 12

Integration method: mvaghermite

Integration pts. = 12

Wald chi2(12) = 88.03  
 Prob > chi2 = 0.0000

Log likelihood = 71334.838

| daily_r  | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|----------|-----------|-----------|--------|-------|----------------------|
| dt       | -.0033642 | .0014399  | -2.34  | 0.019 | -.0061863 -.0005421  |
| du       | -.0004647 | .0009381  | -0.50  | 0.620 | -.0023053 .001374    |
| did      | .0001112  | .0013598  | 0.08   | 0.935 | -.0025539 .0027763   |
| labor    | .0005919  | .0008322  | 0.71   | 0.477 | -.0010391 .002223    |
| rp       | -.0004942 | .0006155  | -0.80  | 0.422 | -.0017005 .0007122   |
| nc       | .0038922  | .000981   | 3.97   | 0.000 | .0019695 .0058148    |
| disin    | 2.61e-07  | 1.18e-07  | 2.22   | 0.027 | 3.04e-08 4.91e-07    |
| malratio | -.0180725 | .0025879  | -6.98  | 0.000 | -.0231447 -.0130003  |
| oldratio | -.0028208 | .0016566  | -1.70  | 0.089 | -.0060677 .0004261   |
| hui      | -.0049053 | .0008399  | -0.55  | 0.579 | -.0223311 .0124205   |
| healthy  | -.0035284 | .0020408  | -1.73  | 0.084 | -.0075283 .0004715   |
| daily_p  | .0008755  | .0024856  | 0.35   | 0.725 | -.0039962 .0057472   |
| _cons    | -.0102466 | .2485632  | -0.04  | 0.967 | -.4974214 .4769283   |
| /sigma_u | .0349387  | .0004898  | 71.33  | 0.000 | .0339787 .0358987    |
| /sigma_e | .0021191  | .0002449  | 376.24 | 0.000 | .0016591 .0026191    |
| rho      | .1257129  | .0031993  |        |       | .1195511 .1320928    |

LR test of sigma\_u=0: chibar2(01) = 3913.27 Prob >= chibar2 = 0.000

Random-effects tobit regression

Number of obs = 77,224  
 Uncensored = 77,224  
 Left-censored = 0  
 Right-censored = 0

Limits: lower = -inf  
 upper = +inf

Group variable: nh  
 Random effects u\_i ~ Gaussian

Number of groups = 6,436  
 Obs per group: min = 9  
 avg = 12.0  
 max = 12

Integration method: mvaghermite

Integration pts. = 12

Wald chi2(12) = 955.12  
 Prob > chi2 = 0.0000

Log likelihood = 61438.865

| traffication_r | Coef.      | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|----------------|------------|-----------|--------|-------|----------------------|
| dt             | -.0155322  | .0023034  | -6.74  | 0.000 | -.0200468 -.0110176  |
| du             | .0039227   | .0010333  | 3.80   | 0.000 | .0018974 .0059468    |
| did            | -.00050477 | .0015796  | -3.20  | 0.001 | -.0031436 -.0019518  |
| labor          | .0104565   | .0012316  | 8.49   | 0.000 | .0080425 .0128705    |
| rp             | -.0023504  | .0009294  | -2.53  | 0.011 | -.0041721 -.0005288  |
| nc             | .0133042   | .0015023  | 8.86   | 0.000 | .0103598 .0162486    |
| disin          | 4.29e-08   | 1.36e-07  | 0.32   | 0.752 | -2.24e-07 3.09e-07   |
| malratio       | .0212249   | .0038955  | 5.45   | 0.000 | .01359 .0288599      |
| oldratio       | -.005516   | .0025789  | -21.53 | 0.000 | -.0605706 -.0504615  |
| hui            | -.0049912  | .0136125  | -0.37  | 0.714 | -.0316712 .0216887   |
| healthy        | .0046014   | .0030335  | 1.52   | 0.129 | -.0013441 .0105469   |
| traffication_p | -.0028753  | .0005431  | -5.29  | 0.000 | -.0039397 -.0018111  |
| _cons          | .3949385   | .0544761  | 7.25   | 0.000 | .2881673 .5017098    |
| /sigma_u       | .0643949   | .00069    | 93.32  | 0.000 | .0630425 .0657474    |
| /sigma_e       | .1014675   | .0002698  | 376.07 | 0.000 | .1000387 .1019963    |
| rho            | .287121    | .0045773  |        |       | .2782168 .2961579    |

LR test of sigma\_u=0: chibar2(01) = 1.5e+04 Prob >= chibar2 = 0.000

|                                 |                          |                          |
|---------------------------------|--------------------------|--------------------------|
| Random-effects tobit regression | Number of obs = 77,224   | Number of obs = 77,224   |
| Limits: lower = -inf            | Uncensored = 77,224      | Uncensored = 77,224      |
| upper = +inf                    | Left-censored = 0        | Left-censored = 0        |
|                                 | Right-censored = 0       | Right-censored = 0       |
| Group variable: nh              | Number of groups = 6,436 | Number of groups = 6,436 |
| Random effects u_i ~ Gaussian   | Obs per group:           | Obs per group:           |
|                                 | min = 9                  | min = 9                  |
|                                 | avg = 12.0               | avg = 12.0               |
|                                 | max = 12                 | max = 12                 |
| Integration method: mvaghermite | Integration pts. = 12    | Integration pts. = 12    |
| Log likelihood = 41520.45       | Wald chi2(12) = 2072.73  | Wald chi2(12) = 1204.46  |
|                                 | Prob > chi2 = 0.0000     | Prob > chi2 = 0.0000     |

| medical_r | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | .0245914  | .0050738  | 4.87   | 0.000 | .0147469 .0346358    |
| du        | .0040009  | .0011834  | 3.38   | 0.001 | .0016815 .0063203    |
| did       | -.0123265 | .0024187  | -5.10  | 0.000 | -.017067 -.007586    |
| labor     | -.0019579 | .0013652  | -1.43  | 0.152 | -.0046337 .0007179   |
| rp        | .0044079  | .0010275  | 4.29   | 0.000 | .002394 .0064219     |
| nc        | -.0054149 | .0016572  | -3.27  | 0.001 | -.0086629 -.0021688  |
| disin     | 1.61e-06  | 1.55e-07  | 10.42  | 0.000 | 1.31e-06 1.92e-06    |
| maleratio | -.0060695 | .0043054  | -1.41  | 0.159 | -.014508 .0023691    |
| oldratio  | .0747519  | .0028396  | 26.32  | 0.000 | .0691864 .0803175    |
| hui       | .025862   | .0150108  | 1.72   | 0.085 | -.0035586 .0552826   |
| healthy   | -.045384  | .0033628  | -13.50 | 0.000 | -.0519749 -.0387931  |
| medicalp  | -.0062321 | .0013533  | -4.60  | 0.000 | -.0088846 -.0035796  |
| _cons     | .7097296  | .1354044  | 5.24   | 0.000 | .4443419 .9751172    |
| /sigma_u  | .0698241  | .0007597  | 91.91  | 0.000 | .0683351 .0713131    |
| /sigma_e  | .116207   | .0003089  | 376.22 | 0.000 | .1156016 .1168124    |
| rho       | .2652636  | .0044231  |        |       | .256667 .274084      |

LR test of sigma\_u=0: chibar2(01) = 1.3e+04 Prob >= chibar2 = 0.000

|                                 |                          |                          |
|---------------------------------|--------------------------|--------------------------|
| Random-effects tobit regression | Number of obs = 77,224   | Number of obs = 77,224   |
| Limits: lower = -inf            | Uncensored = 77,224      | Uncensored = 77,224      |
| upper = +inf                    | Left-censored = 0        | Left-censored = 0        |
|                                 | Right-censored = 0       | Right-censored = 0       |
| Group variable: nh              | Number of groups = 6,436 | Number of groups = 6,436 |
| Random effects u_i ~ Gaussian   | Obs per group:           | Obs per group:           |
|                                 | min = 9                  | min = 9                  |
|                                 | avg = 12.0               | avg = 12.0               |
|                                 | max = 12                 | max = 12                 |
| Integration method: mvaghermite | Integration pts. = 12    | Integration pts. = 12    |
| Log likelihood = 41520.45       | Wald chi2(12) = 2072.73  | Wald chi2(12) = 1204.46  |
|                                 | Prob > chi2 = 0.0000     | Prob > chi2 = 0.0000     |

| edutainment_r | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|---------------|-----------|-----------|--------|-------|----------------------|
| dt            | .029144   | .0025504  | 11.43  | 0.000 | .0241453 .0341427    |
| du            | .0181014  | .0013653  | 13.26  | 0.000 | .0154254 .0207774    |
| did           | -.013396  | .0021046  | -6.36  | 0.000 | -.017521 -.009271    |
| labor         | -.0340944 | .0013499  | -25.26 | 0.000 | -.0367402 -.0314487  |
| rp            | .031439   | .0010042  | 31.31  | 0.000 | .0294709 .0334071    |
| nc            | .0211851  | .0016035  | 13.21  | 0.000 | .0180422 .024328     |
| disin         | 9.31e-07  | 1.74e-07  | 5.34   | 0.000 | 5.89e-07 1.27e-06    |
| maleratio     | -.0129398 | .0042101  | -3.07  | 0.002 | -.0211914 -.0046882  |
| oldratio      | -.0295635 | .0027211  | -10.86 | 0.000 | -.0348967 -.0242303  |
| hui           | .0258348  | .0144784  | 1.78   | 0.074 | -.0025423 .054212    |
| healthy       | .0292944  | .0033094  | 8.85   | 0.000 | .0228082 .0357807    |
| edutainmentp  | -.0192569 | .0014364  | -13.41 | 0.000 | -.0220722 -.0164416  |
| _cons         | 1.949768  | .1437137  | 13.57  | 0.000 | 1.668094 2.231441    |
| /sigma_u      | .0616808  | .0007624  | 80.87  | 0.000 | .0601665 .0631552    |
| /sigma_e      | .1340898  | .0003565  | 376.18 | 0.000 | .1333911 .1347884    |
| rho           | .1745494  | .0037086  |        |       | .1673709 .1819141    |

LR test of sigma\_u=0: chibar2(01) = .6654.33 Prob >= chibar2 = 0.000



Random-effects tobit regression

Number of obs = 77,224

Uncensored = 77,224

Left-censored = 0

Right-censored = 0

Limits: lower = -inf

upper = +inf

Group variable: nh

Random effects u\_i ~ Gaussian

Number of groups = 6,436

Obs per group:

min = 9

avg = 12.0

max = 12

Integration method: mvaghermite

Integration pts. = 12

Wald chiz(12) = 312.49

Prob > chiz = 0.0000

Log likelihood = 117628.21

| others_r  | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | .0002136  | .0015314  | 0.14   | 0.889 | -.0027879 .0032151   |
| du        | -.0028707 | .0005178  | -5.54  | 0.000 | -.0038856 -.0018557  |
| did       | .0035818  | .001311   | 2.73   | 0.006 | .0010123 .0061513    |
| labor     | .0010584  | .0004356  | 2.43   | 0.015 | .0002046 .0019121    |
| rp        | -.0013573 | .0003215  | -4.22  | 0.000 | -.0019874 -.0007272  |
| nc        | .0053682  | .0005115  | 10.49  | 0.000 | .0043657 .0063708    |
| disin     | 5.37e-07  | 6.43e-08  | 8.35   | 0.000 | 4.11e-07 6.63e-07    |
| maleratio | -.0028539 | .0013519  | -2.11  | 0.035 | -.0055036 -.0002043  |
| olratio   | -.000611  | .0008619  | -0.71  | 0.478 | -.0023003 .0010783   |
| hui       | -.0018251 | .0046044  | -0.40  | 0.692 | -.0108496 .0071994   |
| healthy   | .0028011  | .0010676  | 2.62   | 0.009 | .0007085 .0048936    |
| othersp   | -.0012911 | .0005991  | -2.16  | 0.031 | -.0024654 -.0001169  |
| _cons     | .1527663  | .0599345  | 2.55   | 0.011 | .0352968 .2702359    |
| /sigma_u  | .0173908  | .0002658  | 65.42  | 0.000 | .0168698 .0179118    |
| /sigma_e  | .05086    | .0001352  | 376.12 | 0.000 | .050595 .0511251     |
| rho       | .1046802  | .0029698  |        |       | .0989762 .1106186    |

LR test of sigma\_u=0: chibar2(01) = 2859.87 Prob >= chibar2 = 0.000

4. 农村家庭消费影响估计结果

|                                                                     |           |           |        |                    |                      |
|---------------------------------------------------------------------|-----------|-----------|--------|--------------------|----------------------|
| Random-effects tobit regression                                     |           |           |        | Number of obs =    | 64,560               |
| Limits: lower = -inf                                                |           |           |        | Uncensored =       | 64,560               |
| upper = +inf                                                        |           |           |        | Left-censored =    | 0                    |
|                                                                     |           |           |        | Right-censored =   | 0                    |
| Group variable: nh                                                  |           |           |        | Number of groups = | 5,380                |
| Random effects u_i ~ Gaussian                                       |           |           |        | Obs per group:     |                      |
|                                                                     |           |           |        | min =              | 12                   |
|                                                                     |           |           |        | avg =              | 12.0                 |
|                                                                     |           |           |        | max =              | 12                   |
| Integration method: mvaghermite                                     |           |           |        | Integration pts. = | 12                   |
| Log likelihood = -396425.3                                          |           |           |        | Wald chi2(11) =    | 1120.73              |
|                                                                     |           |           |        | Prob > chi2 =      | 0.0000               |
|                                                                     |           |           |        |                    |                      |
| pork                                                                | Coef.     | Std. Err. | z      | P> z               | [95% Conf. Interval] |
| dt                                                                  | 6.549985  | 1.627415  | 4.02   | 0.000              | 3.36031 9.73966      |
| du                                                                  | -7.66193  | 1.201618  | -6.38  | 0.000              | -10.01706 -5.306802  |
| did                                                                 | 2.073071  | 1.697749  | 1.22   | 0.222              | -1.25457 5.400599    |
| labor                                                               | -1.468962 | 1.023498  | -1.44  | 0.151              | -3.474981 .5370566   |
| rp                                                                  | -13.55957 | .7315204  | -18.54 | 0.000              | -14.99332 -12.12581  |
| nc                                                                  | -2.493719 | 2.61716   | -0.95  | 0.341              | -7.623259 2.635821   |
| disin                                                               | .0009283  | .0001359  | 7.23   | 0.000              | .0007166 .0012493    |
| maleratio                                                           | -2.847401 | 3.05315   | -0.93  | 0.351              | -8.831485 3.136664   |
| oldratio                                                            | .0467495  | 1.929995  | 0.02   | 0.981              | -3.75597 3.829469    |
| hui                                                                 | -37.61069 | 31.79945  | -1.18  | 0.237              | -99.93647 24.71509   |
| healthy                                                             | 7.987784  | 1.951718  | 4.09   | 0.000              | 4.162487 11.81308    |
| _cons                                                               | 98.14331  | 3.335997  | 29.42  | 0.000              | 91.60487 104.6817    |
| /sigma_u                                                            | 40.25287  | .6245626  | 64.45  | 0.000              | 39.02875 41.47699    |
| /sigma_e                                                            | 107.8263  | .3134399  | 344.01 | 0.000              | 107.212 108.4406     |
| rho                                                                 | .1223158  | .0034577  |        |                    | .1156701 .129225     |
| LR test of sigma_u=0: chibar2(01) = 3128.54 Prob >= chibar2 = 0.000 |           |           |        |                    |                      |

|                                 |  |  |  |                    |        |
|---------------------------------|--|--|--|--------------------|--------|
| Random-effects tobit regression |  |  |  | Number of obs =    | 64,560 |
| Limits: lower = -inf            |  |  |  | Uncensored =       | 64,560 |
| upper = +inf                    |  |  |  | Left-censored =    | 0      |
|                                 |  |  |  | Right-censored =   | 0      |
| Group variable: nh              |  |  |  | Number of groups = | 5,380  |
| Random effects u_i ~ Gaussian   |  |  |  | Obs per group:     |        |
|                                 |  |  |  | min =              | 12     |
|                                 |  |  |  | avg =              | 12.0   |
|                                 |  |  |  | max =              | 12     |
| Integration method: mvaghermite |  |  |  | Integration pts. = | 12     |
| Log likelihood = -292884.74     |  |  |  | Wald chi2(11) =    | 81.47  |
|                                 |  |  |  | Prob > chi2 =      | 0.0000 |

|                                                                     |           |           |        |       |                      |
|---------------------------------------------------------------------|-----------|-----------|--------|-------|----------------------|
| beef                                                                | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
| dt                                                                  | .7112034  | .3459464  | 2.06   | 0.040 | .0331608 1.389246    |
| du                                                                  | -.5480745 | .2400288  | -2.28  | 0.022 | -1.018522 -.0776266  |
| did                                                                 | .3813802  | .339104   | 1.12   | 0.261 | -.2832514 1.046012   |
| labor                                                               | .735902   | .2184861  | 3.37   | 0.001 | .3076772 1.164127    |
| rp                                                                  | -.6188146 | .1509787  | -3.94  | 0.000 | -.9264871 -.3111421  |
| nc                                                                  | -.913974  | .5602412  | -1.63  | 0.103 | -2.012027 .1840785   |
| disin                                                               | .0008012  | .0000272  | 2.98   | 0.003 | .0000278 .0001346    |
| maleratio                                                           | -1.107794 | .6528375  | -1.70  | 0.090 | -2.387332 .171744    |
| oldratio                                                            | -2.210384 | .4158397  | -5.32  | 0.000 | -3.025415 -1.395353  |
| hui                                                                 | -1.246702 | 6.786053  | -0.18  | 0.854 | -14.54712 12.05372   |
| healthy                                                             | .917896   | .4178537  | 2.20   | 0.028 | .0909177 1.736874    |
| _cons                                                               | 4.79566   | .7131182  | 6.72   | 0.000 | 3.397974 6.193346    |
| /sigma_u                                                            | 9.138379  | .1296233  | 70.48  | 0.000 | 8.882322 9.390436    |
| /sigma_e                                                            | 21.53662  | .0626075  | 343.99 | 0.000 | 21.41391 21.65933    |
| rho                                                                 | .1525187  | .0038137  |        |       | .1451656 .160115     |
| LR test of sigma_u=0: chibar2(01) = 4483.06 Prob >= chibar2 = 0.000 |           |           |        |       |                      |

Random-effects tobit regression  
 Limits: lower = -inf  
 upper = +inf  
 Number of obs = 64,560  
 Uncensored = 64,560  
 Left-censored = 0  
 Right-censored = 0  
 Group variable: nh  
 Random effects u\_i ~ Gaussian  
 Number of groups = 5,388  
 Obs per group:  
 min = 12  
 avg = 12.0  
 max = 12  
 Integration method: mvaghermite  
 Integration pts. = 12  
 Wald chi2(11) = 24.04  
 Prob > chi2 = 0.0126  
 Log likelihood = -294473.95

| mutton    | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | .0697804  | .2641079  | 0.26   | 0.792 | -.4478616 .5874224   |
| du        | -.4239869 | .2567802  | -1.65  | 0.099 | -.9272669 .0792931   |
| did       | -.0179539 | .3629288  | -0.05  | 0.961 | -.7792657 .6933579   |
| labor     | .0271421  | .1505466  | 0.18   | 0.857 | -.2679238 .322208    |
| rp        | -.0716556 | .105326   | -0.68  | 0.496 | -.2780908 .1347795   |
| nc        | -.470881  | .3737087  | -1.24  | 0.215 | -1.215096 .2733344   |
| disin     | .000073   | .0000282  | 2.59   | 0.010 | .0000178 .0001282    |
| maleratio | -.9122946 | .4449987  | -2.05  | 0.040 | -1.784476 -.0401131  |
| olratio   | -.593551  | .2736899  | -2.17  | 0.030 | -1.129973 -.0571287  |
| hui       | -1.16     | 4.668526  | -0.25  | 0.804 | -10.31014 7.990143   |
| healthy   | -.0295988 | .2832668  | -0.10  | 0.917 | -.5847015 .5256084   |
| _cons     | 2.252469  | .4930302  | 4.57   | 0.000 | 1.286148 3.218791    |
| /sigma_u  | 2.273531  | .2172806  | 10.46  | 0.000 | 1.847669 2.699393    |
| /sigma_e  | 23.05092  | .0670043  | 344.02 | 0.000 | 22.91959 23.18225    |
| rho       | .0096343  | .001839   |        |       | .0065691 .0138828    |

LR test of sigma\_u=0: chibar2(01) = 30.97 Prob >= chibar2 = 0.000

Random-effects tobit regression  
 Limits: lower = -inf  
 upper = +inf  
 Number of obs = 64,560  
 Uncensored = 64,560  
 Left-censored = 0  
 Right-censored = 0  
 Group variable: nh  
 Random effects u\_i ~ Gaussian  
 Number of groups = 5,388  
 Obs per group:  
 min = 12  
 avg = 12.0  
 max = 12  
 Integration method: mvaghermite  
 Integration pts. = 12  
 Wald chi2(11) = 1006.70  
 Prob > chi2 = 0.0000  
 Log likelihood = -318133.79

| poultry   | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | 2.483944  | .6229005  | 3.99   | 0.000 | 1.263082 3.704807    |
| du        | 1.881269  | .547058   | 5.42   | 0.000 | 1.201047 2.56149     |
| did       | 5.43687   | .4901443  | 11.22  | 0.000 | 4.538204 6.459535    |
| labor     | .5650434  | .3845733  | 1.47   | 0.142 | -.1887065 1.318793   |
| rp        | -3.493991 | .2829456  | -12.37 | 0.000 | -4.053954 -2.944828  |
| nc        | -.4428356 | .9994925  | -0.44  | 0.658 | -2.401805 1.516134   |
| disin     | .0003331  | .0000397  | 8.39   | 0.000 | .0002552 .0004109    |
| maleratio | -3.604003 | 1.160462  | -3.11  | 0.002 | -5.878468 -1.329538  |
| olratio   | -3.454127 | .7629676  | -4.53  | 0.000 | -4.949516 -1.958738  |
| hui       | -14.63391 | 11.95497  | -1.22  | 0.221 | -38.06522 8.797397   |
| healthy   | 2.891616  | .7456144  | 3.88   | 0.000 | 1.430238 4.352993    |
| _cons     | 21.12615  | 1.270794  | 16.62  | 0.000 | 18.63544 23.61686    |
| /sigma_u  | 18.96764  | .2247749  | 84.39  | 0.000 | 18.52709 19.40819    |
| /sigma_e  | 31.12744  | .0904968  | 343.96 | 0.000 | 30.95007 31.30481    |
| rho       | .2707717  | .0046812  |        |       | .26129 .2804222      |

LR test of sigma\_u=0: chibar2(01) = 1.1e+04 Prob >= chibar2 = 0.000

Random-effects tobit regression

Number of obs = 64,560  
 Uncensored = 64,560  
 Left-censored = 0  
 Right-censored = 0

Limits: lower = -inf  
 upper = +inf

Group variable: nh  
 Random effects u\_i ~ Gaussian

Number of groups = 5,388  
 Obs per group:  
 min = 12  
 avg = 12.0  
 max = 12

Integration method: mvaghermite

Integration pts. = 12

Wald chi2(11) = 693.47  
 Prob > chi2 = 0.0000

Log likelihood = -276488.42

| seafood  | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|----------|-----------|-----------|--------|-------|----------------------|
| dt       | 2.912749  | .3264934  | 8.92   | 0.000 | 2.272834 3.552664    |
| du       | .2209805  | .1820944  | 1.21   | 0.225 | -.1359179 .5778779   |
| did      | 1.287511  | .2571694  | 5.01   | 0.000 | .7834679 1.791553    |
| labor    | .4739132  | .2016395  | 2.35   | 0.019 | .0787072 .8691193    |
| rp       | -2.185494 | .1483144  | -14.74 | 0.000 | -2.476185 -1.894803  |
| nc       | -.4590661 | .5240902  | -0.88  | 0.381 | -1.486264 .5681318   |
| disin    | .0001315  | .0000208  | 6.31   | 0.000 | .0000907 .0001723    |
| malratio | -2.65455  | .6077193  | -4.37  | 0.000 | -3.845657 -1.463442  |
| oldratio | -2.699637 | .3999345  | -6.75  | 0.000 | -3.483494 -1.915779  |
| hui      | -6.292931 | 6.267226  | -1.00  | 0.315 | -18.57647 5.990606   |
| healthy  | 1.089689  | .3909713  | 2.79   | 0.005 | .3233992 1.855978    |
| _cons    | 14.59371  | .6666072  | 21.89  | 0.000 | 13.28719 15.90024    |
| /sigma_u | 9.93737   | .1177458  | 84.40  | 0.000 | 9.706593 10.16815    |
| /sigma_e | 16.33198  | .0474791  | 343.98 | 0.000 | 16.23892 16.42503    |
| rho      | .2701927  | .0048737  |        |       | .2607257 .2798286    |

LR test of sigma\_u=0:  $\chi^2_{(1)} = 1.1e+04$  Prob >=  $\chi^2_{(1)} = 0.000$

Random-effects tobit regression

Number of obs = 64,560  
 Uncensored = 64,560  
 Left-censored = 0  
 Right-censored = 0

Limits: lower = -inf  
 upper = +inf

Group variable: nh  
 Random effects u\_i ~ Gaussian

Number of groups = 5,388  
 Obs per group:  
 min = 12  
 avg = 12.0  
 max = 12

Integration method: mvaghermite

Integration pts. = 12

Wald chi2(11) = 1126.31  
 Prob > chi2 = 0.0000

Log likelihood = -406741.69

| meat     | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|----------|-----------|-----------|--------|-------|----------------------|
| dt       | 12.72584  | 2.222617  | 5.73   | 0.000 | 8.369591 17.08209    |
| du       | -6.513165 | 1.384421  | -4.70  | 0.000 | -9.228579 -3.799775  |
| did      | 9.289715  | 1.955546  | 4.71   | 0.000 | 5.375915 13.04252    |
| labor    | .4529155  | 1.396305  | 0.32   | 0.746 | -2.283792 3.189623   |
| rp       | -19.79249 | 1.014826  | -19.50 | 0.000 | -21.78151 -17.80347  |
| nc       | -3.219441 | 3.60521   | -0.89  | 0.372 | -10.28552 3.846641   |
| disin    | .0015453  | .0001578  | 9.79   | 0.000 | .0012359 .0018547    |
| malratio | -10.99294 | 4.192344  | -2.62  | 0.009 | -19.28978 -2.77697   |
| oldratio | -7.814661 | 2.710945  | -2.88  | 0.004 | -13.12801 -2.501307  |
| hui      | -63.14555 | 43.40747  | -1.45  | 0.146 | -148.2226 21.93153   |
| healthy  | 11.95031  | 2.689084  | 4.44   | 0.000 | 6.679803 17.22082    |
| _cons    | 140.53    | 4.582183  | 30.67  | 0.000 | 131.5491 149.5109    |
| /sigma_u | 63.76335  | .8122691  | 78.50  | 0.000 | 62.17133 65.35536    |
| /sigma_e | 124.1941  | .3610362  | 343.99 | 0.000 | 123.4865 124.9017    |
| rho      | .2066084  | .004382   |        |       | .2001246 .2173907    |

LR test of sigma\_u=0:  $\chi^2_{(1)} = 7402.64$  Prob >=  $\chi^2_{(1)} = 0.000$

| Random-effects tobit regression             |           |           |        |       | Number of obs = 64,560   |
|---------------------------------------------|-----------|-----------|--------|-------|--------------------------|
| Limits: lower = -inf                        |           |           |        |       | Uncensored = 64,560      |
| upper = +inf                                |           |           |        |       | Left-censored = 0        |
|                                             |           |           |        |       | Right-censored = 0       |
| Group variable: nh                          |           |           |        |       | Number of groups = 5,388 |
| Random effects u_i ~ Gaussian               |           |           |        |       | Obs per group:           |
|                                             |           |           |        |       | min = 12                 |
|                                             |           |           |        |       | avg = 12.0               |
|                                             |           |           |        |       | max = 12                 |
| Integration method: mvaghermite             |           |           |        |       | Integration pts. = 12    |
| Log likelihood = -310421.74                 |           |           |        |       | Wald chi2(11) = 323.64   |
|                                             |           |           |        |       | Prob > chi2 = 0.0000     |
|                                             | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval]     |
| oil                                         |           |           |        |       |                          |
| dt                                          | -.9468071 | .4133516  | -2.29  | 0.022 | -1.756961 - .1366528     |
| du                                          | .1953952  | .3187016  | 0.61   | 0.540 | -.4292485 .8280389       |
| did                                         | 2.49372   | .450315   | 5.54   | 0.000 | 1.610119 3.375322        |
| labor                                       | -.3916964 | .2584819  | -1.52  | 0.130 | -.8983117 .1149189       |
| rp                                          | -1.623955 | .1840513  | -8.82  | 0.000 | -1.984689 -1.263221      |
| nc                                          | -1.19856  | .659338   | -1.82  | 0.069 | -2.490838 .0937192       |
| disin                                       | .0000794  | .0000359  | 2.21   | 0.027 | 8.94e-06 .0001498        |
| malratio                                    | .6083349  | .7698745  | 0.79   | 0.429 | -.9005914 2.117261       |
| oldratio                                    | -1.316097 | .4840967  | -2.72  | 0.007 | -2.264909 -.367285       |
| hui                                         | -3.463954 | 8.028889  | -0.43  | 0.666 | -19.20029 12.27238       |
| healthy                                     | 1.168977  | .4917433  | 2.38   | 0.017 | .2051781 2.132776        |
| _cons                                       | 14.68417  | .8418424  | 17.44  | 0.000 | 13.03419 16.33415        |
| /sigma_u                                    | 9.654578  | .1625542  | 59.39  | 0.000 | 9.335978 9.973179        |
| /sigma_e                                    | 28.60039  | .0831372  | 344.01 | 0.000 | 28.43744 28.76334        |
| rho                                         | .1022954  | .003204   |        |       | .0961551 .1087161        |
| LR test of sigma_u=0: chibar2(01) = 2326.15 |           |           |        |       | Prob >= chibar2 = 0.000  |

|                                 |  |  |  |                          |
|---------------------------------|--|--|--|--------------------------|
| Random-effects tobit regression |  |  |  | Number of obs = 64,560   |
| Limits: lower = -inf            |  |  |  | Uncensored = 64,560      |
| upper = +inf                    |  |  |  | Left-censored = 0        |
|                                 |  |  |  | Right-censored = 0       |
| Group variable: nh              |  |  |  | Number of groups = 5,388 |
| Random effects u_i ~ Gaussian   |  |  |  | Obs per group:           |
|                                 |  |  |  | min = 12                 |
|                                 |  |  |  | avg = 12.0               |
|                                 |  |  |  | max = 12                 |
| Integration method: mvaghermite |  |  |  | Integration pts. = 12    |
| Log likelihood = -255133.14     |  |  |  | Wald chi2(12) = 431.18   |
|                                 |  |  |  | Prob > chi2 = 0.0000     |

| egg                                                 | Coef.      | Std. Err. | z      | P> z  | [95% Conf. Interval]           |
|-----------------------------------------------------|------------|-----------|--------|-------|--------------------------------|
| dt                                                  | .839473    | .2371015  | 3.54   | 0.000 | .3747826 1.304184              |
| du                                                  | -.1502078  | .1313068  | -1.14  | 0.253 | -.4075644 .1071487             |
| did                                                 | .6998266   | .2045533  | 3.42   | 0.001 | .2989895 1.100744              |
| labor                                               | -.0720743  | .1408809  | -0.51  | 0.609 | -.3481958 .2040472             |
| rp                                                  | -1.210801  | .1031834  | -11.73 | 0.000 | -1.413037 -1.008565            |
| nc                                                  | .3184568   | .3652867  | 0.87   | 0.383 | -.397492 1.034406              |
| disin                                               | .0000493   | .000015   | 3.29   | 0.001 | .0000199 .0000787              |
| malratio                                            | .424884    | .4240248  | 1.00   | 0.316 | -.4061093 1.255957             |
| oldratio                                            | -.071152   | .2772703  | -0.26  | 0.797 | -.6145918 .4728877             |
| hui                                                 | -6.2900101 | 4.379843  | -1.44  | 0.151 | -14.87444 2.294234             |
| healthy                                             | .835706    | .2724837  | 3.07   | 0.002 | .3016478 1.369764              |
| egg                                                 | -.1191676  | .0318538  | -3.74  | 0.000 | -.1815999 -.0567353            |
| _cons                                               | 19.35608   | 3.221336  | 6.01   | 0.000 | 13.04237 25.66978              |
| /sigma_u                                            | 6.765918   | .0819222  | 82.59  | 0.000 | 6.605354 6.926483              |
| /sigma_e                                            | 11.77774   | .0342369  | 344.01 | 0.000 | 11.71064 11.84484              |
| rho                                                 | .248127    | .0047102  |        |       | .2389875 .2574497              |
| LR test of sigma_u=0: <u>chibar2</u> (01) = 9770.98 |            |           |        |       | Prob >= <u>chibar2</u> = 0.000 |

Random-effects tobit regression  
Limits: lower = -inf  
upper = +inf  
Number of obs = 64,560  
Uncensored = 64,560  
Left-censored = 0  
Right-censored = 0  
Group variable: nh  
Random effects u\_i ~ Gaussian  
Number of groups = 5,380  
Obs per group: min = 12  
avg = 12.0  
max = 12  
Integration method: mvaghermite  
Integration pts. = 12  
Log likelihood = -293306.22  
Wald chi2(12) = 1262.96  
Prob > chi2 = 0.0000

| vege     | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|----------|-----------|-----------|--------|-------|----------------------|
| dt       | 4.128472  | .6216181  | 6.64   | 0.000 | 2.910123 5.346821    |
| du       | 1.169318  | .2276368  | 5.14   | 0.000 | .7231582 1.615478    |
| did      | -2.713572 | .3413447  | -7.95  | 0.000 | -3.382595 -2.044548  |
| labor    | -.0628415 | .3264537  | -0.19  | 0.847 | -.7026791 .576996    |
| rp       | -5.353978 | .2521663  | -21.23 | 0.000 | -5.848215 -4.859741  |
| nc       | -.1019477 | .868819   | -0.12  | 0.907 | -1.804802 1.600066   |
| disin    | .0002054  | .0000262  | 7.84   | 0.000 | .000154 .0002567     |
| malratio | -2.246921 | .9982929  | -2.25  | 0.024 | -4.20354 -.2903032   |
| oldratio | -4.266833 | .7113172  | -6.00  | 0.000 | -5.660989 -2.872677  |
| hui      | 3.742693  | 10.11394  | 0.37   | 0.711 | -16.08026 23.56565   |
| healthy  | 1.643797  | .6488592  | 2.53   | 0.011 | .3720561 2.915537    |
| vegep    | -.0048863 | .0156521  | -4.15  | 0.000 | -.0955638 -.0342089  |
| _cons    | 43.35492  | 1.929927  | 22.46  | 0.000 | 39.57233 47.13751    |

/sigma\_u  
/sigma\_e  
rho  
LR test of sigma\_u=0: chibar2(01) = 3.2e+04  
Prob >= chibar2 = 0.000

Random-effects tobit regression  
Limits: lower = -inf  
upper = +inf  
Number of obs = 64,560  
Uncensored = 64,560  
Left-censored = 0  
Right-censored = 0  
Group variable: nh  
Random effects u\_i ~ Gaussian  
Number of groups = 5,380  
Obs per group: min = 12  
avg = 12.0  
max = 12  
Integration method: mvaghermite  
Integration pts. = 12  
Log likelihood = -450376.12  
Wald chi2(11) = 2045.39  
Prob > chi2 = 0.0000

| foodalcohol | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-------------|-----------|-----------|--------|-------|----------------------|
| dt          | 31.8918   | 5.948543  | 5.36   | 0.000 | 20.23287 43.55073    |
| du          | -10.32565 | 2.634466  | -3.92  | 0.000 | -15.4891 -5.162187   |
| did         | 7.732146  | 3.719077  | 2.08   | 0.038 | .4428898 15.0214     |
| labor       | -6.004357 | 3.426837  | -1.75  | 0.080 | -12.72083 .712107    |
| rp          | -67.27539 | 2.590905  | -25.97 | 0.000 | -72.35447 -62.19831  |
| nc          | 6.470393  | 9.029356  | 0.72   | 0.474 | -11.22682 24.16761   |
| disin       | .0042557  | .0003028  | 14.06  | 0.000 | .0036623 .0048491    |
| malratio    | 48.67321  | 10.41839  | 4.67   | 0.000 | 28.25354 69.09287    |
| oldratio    | -93.56106 | 7.158946  | -13.07 | 0.000 | -107.5923 -79.52978  |
| hui         | -177.8801 | 106.3811  | -1.67  | 0.095 | -386.3832 30.62307   |
| healthy     | 34.78853  | 6.741961  | 5.16   | 0.000 | 21.57453 48.00253    |
| _cons       | 526.4501  | 11.54833  | 45.59  | 0.000 | 503.8158 549.8844    |

/sigma\_u  
/sigma\_e  
rho  
LR test of sigma\_u=0: chibar2(01) = 2.1e+04  
Prob >= chibar2 = 0.000

|                                 |  |  |  |                          |
|---------------------------------|--|--|--|--------------------------|
| Random-effects tobit regression |  |  |  | Number of obs = 64,560   |
| Limits: lower = -inf            |  |  |  | Uncensored = 64,560      |
| upper = +inf                    |  |  |  | Left-censored = 0        |
|                                 |  |  |  | Right-censored = 0       |
| Group variable: nh              |  |  |  | Number of groups = 5,380 |
| Random effects u_i ~ Gaussian   |  |  |  | Obs per group:           |
|                                 |  |  |  | min = 12                 |
|                                 |  |  |  | avg = 12.0               |
|                                 |  |  |  | max = 12                 |
| Integration method: mvaghermite |  |  |  | Integration pts. = 12    |
| Log likelihood = -404715.49     |  |  |  | Wald chi2(12) = 1515.72  |
|                                 |  |  |  | Prob > chi2 = 0.0000     |

| clothing  | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | 36.0813   | 2.625575  | 13.74  | 0.000 | 30.93527 41.22734    |
| du        | -17.80506 | 1.350094  | -13.19 | 0.000 | -20.4512 -15.15893   |
| did       | 11.04052  | 1.91075   | 5.78   | 0.000 | 7.295516 14.78552    |
| labor     | 2.124682  | 1.287732  | 1.65   | 0.099 | -.3992263 4.64859    |
| rp        | -9.427712 | .9294938  | -10.14 | 0.000 | -11.24949 -7.605938  |
| nc        | 10.53567  | 3.310688  | 3.18   | 0.001 | 4.046837 17.0245     |
| disin     | .0009045  | .0001537  | 5.89   | 0.000 | .0006033 .0012057    |
| maleratio | -32.91774 | 3.854464  | -8.54  | 0.000 | -40.47235 -25.36313  |
| oldratio  | -53.49303 | 2.470997  | -21.65 | 0.000 | -58.33609 -48.64996  |
| hui       | -35.17031 | 40.00134  | -0.88  | 0.379 | -113.5715 43.23087   |
| healthy   | 13.56878  | 2.469465  | 5.49   | 0.000 | 8.728719 18.40884    |
| clothingp | -32.22575 | 1.395567  | -23.09 | 0.000 | -34.96101 -29.49049  |
| _cons     | 3340.342  | 139.6395  | 23.92  | 0.000 | 3066.654 3614.031    |
| /sigma_u  | 56.07444  | .7556893  | 74.20  | 0.000 | 54.59331 57.55556    |
| /sigma_e  | 121.1377  | .3521709  | 343.95 | 0.000 | 120.4374 121.8179    |
| rho       | .1764873  | .0040776  |        |       | .16861 .1845934      |

|                                                     |  |  |  |                                |
|-----------------------------------------------------|--|--|--|--------------------------------|
| LR test of sigma_u=0: <u>chibar2</u> (01) = 5644.28 |  |  |  | Prob >= <u>chibar2</u> = 0.000 |
|-----------------------------------------------------|--|--|--|--------------------------------|

|                                 |  |  |  |                          |
|---------------------------------|--|--|--|--------------------------|
| Random-effects tobit regression |  |  |  | Number of obs = 64,560   |
| Limits: lower = -inf            |  |  |  | Uncensored = 64,560      |
| upper = +inf                    |  |  |  | Left-censored = 0        |
|                                 |  |  |  | Right-censored = 0       |
| Group variable: nh              |  |  |  | Number of groups = 5,380 |
| Random effects u_i ~ Gaussian   |  |  |  | Obs per group:           |
|                                 |  |  |  | min = 12                 |
|                                 |  |  |  | avg = 12.0               |
|                                 |  |  |  | max = 12                 |
| Integration method: mvaghermite |  |  |  | Integration pts. = 12    |
| Log likelihood = -509344.64     |  |  |  | Wald chi2(12) = 136.61   |
|                                 |  |  |  | Prob > chi2 = 0.0000     |

| dwell     | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | -17.17621 | 16.24625  | -1.06  | 0.290 | -49.08187 14.66585   |
| du        | .6757146  | 7.10599   | 0.10   | 0.924 | -13.25177 14.6032    |
| did       | 13.85448  | 14.53691  | 0.95   | 0.341 | -14.63735 42.3463    |
| labor     | 5.517424  | 4.531168  | 1.22   | 0.223 | -3.363502 14.39835   |
| rp        | -20.24047 | 3.180906  | -6.36  | 0.000 | -26.47494 -14.00601  |
| nc        | 36.19141  | 11.45486  | 3.16   | 0.002 | 13.74029 58.64253    |
| disin     | .0052019  | .0007064  | 6.61   | 0.000 | .0036006 .0067433    |
| maleratio | -23.306   | 13.41457  | -1.74  | 0.082 | -49.59807 2.986071   |
| oldratio  | -14.77227 | 8.28554   | -1.78  | 0.075 | -31.00163 1.467094   |
| hui       | -32.33856 | 140.5715  | -0.23  | 0.818 | -307.8536 243.1765   |
| healthy   | 5.359468  | 8.543514  | 0.63   | 0.530 | -11.38551 22.10445   |
| dwellp    | 14.14967  | 6.166939  | 2.29   | 0.022 | 2.06269 26.23665     |
| _cons     | -1272.246 | 616.8489  | -2.06  | 0.039 | -2481.248 -63.24482  |
| /sigma_u  | 108.5417  | 4.159677  | 26.09  | 0.000 | 100.3888 116.6945    |
| /sigma_e  | 637.8556  | 1.854103  | 344.02 | 0.000 | 634.2217 641.4896    |
| rho       | .0281417  | .0021367  |        |       | .0242057 .0325967    |

|                                                    |  |  |  |                                |
|----------------------------------------------------|--|--|--|--------------------------------|
| LR test of sigma_u=0: <u>chibar2</u> (01) = 238.16 |  |  |  | Prob >= <u>chibar2</u> = 0.000 |
|----------------------------------------------------|--|--|--|--------------------------------|

|                                            |  |                          |                                 |        |                          |
|--------------------------------------------|--|--------------------------|---------------------------------|--------|--------------------------|
| Random-effects tobit regression            |  | Number of obs = 64,560   | Random-effects tobit regression |        | Number of obs = 64,560   |
| Limits: lower = -inf                       |  | Uncensored = 64,560      | Limits: lower = -inf            |        | Uncensored = 64,560      |
| upper = +inf                               |  | Left-censored = 0        | upper = +inf                    |        | Left-censored = 0        |
|                                            |  | Right-censored = 0       |                                 |        | Right-censored = 0       |
| Group variable: nh                         |  | Number of groups = 5,380 | Group variable: nh              |        | Number of groups = 5,380 |
| Random effects u_i ~ Gaussian              |  | Obs per group:           | Random effects u_i ~ Gaussian   |        | Obs per group:           |
|                                            |  | min = 12                 |                                 |        | min = 12                 |
|                                            |  | avg = 12.0               |                                 |        | avg = 12.0               |
|                                            |  | max = 12                 |                                 |        | max = 12                 |
| Integration method: mvaghermite            |  | Integration pts. = 12    | Integration method: mvaghermite |        | Integration pts. = 12    |
| Log likelihood = -459610.9                 |  | Wald chi2(12) = 298.45   | Log likelihood = -526118.73     |        | Wald chi2(12) = 209.52   |
|                                            |  | Prob > chi2 = 0.0000     |                                 |        | Prob > chi2 = 0.0000     |
| daily                                      |  | Coef.                    | Std. Err.                       | z      | P> z                     |
|                                            |  | [95% Conf. Interval]     |                                 |        |                          |
| dt                                         |  | -12.74886                | 4.363002                        | -2.92  | 0.003                    |
| du                                         |  | -5.095734                | 3.267351                        | -1.56  | 0.119                    |
| did                                        |  | 4.497002                 | 4.733328                        | 0.95   | 0.342                    |
| labor                                      |  | 3.182569                 | 2.23507                         | 1.42   | 0.154                    |
| rp                                         |  | -14.86364                | 1.574343                        | -9.44  | 0.000                    |
| nc                                         |  | 12.02437                 | 5.662908                        | 2.12   | 0.034                    |
| disin                                      |  | .0021631                 | .0003641                        | 5.94   | 0.000                    |
| malratio                                   |  | -21.02853                | 6.626923                        | -3.17  | 0.002                    |
| oldratio                                   |  | -30.0467                 | 4.1105                          | -7.31  | 0.000                    |
| hui                                        |  | -36.65883                | 69.36304                        | -0.53  | 0.597                    |
| healthy                                    |  | 5.760337                 | 4.223503                        | 1.36   | 0.173                    |
| dailyp                                     |  | 68.22444                 | 8.650923                        | 7.89   | 0.000                    |
| _cons                                      |  | -6692.06                 | 865.0835                        | -7.74  | 0.000                    |
| /sigma_u                                   |  | 64.55845                 | 1.724315                        | 37.44  | 0.000                    |
| /sigma_e                                   |  | 293.269                  | .8524896                        | 344.01 | 0.000                    |
| rho                                        |  | .0462192                 | .0024161                        |        |                          |
| LR test of sigma_u=0: chibar2(01) = 587.95 |  | Prob >= chibar2 = 0.000  |                                 |        |                          |
| trafficat                                  |  | Coef.                    | Std. Err.                       | z      | P> z                     |
|                                            |  | [95% Conf. Interval]     |                                 |        |                          |
| dt                                         |  | 50.20163                 | 15.07246                        | 3.33   | 0.001                    |
| du                                         |  | 5.790357                 | 9.257661                        | 0.63   | 0.532                    |
| did                                        |  | .6497695                 | 14.14669                        | 0.05   | 0.963                    |
| labor                                      |  | 30.72164                 | 5.612656                        | 5.47   | 0.000                    |
| rp                                         |  | -25.48153                | 3.931228                        | -6.48  | 0.000                    |
| nc                                         |  | 26.2908                  | 14.16721                        | 1.86   | 0.063                    |
| disin                                      |  | .0044016                 | .0010202                        | 4.31   | 0.000                    |
| malratio                                   |  | 11.93215                 | 16.59812                        | 0.72   | 0.472                    |
| oldratio                                   |  | -116.0229                | 10.22468                        | -11.35 | 0.000                    |
| hui                                        |  | -43.6303                 | 174.0572                        | -0.25  | 0.802                    |
| healthy                                    |  | 13.05027                 | 10.56611                        | 1.24   | 0.217                    |
| trafficat                                  |  | 11.75252                 | 4.862775                        | 2.42   | 0.016                    |
| _cons                                      |  | -1018.22                 | 486.5977                        | -2.09  | 0.036                    |
| /sigma_u                                   |  | 108.0365                 | 6.377981                        | 16.94  | 0.000                    |
| /sigma_e                                   |  | 831.0302                 | 2.415856                        | 343.99 | 0.000                    |
| rho                                        |  | .0166199                 | .001955                         |        |                          |
| LR test of sigma_u=0: chibar2(01) = 88.23  |  | Prob >= chibar2 = 0.000  |                                 |        |                          |



Random-effects tobit regression  
 Limits: lower = -inf  
 upper = +inf  
 Number of obs = 64,560  
 Uncensored = 64,560  
 Left-censored = 0  
 Right-censored = 0  
 Group variable: nh  
 Random effects u\_i ~ Gaussian  
 Number of groups = 5,380  
 Obs per group:  
 min = 12  
 avg = 12.0  
 max = 12  
 Integration method: mvaghermite  
 Integration pts. = 12  
 Log likelihood = -459615.13  
 Wald chi2(12) = 894.03  
 Prob > chi2 = 0.0000

Random-effects tobit regression  
 Limits: lower = -inf  
 upper = +inf  
 Number of obs = 64,560  
 Uncensored = 64,560  
 Left-censored = 0  
 Right-censored = 0  
 Group variable: nh  
 Random effects u\_i ~ Gaussian  
 Number of groups = 5,380  
 Obs per group:  
 min = 12  
 avg = 12.0  
 max = 12  
 Integration method: mvaghermite  
 Integration pts. = 12  
 Log likelihood = -536070.5  
 Wald chi2(12) = 754.57  
 Prob > chi2 = 0.0000

| edutainment  | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|--------------|-----------|-----------|--------|-------|----------------------|
| dt           | 42.03241  | 5.481178  | 7.78   | 0.000 | 31.4463 52.61853     |
| du           | 25.75828  | 3.24936   | 7.99   | 0.000 | 19.43752 32.07984    |
| did          | -24.25822 | 4.967674  | -4.88  | 0.000 | -33.99468 -14.52175  |
| labor        | -35.11151 | 2.526114  | -13.90 | 0.000 | -40.0626 -30.16042   |
| rp           | 23.65206  | 1.794827  | 13.18  | 0.000 | 20.13426 27.16985    |
| nc           | 96.85776  | 6.435017  | 15.05  | 0.000 | 84.24336 109.4702    |
| disin        | .0019353  | .000363   | 5.33   | 0.000 | .001237 .0026468     |
| maleratio    | -8.978514 | 7.515148  | -1.19  | 0.232 | -23.78793 5.750904   |
| oldratio     | -44.87736 | 4.710492  | -9.53  | 0.000 | -54.10976 -35.64497  |
| hui          | 1.999009  | 78.44441  | 0.03   | 0.980 | -151.7492 155.7472   |
| healthy      | 26.5314   | 4.797969  | 5.53   | 0.000 | 17.12755 35.93524    |
| edutainmentp | -28.10703 | 3.391045  | -8.29  | 0.000 | -34.75335 -21.4607   |
| _cons        | 2863.456  | 339.1583  | 8.44   | 0.000 | 2198.718 3528.194    |
| /sigma_u     | 90.56656  | 1.634343  | 55.41  | 0.000 | 87.36331 93.76981    |
| /sigma_e     | 289.4196  | .8413729  | 343.98 | 0.000 | 287.7705 291.0686    |
| rho          | .0891884  | .0030333  |        |       | .0033895 .0952822    |

LR test of sigma\_u=0:  $\chi^2(1) = 1843.03$  Prob >=  $\chi^2(1) = 0.000$

| medical   | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | 54.94836  | 43.3268   | 1.27   | 0.205 | -29.9786 139.8673    |
| du        | 16.52482  | 10.64661  | 1.55   | 0.121 | -4.34216 37.39179    |
| did       | -10.16759 | 21.75415  | -0.47  | 0.640 | -52.80494 32.46976   |
| labor     | -9.147384 | 7.519086  | -1.22  | 0.224 | -23.88629 5.591517   |
| rp        | -16.21347 | 5.306135  | -3.06  | 0.002 | -26.61331 -5.813639  |
| nc        | 17.13102  | 19.07453  | 0.90   | 0.369 | -20.25437 54.51641   |
| disin     | .0293806  | .0011885  | 24.72  | 0.000 | .0270511 .0317101    |
| maleratio | 17.49521  | 22.31314  | 0.78   | 0.433 | -26.23775 61.22817   |
| oldratio  | 67.08214  | 13.87045  | 4.84   | 0.000 | 39.89657 94.26771    |
| hui       | 187.8885  | 233.4153  | 0.80   | 0.421 | -269.5971 645.374    |
| healthy   | -70.60661 | 14.22697  | -4.96  | 0.000 | -98.49096 -42.72226  |
| medicalp  | -12.71796 | 12.17009  | -1.05  | 0.296 | -36.57091 11.13498   |
| _cons     | 1460.874  | 1217.193  | 1.20   | 0.230 | -924.7807 3846.529   |
| /sigma_u  | 231.3135  | 5.486021  | 42.16  | 0.000 | 220.5611 242.0659    |
| /sigma_e  | 955.5826  | 2.777605  | 344.03 | 0.000 | 950.1386 961.0267    |
| rho       | .0553523  | .0025509  |        |       | .0505284 .0605327    |

LR test of sigma\_u=0:  $\chi^2(1) = 811.33$  Prob >=  $\chi^2(1) = 0.000$

Random-effects tobit regression

Number of obs = 64,560  
 Uncensored = 64,560  
 Left-censored = 0  
 Right-censored = 0

Limits: lower = -inf  
 upper = +inf

Group variable: nh

Random effects u\_i ~ Gaussian

Number of groups = 5,380  
 Obs per group: min = 12  
 avg = 12.0  
 max = 12

Integration method: mvaghermite

Integration pts. = 12

Log likelihood = -436947.53

Wald chi2(12) = 78.51  
 Prob > chi2 = 0.0000

Random-effects tobit regression

Number of obs = 64,560  
 Uncensored = 64,560  
 Left-censored = 0  
 Right-censored = 0

Limits: lower = -inf  
 upper = +inf

Group variable: nh

Random effects u\_i ~ Gaussian

Number of groups = 5,380  
 Obs per group: min = 12  
 avg = 12.0  
 max = 12

Integration method: mvaghermite

Integration pts. = 12

Log likelihood = -569364.25

Wald chi2(11) = 1145.05  
 Prob > chi2 = 0.0000

| others   | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|----------|-----------|-----------|--------|-------|----------------------|
| dt       | 6.766748  | 6.635897  | 1.02   | 0.308 | -6.237893 19.7713    |
| du       | -6.128591 | 2.325678  | -2.64  | 0.008 | -10.68884 -1.570346  |
| did      | 5.633951  | 5.886211  | 0.96   | 0.338 | -5.982811 17.17071   |
| labor    | .6382525  | 1.413277  | 0.45   | 0.652 | -2.131719 3.488224   |
| rp       | -3.963289 | .9981876  | -4.00  | 0.000 | -5.983784 -2.022634  |
| nc       | 12.86684  | 3.568059  | 3.61   | 0.000 | 5.872771 19.85931    |
| disin    | .0011858  | .0002562  | 4.63   | 0.000 | .0006837 .0016879    |
| malratio | -6.382335 | 4.181791  | -1.53  | 0.127 | -14.57849 1.813825   |
| oldratio | -2.308031 | 2.575318  | -0.89  | 0.372 | -7.348381 2.746699   |
| hui      | 38.84354  | 43.83343  | 0.89   | 0.376 | -47.0684 124.7555    |
| healthy  | .2649828  | 2.661136  | 0.10   | 0.921 | -4.958828 5.480633   |
| othersp  | -2.043796 | 2.689735  | -0.76  | 0.447 | -7.31558 3.227988    |
| _cons    | 240.6788  | 269.0014  | 0.89   | 0.371 | -286.5543 767.9118   |
| /sigma_u | 27.57574  | 1.584288  | 17.41  | 0.000 | 24.47175 30.68173    |
| /sigma_e | 288.7682  | .6888761  | 344.00 | 0.000 | 287.5788 289.9577    |
| rho      | .0171492  | .0019626  |        |       | .0136533 .0213832    |

LR test of sigma\_u=0:  $\chi^2_{(01)} = 93.77$ Prob >=  $\chi^2_{(01)} = 0.000$ 

| total    | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|----------|-----------|-----------|--------|-------|----------------------|
| dt       | 99.89567  | 22.62948  | 4.41   | 0.000 | 55.54271 144.2486    |
| du       | 9.858322  | 17.61888  | 0.56   | 0.576 | -24.65479 44.37544   |
| did      | -10.16484 | 24.88276  | -0.41  | 0.683 | -58.93335 38.60527   |
| labor    | -6.54385  | 14.13811  | -0.46  | 0.643 | -34.23756 21.15146   |
| rp       | -131.1887 | 10.05123  | -13.05 | 0.000 | -150.8887 -111.4886  |
| nc       | 212.5078  | 36.02866  | 5.90   | 0.000 | 141.9086 283.107     |
| disin    | .0492035  | .0019879  | 24.75  | 0.000 | .0453073 .0530996    |
| malratio | -17.98349 | 42.06737  | -0.43  | 0.669 | -100.434 64.46784    |
| oldratio | -299.4172 | 26.42522  | -11.33 | 0.000 | -351.2897 -247.6247  |
| hui      | -86.82732 | 438.8384  | -0.20  | 0.843 | -946.9191 773.2645   |
| healthy  | 42.9503   | 26.86517  | 1.60   | 0.110 | -9.784479 95.60507   |
| _cons    | 1334.528  | 46.00331  | 29.01  | 0.000 | 1244.363 1424.693    |
| /sigma_u | 521.2677  | 8.974411  | 58.08  | 0.000 | 503.6782 538.8572    |
| /sigma_e | 1580.356  | 4.59467   | 343.95 | 0.000 | 1571.351 1589.361    |
| rho      | .0981286  | .0031559  |        |       | .092077 .104498      |

LR test of sigma\_u=0:  $\chi^2_{(01)} = 2156.26$ Prob >=  $\chi^2_{(01)} = 0.000$

Random-effects tobit regression      Number of obs      =      64,560      Number of obs      =      64,560  
 Limits: lower = -inf      Uncensored      =      64,560      Uncensored      =      64,560  
                  upper = +inf      Left-censored      =      0      Left-censored      =      0  
                                       Right-censored      =      0      Right-censored      =      0

Group variable: nh      Number of groups      =      5,388  
 Random effects u\_i ~ Gaussian      Obs per group:      min =      12  
                                                            avg =      12.0  
                                                            max =      12

Integration method: mvaghermite      Integration pts.      =      12

Log likelihood = -190076.03      Wald chi2(11)      =      1402.79      Wald chi2(11)      =      69.44  
                                       Prob > chi2      =      0.0000      Prob > chi2      =      0.0000

| beefgr                                             | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval]    |
|----------------------------------------------------|-----------|-----------|--------|-------|-------------------------|
| dt                                                 | .0130964  | .0076114  | 1.72   | 0.085 | -.0018216 .0280144      |
| du                                                 | -.0094458 | .0037084  | -1.65  | 0.098 | -.0206341 .0017426      |
| did                                                | -.0055609 | .0080655  | -0.69  | 0.491 | -.021369 .0102473       |
| labor                                              | .0176913  | .0047809  | 3.70   | 0.000 | .0083208 .0270618       |
| rp                                                 | -.0102942 | .0034105  | -3.02  | 0.003 | -.0169786 -.0036098     |
| nc                                                 | -.0201088 | .0122071  | -1.65  | 0.099 | -.0440343 .0038168      |
| disin                                              | 1.29e-06  | 6.45e-07  | 1.99   | 0.046 | 2.18e-08 2.55e-06       |
| malratio                                           | -.0098856 | .014246   | -0.69  | 0.488 | -.0378073 .0180361      |
| oldratio                                           | -.0473979 | .008987   | -5.27  | 0.000 | -.065012 -.0297838      |
| hui                                                | -.0311012 | .1484515  | -0.21  | 0.834 | -.3220607 .2598583      |
| healthy                                            | .0133771  | .0031044  | 1.47   | 0.142 | -.0044671 .0312214      |
| _cons                                              | .0755354  | .0155698  | 4.85   | 0.000 | .0450192 .1060515       |
| /sigma_u                                           | .184648   | .0029449  | 62.70  | 0.000 | .1788762 .1904198       |
| /sigma_e                                           | .512255   | .0014891  | 344.01 | 0.000 | .5093364 .5151736       |
| rho                                                | .1149911  | .0033672  |        |       | .1085256 .1217261       |
| LR test of sigma_u=0: <u>chibar2(01) = 2825.94</u> |           |           |        |       | Prob >= chibar2 = 0.000 |

| porkgr                                             | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval]    |
|----------------------------------------------------|-----------|-----------|--------|-------|-------------------------|
| dt                                                 | -.0012588 | .0644991  | -1.26  | 0.208 | -.2076747 .0451571      |
| du                                                 | -.2015497 | .0493685  | -5.91  | 0.000 | -.3883102 -.1947892     |
| did                                                | -.6288447 | .0697554  | -9.01  | 0.000 | -.7655628 -.4921267     |
| labor                                              | -.057187  | .0403801  | -1.42  | 0.157 | -.1363305 .0219564      |
| rp                                                 | -.5351143 | .0287691  | -18.60 | 0.000 | -.5915007 -.4787279     |
| nc                                                 | -.1265665 | .1030493  | -1.23  | 0.219 | -.3285393 .0754063      |
| disin                                              | .0000362  | 5.57e-06  | 6.50   | 0.000 | .0000253 .000471        |
| malratio                                           | -.1151555 | .1203017  | -0.96  | 0.338 | -.3500425 .1205315      |
| oldratio                                           | -.0039062 | .0757228  | -1.11  | 0.267 | -.2324001 .0644277      |
| hui                                                | -1.379406 | 1.254341  | -1.10  | 0.271 | -3.837869 1.079057      |
| healthy                                            | .3178316  | .0768523  | 4.14   | 0.000 | .1672039 .4684594       |
| _cons                                              | 4.235555  | .1315145  | 32.20  | 0.000 | 3.977592 4.493119       |
| /sigma_u                                           | 1.522388  | .0252472  | 60.30  | 0.000 | 1.472905 1.571872       |
| /sigma_e                                           | 4.430294  | .0128783  | 344.01 | 0.000 | 4.405053 4.455535       |
| rho                                                | .1056117  | .0032472  |        |       | .0993852 .1121154       |
| LR test of sigma_u=0: <u>chibar2(01) = 2453.62</u> |           |           |        |       | Prob >= chibar2 = 0.000 |

Random-effects tobit regression  
 Limits: lower = -inf  
 upper = +inf  
 Number of groups = 5,388  
 Obs per group:  
 min = 12  
 avg = 12.0  
 max = 12  
 Group variable: nh  
 Random effects u\_i ~ Gaussian  
 Integration method: mvaghermite  
 Integration pts. = 12  
 Log likelihood = -38237.487  
 Wald chi2(11) = 27.57  
 Prob > chi2 = 0.0038

| muttongr  | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | -.0044652 | .0050398  | -0.89  | 0.376 | -.0143429 .0054126   |
| du        | -.0096065 | .0048425  | -1.98  | 0.047 | -.0190975 -.0001154  |
| did       | .0049153  | .006844   | 0.72   | 0.473 | -.0084988 .0183293   |
| labor     | .0002367  | .0028963  | 0.08   | 0.935 | -.00544 .0059133     |
| rp        | -.0008731 | .0020278  | -0.43  | 0.667 | -.0048476 .0031014   |
| nc        | -.0086807 | .0073088  | -1.19  | 0.235 | -.0230057 .0056443   |
| disin     | 1.43e-06  | 5.32e-07  | 2.69   | 0.007 | 3.88e-07 2.47e-06    |
| maleratio | -.0211471 | .0085643  | -2.47  | 0.014 | -.0379327 -.0043614  |
| oldratio  | -.0119191 | .0052721  | -2.26  | 0.024 | -.022523 -.0015859   |
| hui       | -.0214157 | .009824   | -0.24  | 0.812 | -.0974676 .1545362   |
| healthy   | .0029995  | .0054517  | 0.55   | 0.582 | -.0076857 .0136847   |
| _cons     | .041854   | .0094761  | 4.42   | 0.000 | .0232811 .0604269    |
| /sigma_u  | .0513313  | .0035665  | 14.39  | 0.000 | .0443411 .0583215    |
| /sigma_e  | .4346966  | .0012636  | 344.03 | 0.000 | .4322201 .4371732    |
| rho       | .0137524  | .001906   |        |       | .010428 .0179537     |

LR test of sigma\_u=0: chibar2(01) = 61.59 Prob >= chibar2 = 0.000

Random-effects tobit regression  
 Limits: lower = -inf  
 upper = +inf  
 Number of groups = 5,388  
 Obs per group:  
 min = 12  
 avg = 12.0  
 max = 12  
 Group variable: nh  
 Random effects u\_i ~ Gaussian  
 Integration method: mvaghermite  
 Integration pts. = 12  
 Log likelihood = -109213.58  
 Wald chi2(11) = 899.89  
 Prob > chi2 = 0.0000

| poultrygr | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | .089599   | .0235291  | 3.81   | 0.000 | .0434828 .1357132    |
| du        | .09841    | .0137051  | 7.18   | 0.000 | .0715485 .1252716    |
| did       | .1638925  | .019337   | 8.47   | 0.000 | .1259336 .2018315    |
| labor     | .0183482  | .0146479  | 1.25   | 0.210 | -.0103612 .0470577   |
| rp        | -.1304829 | .0107238  | -12.17 | 0.000 | -.1515011 -.1094647  |
| nc        | -.0523717 | .0379698  | -1.38  | 0.168 | -.1267911 .0220478   |
| disin     | .0000108  | 1.57e-06  | 6.89   | 0.000 | 7.72e-06 .0000139    |
| maleratio | -.1748755 | .0441239  | -3.96  | 0.000 | -.2611548 -.0881962  |
| oldratio  | -.1246187 | .0288028  | -4.33  | 0.000 | -.1810712 -.0681662  |
| hui       | -.4678622 | .4533827  | -1.03  | 0.304 | -1.360396 .4246715   |
| healthy   | .1106536  | .0283234  | 3.91   | 0.000 | .0551409 .1661664    |
| _cons     | .8147635  | .0482624  | 16.88  | 0.000 | .720171 .9093561     |
| /sigma_u  | .7013367  | .0085253  | 82.27  | 0.000 | .6846275 .718046     |
| /sigma_e  | 1.229311  | .0035738  | 343.97 | 0.000 | 1.222307 1.236316    |
| rho       | .2455585  | .0046959  |        |       | .236448 .2548542     |

LR test of sigma\_u=0: chibar2(01) = 9585.51 Prob >= chibar2 = 0.000

Random-effects tobit regression      Number of obs = 64,560  
 Limits: lower = -inf      Uncensored = 64,560  
              upper = +inf      Left-censored = 0  
                                  Right-censored = 0

Group variable: nh      Number of groups = 5,388  
 Random effects u\_i ~ Gaussian      Obs per group:  
                                  min = 12  
                                  avg = 12.0  
                                  max = 12

Integration method: mvaghermite      Integration pts. = 12

Log likelihood = -98392.843      Wald chi2(11) = 671.03  
                                  Prob > chi2 = 0.0000

| seafoodgr | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | .1880514  | .0207166  | 9.08   | 0.000 | .1474476 .2286552    |
| du        | .0434233  | .0115396  | 3.76   | 0.000 | .0208062 .0660405    |
| did       | .0083765  | .0162972  | 0.51   | 0.607 | -.0235654 .0403184   |
| labor     | .0107899  | .0127886  | 0.84   | 0.399 | -.0142754 .0358552   |
| rp        | -.1378878 | .0094099  | -14.65 | 0.000 | -.1563309 -.1194448  |
| nc        | -.0748332 | .0332418  | -2.25  | 0.024 | -.1399859 -.0096805  |
| disin     | 7.68e-06  | 1.32e-06  | 5.82   | 0.000 | 5.09e-06 .0000103    |
| malratio  | -.1168858 | .0385529  | -3.03  | 0.002 | -.192448 -.0413235   |
| oldratio  | -.1423698 | .0253767  | -5.61  | 0.000 | -.1921073 -.0926324  |
| hui       | -.3261919 | .3975568  | -0.82  | 0.412 | -1.105389 .4530052   |
| healthy   | .0750039  | .0248033  | 3.03   | 0.002 | .0264703 .1236975    |
| _cons     | .9048566  | .0422788  | 21.40  | 0.000 | .8220216 .9877516    |
| /sigma_u  | .6309052  | .007464   | 84.53  | 0.000 | .6162761 .6455343    |
| /sigma_e  | 1.03498   | .0030086  | 344.01 | 0.000 | 1.029083 1.040876    |
| rho       | .2709194  | .0048742  |        |       | .261451 .280556      |

LR test of sigma\_u=0: chibar2(01) = 1.1e+04      Prob >= chibar2 = 0.000

Random-effects tobit regression      Number of obs = 64,560  
 Limits: lower = -inf      Uncensored = 64,560  
              upper = +inf      Left-censored = 0  
                                  Right-censored = 0

Group variable: nh      Number of groups = 5,388  
 Random effects u\_i ~ Gaussian      Obs per group:  
                                  min = 12  
                                  avg = 12.0  
                                  max = 12

Integration method: mvaghermite      Integration pts. = 12

Log likelihood = -198950.96      Wald chi2(11) = 1209.16  
                                  Prob > chi2 = 0.0000

| meatgr   | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|----------|-----------|-----------|--------|-------|----------------------|
| dt       | .204979   | .0073437  | 2.35   | 0.019 | .0937885 .3761694    |
| du       | -.1680069 | .0555077  | -3.03  | 0.002 | -.2768 -.0592138     |
| did      | -.4577333 | .0784092  | -5.84  | 0.000 | -.6114124 -.3040542  |
| labor    | -.0100087 | .0549728  | -0.18  | 0.856 | -.1177535 .0977361   |
| rp       | -.0033592 | .039871   | -20.15 | 0.000 | -.0815049 -.7252135  |
| nc       | -.2288761 | .1417623  | -1.61  | 0.106 | -.506725 .0489728    |
| disin    | .0000554  | 6.32e-06  | 8.77   | 0.000 | .0000431 .0000678    |
| malratio | -.4266917 | .1649248  | -2.59  | 0.010 | -.7499383 -.1034451  |
| oldratio | -.3606717 | .1063346  | -3.39  | 0.001 | -.5690837 -.1522597  |
| hui      | -2.31132  | 1.708887  | -1.35  | 0.176 | -5.660677 1.038037   |
| healthy  | .5004379  | .1057421  | 4.73   | 0.000 | .2931872 .7076887    |
| _cons    | 6.030657  | .100212   | 33.46  | 0.000 | 5.677448 6.383866    |
| /sigma_u | 2.473022  | .0320245  | 77.22  | 0.000 | 2.410255 2.535789    |
| /sigma_e | 4.979684  | .0144758  | 344.00 | 0.000 | 4.951312 5.008056    |
| rho      | .1978398  | .0042008  |        |       | .1895574 .206337     |

LR test of sigma\_u=0: chibar2(01) = 6807.31      Prob >= chibar2 = 0.000

Random-effects tobit regression

Number of obs = 64,560  
Uncensored = 64,560  
Left-censored = 0  
Right-censored = 0

Limits: lower = -inf  
upper = +inf

Group variable: nh  
Random effects u\_i ~ Gaussian

Number of groups = 5,380  
Obs per group:  
min = 12  
avg = 12.0  
max = 12

Integration method: mvaghermite

Integration pts. = 12

Wald chi2(11) = 196.91  
Prob > chi2 = 0.0000

Log likelihood = -148604.6

| oilgr    | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|----------|-----------|-----------|--------|-------|----------------------|
| dt       | -.0742878 | .0312606  | -2.38  | 0.017 | -.1355574 - .0130181 |
| du       | .0212403  | .0262663  | 0.81   | 0.419 | -.0302406 .0727212   |
| did      | .1046084  | .0371174  | 2.82   | 0.005 | .0318597 .1773571    |
| labor    | -.0116671 | .0191534  | -0.61  | 0.542 | -.0492071 .0258728   |
| rp       | -.1064349 | .0135407  | -7.86  | 0.000 | -.1329742 -.0798957  |
| nc       | -.0829225 | .0486412  | -1.70  | 0.088 | -.1782574 .0124125   |
| disin    | 5.83e-06  | 2.94e-06  | 1.98   | 0.048 | 6.37e-08 .0000116    |
| malratio | .0663884  | .0568775  | 1.17   | 0.243 | -.0450894 .1778662   |
| oldratio | -.1217814 | .0354386  | -3.44  | 0.001 | -.1912398 -.0523229  |
| hui      | -.2528924 | .5946126  | -0.43  | 0.671 | -1.418312 .9125269   |
| healthy  | .0650409  | .0362763  | 1.79   | 0.073 | -.0060592 .1361411   |
| _cons    | .9735081  | .0623541  | 15.61  | 0.000 | .8512963 1.09572     |
| /sigma_u | .6218187  | .0133586  | 46.55  | 0.000 | .5956363 .6480011    |
| /sigma_e | 2.357441  | .0068526  | 344.02 | 0.000 | 2.34401 2.370872     |
| rho      | .0650482  | .0026932  |        |       | .0599339 .0704949    |

LR test of sigma\_u=0: chibar2(01) = 1075.28 Prob >= chibar2 = 0.000

Random-effects tobit regression

Number of obs = 64,560  
Uncensored = 64,560  
Left-censored = 0  
Right-censored = 0

Limits: lower = -inf  
upper = +inf

Group variable: nh  
Random effects u\_i ~ Gaussian

Number of groups = 5,380  
Obs per group:  
min = 12  
avg = 12.0  
max = 12

Integration method: mvaghermite

Integration pts. = 12

Wald chi2(12) = 363.52  
Prob > chi2 = 0.0000

Log likelihood = -77274.026

| egger    | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|----------|-----------|-----------|--------|-------|----------------------|
| dt       | .0549827  | .0150619  | 3.65   | 0.000 | .0254619 .0845035    |
| du       | .0109251  | .0083542  | 1.31   | 0.191 | -.0054488 .027299    |
| did      | -.0087695 | .0130144  | -0.67  | 0.500 | -.0342772 .0167382   |
| labor    | .0050346  | .0089516  | 0.56   | 0.574 | -.0125102 .0225794   |
| rp       | -.0004968 | .0065545  | -12.28 | 0.000 | -.0933433 -.0676502  |
| nc       | .0154078  | .0232057  | 0.66   | 0.507 | -.0300745 .0689002   |
| disin    | 1.62e-06  | 9.55e-07  | 1.69   | 0.090 | -2.55e-07 3.49e-06   |
| malratio | .014257   | .0269382  | 0.53   | 0.597 | -.0385409 .067055    |
| oldratio | -.0485526 | .0176097  | -2.76  | 0.006 | -.083067 -.0140382   |
| hui      | -.3254556 | .2782469  | -1.17  | 0.242 | -.8780895 .2198983   |
| healthy  | .0504     | .017311   | 2.91   | 0.004 | .0164711 .0843289    |
| egger    | -.0036107 | .0020266  | -1.78  | 0.075 | -.0075829 .0003614   |
| _cons    | .8508184  | .2049473  | 4.15   | 0.000 | .4491291 1.252508    |
| /sigma_u | .429372   | .0052056  | 82.48  | 0.000 | .4191693 .4395748    |
| /sigma_e | .7493407  | .0021783  | 344.00 | 0.000 | .7450713 .7536102    |
| rho      | .2471743  | .0047041  |        |       | .238047 .2564855     |

LR test of sigma\_u=0: chibar2(01) = 9707.95 Prob >= chibar2 = 0.000

Random-effects tobit regression

Number of obs = 64,560  
 Uncensored = 64,560  
 Left-censored = 0  
 Right-censored = 0

Limits: lower = -inf  
 upper = +inf

Group variable: nh

Random effects u\_i ~ Gaussian

Number of groups = 5,380  
 Obs per group: min = 12  
 avg = 12.0  
 max = 12

Integration method: mvaghermite

Integration pts. = 12

Wald chi2(12) = 1488.94  
 Prob > chi2 = 0.0000

Log likelihood = -188636.09

| vegegr    | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | .0305804  | .121886   | 6.81   | 0.000 | .5916883 1.069393    |
| du        | .4703076  | .0450265  | 10.45  | 0.000 | .3820573 .5585579    |
| did       | -.6657103 | .0675192  | -9.86  | 0.000 | -.7980454 -.5333752  |
| labor     | -.0318725 | .0642804  | -0.50  | 0.620 | -.1578598 .0941148   |
| rp        | -1.034988 | .0496104  | -20.86 | 0.000 | -1.132222 -.937753   |
| nc        | .0938392  | .1710464  | 0.55   | 0.583 | -.2414056 .429084    |
| disin     | .0000357  | 5.18e-06  | 6.89   | 0.000 | .0000255 .0000458    |
| maleratio | -.1938357 | .1965101  | -0.99  | 0.324 | -.5789884 .1913189   |
| oldratio  | -.6217517 | .1397517  | -4.45  | 0.000 | -.89564 -.3478235    |
| hui       | 1.484293  | 1.991958  | 0.75   | 0.456 | -2.419872 5.388459   |
| healthy   | .1869117  | .1277446  | 1.46   | 0.143 | -.0634631 .4372885   |
| vegep     | -.0324754 | .003096   | -10.49 | 0.000 | -.0385435 -.0264073  |
| _cons     | 10.08672  | .3810387  | 26.47  | 0.000 | 9.339902 10.83355    |
| /sigma_u  | 4.091034  | .0427469  | 95.70  | 0.000 | 4.007252 4.174817    |
| /sigma_e  | 4.034969  | .0117308  | 343.96 | 0.000 | 4.011977 4.057961    |
| rho       | .5068992  | .0054553  |        |       | .4962058 .5175877    |

LR test of sigma\_u=0: chibar2(01) = 3.2e+04 Prob >= chibar2 = 0.000

Random-effects tobit regression

Number of obs = 64,541  
 Uncensored = 64,541  
 Left-censored = 0  
 Right-censored = 0

Limits: lower = -inf  
 upper = +inf

Group variable: nh

Random effects u\_i ~ Gaussian

Number of groups = 5,380  
 Obs per group: min = 10  
 avg = 12.0  
 max = 12

Integration method: mvaghermite

Integration pts. = 12

Wald chi2(11) = 475.06  
 Prob > chi2 = 0.0000

Log likelihood = 13312.233

| foodalcohol_r | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|---------------|-----------|-----------|--------|-------|----------------------|
| dt            | -.0133157 | .0039776  | -3.35  | 0.001 | -.0211117 -.00555197 |
| du            | -.0047125 | .0020285  | -2.32  | 0.020 | -.0086883 -.0007366  |
| did           | .0141355  | .0028641  | 4.94   | 0.000 | .0085219 .019749     |
| labor         | .0043237  | .0024025  | 1.80   | 0.072 | -.0003852 .0090326   |
| rp            | -.0157834 | .0017876  | -8.83  | 0.000 | -.019287 -.0122798   |
| nc            | -.0422689 | .0062788  | -6.73  | 0.000 | -.0545751 -.0299627  |
| disin         | -1.08e-06 | 2.32e-07  | -4.65  | 0.000 | -1.54e-06 -6.24e-07  |
| maleratio     | .056301   | .0072883  | 7.75   | 0.000 | .0420554 .0705466    |
| oldratio      | .0300699  | .0048579  | 6.35   | 0.000 | .0213486 .0403913    |
| hui           | -.2288281 | .0746628  | -3.06  | 0.002 | -.3751645 -.0824916  |
| healthy       | .019579   | .0046864  | 4.18   | 0.000 | .0103939 .0287641    |
| _cons         | .4589256  | .0079945  | 57.41  | 0.000 | .4432567 .4745945    |
| /sigma_u      | .1254656  | .001428   | 87.86  | 0.000 | .1226667 .1282646    |
| /sigma_e      | .1818562  | .0005289  | 343.87 | 0.000 | .1806197 .1828927    |
| rho           | .3224864  | .0051909  |        |       | .31238 .3327258      |

LR test of sigma\_u=0: chibar2(01) = 1.5e+04 Prob >= chibar2 = 0.000

|                                 |  |                          |
|---------------------------------|--|--------------------------|
| Random-effects tobit regression |  | Number of obs = 64,541   |
| Limits: lower = -inf            |  | Uncensored = 64,541      |
| upper = +inf                    |  | Left-censored = 0        |
|                                 |  | Right-censored = 0       |
| Group variable: nh              |  | Number of groups = 5,388 |
| Random effects u_i ~ Gaussian   |  | Obs per group: min = 10  |
|                                 |  | avg = 12.0               |
|                                 |  | max = 12                 |
| Integration method: mvaghermite |  | Integration pts. = 12    |
| Log likelihood = 59881.564      |  | Wald chi2(12) = 1454.92  |
|                                 |  | Prob > chi2 = 0.0000     |

| clothing_r | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|------------|-----------|-----------|--------|-------|----------------------|
| dt         | .0141848  | .0019887  | 7.13   | 0.000 | .0102871 .0180826    |
| du         | -.0152957 | .0010261  | -14.91 | 0.000 | -.0173868 -.0132846  |
| did        | .0097582  | .001452   | 6.72   | 0.000 | .0069123 .0126042    |
| labor      | -.0014422 | .0009731  | -1.48  | 0.138 | -.0033494 .0004631   |
| rp         | .0044307  | .0007023  | 6.31   | 0.000 | .0030542 .0058072    |
| nc         | -.0025941 | .0025019  | -1.04  | 0.300 | -.0074978 .0023096   |
| disin      | -5.80e-08 | 1.17e-07  | -0.50  | 0.619 | -2.87e-07 1.71e-07   |
| maleratio  | -.0267459 | .0029141  | -9.18  | 0.000 | -.0324575 -.0210343  |
| oldratio   | -.0333384 | .0018669  | -17.86 | 0.000 | -.0369375 -.0296793  |
| hui        | -.0348976 | .0302372  | -1.13  | 0.259 | -.0933615 .0251663   |
| healthy    | .0130957  | .0018664  | 7.02   | 0.000 | .0094378 .0167537    |
| clothingp  | -.0198549 | .0010604  | -18.72 | 0.000 | -.0219332 -.0177866  |
| _cons      | 2.070959  | .1060997  | 19.52  | 0.000 | 1.863007 2.27891     |
| /sigma_u   | .0422033  | .0005713  | 73.87  | 0.000 | .0410836 .0433323    |
| /sigma_e   | .0920345  | .0002676  | 343.92 | 0.000 | .09151 .092559       |
| rho        | .1737428  | .0040449  |        |       | .1659302 .1817855    |

LR test of sigma\_u=0: chibar2(01) = 5522.79 Prob >= chibar2 = 0.000

| dwell_r   | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | -.0007097 | .0030737  | -0.23  | 0.817 | -.0067341 .0053147   |
| du        | .002311   | .001282   | 1.80   | 0.071 | -.0002017 .0048238   |
| did       | -.0031317 | .0026217  | -1.19  | 0.232 | -.0083701 .0020068   |
| labor     | .0048015  | .0010452  | 4.59   | 0.000 | .0027529 .0068501    |
| rp        | -.00598   | .0007445  | -8.03  | 0.000 | -.0074391 -.0045209  |
| nc        | .0079474  | .0026667  | 2.98   | 0.003 | .0027208 .013174     |
| disin     | 1.52e-07  | 1.45e-07  | 1.05   | 0.293 | -1.31e-07 4.35e-07   |
| maleratio | -.0007529 | .0031137  | -2.81  | 0.005 | -.0148555 -.0026502  |
| oldratio  | .0031973  | .0019591  | 1.63   | 0.103 | -.0006425 .0070371   |
| hui       | .0004831  | .0324648  | 0.01   | 0.988 | -.0631468 .0641129   |
| healthy   | -.0032737 | .0019091  | -1.65  | 0.100 | -.0071723 .0006249   |
| dwellp    | .0008704  | .0011121  | 0.78   | 0.434 | -.0013093 .0030501   |
| _cons     | -.0011262 | .1112573  | -0.01  | 0.992 | -.2191865 .2169342   |
| /sigma_u  | .0392702  | .0006546  | 59.99  | 0.000 | .0379872 .0405532    |
| /sigma_e  | .1150198  | .0003344  | 343.97 | 0.000 | .1143644 .1156752    |
| rho       | .1043988  | .0032303  |        |       | .098206 .1108599     |

LR test of sigma\_u=0: chibar2(01) = 2408.16 Prob >= chibar2 = 0.000



Random-effects tobit regression

Limits: lower = -inf  
upper = +inf

Group variable: nh  
Random effects u\_i ~ Gaussian

Number of obs = 64,541  
Uncensored = 64,541  
Left-censored = 0  
Right-censored = 0

Number of groups = 5,388  
Obs per group: min = 10  
avg = 12.0  
max = 12

Integration method: mvaghermite

Integration pts. = 12

Log likelihood = 50320.515

Wald chi2(12) = 87.81  
Prob > chi2 = 0.0000

| daily_r   | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | -.0059997 | .0017557  | -3.42  | 0.001 | -.0094408 -.0025585  |
| du        | -.0000271 | .0011936  | -0.02  | 0.982 | -.0023665 .0023122   |
| did       | -.0027773 | .0017287  | -1.61  | 0.108 | -.0061654 .0006108   |
| labor     | .0000088  | .0009642  | 0.09   | 0.927 | -.001801 .0019787    |
| rp        | -.0005077 | .0006863  | -0.74  | 0.459 | -.0018529 .0008375   |
| nc        | -.0035899 | .002459   | -1.46  | 0.144 | -.0084095 .0012296   |
| disin     | -4.44e-08 | 1.35e-07  | -0.33  | 0.742 | -3.00e-07 2.19e-07   |
| maleratio | -.0185704 | .0028716  | -6.47  | 0.000 | -.0241987 -.0129421  |
| olratio   | -.0012118 | .0018052  | -0.67  | 0.502 | -.0047499 .0023262   |
| hui       | -.0199619 | .029947   | -0.67  | 0.505 | -.0786569 .0387531   |
| healthy   | -.0001171 | .0018341  | -0.06  | 0.949 | -.0037119 .0034778   |
| daily_p   | .0118261  | .0031593  | 3.74   | 0.000 | .0056339 .0180183    |
| _cons     | -1.092131 | .3159307  | -3.46  | 0.001 | -1.711344 -.4729183  |
| /sigma_u  | .0358577  | .0006079  | 58.99  | 0.000 | .0346663 .0370492    |
| /sigma_e  | .1070852  | .0003113  | 343.97 | 0.000 | .1064751 .1076954    |
| rho       | .1008214  | .0031842  |        |       | .0947204 .107204     |

LR test of sigma\_u=0:  $\chi^2(1) = 2271.88$  Prob >=  $\chi^2(1) = 0.000$

Random-effects tobit regression

Limits: lower = -inf  
upper = +inf

Group variable: nh  
Random effects u\_i ~ Gaussian

Number of obs = 64,541  
Uncensored = 64,541  
Left-censored = 0  
Right-censored = 0

Number of groups = 5,388  
Obs per group: min = 10  
avg = 12.0  
max = 12

Integration method: mvaghermite

Integration pts. = 12

Log likelihood = 42384.668

Wald chi2(12) = 541.04  
Prob > chi2 = 0.0000

| traffication_r | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|----------------|-----------|-----------|--------|-------|----------------------|
| dt             | .0054031  | .0028251  | 1.20   | 0.228 | -.0021339 .0089402   |
| du             | .0131935  | .001855   | 10.11  | 0.000 | .0106347 .0157522    |
| did            | -.0136394 | .0019933  | -6.84  | 0.000 | -.0175461 -.0097326  |
| labor          | .0118622  | .0014337  | 8.27   | 0.000 | .0090523 .0146721    |
| rp             | -.0035559 | .0010515  | -3.38  | 0.001 | -.0056198 -.0014982  |
| nc             | .0058801  | .003717   | 1.58   | 0.114 | -.0014052 .0131553   |
| disin          | -9.72e-08 | 1.49e-07  | -0.65  | 0.515 | -3.90e-07 1.95e-07   |
| maleratio      | .0164113  | .0043149  | 3.80   | 0.000 | .0079542 .0248684    |
| olratio        | -.0412584 | .0028343  | -14.56 | 0.000 | -.0468135 -.0357033  |
| hui            | .0960034  | .0444958  | 2.18   | 0.030 | .0095933 .1840135    |
| healthy        | -.0007161 | .0027727  | -0.26  | 0.796 | -.0061504 .0047183   |
| traffication_p | -.0047367 | .000685   | -6.91  | 0.000 | -.0060793 -.0033942  |
| _cons          | .5838504  | .0686577  | 8.50   | 0.000 | .4492839 .718417     |
| /sigma_u       | .0699769  | .0008379  | 83.51  | 0.000 | .0683345 .0716192    |
| /sigma_e       | .117062   | .0003405  | 343.81 | 0.000 | .1163947 .1177194    |
| rho            | .2632627  | .0048453  |        |       | .2538545 .272846     |

LR test of sigma\_u=0:  $\chi^2(1) = 1.1e+04$  Prob >=  $\chi^2(1) = 0.000$

Random-effects tobit regression

Number of obs = 64,541  
 Uncensored = 64,541  
 Left-censored = 0  
 Right-censored = 0

Limits: lower = -inf  
 upper = +inf

Group variable: nh

Random effects u\_i ~ Gaussian

Number of groups = 5,388  
 Obs per group: min = 10  
 avg = 12.0  
 max = 12

Integration method: mvaghermite

Integration pts. = 12

Wald chi2(12) = 1379.78  
 Prob > chi2 = 0.0000

Log likelihood = 38445.612

| medical_r    | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|--------------|-----------|-----------|--------|-------|----------------------|
| dt           | .0217954  | .0026301  | 8.29   | 0.000 | .0166404 .0269594    |
| du           | .0062855  | .0014109  | 4.45   | 0.000 | .0035201 .0090509    |
| did          | -.0098239 | .0021726  | -4.52  | 0.000 | -.0140822 -.0055657  |
| labor        | -.0258067 | .0013394  | -19.27 | 0.000 | -.0284318 -.0231815  |
| rp           | .0262452  | .0009678  | 27.12  | 0.000 | .0243483 .0281421    |
| nc           | .0428139  | .00344    | 12.45  | 0.000 | .0360717 .0495581    |
| disin        | 2.98e-07  | 1.60e-07  | 1.86   | 0.063 | -1.61e-06 6.12e-07   |
| maleratio    | -.0025087 | .0040056  | -0.63  | 0.531 | -.0103595 .005342    |
| oldratio     | -.0184599 | .0025661  | -7.19  | 0.000 | -.0234895 -.0134304  |
| hui          | .0200476  | .0415728  | 0.48   | 0.630 | -.0614336 .1015288   |
| healthy      | .0138856  | .0025661  | 5.41   | 0.000 | .0088562 .018915     |
| edutainmentp | -.0138286 | .001483   | -9.32  | 0.000 | -.0167353 -.010922   |
| _cons        | 1.405668  | .148334   | 9.48   | 0.000 | 1.114939 1.696398    |
| /sigma_u     | .0580198  | .0007859  | 73.83  | 0.000 | .0564794 .0595601    |
| /sigma_e     | .1265543  | .000368   | 343.91 | 0.000 | .125833 .1272755     |
| rho          | .1736789  | .0040464  |        |       | .1658633 .1817248    |

LR test of sigma\_u=0: chibar2(01) = 5518.40 Prob >= chibar2 = 0.000

Random-effects tobit regression

Number of obs = 64,541  
 Uncensored = 64,541  
 Left-censored = 0  
 Right-censored = 0

Limits: lower = -inf  
 upper = +inf

Group variable: nh

Random effects u\_i ~ Gaussian

Number of groups = 5,388  
 Obs per group: min = 10  
 avg = 12.0  
 max = 12

Integration method: mvaghermite

Integration pts. = 12

Wald chi2(12) = 680.21  
 Prob > chi2 = 0.0000

Log likelihood = 29928.343

| medical_r | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | .026571   | .0067673  | 3.93   | 0.000 | .0133073 .0398347    |
| du        | .0038901  | .0015871  | 2.45   | 0.014 | .0007795 .0070008    |
| did       | -.0134928 | .0032407  | -4.16  | 0.000 | -.0198445 -.0071411  |
| labor     | .0050562  | .0017066  | 2.96   | 0.003 | .0017113 .008401     |
| rp        | -.0025577 | .0012505  | -2.05  | 0.041 | -.0050087 -.0001067  |
| nc        | -.0080172 | .0044258  | -1.81  | 0.070 | -.0166915 .0006571   |
| disin     | 8.76e-07  | 1.81e-07  | 4.83   | 0.000 | 5.21e-07 1.23e-06    |
| maleratio | -.0216622 | .001362   | -4.22  | 0.000 | -.0317329 -.0115915  |
| oldratio  | .0594194  | .003363   | 17.67  | 0.000 | .052828 .0660107     |
| hui       | .1715465  | .0530697  | 3.23   | 0.001 | .0675318 .2755611    |
| healthy   | -.0435753 | .0033051  | -13.18 | 0.000 | -.0500332 -.0370975  |
| medicalp  | -.0064729 | .0018128  | -3.57  | 0.000 | -.0100259 -.0029199  |
| _cons     | .7699575  | .1813455  | 4.25   | 0.000 | .4145268 1.125388    |
| /sigma_u  | .082134   | .000994   | 82.63  | 0.000 | .0801857 .0840823    |
| /sigma_e  | .142318   | .0004138  | 343.91 | 0.000 | .1415069 .143129     |
| rho       | .249848   | .0047305  |        |       | .2406684 .2592182    |

LR test of sigma\_u=0: chibar2(01) = 9800.34 Prob >= chibar2 = 0.000

|                                 |          |
|---------------------------------|----------|
| Random-effects tobit regression |          |
| Number of obs                   | = 64,541 |
| Uncensored                      | = 64,541 |
| Left-censored                   | = 0      |
| Right-censored                  | = 0      |
| Group variable: nh              |          |
| Number of groups                | = 5,388  |
| Random effects u_i ~ Gaussian   |          |
| Obs per group:                  |          |
| min                             | = 10     |
| avg                             | = 12.0   |
| max                             | = 12     |
| Integration method: mvaghermite |          |
| Integration pts.                | = 12     |
| log likelihood = 96670.856      |          |
| Wald chi2(12)                   | = 149.23 |
| Prob > chi2                     | = 0.0000 |

| others_r  | Coef.     | Std. Err. | z      | P> z  | [95% Conf. Interval] |
|-----------|-----------|-----------|--------|-------|----------------------|
| dt        | .0019828  | .00171    | 1.16   | 0.246 | -.0013688 .0053343   |
| du        | -.0055411 | .0005866  | -9.45  | 0.000 | -.0066909 -.0043913  |
| did       | .0050296  | .0014842  | 3.39   | 0.001 | .0021206 .0079386    |
| labor     | .0004096  | .0004378  | 0.94   | 0.350 | -.0004485 .0012678   |
| rp        | -.0003543 | .00051    | -1.11  | 0.269 | -.0009505 .0002645   |
| nc        | .0023736  | .001113   | 2.13   | 0.033 | .0001923 .004555     |
| disin     | -2.62e-08 | 6.58e-08  | -0.40  | 0.690 | -1.55e-07 1.03e-07   |
| maleratio | .000769   | .001301   | 0.59   | 0.554 | -.001781 .003319     |
| oldratio  | .0008863  | .0008112  | 1.09   | 0.275 | -.0007056 .0024781   |
| hui       | -.0000652 | .0135931  | -0.45  | 0.655 | -.0327071 .0205768   |
| healthy   | -.0008457 | .0008301  | -1.02  | 0.308 | -.0024727 .0007812   |
| othersp   | -.0017057 | .0006782  | -2.60  | 0.009 | -.0030949 -.0003165  |
| _cons     | .1994019  | .0678283  | 2.94   | 0.003 | .0664609 .332343     |
| /sigma_u  | .0147252  | .0002967  | 49.63  | 0.000 | .0141436 .0153067    |
| /sigma_e  | .052656   | .000153   | 343.98 | 0.000 | .0523361 .0529359    |
| rho       | .0725922  | .0027999  |        |       | .0672517 .0782304    |

LR test of  $\sigma_u=0$ :  $\text{chibar2}(01) = 1300.89$   
 Prob >=  $\text{chibar2} = 0.000$