

MONTHLY INSPECTION REPORT

PETRO-TANK SOLUTIONS

803 SUMMER PARK DR, STE #150
STAFFORD, TX 77477

O: 281-242-2687

E: OFFICE.PETROTANKSOLUTIONS@GMAIL.COM



PETRO-TANK SOLUTIONS

803 SUMMER PARK DR, STE #150
STAFFORD, TX 77477

O: 281-242-2687

E: OFFICE.PETROTANKSOLUTIONS@GMAIL.COM



Survey

Questions

1 Hanging hardware leaking?



2 Hanging hardware free of cracks and holes?

3 Octane stickers on?

4 Ethanol sticker on?

5 No Smoking/Stop Engine stickers on?

6 TDLR Weights & Measurements stickers on?

7 Any sign of leaks under the dispensers?

8 Any liquid or debris under dispenser sumps?

9 Are Spill buckets free of liquid or debris?

10 Spill buckets interior & exterior damaged or cracked?

11 Grey Fill Cap in working condition?

N/A

No

Yes

Description



Pump 2 is leaking from nozzle.



Sumps are clean.



Questions	N/A	No	Yes	Description
12 Fill Adapter threaded tight and not loose?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
13 Orange Vapor cap in working condition?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
14 Vapor adapter in working condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Super vapor cap was bad, replaced with new.
15 STP Sumps free of liquid and debris?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
16 STP Sumps free of holes and cracks?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
17 Are all the lids properly painted?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
18 Are the vent caps in good condition?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	