

NV

NeuroVoice AI
Behavioral Speech Translator

Dashboard

Add Child

Child Profiles

Upload Behavior

Communication Timeline

Behavior History

Behavior Dictionary

Analytics Dashboard

Live Monitoring

Settings

Translator Status

Learning from caregiver input

COMMUNICATION PASSPORT

Behavior Dictionary

Each child's personalized behavior-to-speech mapping — the hospital's guide to understanding them.

MNMeera Nair

RIRam Iyer

Meera Nair's Communication Passport

5 years · Female · Caregiver: Anand Nair (Father)
Level 2 — Requiring Substantial Support

3 Behaviors Mapped

Rocking In Place

1 sample · avg NaN% confidence

NAN%

Rocking In Place — Anxiety

MODEL CONFIDENCE

CHILD'S VOICE

"I am feeling anxious. I need some support. "

RECOMMENDED RESPONSE

Use a calm, low voice. Offer a known comfort item and reduce surrounding stimulation.

WHAT NOT TO DO

Do not force eye contact or rapid-fire questions.

EXAMPLE SAMPLES

meera_rocking_01.mp4 · Rocks back and forth before unfamiliar staff enter the room.

Leg Crossing And Fidgeting

1 sample · avg NaN% confidence

NAN%

Leg Crossing And Fidgeting — Toilet Need

MODEL CONFIDENCE

CHILD'S VOICE

"I need to use the bathroom. "

RECOMMENDED RESPONSE

Escort to the restroom promptly using the child's established routine.

WHAT NOT TO DO

Do not ask the child to wait without escorting them — this can cause distress or accidents.

EXAMPLE SAMPLES

meera_leg_fidget_01.mp4 · Crosses legs and shifts weight repeatedly.

Hand Flapping Near Tray

1 sample · avg NaN% confidence

NAN%

Hand Flapping Near Tray — Hunger

MODEL CONFIDENCE

CHILD'S VOICE

"I am hungry. I would like something to eat. "

RECOMMENDED RESPONSE

Offer a small, familiar snack. Avoid introducing new foods during distress.

WHAT NOT TO DO

Do not delay feeding for long periods; this can intensify behaviors.

EXAMPLE SAMPLES

meera_hand_flap_01.mp4 · Rapid hand flapping while looking at the food tray cart.