

CougMarket
Mid-Submission Requirements Analysis

Washington State University – Tri Cities
CPT_S 489 – Web Development

Team REJ
Raul Martinez, Edwin Quinonez, and Jaydon Larios

Date: March 6th, 2026

1. Introduction

CougMarket is a web-based marketplace application designed for students at Washington State University (WSU). The platform allows students to buy, sell, trade, or give away items within the campus community.

Students frequently own items such as textbooks, electronics, furniture, or other goods that they no longer need. CougMarket provides a safe centralized online marketplace where students can create listings and exchange items with other members of the university community.

Unlike large commercial marketplaces, CougMarket is designed specifically for a university environment where **students act as both buyers and sellers**. A student may browse items listed by other students, contact the listing owner, and also create their own listings to sell items.

To maintain safety and organization within the platform, the system includes moderation and administrative roles. Moderators review listings and monitor user activity to ensure marketplace rules are followed. While, administrators maintain system-level control and manage platform integrity.

This document describes the functional requirements of CougMarket using structured use cases for three system roles: **students, moderators, and administrators**.

2. User Roles

2.1 Student (Primary User)

A student is the primary user of the CougMarket platform. Students can both **buy and sell items** within the campus marketplace.

Students interact with the system by browsing listings, searching for items, viewing listing details, and contacting other students regarding listings. Students may also create their own listings to sell items they no longer need.

Students manage their activity through a personal dashboard where they can view their listings, track conversations with other students, and manage requests related to buying or selling items.

Typical student actions include browsing listings, searching for items, viewing listing details, creating listings, responding to requests, and managing their marketplace activity.

2.2 Moderator

Moderators are responsible for monitoring marketplace activity and ensuring that listings comply with platform guidelines.

Moderators review newly created listings before they become publicly visible to ensure that the content is appropriate and relevant to the marketplace. Moderators may approve listings, reject listings that violate guidelines, or flag suspicious user behavior.

Moderators help maintain the quality and safety of the marketplace by preventing inappropriate content, fraudulent listings, or misuse of the platform.

Typical moderator actions include reviewing listings, approving or rejecting listings, flagging accounts for investigation, and monitoring marketplace activity.

2.3 Administrator

Administrators maintain overall control of the CougMarket system and manage platform-level operations.

Administrators have the highest level of access and are responsible for managing user accounts, enforcing platform rules, and maintaining system integrity. Administrators can approve or deny listings, ban users who violate platform policies, and review marketplace activity.

Administrative privileges ensure that the system operates safely and that any misuse of the platform can be addressed quickly.

Typical administrator actions include reviewing listings, managing user accounts, banning users, and monitoring marketplace activity.

3.0 Use Cases

3.1 Student Use Cases

UC-01

Field	Description
Use Case ID	UC-01
Use Case Name	Browse Marketplace Listings
Actor	Student
Description	This use case describes the process where a student browses available listings in the CougarMarket marketplace. The student can view items posted by other students and select a listing to view more details.
Pre-conditions	Student is logged into the CougarMarket platform. Marketplace system is operational. At least zero or more listings may exist in the database. Student has permission to access the marketplace page.
Post-conditions (Success)	Active listings are displayed to the student. Student can view listing summaries. Student can select a listing for more details. System records page access analytics if enabled.
Post-conditions (Failure)	Listings are not displayed. Student remains on the listings page or sees an error page. Error or empty-state message is displayed.
Main Flow (Basic Flow)	1. Student logs into CougarMarket. 2. Student navigates to the marketplace listings page. 3. System retrieves active listings from the database. 4. System sorts listings using the default ordering method. 5. System displays listings in a grid or list format showing: 5.1 Listing title 5.2 Listing image thumbnail if available 5.3 Price 5.4 Category 5.5 Listing status summary 5.6 Seller display name 6. Student scrolls through the available listings. 7. Student identifies an item of interest. 8. Student selects a listing. 9. System opens the selected listing details page.
Alternative Flow 1: Filter Listings by Category	Trigger: Student chooses a category filter. 5a. Student selects a category such as Textbooks, Electronics, Furniture, or Miscellaneous. 5b. System retrieves only listings within the selected category. 5c. System refreshes the listing display. 5d. Flow continues at step 6 of the main flow.

Field	Description
Alternative Flow 2: Sort Listings	Trigger: Student chooses a sorting option. 5a. Student selects a sorting method such as Newest, Oldest, Lowest Price, or Highest Price. 5b. System reorders the displayed listings. 5c. Flow continues at step 6 of the main flow.
Alternative Flow 3: Browse Multiple Pages of Results	Trigger: More listings exist than fit on one page. 6a. Student reaches the bottom of the current page or uses pagination controls. 6b. System retrieves the next page of listings. 6c. System displays the next set of results. 6d. Flow continues at step 6 of the main flow.
Exception Flow 1: No Listings Available	Trigger: No active listings exist. 3a. System finds no active listings in the database. 3b. System displays the message: "No listings are currently available." 3c. Student may remain on the page, refresh, or return later.
Exception Flow 2: Database Retrieval Error	Trigger: System cannot retrieve listing data. 3a. Database query fails or times out. 3b. System logs the error. 3c. System displays an error message to the student. 3d. No listings are displayed.
Exception Flow 3: Session Expired	Trigger: Student session expires while browsing. 2a. System detects expired authentication token. 2b. System redirects student to login page. 2c. System displays message requesting the student to sign in again.
Business Rules	Only listings with status Active are visible to students. Listings must have a title and description before being shown. Removed, rejected, or completed listings are not shown in active browsing results. Each visible listing must be associated with a valid student seller account.
Frequency of Use	Very High
Priority	Critical

UC-02

Field	Description
Use Case ID	UC-02
Use Case Name	Search Marketplace Listings
Actor	Student
Description	This use case describes how a student searches for marketplace listings using keywords and optional filters to locate relevant items more quickly.
Pre-conditions	Student is logged into CougMarket. Marketplace system is operational. Listings database is available for querying.
Post-conditions (Success)	Matching listings are displayed. Applied search criteria are reflected in the results. Student can refine results or open a listing.
Post-conditions (Failure)	Search results are not displayed correctly, or no results are found. System displays an appropriate error or empty-results message.
Main Flow (Basic Flow)	1. Student navigates to the marketplace page. 2. Student clicks inside the search bar. 3. Student enters one or more keywords describing the desired item. 4. Student submits the search by pressing Enter or clicking the search icon. 5. System validates the search input. 6. System queries active listing titles and descriptions for matching keywords. 7. System retrieves matching listings. 8. System displays search results including: 8.1 Listing title 8.2 Price 8.3 Category 8.4 Thumbnail image if available 8.5 Seller display name 9. Student reviews the results.
Alternative Flow 1: Category Filter Applied	Trigger: Student applies a category filter while searching. 6a. Student selects a category filter. 6b. System narrows the search results using both the keyword and category filter. 6c. System updates the displayed results. 6d. Flow continues at step 9 of the main flow.
Alternative Flow 2: Price Range Filter Applied	Trigger: Student enters a minimum and maximum price. 7a. Student specifies a price range. 7b. System filters matching results by the selected range. 7c. System refreshes the displayed results. 7d. Flow continues at step 9 of the main flow.
Alternative Flow 3: Search Without Keywords	Trigger: Student submits search with only filters selected. 4a. Student leaves keyword field blank but selects filters. 4b. System returns listings matching the selected filters only.

Field	Description
	4c. Flow continues at step 8 of the main flow.
Exception Flow 1: No Results Found	Trigger: No listings match the search criteria. 7a. System retrieves zero matching results. 7b. System displays the message: “No results found.” 7c. System allows the student to revise the query or clear filters.
Exception Flow 2: Invalid Price Range	Trigger: Minimum price is greater than maximum price. 7a. System detects invalid filter input. 7b. System displays validation error message. 7c. Student corrects the price range. 7d. Flow returns to step 4 of the main flow.
Exception Flow 3: Search Service Failure	Trigger: Database or search service cannot complete the query. 6a. System fails to retrieve results. 6b. System logs the failure. 6c. System displays an error message. 6d. No results are shown.
Business Rules	Search applies only to active listings. Keyword matching is case-insensitive. Searchable fields include at least listing title and description. Filters may be combined when supported by the system.
Frequency of Use	Very High
Priority	High

UC-03

Field	Description
Use Case ID	UC-03
Use Case Name	View Listing Information
Actor	Student
Description	This use case describes how a student views detailed information for a selected marketplace listing.
Pre-conditions	Student is logged into CougMarket. Selected listing exists in the system. Listing is viewable by the student.
Post-conditions (Success)	Listing details page is displayed. Student can review the item and decide whether to contact the seller.
Post-conditions (Failure)	Listing details page is not displayed. System displays an error or unavailable message.
Main Flow (Basic Flow)	1. Student browses or searches the marketplace. 2. Student selects a listing. 3. System retrieves the selected listing record. 4. System retrieves associated seller and image information. 5. System displays listing details including:

Field	Description
	5.1 Title 5.2 Description 5.3 Category 5.4 Price 5.5 Seller display name 5.6 Item images if available 5.7 Listing status if appropriate 6. Student reviews the listing information. 7. Student may return to results or continue to send a request.
Alternative Flow 1: View Image Gallery	Trigger: Listing contains multiple images. 5a. Student selects an image thumbnail. 5b. System opens image gallery or enlarged image view. 5c. Student navigates between images. 5d. Flow returns to step 6 of the main flow.
Alternative Flow 2: View Seller Profile Summary	Trigger: Student selects seller information. 5a. Student clicks seller display name or profile link. 5b. System displays allowed seller profile summary information. 5c. Student returns to the listing details page. 5d. Flow continues at step 6 of the main flow.
Alternative Flow 3: Return to Results	Trigger: Student decides not to continue with this listing. 7a. Student clicks Back or returns to listings page. 7b. System displays prior results or browsing screen.
Exception Flow 1: Listing Removed Before Viewing	Trigger: Listing was removed or completed before details page loaded. 3a. System cannot find an active version of the selected listing. 3b. System displays message: "This listing is no longer available." 3c. Student may return to the marketplace.
Exception Flow 2: Image Retrieval Failure	Trigger: Listing exists but image files cannot be loaded. 4a. System fails to retrieve one or more images. 4b. System displays the listing details without the missing images or uses a placeholder image. 4c. Flow continues at step 6 of the main flow.
Exception Flow 3: Server or Database Error	Trigger: Listing data cannot be retrieved. 3a. System experiences retrieval failure. 3b. System logs the error. 3c. System displays an error message.
Business Rules	Only approved and active listings are viewable to general students. Listings must include a description and category. Seller contact details beyond approved fields are not exposed directly unless allowed by the platform. Completed or removed listings are not shown as active purchase opportunities.
Frequency of Use	High
Priority	High

UC-04

Field	Description
Use Case ID	UC-04
Use Case Name	Send Purchase Request
Actor	Student
Description	This use case describes how a student sends a request message to the owner of a listing to express interest in purchasing, receiving, or negotiating for an item.
Pre-conditions	Student is logged into CougMarket. Student is viewing an active listing. Student is not the owner of the listing. Messaging feature is available.
Post-conditions (Success)	Request message is stored. Conversation thread is created or updated. Seller receives a notification or message alert. Student sees confirmation that the request was sent.
Post-conditions (Failure)	No request is stored. No conversation is created or updated. Error message is shown to the student.
Main Flow (Basic Flow)	1. Student opens a listing details page. 2. Student clicks the “Send Request” or similar contact button. 3. System displays a request message form. 4. Student enters a message expressing interest in the item. 4.1 Student may ask if the item is still available. 4.2 Student may mention preferred pickup details. 4.3 Student may include a polite greeting. 5. Student submits the request. 6. System validates the message and request context. 7. System creates a new conversation thread or appends to an existing one. 8. System stores the message. 9. System sends a notification to the seller. 10. System displays confirmation that the request was sent successfully.
Alternative Flow 1: Include Price Offer	Trigger: Student wants to negotiate the price. 4a. Student includes an offer amount in the message. 4b. System stores the offer as part of the message content. 4c. Flow continues at step 5 of the main flow.
Alternative Flow 2: Use Existing Conversation Thread	Trigger: A conversation already exists between this buyer and seller for the same listing. 7a. System detects an existing thread. 7b. System appends the new message to that thread instead of creating a new one. 7c. Flow continues at step 8 of the main flow.
Alternative Flow 3: Save Draft Before Sending	Trigger: Student wants to come back later. 5a. Student chooses to save the message as a draft if the platform supports drafts. 5b. System saves draft content.

Field	Description
	5c. Student returns later to edit and send it. 5d. Flow resumes at step 5 of the main flow when the student submits.
Exception Flow 1: Student Attempts to Message Own Listing	Trigger: Listing owner tries to send request to their own listing. 2a. System detects student is the listing owner. 2b. System blocks the action. 2c. System displays message: "You cannot send a purchase request to your own listing."
Exception Flow 2: Listing No Longer Available	Trigger: Listing becomes inactive before message is sent. 6a. System detects that the listing is no longer active. 6b. System displays message: "This listing is no longer available." 6c. Message is not sent.
Exception Flow 3: Empty or Invalid Message	Trigger: Student submits blank or invalid content. 6a. System fails validation because the message is empty or too short. 6b. System highlights the message field. 6c. System prompts the student to enter a valid message. 6d. Flow returns to step 4 of the main flow.
Business Rules	Students cannot send requests to their own listings. Requests must be associated with a valid active listing. Message content must meet minimum platform requirements. One or more messages related to the same listing may be grouped into one conversation thread.
Frequency of Use	High
Priority	Critical

UC-05

Field	Description
Use Case ID	UC-05
Use Case Name	View Request Conversation
Actor	Student
Description	This use case describes how a student views the conversation thread associated with a purchase request for a listing.
Pre-conditions	Student is logged into CougMarket. A request conversation exists. Student is a participant in the conversation.
Post-conditions (Success)	Conversation thread is displayed. Student can review the message history. Student may reply if messaging is enabled.
Post-conditions (Failure)	Conversation is not displayed. Error or unavailable message is shown.

Field	Description
Main Flow (Basic Flow)	1. Student logs into the system. 2. Student navigates to Messages, Requests, or Dashboard. 3. Student selects a request conversation thread. 4. System verifies that the student is a valid participant in the conversation. 5. System retrieves the conversation history. 6. System displays messages in chronological order. 7. Student reviews the conversation contents.
Alternative Flow 1: Send Additional Message	Trigger: Student wants to reply. 7a. Student enters a reply message. 7b. Student clicks Send. 7c. System validates and stores the new message. 7d. System refreshes the conversation thread. 7e. Flow returns to step 7 of the main flow.
Alternative Flow 2: Mark Conversation as Read	Trigger: Student opens an unread thread. 5a. System marks the thread as read for the current student. 5b. Flow continues at step 6 of the main flow.
Alternative Flow 3: Return to Dashboard	Trigger: Student finishes reviewing messages. 7a. Student exits the thread. 7b. System returns the student to the prior page.
Exception Flow 1: Unauthorized Access Attempt	Trigger: Student tries to open a thread they are not part of. 4a. System denies access. 4b. System displays authorization error message. 4c. Conversation is not shown.
Exception Flow 2: Conversation Removed or Unavailable	Trigger: Thread has been deleted, archived, or moderated away. 5a. System cannot retrieve the conversation record. 5b. System displays message indicating the conversation is unavailable.
Exception Flow 3: Message Retrieval Failure	Trigger: Database or messaging service error occurs. 5a. System fails to retrieve conversation history. 5b. System logs the error. 5c. System displays an error message.
Business Rules	Only participants in a conversation may view it. Messages are displayed in chronological order. Conversation records are tied to a specific listing request context unless otherwise designed. Moderated or removed messages may be hidden based on policy.
Frequency of Use	High
Priority	High

UC-06

Field	Description
Use Case ID	UC-06
Use Case Name	View User Dashboard
Actor	Student
Description	This use case describes how a student views a dashboard summarizing their marketplace activity, including their listings and request activity.
Pre-conditions	Student is logged into CougarMarket. Dashboard feature is available. Student account exists.
Post-conditions (Success)	Dashboard is displayed with student-specific information. Student can navigate to related marketplace functions from the dashboard.
Post-conditions (Failure)	Dashboard is not displayed. Error message is shown.
Main Flow (Basic Flow)	1. Student logs into CougarMarket. 2. Student selects Dashboard from the navigation menu. 3. System retrieves student-specific marketplace data. 4. System compiles the dashboard view. 5. System displays dashboard sections such as: 5.1 Active listings created by the student 5.2 Pending listings awaiting moderation 5.3 Request messages sent by the student 5.4 Request messages received for the student's listings 5.5 Completed listings if shown by design 6. Student reviews the dashboard information. 7. Student selects a dashboard item for further action if desired.
Alternative Flow 1: Open Listing from Dashboard	Trigger: Student selects one of their listings. 7a. Student clicks a listing card or row. 7b. System opens the listing details or management page.
Alternative Flow 2: Open Message Thread from Dashboard	Trigger: Student selects a request conversation entry. 7a. Student clicks a conversation preview. 7b. System opens the full conversation thread.
Alternative Flow 3: Filter Dashboard Sections	Trigger: Student filters dashboard content. 5a. Student chooses to view only active listings, only pending items, or only messages. 5b. System refreshes the visible dashboard content.
Exception Flow 1: No Activity Exists	Trigger: Student has no listings and no request activity. 3a. System finds no marketplace activity associated with the student account. 3b. System displays an empty-state dashboard with helpful prompts such as creating a listing or browsing the marketplace.

Field	Description
Exception Flow 2: Dashboard Data Retrieval Failure	Trigger: System cannot retrieve dashboard data. 3a. System encounters database or service error. 3b. System logs the issue. 3c. System displays error message.
Exception Flow 3: Partial Data Load Failure	Trigger: Some sections load and others fail. 4a. System successfully retrieves only part of the dashboard data. 4b. System displays available sections and marks failed sections as temporarily unavailable. 4c. Student may retry loading the dashboard.
Business Rules	Dashboard content is restricted to the logged-in student's own marketplace data. Pending, active, completed, and removed data may be shown according to platform permissions. Dashboard links must route only to resources the student is authorized to access.
Frequency of Use	Medium
Priority	Medium

UC-07

Field	Description
Use Case ID	UC-07
Use Case Name	Create Marketplace Listing
Actor	Student
Description	This use case describes how a student creates a new marketplace listing for an item they want to sell, trade, or give away.
Pre-conditions	Student is logged into CougarMarket. Student account is in good standing. Create Listing feature is available.
Post-conditions (Success)	Listing is stored in the system. Listing status is set to Pending Review or Draft based on submission choice. Student receives confirmation.
Post-conditions (Failure)	Listing is not stored as a submitted listing. Validation or upload error message is shown. No active listing is created.
Main Flow (Basic Flow)	1. Student navigates to the Create Listing page. 2. System displays the listing form. 3. Student enters listing title. 4. Student enters item description. 5. Student selects a category. 6. Student enters a price or marks the item as free if allowed. 7. Student uploads one or more images if desired.

Field	Description
	8. Student reviews the entered information. 9. Student submits the listing. 10. System validates required fields and content format. 11. System stores the listing record. 12. System assigns the listing a status of Pending Review. 13. System confirms successful submission to the student.
Alternative Flow 1: Save Listing as Draft	Trigger: Student is not ready to submit for review. 9a. Student selects Save Draft instead of Submit. 9b. System stores the listing as a draft. 9c. System confirms the draft was saved. 9d. Listing is not sent to moderation yet.
Alternative Flow 2: Upload Multiple Images	Trigger: Student adds more than one image. 7a. Student selects multiple images. 7b. System uploads and associates each valid image with the listing. 7c. Flow continues at step 8 of the main flow.
Alternative Flow 3: Free Item Listing	Trigger: Student lists item for no cost. 6a. Student enters price as 0 or selects a Free option if supported. 6b. System records the listing accordingly. 6c. Flow continues at step 7 of the main flow.
Exception Flow 1: Missing Required Fields	Trigger: Student omits required information. 10a. System detects missing title, description, category, price rule, or other required fields. 10b. System highlights invalid or missing fields. 10c. System displays validation message. 10d. Flow returns to the incomplete step(s).
Exception Flow 2: Image Upload Failure	Trigger: One or more images fail to upload. 7a. System detects upload failure due to size, format, or network issue. 7b. System displays an image upload error. 7c. Student may remove the failed image and retry. 7d. Flow returns to step 7 of the main flow.
Exception Flow 3: Session Expiration During Form Entry	Trigger: Student session expires before submission. 9a. System detects expired session. 9b. System prompts the student to log in again. 9c. Unsaved work may be lost unless draft autosave exists.
Business Rules	Title must meet the platform's minimum character requirement. Description is required. Listings must be approved before becoming publicly visible. Listing content must comply with marketplace policies. Only authenticated students may create listings.
Frequency of Use	High
Priority	Critical

UC-08

Field	Description
Use Case ID	UC-08
Use Case Name	Edit Listing
Actor	Student
Description	This use case describes how a student updates information in one of their existing listings.
Pre-conditions	Student is logged in. Student owns the listing. Listing exists and is editable under platform rules.
Post-conditions (Success)	Updated listing information is saved. Listing reflects the new information. Moderation status may be updated if edits require re-review.
Post-conditions (Failure)	Changes are not saved. Original listing data remains unchanged or partially unchanged. Error message is shown.
Main Flow (Basic Flow)	1. Student opens Dashboard or My Listings. 2. Student selects one of their listings. 3. Student clicks Edit. 4. System retrieves the current listing data. 5. System displays the editable form populated with existing information. 6. Student modifies one or more fields such as title, description, category, price, or images. 7. Student submits the updated listing. 8. System validates the updated information. 9. System saves the changes. 10. System displays confirmation of successful update.
Alternative Flow 1: Edit Listing Images	Trigger: Student wants to add, replace, or remove images. 6a. Student edits the image section. 6b. System uploads new images or removes selected images. 6c. Flow continues at step 7 of the main flow.
Alternative Flow 2: Save Changes as Draft Revision	Trigger: Platform supports draft changes. 7a. Student saves edits without fully submitting them. 7b. System stores draft revision. 7c. Student returns later to finalize the edits.
Alternative Flow 3: Resubmit for Moderation	Trigger: Major edits require renewed approval. 9a. System determines the listing requires re-review. 9b. System changes status from Active to Pending Review. 9c. Student is informed that edits will appear after approval.
Exception Flow 1: Listing Not Found	Trigger: Listing record is missing or deleted. 4a. System cannot retrieve the listing. 4b. System displays message indicating the listing cannot be found.

Field	Description
Exception Flow 2: Unauthorized Edit Attempt	Trigger: Student attempts to edit a listing they do not own. 2a. System checks ownership. 2b. System denies access. 2c. System displays an authorization error.
Exception Flow 3: Validation Failure on Updated Data	Trigger: Edited content violates form or policy rules. 8a. System detects invalid data. 8b. System highlights the affected fields. 8c. Student corrects the errors. 8d. Flow returns to step 6 of the main flow.
Business Rules	Only the listing owner may edit the listing. Required fields must remain valid after edits. Platform may require moderation review after major edits. Completed or removed listings may have limited edit capability depending on design.
Frequency of Use	Medium
Priority	High

UC-09

Field	Description
Use Case ID	UC-09
Use Case Name	Delete Listing
Actor	Student
Description	This use case describes how a student removes one of their own listings from the marketplace.
Pre-conditions	Student is logged in. Student owns the listing. Listing exists in the system.
Post-conditions (Success)	Listing is removed from active marketplace visibility. Listing status is updated or archived according to design. Student receives confirmation of deletion.
Post-conditions (Failure)	Listing remains unchanged. No deletion occurs. Error message is displayed.
Main Flow (Basic Flow)	1. Student opens Dashboard or My Listings. 2. Student selects one of their listings. 3. Student clicks Delete or Remove Listing. 4. System displays a confirmation prompt. 5. Student confirms the deletion action. 6. System updates the listing status to Removed, Deleted, or Archived according to design. 7. System removes the listing from active browsing and search results. 8. System displays confirmation that the listing has been removed.

Field	Description
Alternative Flow 1: Cancel Deletion	Trigger: Student decides not to remove the listing. 5a. Student selects Cancel in the confirmation prompt. 5b. System closes the confirmation dialog. 5c. Listing remains unchanged.
Alternative Flow 2: Delete from Dashboard Quick Action	Trigger: Student deletes directly from listing card controls. 2a. Student uses quick action menu on dashboard. 2b. System opens confirmation prompt. 2c. Flow continues at step 5 of the main flow.
Alternative Flow 3: Archive Instead of Permanent Delete	Trigger: Platform uses soft delete rules. 6a. System archives the listing rather than permanently deleting the record. 6b. Listing no longer appears publicly but remains in records.
Exception Flow 1: Listing Already Removed	Trigger: Listing has already been deleted or archived. 3a. System detects that the listing is already inactive. 3b. System displays message indicating no further action is needed.
Exception Flow 2: Unauthorized Deletion Attempt	Trigger: Student tries to delete a listing they do not own. 2a. System verifies ownership. 2b. System denies the action. 2c. System displays authorization error message.
Exception Flow 3: Database Update Failure	Trigger: System fails to save deletion status. 6a. System encounters an update error. 6b. System logs the error. 6c. System displays an error message. 6d. Listing remains unchanged or system retries later.
Business Rules	Only the listing owner may delete the listing. Deleted or archived listings are not visible in active marketplace results. Conversation history may be retained according to platform data rules. Deletion may be implemented as soft delete rather than permanent removal.
Frequency of Use	Medium
Priority	Medium

UC-10

Field	Description
Use Case ID	UC-10
Use Case Name	Mark Listing Completed
Actor	Student
Description	This use case describes how a student marks one of their listings as completed after the item has been sold, traded, or otherwise exchanged.

Field	Description
Pre-conditions	Student is logged into CougarMarket. Student owns the listing. Listing exists and is currently active or otherwise eligible to be marked completed.
Post-conditions (Success)	Listing status is updated to Completed. Listing is removed from active marketplace browsing and search results. Student receives confirmation of the update.
Post-conditions (Failure)	Listing status remains unchanged. Listing may remain visible as active. Error message is displayed.
Main Flow (Basic Flow)	1. Student logs into CougarMarket. 2. Student opens Dashboard or My Listings. 3. Student selects one of their active listings. 4. System displays listing management options. 5. Student clicks Mark as Completed. 6. System displays a confirmation prompt. 7. Student confirms the completion action. 8. System updates the listing status to Completed. 9. System removes the listing from active marketplace results. 10. System displays confirmation that the listing has been marked completed.
Alternative Flow 1: Cancel Completion Action	Trigger: Student changes their mind after seeing the confirmation prompt. 7a. Student clicks Cancel. 7b. System closes the confirmation prompt. 7c. Listing remains active.
Alternative Flow 2: Mark Completed from Conversation Thread	Trigger: Student completes the transaction while viewing a buyer conversation. 3a. Student opens the related conversation thread. 3b. System provides an action to mark the associated listing as completed. 3c. Student selects the completion action. 3d. Flow continues at step 6 of the main flow.
Alternative Flow 3: Mark Completed with Buyer Note	Trigger: Platform allows an optional final note. 7a. Student enters a short completion note for their records. 7b. System stores the note with the completed transaction record. 7c. Flow continues at step 8 of the main flow.
Exception Flow 1: Listing Already Completed	Trigger: Listing was previously marked completed. 5a. System detects the listing is already in Completed status. 5b. System displays message: "This listing has already been completed."
Exception Flow 2: Unauthorized Completion Attempt	Trigger: Student tries to mark a listing they do not own as completed. 3a. System checks listing ownership. 3b. System denies the request. 3c. System displays an authorization error.
Exception Flow 3: Status Update Failure	Trigger: Database update fails while changing listing status. 8a. System cannot save the updated status. 8b. System logs the error.

Field	Description
	8c. System displays an error message. 8d. Listing remains unchanged.
Business Rules	Only the listing owner may mark the listing as completed. Completed listings cannot receive new purchase requests. Completed listings are removed from active browsing and searching. Completion does not necessarily delete associated conversation history.
Frequency of Use	Medium
Priority	Medium

3.2 Moderator Use Cases

UC-11

Field	Description
Use Case ID	UC-11
Use Case Name	Review Pending Listings
Actor	Moderator
Description	This use case describes how a moderator reviews listings submitted by students before those listings become publicly visible in the marketplace.
Pre-conditions	Moderator is logged into the moderation system. At least one listing exists with status Pending Review. Moderator has permission to review listings.
Post-conditions (Success)	Listing is reviewed. Moderator records a decision or follow-up action. Listing proceeds to approval, rejection, or change-request flow.
Post-conditions (Failure)	Listing is not fully reviewed. Listing remains pending. Error message is displayed if needed.
Main Flow (Basic Flow)	1. Moderator logs into the moderation dashboard. 2. Moderator opens the Pending Listings queue. 3. System retrieves all listings awaiting review. 4. System displays listing details including title, description, category, price, and images if available. 5. Moderator selects one pending listing. 6. Moderator reviews the listing content for completeness and policy compliance. 7. Moderator decides on an action such as Approve, Reject, or Request Changes. 8. System records the review outcome.
Alternative Flow 1: Request Changes from Student	Trigger: Listing is close to acceptable but needs minor corrections. 7a. Moderator selects Request Changes. 7b. Moderator enters feedback for the student. 7c. System stores the feedback and notifies the listing owner.

Field	Description
	7d. Listing remains in a non-active state until resubmitted or updated.
Alternative Flow 2: Review Multiple Listings in Sequence	Trigger: Moderator continues working through the queue. 8a. After completing one review, system loads the next pending listing. 8b. Moderator repeats steps 5 through 8.
Alternative Flow 3: Escalate Listing to Administrator	Trigger: Listing raises serious concerns beyond normal moderation. 7a. Moderator flags the listing for administrator review. 7b. System records the escalation and notifies the administrator.
Exception Flow 1: Listing Data Incomplete	Trigger: Required listing fields are missing. 6a. Moderator finds missing title, description, category, or price where required. 6b. System may highlight incomplete sections. 6c. Moderator rejects the listing or requests changes.
Exception Flow 2: Listing Already Reviewed	Trigger: Another moderator has already processed the listing. 5a. System detects that the listing status changed from Pending Review. 5b. System informs the moderator that the item was already reviewed. 5c. System returns to the queue.
Exception Flow 3: Moderation Queue Retrieval Failure	Trigger: System cannot load pending listings. 3a. Queue retrieval fails. 3b. System logs the issue. 3c. System displays an error message.
Business Rules	Only moderators and authorized administrators may review pending listings. Listings must comply with marketplace policies before approval. Required fields must be present before a listing can be approved. Moderator decisions must be recorded in the system.
Frequency of Use	Medium
Priority	High

UC-12

Field	Description
Use Case ID	UC-12
Use Case Name	Approve Listing
Actor	Moderator
Description	This use case describes how a moderator approves a pending listing that satisfies marketplace rules and quality expectations.

Field	Description
Pre-conditions	Moderator is logged in. Listing exists with status Pending Review. Listing has been reviewed and appears acceptable.
Post-conditions (Success)	Listing status becomes Active. Listing becomes visible to student users in browsing and search results. Listing owner may be notified of approval.
Post-conditions (Failure)	Listing remains pending or inactive. Listing does not become publicly visible. Error message may be displayed to moderator.
Main Flow (Basic Flow)	1. Moderator opens the moderation queue. 2. Moderator selects a pending listing. 3. System displays the listing details. 4. Moderator verifies the listing meets marketplace rules. 5. Moderator clicks Approve Listing. 6. System updates the listing status to Active. 7. System records the moderator decision. 8. System makes the listing visible in the marketplace. 9. System optionally sends approval notification to the listing owner.
Alternative Flow 1: Approve After Minor Metadata Check	Trigger: Moderator performs a final quick review before approval. 4a. Moderator double-checks category, pricing format, and image appropriateness. 4b. Flow continues at step 5 of the main flow.
Alternative Flow 2: Bulk Approval	Trigger: Multiple pending listings are clearly compliant and platform supports bulk actions. 1a. Moderator selects multiple listings. 1b. Moderator chooses Bulk Approve. 1c. System updates each selected listing to Active if valid. 1d. System reports approval results.
Alternative Flow 3: Approve with Logged Review Note	Trigger: Moderator wants to preserve internal note. 5a. Moderator enters an internal moderation note. 5b. System stores the note and continues with approval.
Exception Flow 1: Status Update Failure	Trigger: Database update fails during approval. 6a. System cannot save Active status. 6b. System logs the failure. 6c. System displays error message 6d. Listing remains pending.
Exception Flow 2: Listing Becomes Invalid During Approval	Trigger: Listing is modified, removed, or invalidated while moderator is reviewing it. 4a. System detects inconsistent or changed listing state. 4b. System prevents approval. 4c. Moderator is informed that the listing must be reviewed again.
Exception Flow 3: Moderator Session Expires	Trigger: Moderator authentication expires before approval completes. 5a. System detects expired session. 5b. System redirects moderator to login.

Field	Description
	5c. Approval action is not completed.
Business Rules	Only authorized moderators and administrators may approve listings. Approved listings must comply with platform content policies. Only approved listings become publicly visible. Every approval action must be recorded for moderation history.
Frequency of Use	Medium
Priority	High

UC-13

Field	Description
Use Case ID	UC-13
Use Case Name	Reject Listing
Actor	Moderator
Description	This use case describes how a moderator rejects a listing that violates marketplace rules, contains inappropriate content, or is otherwise unsuitable for publication.
Pre-conditions	Moderator is logged in. Listing exists in the moderation queue. Moderator has reviewed the listing.
Post-conditions (Success)	Listing status is changed to Rejected or equivalent. Listing is not made visible to the marketplace. Listing owner may receive rejection notice and reason.
Post-conditions (Failure)	Listing remains pending or in prior state. Rejection is not recorded correctly. Error message may be shown.
Main Flow (Basic Flow)	1. Moderator opens the moderation queue. 2. Moderator selects a pending listing. 3. System displays the listing details. 4. Moderator identifies a policy violation, missing requirement, or unacceptable content issue. 5. Moderator selects Reject Listing. 6. Moderator enters a rejection reason. 7. System records the rejection decision and reason. 8. System updates the listing status to Rejected. 9. System optionally notifies the listing owner.
Alternative Flow 1: Reject with Standard Rejection Code	Trigger: Platform supports preset rejection categories. 6a. Moderator chooses a predefined reason such as Incomplete, Prohibited Item, or Inappropriate Content. 6b. System records the standardized rejection reason. 6c. Flow continues at step 7 of the main flow.

Field	Description
Alternative Flow 2: Request Changes Instead of Full Rejection	Trigger: Issue is minor and correctable. 5a. Moderator decides not to reject immediately. 5b. Moderator switches to Request Changes workflow. 5c. Listing remains non-active pending correction.
Alternative Flow 3: Escalate Severe Violation	Trigger: Listing suggests fraud or abuse. 4a. Moderator flags the listing and related account for administrator review. 4b. System records escalation alongside the rejection action.
Exception Flow 1: Notification Failure	Trigger: Rejection is saved but owner notification fails. 9a. System cannot send notification. 9b. System logs the issue. 9c. Rejection still remains recorded.
Exception Flow 2: Listing Already Processed	Trigger: Another moderator already approved or rejected the listing. 2a. System detects status change. 2b. System informs the moderator and blocks duplicate rejection.
Exception Flow 3: Rejection Save Failure	Trigger: System cannot store the rejection decision. 7a. Database update fails. 7b. System displays an error message. 7c. Listing remains pending unless retry succeeds.
Business Rules	Listings that violate marketplace policy must not be published. Rejection should include a reason whenever possible. Rejected listings remain unavailable to general student browsing. Severe violations may require escalation to administrators.
Frequency of Use	Medium
Priority	High

UC-14

Field	Description
Use Case ID	UC-14
Use Case Name	Flag User Account
Actor	Moderator
Description	This use case describes how a moderator flags a student account for suspicious, abusive, or policy-violating behavior so that an administrator can review it.
Pre-conditions	Moderator is logged into the moderation system. User account exists. Moderator has identified concerning activity or content.
Post-conditions (Success)	User account is flagged in the system. Flag record includes reason and supporting context. Administrator can review the flagged account.

Field	Description
Post-conditions (Failure)	Account is not flagged. No escalation record is created. Error message may be displayed.
Main Flow (Basic Flow)	1. Moderator reviews marketplace content, messages, or activity logs. 2. Moderator identifies suspicious or problematic behavior associated with a user account. 3. Moderator opens the user's moderation or account record. 4. Moderator selects Flag Account. 5. System prompts the moderator to enter a reason for the flag. 6. Moderator enters the reason and any supporting notes. 7. Moderator submits the flag. 8. System records the flag against the user account. 9. System notifies or surfaces the account for administrator review.
Alternative Flow 1: Attach Evidence	Trigger: Moderator wants to include evidence. 6a. Moderator attaches references such as listing IDs, message IDs, or moderation notes. 6b. System stores the evidence references with the flag.
Alternative Flow 2: Flag from Listing Review Screen	Trigger: Moderator sees suspicious behavior while reviewing a listing. 2a. Moderator selects the seller account directly from the listing. 2b. System opens the account review context. 2c. Flow continues at step 4 of the main flow.
Alternative Flow 3: Flag Multiple Related Incidents	Trigger: Multiple concerning incidents are associated with the same user. 6a. Moderator records several related references in the same flag submission. 6b. System stores a consolidated case record.
Exception Flow 1: Account Already Flagged for Same Issue	Trigger: Duplicate flag attempt occurs. 8a. System detects an existing unresolved flag for the same issue. 8b. System warns the moderator and allows update of the existing record instead of creating a duplicate.
Exception Flow 2: Flag Save Failure	Trigger: System cannot store the flag record. 8a. Database or service failure occurs. 8b. System logs the error. 8c. System displays an error message.
Exception Flow 3: Unauthorized Moderator Action	Trigger: User lacks proper moderation permissions. 4a. System denies the action. 4b. System displays authorization error.
Business Rules	Only authorized moderators and administrators may flag user accounts. Flags must include a valid reason. Flagging does not automatically ban the user unless the platform explicitly supports automatic enforcement. Administrator review is required for higher-level disciplinary action.
Frequency of Use	Low
Priority	Medium

UC-15

Field	Description
Use Case ID	UC-15
Use Case Name	Monitor Marketplace Activity
Actor	Moderator
Description	This use case describes how a moderator monitors marketplace activity to identify inappropriate listings, suspicious behavior, or emerging policy issues.
Pre-conditions	Moderator is logged in. Monitoring dashboard or tools are available. Marketplace activity exists.
Post-conditions (Success)	Moderator views marketplace activity information. Moderator may identify items requiring action. Monitoring observations may lead to additional moderation actions.
Post-conditions (Failure)	Activity data is not displayed fully or at all. Error message is shown.
Main Flow (Basic Flow)	1. Moderator logs into the moderation dashboard. 2. Moderator opens the marketplace activity monitor or moderation overview screen. 3. System retrieves recent activity such as new listings, edited listings, reported items, and message or user trends if included. 4. System displays activity information in a reviewable format. 5. Moderator reviews the displayed marketplace activity. 6. Moderator identifies any suspicious or policy-relevant items. 7. Moderator chooses whether to take further action or continue monitoring.
Alternative Flow 1: Filter by User or Category	Trigger: Moderator wants to narrow the activity view. 4a. Moderator applies filters such as user, category, date range, or listing status. 4b. System refreshes the displayed monitoring results.
Alternative Flow 2: Open Specific Listing for Review	Trigger: Moderator notices a listing that requires closer inspection. 6a. Moderator selects the listing. 6b. System opens the full listing review view.
Alternative Flow 3: Export Monitoring Snapshot	Trigger: Platform supports reporting or export. 7a. Moderator exports a summary of current activity for records or follow-up.
Exception Flow 1: Activity Log Retrieval Failure	Trigger: System cannot retrieve monitoring data. 3a. Activity query fails. 3b. System logs the issue. 3c. System displays error message.
Exception Flow 2: No Recent Activity	Trigger: There is little or no relevant activity in the selected range. 3a. System retrieves no significant activity records. 3b. System displays empty-state message.

Field	Description
Exception Flow 3: Partial Data Availability	Trigger: Some monitoring feeds are unavailable. 3a. System retrieves only part of the data. 3b. System marks unavailable sections. 3c. Moderator can continue reviewing available information.
Business Rules	Moderators may monitor activity but only perform actions allowed by their role. Administrative-only enforcement actions remain restricted. Monitoring data should reflect current and historical activity according to retention rules.
Frequency of Use	Medium
Priority	Medium

3.3 Admin Use Cases

UC-16

Field	Description
Use Case ID	UC-16
Use Case Name	View All Listings
Actor	Administrator
Description	This use case describes how an administrator views all listings in the system, including active, pending, rejected, completed, and removed listings.
Pre-conditions	Administrator is logged into the administrative system. Administrator has listing management permissions.
Post-conditions (Success)	Listings are displayed to the administrator. Administrator may inspect or manage individual listings.
Post-conditions (Failure)	Listings are not displayed correctly. Error message is shown.
Main Flow (Basic Flow)	- Administrator logs into the administrative dashboard. - Administrator navigates to Listing Management. - System retrieves all listing records. - System displays listings along with statuses such as Active, Pending, Rejected, Completed, or Removed. - Administrator reviews the listing records. - Administrator may select a listing for more detailed inspection or action.

Field	Description
Alternative Flow 1: Filter Listings by Status	Trigger: Administrator wants to narrow the listing view. 4a. Administrator applies one or more filters such as Active, Pending, Rejected, or Completed. 4b. System refreshes the displayed list.
Alternative Flow 2: Search for Specific Listing	Trigger: Administrator searches by keyword, seller, or listing ID. 3a. Administrator enters search criteria. 3b. System retrieves matching records. 3c. Flow continues at step 4 of the main flow.
Alternative Flow 3: Open Listing Detail Record	Trigger: Administrator selects a specific listing from the results. 6a. System opens the full listing record and related moderation history.
Exception Flow 1: Listing Retrieval Failure	Trigger: Database or service fails to return records. 3a. System cannot retrieve listing data. 3b. System logs the issue. 3c. System displays an error message.
Exception Flow 2: No Listings Match Filters	Trigger: Applied filters result in zero matches. 4a. System displays empty-state message indicating no records match the selected criteria.
Exception Flow 3: Session Expiration	Trigger: Administrator session expires during the request. 2a. System redirects to login. 2b. Listing view is not completed.
Business Rules	Administrators have access to all listing statuses. Listing visibility for administrators exceeds that of students and moderators where appropriate. Administrative access must still respect audit and logging requirements.
Frequency of Use	Medium
Priority	High

UC-17

Field	Description
Use Case ID	UC-17
Use Case Name	Approve or Remove Listings
Actor	Administrator
Description	This use case describes how an administrator directly approves or removes listings in order to enforce marketplace rules and maintain platform integrity.
Pre-conditions	Administrator is logged in. Listing exists in the system. Administrator has listing enforcement permissions.
Post-conditions (Success)	Listing status is updated according to the administrator's decision. Marketplace visibility is updated if needed. Action is logged in administrative records.
Post-conditions (Failure)	Listing remains unchanged or partially updated. Error message is displayed.
Main Flow (Basic Flow)	1. Administrator opens Listing Management. 2. Administrator searches for or selects a listing. 3. System displays the current listing record and status. 4. Administrator reviews the listing content and moderation history if available. 5. Administrator chooses an action such as Approve or Remove. 6. System prompts for confirmation when appropriate. 7. Administrator confirms the action. 8. System updates the listing status. 9. System records the administrative action in the audit log. 10. System updates public visibility based on the new status.
Alternative Flow 1: Remove Listing After Complaint	Trigger: Listing was reported and investigation supports removal. 4a. Administrator reviews complaint details. 4b. Administrator selects Remove. 4c. Flow continues at step 6 of the main flow.
Alternative Flow 2: Restore Listing by Approving It	Trigger: Listing was previously held or pending. 5a. Administrator selects Approve. 5b. System changes status to Active. 5c. Listing becomes visible again.
Alternative Flow 3: Refer Back to Moderator	Trigger: Administrator wants additional moderation review. 5a. Administrator returns listing to moderation with note. 5b. System records the referral.
Exception Flow 1: Listing Update Failure	Trigger: System cannot save new status. 8a. Database update fails. 8b. System logs the issue. 8c. System displays an error message. 8d. Listing remains in prior state.

Field	Description
Exception Flow 2: Listing Already Changed by Another Admin or Moderator	Trigger: Listing status changes before the admin confirms action. 7a. System detects state conflict. 7b. System informs the administrator and refreshes the listing record.
Exception Flow 3: Unauthorized Administrative Scope	Trigger: Admin role lacks the needed permission subset in a role-based system. 5a. System denies the action. 5b. System displays authorization error.
Business Rules	Administrative decisions may override moderator decisions where policy allows. Removed listings must not appear in active browsing results. All administrative enforcement actions must be auditable. Approved listings must comply with marketplace policy.
Frequency of Use	Medium
Priority	High

UC-18

Field	Description
Use Case ID	UC-18
Use Case Name	View Users
Actor	Administrator
Description	This use case describes how an administrator views registered user accounts and associated account-level information relevant to marketplace administration.
Pre-conditions	Administrator is logged in. User management module is available. Administrator has user-view permissions.
Post-conditions (Success)	User accounts are displayed. Administrator may review account details and take follow-up actions if authorized.
Post-conditions (Failure)	User accounts are not displayed. Error message is shown.
Main Flow (Basic Flow)	1. Administrator logs into the administrative dashboard. 2. Administrator navigates to User Management. 3. System retrieves registered user account records. 4. System displays the user list including relevant details such as account name, role, status, and marketplace participation summary if supported. 5. Administrator reviews the displayed user accounts. 6. Administrator may select a specific user to inspect more closely.

Field	Description
Alternative Flow 1: Search for Specific User	Trigger: Administrator wants a specific account. 3a. Administrator enters search criteria such as name, email, username, or ID. 3b. System retrieves matching user accounts. 3c. Flow continues at step 4 of the main flow.
Alternative Flow 2: Filter by Role or Status	Trigger: Administrator narrows the user list. 4a. Administrator applies filters such as Student, Moderator, Administrator, Active, Flagged, or Banned. 4b. System refreshes the displayed list.
Alternative Flow 3: Open User Detail Record	Trigger: Administrator selects an account. 6a. System displays detailed user account information and relevant history based on permissions.
Exception Flow 1: User Retrieval Failure	Trigger: System cannot retrieve user records. 3a. System encounters database or service failure. 3b. System logs the issue. 3c. System displays an error message.
Exception Flow 2: No Users Match Search or Filter	Trigger: Applied criteria return zero results. 4a. System displays no matching users found.
Exception Flow 3: Partial Permission Restrictions	Trigger: Admin can view basic accounts but not certain protected details. 4a. System hides restricted fields while still showing authorized user information.
Business Rules	Only administrators with proper permissions may view full user lists. User information displayed must follow platform privacy and access control rules. Administrative access must be logged where required.
Frequency of Use	Medium
Priority	High

UC-19

Field	Description
Use Case ID	UC-19
Use Case Name	Ban User
Actor	Administrator
Description	This use case describes how an administrator bans a user account that has violated marketplace rules or created serious platform risks.
Pre-conditions	Administrator is logged in. User account exists. Administrator has ban or account enforcement permissions. Administrator has sufficient reason to perform the action.
Post-conditions (Success)	User account is marked as banned or disabled. User loses access to marketplace functionality according to policy. Administrative action is recorded in the audit log.
Post-conditions (Failure)	User account remains active or unchanged. Ban is not recorded. Error message is displayed.
Main Flow (Basic Flow)	1. Administrator opens User Management. 2. Administrator searches for and selects a user account. 3. System displays the user account details and any relevant moderation history. 4. Administrator reviews the evidence supporting disciplinary action. 5. Administrator selects Ban User. 6. System prompts for confirmation and optional reason entry. 7. Administrator confirms the ban action. 8. System updates the account status to Banned or Disabled. 9. System records the action in the audit log. 10. System prevents the banned user from performing marketplace actions.
Alternative Flow 1: Temporary Suspension Instead of Permanent Ban	Trigger: Administrator decides permanent ban is too severe. 5a. Administrator selects Suspend User instead of Ban. 5b. System applies temporary account restriction according to platform rules.
Alternative Flow 2: Ban Triggered from Flagged Account Review	Trigger: Admin is reviewing a flagged user account from moderator escalation. 4a. Administrator reviews flag details and evidence. 4b. Flow continues at step 5 of the main flow.
Alternative Flow 3: Ban with Associated Listing Review	Trigger: Administrator also wants to remove user's problematic listings. 8a. System or administrator initiates related listing enforcement actions after the ban.
Exception Flow 1: Account Already Banned	Trigger: Selected account is already disabled or banned. 5a. System detects existing banned status. 5b. System informs the administrator that no further ban action is needed.

Field	Description
Exception Flow 2: Ban Save Failure	Trigger: System cannot update account status. 8a. Database update fails. 8b. System logs the issue. 8c. System displays an error message.
Exception Flow 3: Insufficient Administrative Permission	Trigger: Current admin role cannot perform ban operations. 5a. System denies the action. 5b. System displays authorization error.
Business Rules	Only authorized administrators may ban users. Banned users cannot create listings, send requests, or access normal marketplace functions. Ban actions must be logged. Ban reasons should be documented when possible.
Frequency of Use	Low
Priority	High

UC-20

Field	Description
Use Case ID	UC-20
Use Case Name	View Marketplace Statistics
Actor	Administrator
Description	This use case describes how an administrator views analytics and summary statistics about marketplace activity in order to evaluate system usage and platform health.
Pre-conditions	Administrator is logged in. Analytics or reporting dashboard is available. Administrator has analytics viewing permissions.
Post-conditions (Success)	Marketplace statistics are displayed. Administrator can review platform usage information. Administrator may refine or export the displayed data if supported.
Post-conditions (Failure)	Statistics are not displayed fully or at all. Error message is shown.
Main Flow (Basic Flow)	- Administrator logs into the administrative dashboard. - Administrator opens the Marketplace Statistics or Analytics page. - System retrieves marketplace summary data. - System calculates or retrieves metrics such as: 4.1 Total listings 4.2 Active listings 4.3 Pending listings 4.4 Number of registered users 4.5 Number of active users

Field	Description
	4.6 Completed transactions or completed listings 5. System displays the analytics dashboard. 6. Administrator reviews platform statistics.
Alternative Flow 1: Filter Statistics by Date Range	Trigger: Administrator wants statistics for a specific time period. 3a. Administrator selects a date range. 3b. System recalculates or reloads statistics for that period. 3c. Flow continues at step 5 of the main flow.
Alternative Flow 2: View Statistics by Category	Trigger: Administrator wants category-level breakdowns. 4a. Administrator selects a category filter or breakdown view. 4b. System displays segmented results by category.
Alternative Flow 3: Export Analytics Report	Trigger: Platform supports export. 6a. Administrator chooses to export the current report. 6b. System generates and downloads or stores the report.
Exception Flow 1: Analytics Service Unavailable	Trigger: Reporting service is down or unreachable. 3a. System cannot retrieve analytics data. 3b. System logs the failure. 3c. System displays an error message.
Exception Flow 2: No Data for Selected Range	Trigger: Selected filter or date range contains no data. 4a. System returns zero records for the requested period. 4b. System displays a message indicating no statistics are available for that range.
Exception Flow 3: Partial Metric Retrieval Failure	Trigger: Some metrics load while others fail. 4a. System displays available metrics. 4b. System marks unavailable metrics as temporarily unavailable. 4c. Administrator may retry or adjust filters.
Business Rules	Only administrators with proper permissions may access analytics. Statistics should reflect authoritative marketplace data sources. Displayed metrics must respect the platform's defined reporting rules and time windows. Administrative analytics access may be logged.
Frequency of Use	Medium
Priority	Medium

4. Use Case to Screen Mapping

Use Case	Screen
UC-001 Browse Listings	listings.html
UC-002 Search Listings	search-results.html
UC-003 View Listing Details	listing-details.html
UC-004 Send Purchase Request	request-thread.html
UC-006 User Dashboard	dashboard.html
UC-007 Create Listing	create-listing.html
UC-008 Edit Listing	listing-edit.html
UC-016 Admin Dashboard	admin-dashboard.html
Homepage	index.html

Additional planned screens are represented using wireframes:

login-wireframe.html

register-wireframe.html

user-profile-wireframe.html

notifications-wireframe.html

messages-wireframe.html

settings-wireframe.html

admin-dashboard-wireframe.html

moderator-dashboard-wireframe.html

5. Screen Overview

The CougarMarket user interface includes several core screens representing primary marketplace interactions.

The homepage introduces the platform and highlights featured listings. The listings page allows users to browse available items and apply filters. The listing details page provides full item information and allows students to contact listing owners.

The dashboard provides students with an overview of their marketplace activity and allows them to manage listings and requests.

Moderators and administrators use the administrative dashboard to review listings, monitor user activity, and enforce marketplace policies.

Some functionality is represented using wireframes to indicate planned features that will be implemented later.