# SANKARA EYE HOSPITAL & RETINA CARE CENTRE

Department of Vitreo-Retinal Services & Comprehensive Ophthalmology
Survey No. 402/1, Viman Nagar Road, Near Airport, Pune, Maharashtra 411014 • Tel: +91 20 2663 2020


**VALIDATED DIAGNOSTIC REPORT**

OPHTH-ID: #SEH-PN-55912
UHID: SEH-2026-90431

| | | | |
|---|---|---|---|
| **Patient Name:** | **Mr. Rameshwar Prasad Kulkarni** | **Examination Date:** | 28/10/2026 • 05:15 PM |
| **Age / Sex:** | 58 Years • Male | **Examining Specialist:** | Dr. Arvind Narayan, MS, DNB, FVR (Retina) |
| **Clinical History:** | Type 2 Diabetes Mellitus × 9 years; gradual vision blur (OD) | **Pupillary Dilation:** | Tropicamide 0.8% + Phenylephrine 5% OU |

| Eye Parameter | Right Eye (OD) | Left Eye (OS) |
|---|---|---|
| **Best Corrected Visual Acuity (BCVA)** | 6/12 (Snellen with -1.25 DS / -0.50 DC × 90°) | 6/6 (Snellen with -0.75 DS) |
| **Intraocular Pressure (Goldmann)** | 15 mmHg | 14 mmHg |
| **Anterior Segment (Slit Lamp)** | Clear cornea, normal anterior chamber, early nuclear sclerosis (NS 1+) | Clear cornea, deep & quiet anterior chamber, clear crystalline lens |

## DIGITAL FUNDUS EXAMINATION (RIGHT EYE - OD)



**Fundus Photo OD**
50° Field • Posterior Pole
Optic Disc & Macula

- **Optic Nerve Head:** Margins sharp, well-defined neuroretinal rim; cup-to-disc ratio 0.35, normal physiological cupping with good rim pallor.
- **Retinal Vasculature:** Arteriolar attenuation with focal arteriovenous nipping. Mild vascular tortuosity noted in the superotemporal and inferotemporal arcades.
- **Macula & Posterior Pole:** Foveal reflex slightly blunted. Scattered punctate microaneurysms and discrete dot-blot hemorrhages within 1 disc diameter of fovea. Small cluster of hard exudates superior to the macula.
- **Periphery:** Retina flat 360 degrees. No retinal breaks, tears, neovascularization (NVE/NVD), or vitreous hemorrhage.

## DIAGNOSTIC IMPRESSION

1. **Moderate Non-Proliferative Diabetic Retinopathy (NPDR) - Right Eye (OD):** Evidenced by microaneurysms, dot hemorrhages, and hard exudates without overt macular edema.
2. **Mild Non-Proliferative Diabetic Retinopathy (NPDR) - Left Eye (OS):** Sparse peripheral microaneurysms.
3. **Early Senile Nuclear Cataract (Grade 1+) - Right Eye (OD).**

## MANAGEMENT & RECOMMENDED PLAN

- **Macular Optical Coherence Tomography (OCT):** Scheduled for tomorrow to quantify central subfield retinal thickness and rule out subclinical diabetic macular edema (DME).
- **Systemic Glycemic Control:** Advised strict HbA1c target (< 7.0%) and BP regulation in consultation with consulting diabetologist.
- **Follow-up:** Review with repeat dilated fundus evaluation in 3 months. Immediate review if flashes or floaters develop.

**Dr. Arvind Narayan, MBBS, MS, DNB (Ophthalmology), FVR**
Senior Consultant Vitreo-Retinal Surgeon
Reg. No: MMC / 2006 / 11 / 4018
Sankara Eye Hospital, Pune

**CLINICALLY VERIFIED**
PACS REF: RET-OD-9021
Pune, Maharashtra