




nifi

NiFi Flow

Active threads: 0   Queued: 0 / 0 bytes   Stats last refreshed: 15:04:02 IST

Search

help about



# ListenHTTP

The image shows a workflow diagram on the left and a configuration window for the 'ListenHTTP' processor on the right.

**Workflow Diagram:**

- Listen to HTTP (ListenHTTP):** In: 0 / 0 bytes, Read/Writ: 0 bytes / 0 bytes, Out: 0 / 0 bytes, Tasks/Tim: 295 / 00:30:00.012. It has a 'Queue' with 'Name: success' and '0 / 0 bytes'.
- Convert to JSON (AttributesToJSON):** In: 0 / 0 bytes, Read/Writ: 0 bytes / 0 bytes, Out: 0 / 0 bytes, Tasks/Tim: 0 / 00:30:00.000. It has a 'Queue' with 'Name: failure' and '0 / 0 bytes'.

**Processor Details (ListenHTTP):**


Settings | Scheduling | **Properties** | Comments

**Required field**

Property	Value
<b>Base Path</b>	<b>monitor</b>
<b>Listening Port</b>	<b>6011</b>
Max Data to Receive per Second	No value set
SSL Context Service	No value set
<b>Authorized DN Pattern</b>	<b>.*</b>
<b>Max Unconfirmed Flowfile Time</b>	<b>60 secs</b>
HTTP Headers to receive as Attributes (Re...	No value set

Ok

# PutMongo



The screenshot displays the PutMongo application interface. On the left, a 'Send to mLab' button is visible, with a tooltip showing statistics: In 0 / 0 bytes, Read/Write 0 bytes / 0 bytes, Out 0 / 0 bytes, and Tasks/Time 0 / 00:30:00.000. An arrow points from this button to the 'Processor Details' dialog box on the right.

**Processor Details**

Settings | Scheduling | **Properties** | Comments

**Required field**

Property	Value
Mongo URI	mongodb://admin:admin@ds1171...
Mongo Database Name	test_db
Mongo Collection Name	test
SSL Context Service	No value set
Client Auth	REQUIRED
Mode	insert
Upsert	false
Update Query Key	_id
Write Concern	ACKNOWLEDGED
Character Set	UTF-8

Ok

# PostHTTP

## Processor Details

Settings Scheduling **Properties** Comments

### Required field

Property	Value	
URL	<a href="http://localhost:9000/api/alert">http://localhost:9000/api/alert</a>	
Max Batch Size	100 MB	
Max Data to Post per Second	No value set	
SSL Context Service	No value set	
Username	No value set	
Password	No value set	
Send as FlowFile	false	
Use Chunked Encoding	true	
Compression Level	0	
Connection Timeout	30 sec	
Data Timeout	30 sec	

Ok

