



COCOABUILDER.COM

RESOURCE CENTER FOR COCOA DEVELOPERS

[Cocoa archive](#)[Xcode archive](#)

## Cocoa archive

 Search Cocoa[Advanced Search](#)**Re: Binding popup contents difficulties [REVISITED]**

FROM : Matt Neuburg

DATE : Wed May 31 16:21:04 2006

On Wed, 31 May 2006 03:50:34 -0400,  
 Ken Tozier <<email\_removed>> said:  
 >Although I can get popup bindings  
 working if all I use is an array of  
 >strings, what I'd really like to do  
 is store an array of dictionaries  
 >in my model and have the menu  
 display a specific field from each  
 >dictionary.

>  
 >Here's the dictionary array  
 structure in my model:

```
>sites (
> {id=1, name='Boston',
>   state='Masachusetts'},
> {id=2, name='New York',
>   state='New York'},
> {id=1, name='Chicago',
>   state='Illinois'},
> {id=1, name='Los Angeles',
>   state='California'},
> etc...
>)
```

>  
 >Here are the popup bindings I'm  
 attempting in the IB inspector  
 palette:

>Value Selection:

> contentValues:

> Bind to: PopupArrayController

> Controller Key: arrangedObjects

> Model Key path: name

Step 1: Start with an NSPopupButton  
 and an NSArrayController.

Step 2: Bind the NSPopupButton to  
 the NSArrayController in three ways:  
 its  
 content (to arrangedObjects), its  
 contentValues (to  
 arrangedObjects.name),  
 and its selectedIndex (to

may 2006						
M	T	W	T	F	S	S
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31				
Go to today						

[Back to list](#)[Next in thread](#)[Previous thread](#)[Next thread](#)[RSS](#) Cocoa mail archive

 [Re: Binding popup contents difficulties \[REVISITED\]](#)

Ken Rozier

Jun 1, 02:58

Site by [Bertrand Mansion](#) | This site is an archive for some [mailing lists](#)

Sponsored by [mamasam](#)